

To the

Location, ownership, and detail must be correct; complete and legible, Separate application required for every building.

# APPLICATION FOR PERMIT TO BUILD'S

Portland, Me., May 10, 1923

INSPECTOR OF BUILDINGS

The undersigned hereby applies for a permit to build, according to the following Specifications:-

Name of owne	18 Adelaide Street	¥4	•	•		
	eris? S. E. Stevens	Fire Districts_	ne		Ward	9
Name of mech	anic is?_owner	Add	lress_	1.8	Adelaide	Street
cars only, and	no space to be let.	Private garage for		one		
Size of building	n two feet from any lot line, will extinguisher to be kept in garage; No. of feet front? 12ft  1	e: No. of feet rear? 12ft	;	No. of	feet deep?	18ft
Floor to be?	eight from the mean grade of st	treet to the highest part of the	roof?			
Will the building	flat, pitch, mansard, or hip? himney?noWill t conform to the requirements of	f the law? yes	1	ła stove	es to be used.	
• .	te as good in appearance as other person acting for you previously articulars	applied for a permit to build a			99 9997 <u>no</u>	
			······································	·		
			-	*		

0

(B) LIMITED EUSINESS PERMIT ISSUED



	ČI ČD da	PLICATION	FOR PER	$MIT \qquad APR \ \tilde{2}_{4} = 0_{3} =$
1	Class of Building	or Type of Stre	ucture rourd	ones 4 SA 1881
5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	,	;	Portland, Maine,	
To the INSPECTOR C	OF BUILDINGS, PORTL	AND. MY		•
The undersignd	hereby applies for a pe	rmit to erect alter	install the following	g building str <del>ucture equipme</del> nt rtland, plans and specifications,
any, submitted herewit	h and the following spe	ie, the Building Co∈ icifications:	de of the City of Po	rtland, plans and specifications,
Owner's or Lessee's nar	me and address S. P	Stevens V		mits? Dist. No 10186
Architect's name and add	lress		Ar	Telephone
Proposed use of building	g 2 car garage			No. families
Plans filed as part of thi	is application?	A SPACE		
Estimated cost \$ 50.		H	No. of sheets	
The state of the s				Fee 2 . 50
Material Bood No.	Description of	f Present Build	ing to be Altere	eđ
ast rise	. storiesrleat _	Style	of roof hip	ed Roofing Asphalt
				Roofing Asphalt  No. families
a market a graph	General	Description of	New Work	
To eruck addition	on 4° x 18° on and	of existing ge	reen (	Co Danie
				COUREMENT IS WALVA
			l	COUREMENT IS WAIVE
`\				NOTIFICATION BEFORE I ATTURE
				and to be a feet and
te nearing contractor.	The state of the s	on of heating apparatus	which is to be taken	out separately by and in the name of
	J.,*(	erans of MeM M	ork	:
iże, front d	lepthNo. s			op of plate 3? ghest point of roof 22 13
o be erected on solid or f	illed land? Bolid	l	average grade to hi	ghest point of roof ** 131
	codar ponta		_cartin or rock f	eerch
aterial of underpinning .	3	Height	•	.bottom
nd of Roof	Plat Rise per foot	D (		.bottom
ind of Roof o. of chimneysno	Rise per foot .	Roof cove	ering Asphalt roo	Thickness  Offing Close C Und. Lab.
ind of Roof	Rise per footMaterial of chimney	Roof cove	ering <b>Asphalt ro</b> c	.bottomThickness
ond of Roof	Rise per footMaterial of chimney	Roof cove	ering <b>Asphalt ro</b> c	.bottomThickness
ind of Roof  o. of chimneys no ind of heat Ro orner posts 4x6 Saterial columns under en	Rise per foot	Roof cove	ering <b>Aaphalt, roc</b> Is gas f	.bottom
ind of Roof  o. of chimneys no ind of heat Ro orner posts 4x6 Saterial columns under en	Rise per foot	Roof cove	ering <b>Aaphalt, roc</b> Is gas f	.bottom
nd of Roof  p. of chimneys no  nd of heat Ro  rner posts 4x6 S  aterial columns under en	Material of chinney  Material of chinney  Gills 4x6 Girt or  rders arrying partitions) 2x4-1  corner posts all one pie	Roof covers  Type of fuel ledger board? Size 16" O. C. Girders 6	ering Asphalt rooms Is gas for Maxix8 or larger. Bridg	
nd of Roof  o of chimneys no  nd of heat Roo  rner posts 4x6 S  sterial columns under gin  ids (outside walls and ca  m over 8 feet. Sills and  Joists and rufters:	Material of chimney  Material of chimney  Gills 4x6 Girt or  rders arrying partitions) 2x4-1 l corner posts all one pie	Roof covers  Type of fuel  ledger board?  Size  16" O. C. Girders 6 are in cross section.	ering Asphalt room Is gas for Max.  Max. Six8 or larger. Bridge	Thickness  Offing Clean C Und. Lah.  of lining  itting involved?  Size  on centers  ring in every floor and flat roof
nd of Roof  o of chimneys no  nd of heat No  rner posts 4x4 S  sterial columns under gin  ids (outside walls and ca  n over 8 feet. Sills and  Joists and rufters:  On centers:	Material of chinney  Material of chinney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-1  corner posts all one pie  1st floor concret	Roof covers  Type of fuel ledger board? Size 16" O. C. Girders 6 ece in cross section.  te, 2nd, 2nd	Is gas fi  Max ix8 or larger. Bridg	Thickness
nd of Roof  of chimneys  nd of heat  ruer posts  deterial columns under gin  dds (outside walls and ca  n over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span:	Material of chinney  Material of chinney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-  corner posts all one pie  1st floor conorat  1st floor	Roof covers  Type of fuel Size Size 16" O. C. Girders 6 cee in cross section.	Is gas f	Thickness
nd of Roof  of chimneys  nd of heat  ruer posts  deterial columns under gin  dds (outside walls and ca  n over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span:	Material of chinney  Material of chinney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-  corner posts all one pie  1st floor conorat  1st floor	Roof covers  Type of fuel Size Size 16" O. C. Girders 6 cee in cross section.	Is gas f	Thickness
nd of Roof  no of chimneys no  nd of heat  ner posts 4x6  Sterial columns under gin  dds (outside walls and ca  n over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span:  one story building with in	Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-1 1 corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness	Roof covers  Type of fuel  ledger board?  Size  16" O. C. Girders 6 ece in cross section.  te, 2nd, 2nd	Ering Asphalt room Is gas for the sering Max Six8 or larger. Bridge Th	
and of Roof  of chimneys  no  not of heat  ruer posts  terial columns under gin ds (outside walls and ca n over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span: one story building with in  cars now accommodated	Material of chimney  Material of chimney  Gills 4x6 Girt or  reders  arrying partitions) 2x4- 1 corner posts all one pie  1st floor concret  1st floor  1st floor  nasonry walls, thickness	Roof covers  Type of fuel  ledger board?  Size  16" O. C. Girders 6 ace in cross section.  te, 2nd  , 2nd  of walls?  If a Garage	Ering Asphalt. roc  Is gas for Max  Sx8 or larger. Bridg  , 3rd  , 3rd  , 3rd	
nd of Roof  o of chimneys no  nd of heat RO  rner posts 4x6 S  sterial columns under gin  ids (outside walls and ca in over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span:  one story building with in  cars now accommodated al number commercial car	Material of chimney  Material of chimney  Material of chimney  Girls 4x6 Girt or  rders  arrying partitions) 2x4-1 1 corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness  d on same lot  rs to be accommodated	Roof covers  Pype of fuel  Size  16" O. C. Girders 6 ce in cross section.  2nd  2nd  of walls?  If a Garage  1	Is gas for Max and Max and Max ard Max	
nd of Roof  o of chimneys no  nd of heat RO  rner posts 4x6 S  sterial columns under gin  ids (outside walls and ca in over 8 feet. Sills and  Joists and rufters:  On centers:  Maximum span:  one story building with in  cars now accommodated al number commercial car	Material of chimney  Material of chimney  Material of chimney  Girls 4x6 Girt or  rders  arrying partitions) 2x4-1 1 corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness  d on same lot  rs to be accommodated	Roof covers  Pype of fuel  Size  16" O. C. Girders 6 ce in cross section.  2nd  2nd  of walls?  If a Garage  1	Is gas for Max and Max and Max ard Max	
nd of Roof  no of chimneys no nd of heat Roo nner posts 4x6 S  aterial columns under gin ads (outside walls and ca am over 8 feet. Sills and Joists and rufters: On centers: Maximum span: one story building with m  cars now accommodated al number commercial car	Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-1 1 corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness  d on same lot  rs to be accommodated  e done other than minor	Roof covers  Pype of fuel  Size  16" O. C. Girders 6 ece in cross section.  16", 2nd , 2nd  of walls?  If a Garage  none  repairs to cars habi	Is gas for Max and Max and Max ard Max	
ind of Roof  o. of chimneys no ind of heat 80  orner posts 4x6  saterial columns under gin uds (outside walls and ca an over 8 feet. Sills and Joists and rufters: On centers: Maximum span: one story building with in cars now accommodated al number commercial car ill automobile repairing he	Material of chimney  Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-1  corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness  d on same lot  rs to be accommodated  chone other than minor  coval or disturbing of any	Roof covers  Pype of fuel  Size  16" O. C. Girders 6 ece in cross section.  16", 2nd , 2nd  of walls? If a Garage  none  repairs to cars habi  Mizcellaneous	Is gas for the process of the proces	
ind of Roof  o. of chimneys no ind of heat 80  orner posts 4x6  saterial columns under gin uds (outside walls and ca an over 8 feet. Sills and Joists and rufters: On centers: Maximum span: one story building with in cars now accommodated al number commercial car ill automobile repairing he	Material of chimney  Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4-1  corner posts all one pie  1st floor  1st floor  1st floor  nasonry walls, thickness  d on same lot  rs to be accommodated  chone other than minor  coval or disturbing of any	Roof covers  Pype of fuel  Size  16" O. C. Girders 6 ece in cross section.  16", 2nd , 2nd  of walls? If a Garage  none  repairs to cars habi  Mizcellaneous	Is gas for the process of the proces	
nd of Roof  no of chimneys no nd of heat Roo  rner posts 4x6 S  aterial columns under gin ads (outside walls and ca an over 8 feet. Sills and Joists and rufters: On centers: Maximum span: one story building with in  cars now accommodated al number commercial car il automobile repairing he above work require reme there be in charge of the	Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4  corner posts all one pie  1st floor Gonorat  1st floor  1st floor  assonry walls, thickness  d on same lot  rs to be accommodated  chone other than minor  oval or disturbing of any  e above work a person of	Roof covers  Type of fuel Size 16" O. C. Girders 6 sec in cross section.  Le., 2nd , 2nd , 2nd  of walls?  If a Garage  none repairs to cars habi Mizcellaneous y shade tree on a put	Is gas for the process of the State and City references.	
nd of Roof  no of chimneys no nd of heat RO  rner posts 4x6 S  sterial columns under gine and over 8 feet. Sills and cam over 8 feet.  On centers:  Maximum span: one story building with in cars now accommodated al number commercial car I automobile repairing be	Material of chimney  Material of chimney  Gills 4x6 Girt or  rders  arrying partitions) 2x4  corner posts all one pie  1st floor Gonorat  1st floor  1st floor  assonry walls, thickness  d on same lot  rs to be accommodated  chone other than minor  oval or disturbing of any  e above work a person of	Roof covers  Type of fuel Size 16" O. C. Girders 6 sec in cross section.  Le., 2nd , 2nd , 2nd  of walls?  If a Garage  none repairs to cars habi Mizcellaneous y shade tree on a put	Is gas for the process of the State and City references.	

CHIEF OF RIES DEP.

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

ţ					
	مر	e,	• :		

	MELIEN
mitted to this office before the changes are made?	
of the details specified in the application that a revised plan and application must be sub-	,
Do you understand that in case charges are proposed in the location of the work or in any	· <u>'</u>
cerning the sizes, design and use of the proposed building?	
Do you assume full responsibility for the correctness of all statements in the application con-	'9
work on the ground, including bay windows, porches and other projections? of the	
cation filed with this application, and does it show the complete outline of the proposed	
Do you assume full responsibility for the correctness of the location plan or stater :ent of lo-	<b>.</b>
work is commenced? J	†
will you notify the Inspection Office when the work is staked out and before any of the	
Is the outline of the proposed work now staked out upon the ground? M.O. If not	3.
the ground, and how?	•
Are the boundaries of the property in the vicinity of the proposed work shown clearly on	.2,
In whose name is the title of the property now recorded? Laterance of land	j"į
of areas and areas and provide for a care on generee Is Adelaide Street	

#4556A-I

April 24, 1931

Nr. S. E. Shevens 18 Adelaide Street Portland, Maine

Enclosed is the building permit covering alterations to your garage at 18 Adelaide Street.

As I understand it, you plan to enlarge this garage in such a namer that the slope of the roof will require extension.

We are not natisfied to have the present rafters extended merely by splicing a piece conto them even though you provide other additional new rafters the full length. The desired result can only be accomplished by providing new 824 rafters or larger extending from the new outside wall to the peak of the roof without any splices, and not more than twenty-four inches from center to center. inches from center to center.

The permit is given on this basis and with this understanding. If this letter is not clear to you, will you be kind enough to take it up with this office before the work is commenced?

Very truly yours,

Inspector of Buildings.

WH/HC



LEATING, COOKING
APPLICATION FOR PERMIT FOR HEATING, COOKING  Portland, Maine, September 12, 1935  Portland, Maine, September 12, 1935
APPLICATION APPLICATION
SVCL #2/47
TITALY LOCATION ME. to heating, cooking or power and fictions:
CANONICTOR OF BUILDINGS, Published the following the following specific and the following specific
To the INSPECTATION of hereby applies for a permit Gode of the City of Portuna.
Portland, Maine, Portla
accordance with a all side Street
Location Sylvanus E. Stevens, 18 Adelaide St. Ward  Location Sylvanus E. Stevens, 18 Adelaide St. Telephone
Location Sylvanus E. Stevens, 18 Addition Telephone  Name and address of owner Halverson Bros. 9-15 Union Street  Halverson Bros. 9-15 Union Street  FATERIAL
Name and address of owner Halverson Bross 9-15 While Halverson Bross 9-15 W
Description of
TOTAL BIT IUILIAN AND AND AND AND AND AND AND AND AND A
Contractor's manual General Decoration General Deco
To install  IF HEATER, POWER BOILER OR COOKING DEVICE  OF COOKING SWAND  WANTER  CONCRETE  CONCR
CONCLEGE
ger or what kind)
Is heater or source of requipment (concrete noor of the concrete noor of
Material of supports of neater that the material, from top of bounds from sides or back of neater that the material from top of bounds of neater that the material from top of bounds of neater that the material from top of bounds of neater that the material from top of bounds of neater that the material from top of bounds of the material from the mat
Material of supports of heater or/equipment (concrete floor or what kind)  Material of supports of heater or/equipment (concrete floor or what kind)  Minimum distance to wood or combustible material, from top of boiler or casing top of furnace,  from tip of smoke pipe  Other connections to same flue  IF OIL BURNER
Minimum data la sign from trotte and flue
from typ of smoke pipe Other connections to same flue Other connections to same flue IF OIL BURNER
Size of chimney flue
Size of chimney flue  Other connections to same flue  Other connections to same flue  IF OIL BURNER  Size of chimney flue  Type of oil feed (gravity or pressure)  Type of oil feed (gravity or pressure)  Type of oil feed (gravity or pressure)
Type of oil feed (gravity 1 - 275 gal.
Name and type of burner— Type of oil feed is 1 - 275 gaze.  No. and capacity of tanks—
VO. 410
1 hoster, clus
Locali in the more than seven feet from any
Will operator be always in attendance?  No. and capacity of time.  No. and
t to enclosed
Amount of the chime.) Signature of the specific

Amount of fee enclosed?\_ building at same time.) INSPECTION COPY

Thouset with adjoin up. here apregardo the Cerr. of Occupancy in huch to almanday Leutin Light The Control Final Notif. Inspn. closing-invotif. closing-in Bara Condition of Albert Of His Salvare is 7 ..... वर्ग वर्ग work EXISTING INTORY 1.41 cri mult u FORCH PROPOSED ! PORCH P Z. 7 ( Pyrony دمين المحسيد Markey **\$**(\*\*

INSPECTION COPY

#### (B) LIVITED TISLVESS ZONE APPLICATION FOR PERMIT

	· · Oit / ш.,	Permit No
Class of Building or Type of	Structure Third Clase	
	Portland, Maine, August 27	1941
OF RUILDINGS, PORTLAND, ME.		

The undersigned hereby applies for a permit to erect alter install the following hulding structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications. if any, submitted herewith and the following specifications: \_\_\_\_\_\_Within Fire Limits?\_\_\_\_\_Dist. No.\_\_\_\_\_ Location 18 ndeiside Street Contractor's name and address \_\_\_\_\_\_ Hurold Fing, 76 Ball 6treet \_\_\_\_\_ Plans filed yes No. of sheets 2 Proposed use of building \_\_\_\_\_\_ No. families \_\_\_\_\_\_ No. families \_\_\_\_\_\_ No. Other buildings on same lot \_\_\_\_\_ Gareize and poultry house Fee \$\_\_50 Estimated cost \$ 100. Description of Present Building to be Altered Material Trace No. stories 22 Heat Style of roof pitch. Roofing apphalt roofing \_\_\_\_No. families\_3\_\_\_ Drelling ----General Description of New Work ot choose the line of the contract of the cont Kippionix To change existing platform at second floor level to new glass-in sun porch with mip roof. The flat roof of the existing first floor piezza will be changed to a floor for the second floor sum porch. The new sun porch to be 5' x 11'. Mar de Mari 4x6 plate

TO COMPANIE OF THE

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. Details of New Work

Is any plumbing work invol					
				to top of plate	
Size, frontdep	othNo.	storieslleigh	it average grade	to highest point of roof	
				?	
Material of foundation		_Thickness, top	bottom	_cellar	
Vaterial of underpinning_		Height		Thickness	
Kind of roof	Rise per foot.	-5Roof co	vering asphalt	rooting Creps & one, wab.	
				of lining	
Kind of heat		pc of fuel	ls	gas fitting involved?	
Framing lumber-Kind	#PF1(04)	Dressed	or full size?	-Arrased	
Corner posts 4x4	Sills4 <del>x6</del> Girt	or ledger board:		Size	
Material columns under gir Studs (outside walls and c span over 8 feet. Sills and	arrying partitions) 23	<4-16" O. C. Girder:	6x8 or larger.	Max on centers	
Joists and rafters:				, roof	
On centers:				, roof_ <del>jon</del>	
Maximum span.				roof	
		If a Garage		height?	
No. cars new accommodate	d on same lot.		_, to be accomm	orlated	٠,
Total number commercial of	ars to be accommodat	ed			
		Miscellaneou	S	in the proposed building?	
Will above work require re	moval or disturbing o	of any shade tree on	a public street?		
Will there L. in charge of	the above work a per	son competent to see	that the State at	id City requirements pertaining thereto	,
are observed?yea	 Signate o	owner Cheste	56.97	neshend	

1 Rept. 114 D

none

#### August 29, 1941

P. S. I have just discovered that you did leave a location plan, so that is taken care of. I note that this is a front porch Mr. Chester A. Moreshead, 15 feet from inside edge of sidewalk. This will work out all right unless the front wall of the house on either side is more than 15 feet from the street line. If that should be the case, Imwould be umble to issue the permit unless successful appeal were taken.

From the information on application and plan filled with your application for a permit to cover enclosure of a second story of a porch at 18 Adelaide Street, it is not possible for us to tell whether or not the work would comply with the law. The following additional information is needed:

first

- 1. The detailed framing of the present/story piazza including the material and arrangement of foundation, so that we may tell whether or not the new loads of the second story will be properly supported down to the ground. If the foundations of the present one-story piazza are other than masonry extending below frost, then it will be required to change out the present coundations and make them masonry walls or piezz extending to a depth of at least four feet below the finished grade of the ground. If plear are to be used then the present sills will act as beams, and it is important to know what the size of them is and what spans they will be on between supports.
- 2. The framing of the proposed new floor which, I understand, will be kuilt indee of the existing roof, including the size and opens of members which will support the outside ends of these floor joists.
- 5. The corner posts and stude(vertical members in the walls) ought to go down to a bearing direct on the plate of the of the existing plazza. The naw corner posts, if the corner posts of the present plazza are 4x6 ought to be 4x6 slso and the two spliced together, if fossible, with lap splices at least 18 inches long. The stude in the new walls are required to be no less than 2x4, no more than 16 inches from center to center.
- 4. More detail is needed as to how the 4x5 plate at the tops of the windows is to be supported at the mullions of the windows. Perhaps the plan indictes that this 4x6 plate is to be laid flat(with 4-inch dimension upright). More strength will be secured if the 6-inch dimension is set upright. Are there windows proposed in the end walls, and if so how will the ends of the rafters be supported where they reach the vertical walls.
- 5. A location sketch showing the location of the proposed addition on ground with relation to the rest of the building and the street, and the distances from the addition to the property lines(measured horizontslly) in feet and inches

No doubt this will seem rather technical and perhaps unnecessary to you, but I am required to have enough detailed information in our files to show that the work was planned to comply with the law. The above is what we need to show that, and can best be shown on a plan. We aim to know about it before work is started, and then there will be little likelihood of difficulties, that are some times costly, arising as the job progresses.

Very truly yours, Inspector of Buildings

Memorandian from Department of Building Inspection, Portland, Music

The American or the American

by Appendion to granny the fine and the number of Aurilland his action, had be the could be acted to be able to be and been by the could be acted to be and been at boar to extension.

Altern Maint was not not received many processed our increasing the stars phoches and increasing the stars of the s

apart and this successful that the objecting expendence in and of the organization which are and the constitution of the content of the conte

Inspector of Dollahas six

en egiv temeters assiolish tollowine his isting structure coursponent is Code who Be true Occionines of the Chy of Forthard, Have and 11,7 Dist. 110. .. Telephone. Telephone .... No remittee. No families .  $m_{1,1}y_5M_i$ and the Water Jamber ir bie belijter de bie Nuoung . Driet West to Mile • • • 357 1 Mir . C Berger of the grown in carbon to his ob Anon did to begin to  $x^{-14} + x_{\mathrm{eff}} + x_{\mathrm{eff}} + x_{\mathrm{eff}} + \overline{x}_{\mathrm{eff}}$ No manife incom San Gentleras Post fred un. perent to be to A Comment of Milliand Company  $M_{\rm CC, OB} \approx 90 \, \rm kg \, k_{\rm TC}$ Tagt हो कर र प्रकार किस र की ऐक्क करते. अस्तर स्वर कुछ अस्ति with the continue of the explanation Sect Historia. 5-11: 11 1 17 bat have normally a straighbours and ansdays Lattion1 Suppose the condition is and the contract the con-Current 9 ļ 1/2/

1 3 INDUSTRIAL 20NE TOV APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications: Location 8 Adelaide St. Within Fire Limits? \_\_\_\_ Dist. No.\_\_\_ Contractor's name and address \_\_\_\_\_\_\_ va ckson & Sons - 39 Olinton St.\_\_\_\_\_ Telephone \_\_\_3-525/\_\_\_\_ Specifications Plans No. of sheets 1 Proposed use of building \_\_\_\_\_ 6mpling Material frame No. stories 2 Heat Style of roof pitch Roofing Other buildings on same lot Estimated cost \$400,00 General Description of New Work ... To change door to window at second floor balcony. Storten existing double hung and change two oval windows to double hung at front elevation, second floor. Eliminate flat roof at second floor balcony, front by carring pitch roof from sides over tins area. 2x6 rafters 16" o. c. It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO contractor Details of New Work Is any plumbing involved in this work? \_\_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_ Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewage? \_\_\_\_\_\_ Has septic tank notice been sent? \_\_\_\_\_\_ Form notice sent? \_\_\_\_\_\_ Size, front\_\_\_\_\_\_depth \_\_\_\_\_No. stories \_\_\_\_\_solid or filled land?\_\_\_\_\_earth or rock? \_\_\_\_\_ Material of foundation Thickness, top ...... bottom..... Rise per foot Roof covering Kind of roof Size Girder \_\_\_\_\_ Size \_\_\_\_ Max. on centers \_\_\_\_\_ Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor, 2nd, 3rd , 3rd On centers: - · · · · · 1st-floor....., 2nd......, 3rd...., roof....., roof...... Maximum span: \_\_\_\_\_1st floor......, 2nd\_\_\_\_\_\_, 3rd \_\_\_\_\_\_, roof \_\_\_\_\_\_, If one story building with masonry walls, thickness of walls?\_\_\_\_\_height?\_\_\_\_height?\_\_\_\_\_height?\_\_\_\_\_ If a Garage No. cars now accommodated on same lot....., to be accommodated.....number commercial cars to be accommodated..... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... Miscellaneous APPROVED: Will work require disturbing of any tree on a public street?..... Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? \_\_\_\_\_\_\_\_\_

INSPECTION COPY

Signature of owner

Form Check Notice 6-25-68 Cert. of Occupancy issued Final Inspn. Final Notif. Staking Out Notice Inspn. closing-in drotte with a net Tennilly Brownia 1 ' 12 5 5 64 si i

ð

I-2 INDUSTRIAL ZOMÉ



## APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

PERMIT ISSUED
APR 12 1988

	, 0/484/1443 1/1	laine, ANTI 39	()	CITY of PARTIES
Co the INSPECTOR OF I	BUILDINGS, PORTLAN	ND, MAINE		
The undersigned here in accordance with the Laws opecifications, if any, submit	by applies for a permit to of the State of Maine, t tted herewith and the follo	to erect alter repair demolisi the Building Code and Zor owing specifications:	ing Ordinance of I	4 P. N. 18 T.
Eocation 18 Adelai	de Street	With	nin Fire Limits?	Dist. No.
Owner's name and address	Chester M	oreshead, 18 Adelai	ide St.	Telephone 772-2147
Lessee's name and address	***			Telephone
Contractor's name and add	ress Owner		4	Tologhone
Architect		Specifications	Di ****	Nt. C. C.
Proposed use of building	Store	ra chad	Fialls	No. of sneets .1
Past use		• A	· (#** (#4 : 194+) / 24 (44 : 144+) / (#4 : 144+) / (#4 : 144+) / (#4 : 144+)	No. iamilies
Last use				No. families
Material No. s	tories Heat	Style of roof		Roofing
Other buildings on same lot	tdwel:	ling and garage	**************************************	
Estimated cost \$ 400.				Fee \$ 3.00
•	General I	Description of New	Work	•
fo demolish exis	sting 27'9" x 12'	hen house and	36"	
	10" x 12'2" storag		37.0	** *** * **
AA SOUNINGEO O.T	ro v rs.s. eroraf	se puritating 19	33.4	
Asplacement -	Small bldg	ter a larger o	ne, - 0,4	ender Zoning - us-
	Apperl	l sustained 4/11/6		at to Health Dept. 13/6
Pis understood that this per Changine of the heating contra	mit does not include ins	tallation of heating appare	atus which is to he	taken out separately by and i
		DE JOJUEU IU Oune	7*	
			r	
Fa stry plumbing involved in	De	etails of New Work		
Is any plumbing involved in	De this work?no	etails of New Work	al work involved in	n this work?po
(s connection to be made to	Den this work?no	etails of New Work  Is any electrical  If not, what is	al work involved in proposed for sew	age?
(Is connection to be made to	Den this work?nono public sewer?n	Is any electrical If not, what is	al work involved in proposed for sew	age?
(Is connection to be made to (IT as septic tank notice been theight average grade to to	De 1 this work?	Is any electrica  If not, what is  Form notice a  Height average gr	al work involved in proposed for sew sent?ade to highest poi	age?nt of roof10! 6!!
[Is connection to be made to III as septic tank notice been theight average grade to top Size, front depti	De this work?no public sewer? t sent? p of plate 6t 9!!	Is any electrical If not, what is Form notice is Height average gr	al work involved in proposed for sew sent?ade to highest poi	nt of roof. 10!6!
(I's connection to be made to (I'as septic tank notice been theight average grade to top Size, front	De this work?	Is any electrice If not, what is Form notice: Height average gr	al work involved in proposed for sew sent?ade to highest poi	nt of roof 1016" earth
Is connection to be made to II as septic tank notice been theight average grade to top Size, frontdeptl Material of foundation_gon Kind of roofpi-toin	p of plate 619"  No. storie crete blocks To top of ground Kiseper foot	Is any electrical If not, what is Form notice in Height average grees solid or filled la Chickness, top 8" here here here here here here here her	al work involved in proposed for sew sent?	nt of roof
Is connection to be made to II as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.	p of plate 619"  h	Is any electrical If not, what is Form notice in Height average grees when the solid or filled later than the solid or fille	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom	nt of roof
Is connection to be made to II as septic tank notice been theight average grade to top Size, front dept Material of foundation con Kind of roof pitch.  No. of chimneys Framing Lumber-Kind se	p of plate 619"  h	Is any electrical If not, what is Form notice in Height average grees when the solid or filled later than the solid or fille	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom	nt of roof
Is connection to be made to IIIas septic tank notice been Meight average grade to top Size, front dept Material of foundation con Kind of roof pitch.  No. of chimneys  Framing Lumber-Kind se	p of plate 619" h No. storie crete blocks T top of ground Wise per foot Material of chimne pressed or f	Is any electrical If not, what is Form notice and Height average graph solid or filled later than the second secon	al work involved in proposed for sew sent?  ade to highest point and? Solid conton 8!! con asphalt roof  Kind of 1 corner posts 2=	nt of roof 10'6"  earth or rock? earth  ellar no  ing Class C Und. lab  neat fuel  2x4 Sills 4x6
Is connection to be made to II as septic tank notice been Meight average grade to to Size, front	p of plate 619"  h No. storie crete blocks T top of ground L top Material of chimner and new Columns under girde	Is any electrical If not, what is Form notice is Height average grees solid or filled la Chickness, top 8" Roof covering ways of lining cull size? dresged Cers Size	al work involved in proposed for sew sent?  ade to highest pointd? solid cottom 8!! co asphalt roof Kind of I corner posts 2=	nt of roof 10'6"  earth or rock? earth  ellar no  ing Class C Und. lab  neat fuel  2x4 Sills 4x6
Is connection to be made to IIIas septic tank notice been Meight average grade to top Size, front depti Material of foundation con Kind of roof pitch.  No. of chimneys hand see Size Girder Studs (outside walls and ca	p of plate 619"  h	Is any electrical If not, what is Form notice in Height average grees 1 solid or filled la chickness, top 8" for hickness, top 8" for h	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom	nt of roof
Is connection to be made to lifas septic tank notice been Meight average grade to top Size, front	p of plate 619"  h No. storie 100 problem	Letails of New Work  Is any electricate  If not, what as form notice as the solid or filled by the solid or filled	al work involved in proposed for sew sent?  ade to highest pointed. Solid cottom. Still company asphalt roof.  Kind of the corner posts. 2=  Make the control of the corner posts. 3 control of the corner posts. 4 contr	nt of roof
Is connection to be made to III as septic tank notice been Height average grade to top Size, front	De this work?	Letails of New Work  Is any electrice  If not, what is  Form notice is  Height average gr  as	al work involved in proposed for sew sent?  ade to highest point and? Solid cottom 8!! co asphalt roof Kind of its corner posts 2=  Matery floor and flat 3rd	nt of roof. 1016"  earth or rock? earth  ellar no  ing Class C Und. lab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.
Is connection to be made to lifas septic tank notice been bleight average grade to top Size, front depti Material of foundation con Kind of roof pitch No. of chimneys Framing Lumber—Kind se hand Size Girder hand Studs (outside walls and ca Joists and rafters:  On centers:  Maximum span:	p of plate 619"  h No. storie crete blocks. T top of ground Material of chimner and new Columns under girde crying partitions) 2x4-1 1st floor. 2x8. 1st floor. 818"	Is any electrical If not, what is Form notice in Height average grees solid or filled la Chickness, top 8" has been found in the first of the first	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom. St. con asphalt roof.  Kind of the corner posts. 2=  Main and flat con and flat	nt of roof 1016"  earth or rock? earth  ing Class C Und. Iab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51
Is connection to be made to III as septic tank notice been Height average grade to top Size, front	p of plate 619"  h No. storie crete blocks. T top of ground Material of chimner and new Columns under girde crying partitions) 2x4-1 1st floor. 2x8. 1st floor. 818"	Is any electrical If not, what is Form notice in Height average grees solid or filled la Chickness, top 8" has been found in the first of the first	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom. St. con asphalt roof.  Kind of the corner posts. 2=  Main and flat con and flat	nt of roof 101611  earth or rock? earth  llar no  ing Class C Und. Iab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51
Is connection to be made to II as septic tank notice been Height average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Gize Girder hand Studs (outside walls and calloists and rafters:  On centers:  Maximum span:	p of plate 619"  h No. storie crete blocks. T top of ground Material of chimner and new Columns under girde crying partitions) 2x4-1 1st floor. 2x8. 1st floor. 818"	Letails of New Work  Is any electricate  If not, what is seen and in the seen	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom. St. con asphalt roof.  Kind of the corner posts. 2=  Main and flat con and flat	nt of roof 1016"  earth or rock? earth  ing Class C Und. Iab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51
Is connection to be made to II as septic tank notice been Height average grade to top Size, front	n this work?	Letails of New Work  Is any electricate  If not, what is  Form notice is  Height average grass less look of filled less  Thickness, top 8" by  Thickness, top 6" by  Thickness,	al work involved in proposed for sew sent?  ade to highest point and? Solid conton 8!! co asphalt roof Kind of the corner posts 2= March 1997 M	nt of roof 1016"  earth or rock? earth  ing Class C Und. lab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51  height?
Is connection to be made to II as septic tank notice been Height average grade to top Size, front depth Material of foundation con Kind of roof pitch No. of chimneys framing Lumber—Kind. se hand Ize Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with now the septime of the second commodated walls and the second contents.	n this work?	Height average gress law for line growth of lining growth	al work involved in proposed for sew sent?  ade to highest poi and? Solid cottom St. co asphalt roof torner posts 2=  Matery floor and flat and 3rd company and matery floor and flat confidence and flat conf	nt of roof 1016"  earth or rock? sarth  ing Class C Und Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  height?
Is connection to be made to II as septic tank notice been Height average grade to top Size, front	n this work?	Height average gress law for line growth of lining growth	al work involved in proposed for sew sent?  ade to highest poi and? Solid cottom St. co asphalt roof torner posts 2=  Matery floor and flat and 3rd company and matery floor and flat confidence and flat conf	nt of roof 1016"  earth or rock? sarth  ing Class C Und Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  height?
Is connection to be made to II as septic tank notice been Height average grade to top Size, front depth Material of foundation con Kind of roof pitch No. of chimneys framing Lumber—Kind. se hand Ize Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with now the septime of the second commodated walls and the second contents.	n this work?	Height average gress law for line growth of lining growth	al work involved in proposed for sew sent?  ade to highest poi and? Solid cottom St. co asphalt roof torner posts 2=  Matery floor and flat and 3rd company and matery floor and flat confidence and flat conf	nt of roof 1016" earth or rock? sarth ing Class C Und. Iab neat fuel 2x4 Sills 4x6 ex. on centers roof span over 8 feet. , roof 2x4 , roof 51 and seed height?  ars to be accommodated
Is connection to be made to III as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Size Girder hand Size Girder hand Size Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with no No. cars now accommodated Will automobile repairing between the study of th	n this work?	Height average gress 1 solid or filled la chickness, top 8" for filled la chickness, top 6" fo	al work involved in proposed for sew sent?  ade to highest pointed. Solid contom. St. contom. St. contom. St. contom. Kind of the corner posts. 2=  Matery floor and flat., 3rd., 3r	nt of roof 10!6!!  earth or rock? sarth  ellar no  ing Class C Und. Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  height?  ars to be accommodated  roposed building?
Is connection to be made to III as septic tank notice been Height average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Elze Girder hand Studs (outside walls and ca Poists and rafters: On centers: Maximum span: If one story building with no No. cars now accommodated Will automobile repairing between the second contents of the second commodated will automobile repairing between the second contents of the second commodated will automobile repairing between the second contents of the second cont	n this work?	Height average gress Lack Roof covering full size? dressed Cers Size Roof Work Roof Covering full size? dressed Cers Size Roof Walls? If a Garage Reaccommodated number repairs to cars habitual	al work involved in proposed for sew sent?  ade to highest pointed. Solid cottom. Sill common asphalt roof.  Kind of the corner posts. 2=  Matery floor and flat., 3rd., 3rd., 3rd.  beer commercial colly stored in the property of any tree curbing of any tree curbing of any tree.	nt of roof 10!6"  earth or rock? sarth  ellar no  ing Class C Und. Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51  height?  ars to be accommodated  roposed building?
Is connection to be made to III as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Size Girder hand Size Girder hand Size Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with no No. cars now accommodated Will automobile repairing between the study of th	n this work?	Is any electrication.  Is any electrication.  If not, what is form notice at the second or filled by t	al work involved in proposed for sew sent?  ade to highest pointed? Solid contom 8!! co asphalt roof  Kind of it former posts 2=  Matery floor and flat 3rd	nt of roof 1016"  earth or rock? earth  ing Class C Und. Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  , roof 51  height?  ars to be accommodated  roposed building?  e on a public street? no  work a person competent t
Is connection to be made to III as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Size Girder hand Size Girder hand Size Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with no No. cars now accommodated Will automobile repairing between the study of th	n this work?	Is any electrical Is any electrical If not, what is Form notice and Height average grass I would be followed by the following the second of lining full size? dressed Coers Size 16" O. C. Bridging in every 2nd 2nd 2nd 2nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3	al work involved in proposed for sew sent?  ade to highest pointed? Solid contom 8!! co asphalt roof  Kind of it former posts 2=  Matery floor and flat 3rd	nt of roof 1016"  earth or rock? earth  ing Class C Und. Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  , roof 51  height?  ars to be accommodated  roposed building?  e on a public street? no  work a person competent t
Is connection to be made to III as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Size Girder hand Size Girder hand Size Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with no No. cars now accommodated Will automobile repairing between the study of th	n this work?	Is any electrication.  Is any electrication.  If not, what is form notice at the second or filled by t	al work involved in proposed for sew sent?  ade to highest pointed? Solid contom 8!! co asphalt roof  Kind of it former posts 2=  Matery floor and flat 3rd	nt of roof 10!6!!  earth or rock? sarth  ing Class C Und. Iab  neat fuel  2x4 Sills 4x6  ix. on centers  roof span over 8 feet.  , roof 2x4  , roof 51  height?  height?
Is connection to be made to II as septic tank notice been Height average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys framing Lumber—Kind. se hand Size Girder  Studs (outside walls and ca Poists and rafters: On centers: Maximum span:  If one story building with no ROVED:	n this work?	Is any electrical Is any electrical If not, what is Form notice and Height average grass I would be followed by the following the second of lining full size? dressed Coers Size 16" O. C. Bridging in every 2nd 2nd 2nd 2nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3	al work involved in proposed for sew sent?  ade to highest pointed? Solid contom 8!! co asphalt roof  Kind of it former posts 2=  Matery floor and flat 3rd	nt of roof 10! 6!!  earth or rock? earth  ing Class C Und. Iab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  , roof 5!  height?  ars to be accommodated  roposed building?  ous  e on a public street? no  work a person competent to
Is connection to be made to III as septic tank notice been theight average grade to top Size, front depth Material of foundation con Kind of roof pitch.  No. of chimneys hand Size Girder hand Size Girder hand Size Girder hand Studs (outside walls and ca Poists and rafters:  On centers:  Maximum span:  If one story building with no No. cars now accommodated Will automobile repairing between the study of th	n this work?	Is any electrical Is any electrical If not, what is Form notice and Height average grass I would be followed by the following the second of lining full size? dressed Coers Size 16" O. C. Bridging in every 2nd 2nd 2nd 2nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3	al work involved in proposed for sew sent?  ade to highest pointed. Solid cottom. St. co. asphalt roof.  Kind of the corner posts. 2=  Matery floor and flat., 3rd., 3rd., 3rd., 3rd., 3rd., and content posts. St. co. asphalt roof. It is served in the proposed for the above and City requirements.	nt of roof 10!6!!  earth or rock? sarth  ing Class C Und. Lab  neat fuel  2x4 Sills 4x6  ex. on centers  roof span over 8 feet.  , roof 2x4  , roof 51 and 51  height?  ars to be accommodated  roposed building?  work a person competent to nents pertaining thereto ar

CITY OF PORTLAND, MAINE

#### DEPARTMENT OF BUILDING INSPECTION

Chester Moreshead 18 Adelaide St. Portland Maine

April 3, 1968

Dear Sir:

(unused henhouse) With relation to permit applied for to demolish a building or portion of building at #18 Adelaide St. it is unlawful to commence demolition work until a permit has been issued from this department.

Section 6 of the Ordinance for rodent and vermin control provides: "It shall be unlawful to demolish any building or structure unless provision is made for rodent and vermin eradication. No permit for the demolition of a building or structure shall be issued by the Building Inspection Department until and unless provisions for rodent and vermin eradication have been carried out under supervision of a pest control operator registered with the Health Department.

The building permit for demolition cannot be issued until the provisions of this section have been satisfied. It is the obligation of owner or demolition contractor or both to take up with the Health Department the matter of complying with this section, being prepared to inform that department what registered pest control operator is to be employed.

Gerald E. Mayberry

Director of Building & Inspection

h

Eradication of this building has been completed.

No evidence of rodents. Recommend issue of

RECEIV o

APP - 1 1968

DEPT. OF BLIO HUP. CITY OF PORTLAND

A.P.- 16-22 Adelaido Street April 4, 1968 cc to: Corporation Counsel Chester Moreshead 18 Adelaide Street Building permit to construct 8'10" x 12'2" storage building (replacing 27'9" x 12' hen house) at the above named building (replacing 27'9" x 12' hen house) at the above named location is not issuable under the Zoning Ordinance because the location is not issuable under the Zoning Ordinance and 502.12c.1 and 602.12c.1 and 602.1 and 602 Dear Mr. Moreshead: We understand that you would like to exercise your appeal rights in this matter. Accordingly you or your authorized representative should come to this office in Room 113, City Hall to file the tive should come to this office in Room 12, City Hall to file the appeal on forms which are available hers. A fee of \$5.00 shall be appeal on forms which are available hers. I filed. paid at this office at the time the appeal is filed. Very truly yours, A. Allan Souls Reting Deputy Director of Building & Inspection Services AAS: is

Od 45. - 4/5/48 Granted 4/11/68 68/18

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

#### MISCELLANEOUS APPEAL

Chester Moreshead , owner of property at 16-22 Adelaide St. under the provisions of Section 24 of the Zoning Ordinance of the City of Portland, hereby respectfully petitions the Board of Appeals to permit: construction of a 8'10" x 12'2" storage building (replacing 27'9" x 12' hen house). This permit is presently not issuable under the ZoningOrdinance because the rear and side yards will have a distance of only 4 feet instead of the minimum of 10'6" required by Sections 602,12c.1 and 602,12c.4 of the Ordinance applying to the I-2 Industrial Zone in which the property is located.

LEGAL BASIS OF APPEAL: Such permit may be granted only if the Board of Appeals find that enforcement of the terms of the Ordinance would result in undue hardship and desirable relief may be granted without substantially departing from the intent and purpose of the Ordinance.

Chester a. Moreshind

#### DECISION

After public hearing held April 11, 1968, the Board of Appeals finds that enforcement of the terms of the Ordinance would result in undue hardship and desirable relief may he granted without substantially departing from the intent and purpose of the Ordinance.

It is, therefore, determined that such permit may

be issued.

BOARD OF APPEALS

Targo M Sprant

Approved NOTES 1. 11/2 FIF.7 175 140 W. ...'팝 dity & Support Jones Comment 9. The stand Control
10. His stand Control
11. Physical Control
12. Varyati Supply, line
13. Control
14. Control
15. Control
16. Control
16. Control
17. Control
18. Control
1 14. Tong they & Support 15. Oil to and the Card 17. oi! h.... 18. Ad. . la in. 20. Ther. Dustible 1-twitch 1½ FILL PIPE 1¼ VENT PIPE Kind of Heat S. Kind of Heat

d. Burner Ministry & Support

5. Mana & Label

7. H. T. Lin Control

8. Sand Canal Switch

9. Law Stand Control

10. High Lind Control

12. Sand Canal Switch

13. Sand Canal Switch

14. Sand Canal Switch

15. Sand Canal Switch

16. Sand Canal Switch

17. Sand Canal Switch

18. Sand Canal Switch

19. San 3.5 7.8 Card 17. entilation to combustible Antica Cyntrol switch

er fan Sylles Ar FILL IN AND BIGN WITH INK

## PERMIT ISSUED

MAY 18 MER



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Maine, May 15. '81 TY of PORTLAND  E. install the following heating, cooking or power equipment in accordative of Portland, and the following specifications:  Ildingdwelling 1 No. Stories 2 New Building Existing "  Example of Existing "  OR POWER BOILER  The material in floor surface or beneath?  Kind of fuel? Gas  iance or casing top of furnace  Illiance From sides or back of appliance to same flue  Rated maximum demand per hour 125,000 reproper and safe combustion? Yes per hour  IL BURNER ing  Self Labelled by underwriters' laboratories? AGA  oil supply line feed from top or bottom of tank?  Size of vent pipe
install the following heating, cooking or power equipment in accordity of Portland, and the following specifications:  ildingdwelling 1 No. Stories 2 New Building Existing "Existing "Existence or beneath?  No. Stories 2 New Building Existing "Existing "Exi
ildingdwelling 1 No. Stories 2 New Building Existing "  Example 2 No. Stories 2 New Building Existing "  Example 2 No. Stories 2 New Building Existing "  Example 2 No. Stories 2 New Building Existing "  From Stories 2 New Building "  From Stories 2
OR POWER BOILER  le material in floor surface or beneath?  Kind of fuel?  jance or casing top of furnace  liance From sides or back of appliance  to same flue  Rated maximum demand per hour 125,000  re proper and safe combustion? Yes per hour  IL RURER  Generating  Self Labelled by underwriters' laboratories? AGA  oil supply line feed from top or better of table?
OR POWER BOILER  le material in floor surface or beneath?  Kind of fuel?  jance or casing top of furnace  liance From sides or back of appliance  to same flue  Rated maximum demand per hour 125,000  re proper and safe combustion? Yes per hour  IL RURER  Generating  Self Labelled by underwriters' laboratories? AGA  oil supply line feed from top or better of table?
OR POWER BOILER  The material in floor surface or beneath?  Kind of fuel?  The material in floor surface or beneath?  Kind of fuel?  The material in floor surface or beneath?  The material in floor
OR POWER BOILER  le material in floor surface or beneath?  Kind of fuel? gas iance or casing top of furnace  liance From sides or back of appliance to same flue  Rated maximum demand per hour 125,000 re proper and safe combustion? Yes per hour  IL BURNER ting  Self Labelled by underwriters' laboratories? AGA  Oil Supply line feed from top or better of table?
OR POWER BOILER  le material in floor surface or beneath?  Kind of fuel? gas  iance or casing top of furnace  liance From sides or back of appliance to same flue  Rated maxinum demand per hour 125,000 re proper and safe combustion? Yes per hour  IL BURNER 1  Generating Self Labelled by underwriters' laboratories? AGA
le material in floor surface or beneath?  Kind of fuel? gas iance or casing top of furnace liance From sides or back of appliance to same flue Rated maximum demand per hour 125,000 re proper and safe combustion? Yes per hour  IL BURNER Generating Self Labelled by underwriters' laboratories? AGA
Kind of fuel? gas iance or casing top of furnace
Kind of fuel? gas iance or casing top of furnace
iance or casing top of furnace  liance From sides or back of appliance  to same flue  Rated maximum demand per hour 125,000  re proper and safe combustion? Yes per hour  IL BURNER  Generating  Self Labelled by underwriters' laboratories? AGA
to same flue  Rated maximum demand per hour 125,000 me proper and safe combustion? Yes per hour  IL BURNER generating Self Labelled by underwriters' laboratories? AGA
to same flue  Rated maximum demand per hour 125,000 me proper and safe combustion? Yes per hour  IL RURNER generating Self Labelled by underwriters' laboratories? AGA.
Rated maximum demand per hour .125,.000 re proper and safe combustion? Yes per hour  IL BURNER generating Self. Labelled by underwriters' laboratories? AGA
IL BURNER generating Self Labelled by underwriters' laboratories? AGA
IL RURNER generating self. Labelled by underwriters' laboratories? AGA
Self. Labelled by underwriters' laboratories? AGA
Oil Supply line feed from top or bettom of soul-3
on supply fine teen from top or bottom of tank?
Number and capacity of tanks
Number and capacity of tanks
No
How many tanks enclosed?
urners
NG APPLIANCE
y burnable material in floor surface or beneath?
Height of Logs if non
o combustible material from ton of annihum a
back From ton of surfacely a
Same flue
Vented? Forced or granitud
Rated maximum demand per hour
per tions
ENT OR SPECIAL INFORMATION
The second second
Vill there be in charge of the above work a person competent to
ee that the State and City requirements pertaining thereto are
bserved?
Frank Py James

80,000

Parties a 2008 - Hon Part - Benzes and Parties - Benzes and House a 2008



### APPLICATION FOR PERMIT

# DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	DateOct Receipt and Po	
To the CHIEF ELECTRICAL INSPECTOR, Portland, A The undersigned kereby applies for a permit to make	electrical installations in accord	dance with the laws of ng specifications:
Maine, the Portland Electrical Ordinance, the National LOCATION OF WORK: 16-18 Alba Street	steet trical code and the jetter	
OWNER'S NAME:Mr.Blaisk Thompson	DDRESS: 767-5436 - 1	lome FEES
OUTLETS: Receptacles Switches Plugmok	ft. TOTAL	
FIXTURES: (number of)  Incorduscent Flourescent (not	strip) TOTAL	
Strip Flourescent ft		
SERVICES:  Overhead V Underground Tempor	ary 'TOTAL amperes_	two 100_amp3.00
METERS: (number of) 2		
MOTORS: (number of) Fractional		
1 HP or over		
DEC ADMINIATING A TITLA COLOR		
Oil or Gas (number of units)  Electric (number of rooms)		
COMMEDCIAL OF A DUSTRIAL HEATING.		
Oil or Gas (by a main boiler)		
Oil or Gas (by separate units)  Electric Under 20 kws Over 20 kws		
APPLIANCES: (number of)		
Ranges	Water Heaters	_
Cook Tops	Disposals	_
Wall Ovens	Dishwashers	
Dryers	Compactors	
Fans	Others (denote)	_
TOTAL  MISCELLANEOUS: (number of)		
Branch Panels		
Transformers Air Conditioners Central Unit		
Air Conditioners Central Unit		
Signs 20 sq. ft, and under		
Over 20 sq. ft.		
Swimming Pools Above Ground		
In Groand		
Fire/Burglar Atarms Residential		
Heavy Duty Outlets, 220 Volt (such as welders)	30 amps and under	
Heavy Duty Outlets, 220 voir (Such as welders,	over 30 amps	
Circus Fairs etc.		
Alterations to wires		
Repairs after fire		
Emergency Lights, battery		
Emergency Generators	INSTALLATION FEE L	ODE:
FOR ADDITIONAL WORK NOT ON ORIGINAL PE	MIT DOUBLE FEE L	OCE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	TOTAL AMOUNT I	OUE: 5.00
INSPECTION: INSPECTION @ 1:00	, IF POSSIBLE	
Will be ready on OCTOBER 27 , 19 &G.	Will Call	••
CONTRACTOR'S NAME: Caron & Waltz		
ADDRESS: Lincoln St. S. Port	landME	
TEL: 799-2228	CICINIAMILIDE OF COMMENCE	OR·
TEL: 799-2228  MASTER LICENSE NO.: 4656	SIGNATURE OF CONTRACT	· · ·

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN