32-38 BELL STREET SHAWI BLIKER

102020 - Initiality Store



fill in completely and sign with ink

Paleir ISSUED

Permit No. 1:300

# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

' ''			
To the INSPECTOR OF BUILDINGS, poi	Portland, Mai	ne, December I,	19/2
•	a permit to install the following heat		
Location 38 Bell Street	Use of Building dwelling house	No. Stories	Now Building Existing
Name and address of owner of appliance	Williard Fenderson, 48 Rell St.	rest	
Installer's name and address Rerry C	ervel, 16 Norkés St.	Telephone 4	-5146
Name and address of owner of appliance  Installer's name and address  C  To install, but water heating system	eneral Description of Work	ON CLOS	MAN BEFORE
To install, hot water heating system	in place of hot air (forced	THE THIRD ATE	TON BEFORE LATTERN TO THE STATE OF THE STATE
IF HEATEI	r, power boiler or cooking de	VICE	VI IC PLANTER SHOW
s appliance of source of heat to be in cellar?	yes If not, which story	Kind of Fuel	nal
Material of supports of appliance (concrete i	floor or what kind) concrete		
Minimum distance to wood or combustible m	aterial, from top of appliance or casing t	top of iurnace,	4
from top of smoke pipe 41 from	front of appliance 1. from si	ides or back of applianc	:e 41
Size of chimney flue 10x12. Other conr	ections to same flue ** hoti	water heater	
	IF QIL BURNER		,
Name and type of burner	Labeled and approved 1	by Underwriters' Labor	ratories?
Will operator be always in attendance?	Type of oil feed (grav	vity or pressure)	
ocation oil storage.			
It all tanks be more than seven feet from	any flame? How many tanks firep	proofe1?	الأن المنظمة ا
ent of fee enclosed? 1.00 (\$1.00 )	for one heater, etc., 50 cents additional in Harry (	Jarvel	ter, etc., in same
ation copy	Signature of Installer Divil	a Lower	2 34

STATE ENT ACCOUNTING APPLICATION FOR BUILDING PERMIT

for addition to dwelling house
at 36-Bell Street

Date 4/28/38

1. In whose name is the title of the property now recorded?

Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how?

3. Is the outline of the proposed work now staked out upon the ground?

If not, will you notify the Inspection Office when the work is strked out and before any of the work is commenced?

4. That is to be maximum projection or overhang of excess or drip?

5. Lo you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches, and other projections?

6. Fo you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building?

Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?

, **,** '

ه او

, .



# APPLICATION FOR PERMIT ISSUED APR 29 1939

Class of Building or Type of Structure\_\_\_\_

Location 58 Bell S	LTOME	Wast	11000	_	
Owner's or Lessee's name	and address H W	Cont to to 1	-Within Fire Limit	s?noDist. No	
Owner's or Lessee's name	drace Omane	CONT CO DPLL	treer	Telephone	
Contractor's name and ad	ui cos is bigger	·		Telephone	
ArchitectProposed use of building_	A27A 1		P1	ans filed <b>yes</b> No. of she	eets_1
Other huildings on same le	or a see a see or			No. families 1	
Other buildings on same lo	- T car Sarage		*		
- contact	Description of	of Present Building	· · · · · · · · · · · · · · · · · · ·	Fee \$	.EO
Material wood No.	stories 1 Heat	A Tresent Building	to be Altered		
ast use	dwall's	ng house	toor bisch	No. families	<u> </u>
1		Description of No		No. families 1	
d build one store				, ,	
o build one story : rear enclosed	Pasan		r of dwelling	house, recoving pr	eser
d cut in new door	from main house t	o new addition		•	
•			r *		
•	t		•		!
		4	• •		
•			•	1 , (	
	-	, 1 47		1	
		•			
ze, front	pth No. 5	etails of New Wo Height a tories 1 Height a	rk verage grade to top verage grade to high		VIARE VIARE
ze, front do not not not not not not not not not no	or fir D full size pth No. 5 led land? nolid concrete place	etails of New Wo Height a tories 1 Height a  Low frost 6 00 Thickness, top	rk verage grade to top verage grade to high earth or rock?b	of plate Plate of CO.  of plate Plate 100 co.  of plate 100 co.  of plate 100 co.  of plate 100 co.  of plate 100 co.	NIA TR
ize, front de	n or fir D full size pth No. s  led land? nolld noncrete place	etails of New Wo Height a tories 1 Height a Lov frost 6 00 Thickness, top Height	rk verage grade to top verage grade to high earth or rock?b	of place are point of roof 10  certh  ottom	I
ize, front	rull size  pth No. s  led land? nolid  concrete place  first Rise per foot.	etails of New Wo Height a tories 1 Height a Low frost 6 CC Thickness, top Height Roof coveri	rk verage grade to top verage grade to high earth or rock?	of place are point of roof 10 courth ottom	UT ATR
ze, front	pit No. s  Pled land? no. s  Pled land? no. s  Pled land? no. s  Pled land? no. s  Material of chimne	etails of New Wo Height a tories 1 Height a  Low frost 6 00 Thickness, top Height Roof coveri	rk verage grade to top verage grade to high earth or rock?b	CERTIFICATE OF CCCI of plate Printed IS W. lest point of roof 10 certh ottom Chickness fling Class C Und.	urain Myte
ze, front	pth No. s    State   No. s   S	tetails of New Wo Height a tories 1 Height a  Law frest 6 CC Thickness, top Height Roof coverings	rk verage grade to top verage grade to high arth or rock?b	of plate 10 occupants of plate 10 occupants of plate 10 occupants of plate 10 occupants occupant	leb.
ze, front	pth No. s  Itel state  pth No. s  Itel land? no. 11d  concrete plans  First Rise per foot  Material of chimne	etails of New Wo Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof coveri	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCC of plate	rap.
ze, front	pile size  pile No. s  led land? no. id  concrete piers  Piet Rise per foor  Material of chimne  Sills 6x8 Girt o	etails of New Wo Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof coveri	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCI of plate Transport is We test point of roof 10 test plate 10 test point of roof 10 test plate 10	lab.
ze, front	pile size  pile No. s  led land? no. id  concrete piers  Piet Rise per foor  Material of chimne  Sills 6x8 Girt o	etails of New Wo Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof coveri	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCI of plate Transport is We test point of roof 10 test plate 10 test point of roof 10 test plate 10	lab.
ze, front	pth No. s  Stell gire  pth No. s  Stell land? no.11d  noncrete plans  First Rise per foot.  Material of chimne  Stills 6x8 Girt of ders  arrying partitions) 2x4 if corner posts all one p	etails of New Wo Height a tories 1 Height a tories 1 Height a  Low frest 6 CC Thickness, top Height Roof coveri  ys Type of fuel or ledger board? Size -16" O. C. Girders 6x iece in cross section.	rk verage grade to top verage grade to high earth or rock?  Ing Asphale roc  Is gas fit  Max. o 8 or larger. Bridgi	of place of coordinates of place of pla	WAIR AIVE
ze, front	pith No. s  Pled land? nol.1d  concrete plers  Plet Rise per foor Material of chimne  Sills 6x8 Girt or ders  arrying partitions) 2x4 i corner posts all one p  1st floor 1x8  1st floor 1x8	etails of New Wo Height a tories 1 Height a tories 6 GC Thickness, top Height Roof coveri  Type of fuel or ledger board? Size -16" O. C. Girders 6x iece in cross section. , 2nd	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCC of plate.  of plate.  of prof. 10  certh.  ottom.  Chickness.  fing Clean C Und.  of lining.  inc centers.  ng in every floor and flat.  roof. 2x8	war Arvel
ze, front is be erected on solid or a aterial of foundation aterial of underpinning and of Reof (ht n) of chimneys no and of heat interial columns under gir uds (outside walls and can over 8 feet, Sills and Joists and rafters: On centers:	pile size  pile land? nolid  concrete piers  Plet Rise per foor  Material of chimne  Sills 6x8 Girt of ders  arrying partitions) 2x4  i corner posts all one p  1st floor 1x8  1st floor 1x1	etails of New Wo Height a tories 1 Height a tories 1 Height a  Lay frost 6 GC Thickness, top  Height Roof coveri  Type of fuel or ledger board? Size -16" O. C. Girders 6x iece in cross section.  2nd 2nd 2nd	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCI of plate.  of plate.  Item point of roof.  certh.  ottom  Chickness.  fling Class C Und.  if lining.  iting involved?  in centers.  ing in every floor and flat.  , roof. 2x8  , roof. 16x1	war Arvel
ze, front	pile size  pile land? nolid  concrete piers  Plet Rise per foor  Material of chimne  Sills 6x8 Girt of ders  arrying partitions) 2x4  i corner posts all one p  1st floor 1x8  1st floor 1x1	etails of New Wo Height a tories 1 Height a tories 1 Height a  Lay frost 6 GC Thickness, top  Height Roof coveri  Type of fuel or ledger board? Size -16" O. C. Girders 6x iece in cross section.  2nd 2nd 2nd	rk verage grade to top verage grade to high earth or rock?	CERTIFICATE OF CCCI of plate.  of plate.  Item point of roof.  certh.  ottom  Chickness.  fling Class C Und.  if lining.  iting involved?  in centers.  ing in every floor and flat.  , roof. 2x8  , roof. 16x1	war Arvel
ze, front ;  be erected on solid or an aterial of foundation ;  aterial of underpinning ;  ind of Roof (ht n) ;  of chimaeys no ;  and of heat ;  aterial columns under gir uds (outside walls and can over 8 feet. Sills and Joists and rafters:  On centers:  Maximum span: one story building with a gir one story building with a gir one story building with a gir of the story building	rull size  pith No. s  Pled land? nolid  concrete piers  Piet Rise per foot  Material of chimne  Sills 6x8 Girt o  ders  arrying partitions) 2x4 i corner posts all one p  1st floor 1x8  1st floor 1x1  masonry walls, thicknes	retails of New Wo Height a tories 1 Height a tories 1 Height a tories 1 Height a  Low frost 6 GC Thickness, top Height Roof coveri  Type of fuel or ledger board? Size 16" O. C. Girders 6x iece in cross section. 2nd 2nd 2nd 5 of walls? If a Garage	rk verage grade to top verage grade to high earth or rock?	centernate of coor of plate restriction is well as the point of roof 10 cents. ottom Chickness fing Class C Und. of lining ting involved? item of centers ing in every floor and flat	WAIR
ze, front	pth No. s	retails of New Wo Height a tories 1 Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof covering Type of fuel In ledger board? Size 16" O. C. Girders 6x iece in cross section.  2nd 2nd 2nd 5 of walls? If a Garage	rk verage grade to top verage grade to high earth or rock?  Ing Asphalt reco  Is gas fit  Max. o 8 or larger. Bridgi  , 3rd  , 3rd  , 8rd  be accommodated	of place of CCC of place of pl	WATE
ze, front ze, front ze, front ze, front zer, front zerial of foundation zerial of underpinning and of Roof (hip) zerial of underpinning and of heat zerial columns under gir uds (outside walls and columns under gir uds (outside walls and columns under gir uds (outside walls and columns zerial con centers: Maximum span: one story building with a column commodated tal number commercial ca	rull size  pth No. s  the land? nol.1d  concrete place  Rise per foot  Material of chimne  Sills 6x8 Girt of the corner posts all one p  1st floor 12!  masonry walls, thickness  I on same lot  mrs to be accommodated	retails of New Wo Height a tories 1 Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof covering Type of fuel Fight Size Golden Size Golden Size Golden	rk verage grade to top verage grade to high earth or rock?	CENTENCATE OF CCCC of plate of	WAIR
ze, front	rull size  pth No. s  the land? nol.1d  concrete place  Rise per foot  Material of chimne  Sills 6x8 Girt of the corner posts all one p  1st floor 12!  masonry walls, thickness  I on same lot  mrs to be accommodated	retails of New Wo Height a tories 1 Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof covering Type of fuel Fight Size Golden Size Golden Size Golden	rk verage grade to top verage grade to high earth or rock?	CENTENCATE OF CCCC of plate of	WAIR
ze, front ze, front ze, front ze, front zer, front zerial of foundation zerial of underpinning and of Roof (hip) . of chimneys no and of heat zerial columns under gir uds (outside walls and common zerial columns under gir uds (outside walls and common zerial con centers: Maximum span: one story building with a construction one story building with a cars now accommodated tal number commercial call automobile repairing building under the commercial call automobile repairing building with a cars now accommodated tal number commercial call automobile repairing building with a cars now accommodated tal number commercial call automobile repairing building with a cars now accommodated tal number commercial call automobile repairing building with a cars now accommodated tal number commercial call automobile repairing building with a cars now accommodated tal number commercial call automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a cars now accommodated tall automobile repairing building with a	rull size  pth No. s  the land? no. 1.1.  concrete place  Rise per foot  Material of chimne  Sills 6x8 Girt of the corner posts all one p  1st floor 12!  masonry walls, thicknes  I on same lot  ars to be accommodated  be done other than mine	retails of New Wo Height a tories 1 Height a tories 1 Height a tories 1 Height a  Low frost 6 CC Thickness, top Height Roof covering Type of fuel Fight Size Fight O. C. Girders 6x fiece in cross section. Find Find Find Find Find Find Find Find	rk verage grade to top verage grade to high earth or rock?  In a sphale roc  Is gas fit  Max. o 8 or larger. Bridgit  3rd  3rd  be accommodated  ally stored in the pr	of plate. The plate of the plate of plate. The plate of plate. The plate of the pla	WATE
ze, front	rull size  pith No. s  Pled land? nol.1d  concrete piers  Plet Rise per foor  Material of chimne  Gills 6x8 Girt of  ders  arrying partitions) 2x4 i corner posts all one p  1st floor 131  masonry walls, thicknes  i on same lot  ars to be accommodated be done other than mine  moval or disturbing of a	retails of New Wo Height a tories 1 Height a tories 2 Height a tories 3 Height a  Low frost 6 GC Thickness, top Height Roof covering Type of fuel Size 16" O. C. Girders 6x iece in cross section. 2nd 2nd 2nd 3 of walls? If a Garage Thickness, top  or repuirs to cars habitu Miscellaneous any shade tree on a pub	rk verage grade to top verage grade to high earth or rock?  Is gas fit  Max. o 8 or larger. Bridgi  , 3rd  , 3rd  be accommodated  ally stored in the pr	CENTENCATE OF CCCC of plate.  of plate.  of plate.  of plate.  of plate.  of plate.  Item point of roof.  Ottom.  Chickness.  Fing Class C Und.  of fining.  ting involved?  item.  or centers.  on centers.  on in every floor and flate.  oposed building?  Oposed building?	Lebe
ze, front	rull size  pith No. s  Pled land? nol.1d  concrete piers  Plet Rise per foor  Material of chimne  Gills 6x8 Girt of  ders  arrying partitions) 2x4 i corner posts all one p  1st floor 131  masonry walls, thicknes  i on same lot  ars to be accommodated be done other than mine  moval or disturbing of a	retails of New Wo Height a tories 1 Height a tories 2 Height a tories 3 Height a  Low frost 6 GC Thickness, top Height Roof covering Type of fuel Size 16" O. C. Girders 6x iece in cross section. 2nd 2nd 2nd 3 of walls? If a Garage Thickness, top  or repuirs to cars habitu Miscellaneous any shade tree on a pub	rk verage grade to top verage grade to high earth or rock?  Is gas fit  Max. o 8 or larger. Bridgi  , 3rd  , 3rd  be accommodated  ally stored in the pr	CENTENCATE OF CCCC of plate.  of plate.  of plate.  of plate.  of plate.  of plate.  Item point of roof.  Ottom.  Chickness.  Fing Class C Und.  of fining.  ting involved?  item.  or centers.  on centers.  on in every floor and flate.  oposed building?  Oposed building?	Lebe
ze, front	rull size  pith No. s  Pled land? nol.1d  concrete piers  Plet Rise per foor  Material of chimne  Gills 6x8 Girt of  ders  arrying partitions) 2x4 i corner posts all one p  1st floor 131  masonry walls, thicknes  i on same lot  ars to be accommodated be done other than mine  moval or disturbing of a	retails of New Wo Height a tories 1 Height a tories 2 Height a tories 3 Height a  Low frost 6 GC Thickness, top  Height Roof coveri  Type of fuel Frost 6 GC  Type of fuel Frost 6 GC  Size Frost 6 GC  Translation  Size Frost 6 GC  Size Frost 7 G	rk verage grade to top verage grade to high earth or rock?  Is gas fit  Max. o 8 or larger. Bridgi  , 3rd  , 3rd  be accommodated  ally stored in the pr	of plate. The plate of the plate of plate. The plate of plate. The plate of the pla	Leb-

Ward 9 Permit No. 38/564 Location 38 Bell St. H. 7. Seal Date of permit 4/29 88 ng-in Inspn. closing-in × - 5 Final Notif. Final Inspn.

Cert: 6f Occupancy issued

NOTES

NOTES 148330 Color Workstarled 五司 安下 李龙 124/38-Yayonoured an 12/38- Withinch charge and **学业等线额** 全港等機 11/1/38- World Completed 3 infection ago 

1: .

Harold F. Seal



# APPLICATION FOR PERMIT

# (3) LIMITED BUSINESS ZON: PERMIT ISSUE! 0393

Class of Building or Type of Structure Third Class

ABR 22 1933

Portland, Maine, April 21, 1958

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter-install the accordance with the Laws of the State of Maine, the Building Code of the Cany, submitted herewith and the following specifications:	following building structure equipment in City of Portland, plans and specifications, if
Location 36 Sell Street Ward 9 Within	n Fire Limits? no Dist. No
Owner's or Lessee's name and address Herold F. Soel, 52 Boll St.	
Contractor's name and address Owner	Telephone
Architect's name and address	- 3
Proposed use of building one can garage	No. families
Other buildings on same lot 1 family dwelling house	
Plans filed as part of this application? yes No.	of sheets
Estimated cost \$ 100.	Fee \$
Description of Present Building to h	oe Altered
Material No. stories Heat Style of roof	, , , ,
Last use	
General Description of New W	Jork
	WOTTECHTON PEPONE WHILE
To creet was car frome garage 10' x 16'	GEORE LAVED.
	CATION SILVERY
	MATERIAL COSINGS
	OF COUNTED
It is understood that this permit does not include installation of heating apparatus which is the heating contractor.	to be taken still continue by and in the name of
It is understood that this permit does not include instantation of neating apparatus which is the heating contractor.	to be taken your separately by and in the hank of
Details of New Work Height average	e grade to top of plate
Size, front depth 16 No. stories 1 Height averag	
To be erected on solid or filled land? solid earth	
Material of foundation concrete alab Thickness, top	· · · · · · · · · · · · · · · · · · ·
Material of underpinning Height	,
Kind of Roof hin Rise per foot 80 Roof covering A	- · · · · · · · · · · · · · · · · · · ·
No. of chimneys no Material of chimneys	
Kind of heat no Type of fuel	
Corner posts 4x4 Sills 4x6 Girt or ledger board?	Cinc
Material columns under girders	
Studs 'outside walls and carrying partitions' 2x4-16" O. C. Girders 6x8 or	
span over 8 feet. Sills and corner posts all one piece in cross section.	larger. Bridging in every noor and nat root
Joists and rafters: 1st floor_concrbye, 2nd	, 3rd, roof <del>2</del> z4
On centers: 1st floor, 2nd	, 3rd, roof_ <u>18#</u>
Maximum span: 1st floor, 2nd	_, 3rd, roof
If one story building with masonry walls, thickness of walls?	•
If a Garage	
No. cars now accommodated on same lot, to be	accommodated
Total number commercial cars to be accommodated none	
Will automobile repairing be done other than minor repairs to cars habitually	stored in the proposed building?
Miscellaneous	stored in the proposed building i
Will above work require removal or disturbing of any shade tree on a public s	
	traat? wa
Will there be in charge of the above work a person competent to see that the	

CHER OF FIRE DEPE

31/396-1

August 6, 1931

Mr. H. F. Seal 32-36 Bell Street Portland, Maine

Dear Sire

It is understood that gen desire to live in the dwelling house which you have under construction at 32-36 Bell Street while you are completing the building.

Both the State law and the Building Code require that a Cortificate of Occupancy be secured from the Inspector of Buildings before such a building is occupied.

In view of the conditions under which you are working, you may consider this letter as a temporary certificate of occupancy which permits you to live in the building while you are finishing the

When the building is completed as to its essential details, it is necessary to notify this office for final inspection, and that the final certific te of occupancy be secured.

Please be governed accordingly.

Very truly yours,

Inspector of Buildings.

WM/HC

4

**学生的** 

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT for one family dwelling house at Bell Spreet, near Read In whose name is the title of the property now recorded? / Vacad î. 2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? I know Is the outline of the proposed work now staked out upon the ground?...... If not, 3. will you notify the Inspection Office when the work is staked out and before any of the work is commenced? Will stake out What is to be maximum projection or overhang of eaves or drip?.... Do you assume full responsibility for the correctness of the location plan or statement of lo-5. cation filed with this application, and does it show the complete outline of the proposed work on .he ground, including bay windows, porches and other projections?...... Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? 7. D. Tou understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?



# (5) LIMITED BUSINESS ZONE

# APPLICATION FOR PERMIT

Class of L

ir or Type of Structure Maire Class

Portland, Maine, April 4, 1881

To the INSPECTOR OF BUILDINGS, PORTLAND, MR.	
The undersignd hereby applies for a permit to erect elter install the following baccordance with the Laws of the State of Maine, the Building and of the City of Portlany, submitted herewith and the following specifications:	uilding structure equipment in and plans and specifications, if
Location 52- 55 Echl Spreet near Boad Ward 9 Within Fire Limit	197 Dist. No
Owner's or Lessee's name and address II. F. Sani, 201 Migh St.	Telephone :
Contractor's name and address Contract	Telephone
Architect's name and address	
Architect's name and address  Proposed use of building describe bouting	No. familica
Plans filed as part of this application? No. of sheets	
Estimated cost \$2,200	Fee & Land
Description of Present Building to be Altere	
Material No. stories Heat Style of roof	
Last use	
General Description of New Work	med descendent announcem de Tr. C.S. & CC 607 CC 4 College Capital Agreement
deneral Description of frew work	
To erest one family frame duelling house	
	e ·
	0 .
	· '
It is understood that this permit does not include installation of heating apparatus which is to be taken the heating contractor.	out separately by and in the name of
Details of New Work	top of plate
Size, front 17t depth 82t No. stories Height average grade to h  To be erected on solid or filled land? solid	certh
Material of foundation concentre Thickness, top 125	
Material of underpinning concrete blocks Height	* * * * * * * * * * * * * * * * * * *
Kind of Roof Rise per foot as Roof covering	
No. of chimneys	of linius
Kind of heat both was both . Type of fuel and le gas	fitting involved ?
Kind of hear hot sates (H-1881) Type of fuel cost Is gas Corner posts 44 Sills 44 Sills 44 Sills 48 Girl of ledger board?	Siza
Material columns under girders from place Size 49 Ma	A or contors
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Brispan over 8 feet. Sills and corner posts all one piece in cross section.	idging in every floor and flat reo:
Joints and rafters: 1st floor 5,53, 2nd 2x3 ung, 3rd	roof
Joists and rafters: 1st floor 543, 2nd 2x3 ung , 3rd, 3rd	100f 700
Maximum span: 1st floor 861 2nd 2nd 3rd	
If one story building with masonry walls, thickness of walls?	height?
If a Garage	
No. cars now accommodated on same lot	dated
Total number commercial cars to be accommodated	and the second of the second o
Will automobile repairing be done other than minor repairs to cars habitually stored in t	to propered building?
Miscellaneous	
Will above work require removal or disturbing of any shade tree on a public street?	
Will there be in charge of the above work a person competent to see that the State and C	
signature of owner Haralt F. S.	eal
INSPECTION COPY	englement i militi ingreprig gyrightetude amuniam manna amunia amunia amuni. L

down to the girle u 4/9/31. as through Permit No. 3 Still working or sord his studdily: alling int much 5/24/31. Working on under pinning, no work ting done at this 6/12/31. Lords as through so window headers for is all the work the 6/1/31. Sills on 1st flow joint has been done ar place. 6 johs Same Outside boarding on done double plate of outside, walls no 6/5/31. Same. Tormout, consulte sur portitions pany 1. shar in place, to Concrete prosect, forms Flow boards on Intflow 6/16/31. partitions u outside wall studding up, bearing hartitlor not stailed, lift R.T. Underfrimming startes about bearing partition Ling carried down oute or partitions she or pot flow ceiling, brun over his girde Mingle percer bigg and his flooring on this of 1951. about dive, our frances What affects to be a nor bearing failition mude provides to go

January 22, 1980

A. Girard Dolta Roolty 999 Forast Ave. Portland, Me.

Re: 80 Bell St. - 2nd floor apt.

This is to acknowledge notification of your inability to comply, remady and correct the violations at 80 Bell St.

If these conditions are not corrected, then there shouldn't be any tenants occupying the second floor. It should remain empty until existing conditions are rectified.

I would appreciate your keeping me informed as to your future intentions.

Should you have any questions, do not hesitate to call this office.

Sincorely,

Mubert Irving Building Inspector



# CITY OF PORTLAND, MAINE DEPARTMENT OF BUILDING INSPECTION

	COLUMN TO SERVICE STATE OF THE	COMPLAINT	80
	INSPECTION COPY		Be H
	COMPLAINT NO. 80/5	Date Received 1-21-80	<b> </b>
	Location OO Bell S	co Bottling Warehouse Street Use of Building 1	Apartment & Warehouse
	Owner's name and address_	Art Girard-Delta Realty-999 Forest	Telephone 797 9550
	a country maine and address_		*** 1 .
	Complainant's name and add	dressJohn	Tolontone 797-4684
t	to store chemi	rate on 2nd floor of warehouse. First cals. Only one exit on 2nd floor, railings on stairs, wife is pregnantly of the call of	t floor still being used
	appertuent	Tracked in media	
	Juecessar with The di	y carrections to bring	the apt in line
-	Property	would be made in 3	coup of the
	Esquest	for a copy of this com	The state of the s
-	Care takers	aft is a legal use to	rded that this wing Drd 602 B A.S.
بر در سر	zonety -	o company	in charge of the
-			1
-			
			<b>/</b>



CITY OF PORTLAND, MAINE Department of Building Inspection

# Certificate of Occupancy

LOCALION 80 Bell Street

Delta Realty Corp.

Date of Issue Oct. 30, 1979

This is in certify that the building, premises, or part thereof, at the above location, built-altered changed as to use under Building Permit No. 79/798, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

APPROVED OCCUPANCY

Entire Limiting Conditions:

80 x 50 Storage Building

This certificate supersedes certificate issued

Approved: (Date)

Inspector

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when properly changes hands. Copy will be fur. 'shed to owner or letsee for one dollar,

A. Girard Delta Realty 999 Forest Ave. Portland, Me.

Re: 80 Bell St. - 2nd floor apt.

This is to acknowledge notification of your inability to comply, remedy and correct the violations at 80 Bell St.

If these conditions are not corrected, then there shouldn't be any tenants occupying the second floor. It should remain empty until existing conditions are rectified.

I would appreciate your keeping me informed as to your future intentions.

Should you have any questions, do not hesitate to call this office,

Sincerely,

Hubert Irving Building Inspector

HI:k

, i

4.5

### APPLICATION FOR PERMIT

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

ZONING LOCATION

1-2
FORTLAND, MAINE, Aug. 30, 1979

PERMIT ISSUED

SEP 12 1979 000798 CITY of PORTLAND

T - 41 -	DIDECTOR	OF BUILDING		THEODERON	CERTICEC	<b>m</b>	
10 me	DIKECTUR	OF BUILDING	ιč	INSPECTION	SERVICES	, PORTLAND	. MAINE

The	: undersig	ne¢ hereby	applies fe	or a permi	t 10 erect, alter, 1	epair, demolis	h, move or insta	ill the follow	ving buildir	ıg, struc-
ture, ce	juipment c	or change u	se in acco	ordance wi	ith the Laws of th	re-State of Ma	ine, the Portlar	d B.O.C.A	Bui! ling C	Code and =
Zoning	Ordinano	e of the Ci	ty of Port	land wish	plans and specifi	cations, if any,	submitted here	with and the	following .	specifica-
tions:	, 7	1212			1	,				

Zoning Ordinance of the City of Portland wish plans and specifications:	
LOCATION 80 Bell Street	
1. Owner's name and address . Delta Realty Co. Inc 2. Lessee's name and address 3. Contractor's name and address	04103 Telephone
3. Contractor's name and address	Telephone
4. Architect Specificat	ions Plans No. of sheets
Proposed use of building storage	No. families
Last use	No. families
Material No. stories Heat S-	
Other buildings on same lot	Fee \$136.00.
FIELD INSPECTOR—Mr Hugh GET	NERAL DESCRIPTION
This application is for: @ 775-5451	
Dwelling Ext. 234	To construct masonary building,
Garage	80 x 50 as per plans. 1 sheet of plans, roof trusses to be
Masonry Bldg	- supplied by Storm of Special Confditions
	supplied by Stamp of Special Conditions
Alterations Demolitions	building to be used for storage
Change of Use	
Other	
NOTE TO APPLICANT: Separate permits are required by the i	installers and subcontractors of heating, plumbing, electri-
cal and mechanicals.	
FERMIT IS TO BE ISSUED TO	1 (Exx 2 🗆 3 🗆 4 🖂
Oth	er:,
DETAILS OF NE	W WORK
Is any plumbing involved in this work? . no	
Is connection to be made to public sewer? If n	
Has septic tank notice been sent? For	m notice sent?
Height average grade to top of plate 12.52 Height	average grade to highest point of roof \$ .20 . T.
Size, front . 50 depti 80 No. stories solie	d or filled land? 80110 earth or rock?earth.
Material of foundation GOAGES TO. Thickness, top Kind of roof . Pitch Rise per foot Roo	. asphalt shingles
Nind of root	or covering
No. of chimneys	Corner poets
Size Girder Columns under girders	
Studs (outside walls and carrying p. rtitions) 2x4-16" O. C. Brie	
Joists and rafters: 1st floot, 2nd	
On centers: lst floor, 2nd	3rd roof <b>24</b>
	, 3rd, roof
If one story building with masonry we's, thickness of walls?	height?
W A GAR	AGE
No. cars now accommodated on same int, to be accommode	
Will automobile repairing be done othe ar minor spairs to ca	
APPROVALS BY: DATE	MISCELLANEOUS
BUILDING INSPECTION—PLAN EXAMPLER WI	I work require disturbing of any tree on a public street?
ZONING	
BUU D'NG CODE: Wil	I there be in charge of the above work a person competent.
	observed? . Yes
Others	
Ignature of Applicant . M.J.	Burnel Pres Phone # same
	aalty.Co. Inc. 1108 2 3 3 4

FIELD INCPECTO COPY

and Address .....

Storage .गर पर ह 12 in no ospinates. 12 11 op oxpuop (10) Wilder Vices bolta Mealty To. Inc.



CITY OF PORTLAND, MAINE Department of Building Inspection

# Certificate of Occupancy

LOCATION 80 Bell Street

Issued to Delta Realty Co. Inc.

Oct. 30, 1979

This is to certify that the building, premises, or part thereof, at the above location, built-altered —changed as to use under Building Permit No. 79/659, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

APPROVED OCCUPANCY

Entire

50 x 30 Storage Building

Limiting Conditions:

This certificate supersedes certificate i sued

|--|

# APPLICATION FOR PERMIT ISSUED

B.O.C.A. USE GROUP
B.O.C.A. TYPE OF CONSTRUCTION 000639

AUG 9 1979

	ZONING LOCATION 7-2 PORTLAND, MAINE, 8-8-79 CITY of PORTLAND
٠	To the DIRECTOR OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE
er:	The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and spec fications, if any, submitted herewith and the following specifications:
No.	LOCATION 80 Bell Street  1. Owner's name and address Delta ealty Company, Inc. 1999 Forest Telephone 797-8550.  2. Lessee's name and address Telephone 797-8550.  3. Contractor's name and address Owner Telephone Telephone  4. Architect Specifications Plans No. of sheets 2. Proposed use of building Storage shed, 50x30 No. families  Last use Same No. stories Heat Style of roof Roofing  ther buildings on same lot Fee \$37.00
	FIELD INSPECTOR—Mr GENERAL DESCRIPTION
	This application is for:  Owelling  Ext. 234  Garage  To construct storage shed, 50x30, as per plans.  This is to replace dilapated building
	Masonry Bldg
	Metal Bldg
	NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.
1	PERMIT IS TO BE ISSUED TO 1 2 2 3 4 1
Ĭ	Other:
j	DETAILS OF NEW WORK
	Is any plumbing involved in this work? no
-	Has septic tank notice been sent?  Height average grade to top of plate . 12!
	No. of chimneys
	Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  Joists and rafters: 1st floor, 2nd, 3rd, roof truss roof.  On centers: 1st floor
	On centers:         1st floor         , 2nd         , 3rd         , roof         .2.           Maximum span:         1st floor         , 2nd         , 3rd         , roof         .30.           If one story building with masonry walls, thickness of walls?         height?
	IF A GARAGE
	No. cars now accommodated on same lot, to be accommodated number commercial cars to be accommodated
	Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?
	APPROVALS BY:  BUILDING INSPECTION—PLAN EXAMINER
	BUILDING CODE:  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto
è	Health Dept.: are observed?
,	lack & See all
	Type Name of above . Arthur . Girrd
	FIELD INSPECTOR'S COPY

NOTES Jelba wealty demanay, Jpc.-937 Torost Storage alon, 59x33 <del>0</del>200,5 10.55 io denstruct stora / shell, bande, as per this is to "crime dilapated building . on 151 14" างมศาส ปล asphalt sningle 11,0 Viork walls demant 17 (ZY) ...thu 1. 134/20



# APPLICATION FOR PERMIT

### DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date 7-24 , 19 79
	Receipt and Permit number 128867
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine: The undersigned hereby applies for a permit to make electrical inst	allations in accordance with the laws of
Moine the Portund Electrical Ordinance, the National Electrical Code	and the following specifications.
LOCATION OF WORK: 80 Bell Street OWNER'S NAME: Delta Realty Co. ADDRESS: 9	99 Forest Ave. FEES
OUTLETS:  Receptacles Switches Plugmold ft. To	
DIVITIONE, (number of)	
FIXTURES: (number of)  Incandescent (not strip) TOTAL	
Strip Flourescent ft	
SERVICES.	
Overhead Underground Temporary T	OTAL amperes
METERS: (number of) 2	سلللمشي
MOTORS: (number of) Fractional	
1 HP or over	***************************************
THE CHANGE AT THE APPLICATION.	
Oil or Gas (number of units)	
Electric (number of rooms)	
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler)	
Oil or Gas (by a main boiler)	
Electric Under 20 kws Over 20 kws	
APPLIANCES: (number of)	
Ranges Water Heaters	
Cook Tops Disposals	
Wall Ovens Dishwashers	. /
Dryers Compactors Fans Others (denote	
Fans Others (denoted	=)
REPORT I ANDOUG. (number of)	
Branch Panels 2	2.00
Transformers	
Air Conditioners Central Unit	
Separate Units (windows)	
Signs 20 sq. ft. and underOver 20 sq. ft	
Swimming Pools Above Ground	
In Ground	
Fire/Burglar Alarms Residential	
Commercial	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and	
Circus, Fairs, etc	
Rangire after fire	
Emergency Lights, battery	
Emergency Generators	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	LATION FEE DUE:
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT FOR REMOVAL OF A "STOP ORDER" (304-16.b)	
FOR REMOVAL OF A "STOP ORDER" (304-10.0)	FAL AMOUNT DUE: 3.00
INSPECTION:	
Will be ready on, 19; or Will Call CONTRACTOR'S NAME: Falmouth Elec. Inc.	×
CONTRACTOR'S NAME: Falmouth Elec. Inc.	
ADDRESS: 245 Blackstrap Rd.	
TEL: 797-6174  MASTER LICENSE NO.: 420  LIMITED LICENSE NO.: SIGNATURE  Worker	OF CONTRACTOR:
MASTER LICENSE NO. 420 SIGNATURE	a alleman
THEFT THE PROPERTY WAY	

INSPECTOR'S COPY - WHITE OFFICE COPY -- CANARY

CONTRACTOR'S COPY - GREEN



# APPLICATION FOR PERMIT DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date
	Receipt and Permit number 222264
To the CHIEF ELECTRICAL INSPECTOR, Portland, The understand hereby applies for a permit to make	alactrical installations in account of the transfer
Maine, the Portland Electrical Ordinance, the National LOCATION OF WORK: Rear-80 Bell St. [	Wildermond Code und Ab - f-Ty
OWNER'S NAME: Delta Realty	ADDRESS: 000 Flames A
A State of the Late of the Lat	res rest Ave.
OUTLETS:	
Receptacles Switches Plugmoi	fe. TOTAL 1-30
FIX CHRES: (rumber of)	/
Incandescent Flourescent (not	strip) TOTAL 96
Strip Flourescent 96 ft.	7.80
SERVICES:	2
Overhead X Underground Tempor	raryTOTAL amperes 200 3.00
TILL INTE. (HUMINGI OI) 2	1.00
MOTORS: (number of)	**************************************
Fractional	***************************************
I file or over	***************************************
RESIDENTIAL HEATING:	
Oil or Gas (number of units)	******************************
Electric (number of rooms)	***************************************
OUMBINION OR INDUSTRIAL PRATING	
Oil or Gas (by a main boiler) 多义文文文文文文文文文文	ZXYXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
on or das (by separate units) 2 011. fixe	d. dommercial furnace 1/ 4.00
Dietare Orider 20 kWs Over 20 kWs	
AFFLIANCES: (number of)	· ·
A 1 m	Water Heaters
	Disposals
<b>n</b>	Dishwashers
	Compactors
Fans	Others (denots)
TOTAL	
MISCELLANEOUS: (number of)	
Branch Panels	
Transformers	
Air Conditioners Central Unit	
Separate Units (windows)	***
Signs 20 sq. ft. and under	
Over 20 sq. ft.	
Swimming Pools Above Ground	
Fire/Burgler Alarma Recidential	***************************************
Fire/Burglar Alarms Residential	
Heavy Duty Outlets, 220 Volt (such as welders)	90
22001) Daty Canals, 220 Vote (salett as welders)	over 20
Circus, Fairs, etc.	over 30 amps
Circus, Fairs, etc. Alterations to wires	
Repairs after fire	
Emergency Lights, battery	
Emergency Generators	
	INCRATE AMONG THE TIME
FOR ADDITIONAL WORK NOT ON ORIGINAL PERM	IT DOIDER DEED TIES.
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	DOODDE FEE DOG:
(	TOTAL AMOUNT DUE: 18.80
	TOTAL AMOUNT DUE: 18.80
INSPECTION:	•
Will be ready on 19 ! or V	Vill Call y
Will be ready on CONTRACTOR'S NAME: Falmouth Elec.	T 4.00 To California - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
ADDRESS: 245 Plantant P.	- The state of the
TEL.: 797-6174	The second secon
TEL: 245 Blackstrap Rd.  MASTER LICENSE NO.: 420 S LIMITED LICENSE NO.:	ignature of contractor:
LIMITED LICENSE NO.:	Dery Colpitain
	The state of the s
INSPECTOR'S CO	PV - WHITE

OFFICE COPY -- CANARY CONTRactor's Copy -- Green



# APPLICATION FOR PERMIT DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine	Receipt and Permit number 1590	
	LOCATION OF WORK.	rical Code and the following specifications:	0
	OWNER'S NAME: Casco Bottling ADDR	FSC.	•
	OTHER TIME	2372	-
	OUTLETS:	FEES	
	Receptacles Switches Plugmoid FIXTURES: (number of)	it. TOTAL	,
	Incordescent	- MATERIAL PROPERTY OF THE PARTY OF THE PART	-
٠.	Incandescent Flourescent (not strip) Strip Flourescent ft.	TOTAL	
	Strip Flourescent ft (not strip) SERVICES:	***************************************	-
	Overhead X Underground		-
	SERVICES:  Overhead X Underground Temporary  METERS: (number of) 1  MOTORS: (number of)  Fractional	TOTAL amperes 100 3.00	
	MOTORS: (number of)		_
	1 HP or overRESIDENTIAL HE. ING:		
	RESIDENTIAL HE. TNG:  Oil or Gas (number of units)  Electric (number of rooms)  COMMEPCIAL OR INDUSTRIAL HEATING:	and the second s	
	Electric (number of rooms)	1 4 1 4 1 7 4 1 9 1 9 4 1 9 4 1 9 5 0 9 8 8 8 8 8 8 7 7 7 8 8 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
	COMMEPCIAL OR INDUSTRIAL HEATING:		•••
	Oil or ties the a main hollow		
	Clar G is (by separate units)  Electric Under 20 kws Over 20 kws	MANAGEMENT LINE CONTRACTOR CONTRA	-
-	Electric Under 20 kws Over 20 kws APPLIANCES: (number of)		-
		William September 1994	•
	Ranges Water 1	Heaters	
	Cook Tops Wall Ovens Disposa		
	Disnwa:		
	Compac	etors	
	TOTAL	(denote)	
	TOTAL Others MISCELLANEOUS: (number of)		
	Branch Panels		•
	Transformers Air Conditioners Central Unit	***************************************	_
	Air Conditioners Central Unit  Separate Units (windows)		_
	Separate Units (wind-		
	Signs 20 sq. ft. and under		
	Over 20 sq. ft. Swimming Pools Above strough		
	o " " " Too to Citoung		
	In Ground Fire/Burglar Alarms Residential		
			•
	Commercial Heavy Duty Outlets, 220 Volt (such as welders), 30 amounts	***************************************	
	( The worlders) of amps	s and under	
	Circus Fairs etc. over 30	amps	•
	Altonotions	***************************************	
	Repairs after fire	*******	•
	Repairs after fire  Emergency Lights, bettery  Emergency Generatocs		
	Emergency Generators		,
1	FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT	STALLATION FEE DUE:	
1	FOR REMOVAL OF A "STOP ORDER" (304-16.b)	DOUBLE FEE DUE:	
		TOTAT AMOTTATO	
		TOTAL AMOUNT DUF: 3.50	
I	INSPECTION:		
_	Will be ready on, 19; or Will Call CONTRACTOR'S NAME: Falmouth Floor	· ·	
C	CONTRACTOR'S NAME: Falmouth Elec.  ADDRESS: 245 Blackstrop Rd.		
	ADDRESS: 245 Blackstrap Rd., Falm	markle 35	
74	MASTER LICENSE NO.: 420 SIGNATULIMITED LICENSE NO.:	OUFI MA.	
1/	LIMITED LICENSE NO.: 420 SIGNATU	JRE OF CONTRACTOR	
-	LIMITED LICENSE NO.:	e n klin	
	***************************************	The state of the s	

INSPECTOR'S COPY - WHITE OFFICE COPY -- CANARY CONTRACTOR'S COPY -- GREEN

Ro: 80 Bell St.

January 22, 1979

Delta Realty Co. Inc. 999 Forest Ave. Portland, Maine

Before the Certificate of Occupancy can be issued, it will be necessary for someone to file an amendment for the change in the roof and the design of the roof trusses.

Should you have any questions, do not hesitate to call this office.

Sincerely,

Hugh Irving Building Inspector

# APPLICATION FOR PERMIT ISSUES

B.O	.C.A. USE GROUP .C.A. TYPE OF CONST		20095	50	L Vun	1978
B.O	CATION 2 - 2	RUCTION	UU.U.J.		arette T. D.C.	TOTAL ENTER
ZONING LOC	AHON	PORTLA	ND, MAINE,A	!TAAT.49	CITY of PO	KTLANU
	OF BUILDING & INSPE					
	hereby applies for a permi					
	ange use in accordance wi					
Zoning. Ordinance of tions:	the City of Portland with	pian <del>s</del> ana sp <u>e</u> c	ifications, if any, subm	uttea nerewith and	the joi owing s	pesifica
ACCATION80	Bell Street			Fire D	istrict #1·□.	#2 🗀
	d address . Delta . Re					
	d adddress					
	e and address s.ame, .					
	ing storage					
	ige					
<i>F</i> L			Ct. 1	-		
er buildings on sa	ame let	******	· • • • • • • • • • • • • • • • • • • •		,,	551111
Estimated contractura	al cost \$., 25,000			e,	Fee \$ . 1.00 . C	
FIELD INSPECTOR-	Mr		GENERAL DESCR	UPTION	. ,	
This application is for		TO re	construct 35%	x85 utility	building	as per
Dwelling		plan.				
Masonry Bldg						r .
Metal Bldg.		•	·	Stamp of	Special Conditi	ions
Alterations			• •			
Demolitions				÷.,		
Change of Use					•	
Other						
cal and mechanicals.	ANT: Separate permits a	r <del>e</del> requirea by	the installers and sub	ocontractors of ne	aung, puumoing	. electri-
tu una meenametus.	PERMIT IS TO	BE ISSUED	TO 1 🔁 2 🗀 3	3	, ,	
			Other:			
		DETAILS OF	F NEW WORK			
	lved in this work?					
	nade to public sewer?					
	ce been sent?					
	to top of plate					
	on					
	Rise per foo					
	Material of ch					
	Kind Dressed					
· ·	Columns under and carrying partitions)				•	
Joists and rafter			d 3:			
On centers:			d 3			
Maximum span	: 1st floor	, 2t	d , 3	ord	., roof	**1./41
If one story building	g with masonry walls, thick	eness of walls?			height?	
• •	-	IF A	GARAGE			
	modated on same lot					
,	airing be done other than	_	to cars habitually sto		_	
APPROVALS BY:	CTION DIAN DIAN	DATE	37711 1	MISCELLANEO		
FOUNDS:	CTION—PLAN EXAMI	NER Y	Will work require d	isturbing of any tr	ee on a public s	treet?
	: 0.15 8 8. 11/11.78		Will there be in cha	irge of the above v	vork a person c	omnetent
			to see that the State			
Health Dept.:		******	are observed?		-	-
Others:		·····/	-101	. 0		
•	Signature of App	licant 1. M.	hr. K. Du.	and Pho	one #	,,,,,,,
•	Type Name of al	boveAr.tl	ur Girard	* • • • • • • • • • • • • • • • • • • •	1 1 2 17 3	m 4m
					· — — [] *	

FIELD INSPECTOR'S COPY

NOTES



### APPLICATION FOR PERMIT

# DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date May 15	
المنطقة والمراكبة والمنافرة والمراكبة والمراكبة والمنافرة والمراكبة والمنافرة والمنافر	Receipt and Permit number	
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:  The undersigned hereby applies for a permit to make electrical installathe Portland Electrical Ordinance, the National Electrical Code and the following the Code of the Street Stre		ws of Maine,
OWNER'S NAME: 2015 Bealty ADDRESS:	XXXX 980 Forest	Ave.
OUTLETS: (number of)	-	
Lights Receptacles Switches Plugmold (number of feet) TOTAL		FEES
FIXTURES: (number of) Incandescent		
Fluorescent (Do not include strip fluorescent)		
TOTAL Strip Fluorescent, in feet		
SERVICE'S: Permanent, total amperes 100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.00
Temporary		•50
METERS: (number of)		
MOTORS: (number of) Fractional  1 HP or over		
RESIT ENTIAL HEATING:  Oil or Gas (number of units)		
COMMERCIAL OR INDUSTRIAL HEATING:  Oil or Gas (by a main boiler)		
APPLIANCES: (number of)		
Ranges         Water Heaters           Cook Tops         Disposals           Woll Ovens         Dishwashers		
Dryers Compactors Fans Others (denote TOTAL	·······	
MISCELLANEOUS: (number of)		
Air Conditioners		
Signs		
Alterations to wires		
Heavy Duty, 220v outlets	**********	
Emergency Lights, battery Emergency Generators		
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT	ALLATION FEE DUE:	
FOR REMOVAL OF A "STOP ORDER" (304-16.b) FOR PERFORMING WORK WITHOUT A PERMIT (304-9)	.,.,,	***************************************
TO TEN ORDING WORK WITHOUT A PERMIT (55.7)	TAL AMOUNT DUE:	3,50
INSPECTION:  Will be ready on, 19; or Will Call		
CONTRACTOR'S NAME: Falmouth Electric  ADDRESS: 245 Blackstrap Road Falmo  TEL: 797-6174	outh	
400	OF GONTRAQTOR:	
LIMITED LICENSE NO.	Word &	

INSPECTOR'S COPY

# 1134 PERMIT ISSUED



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Dec. 14, 1977

CITY of PORTLAND

	The undersigned hereby applies for a fermit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:  Location Bell St. Use of Building warehouse No. Stories New Building Name and address of owner of appliance Delta Realty Co. — 999 Forest Ave.  Installer's name and address Giroux Oil Service -343 Warren Ave. Telephone 797-7111
	General Description of Work
	To install forced warm air furnace burner - replacement
-	IF HEATER, OR POWER BOILER
٠,٠	Location of appliance
	If so, now protected? Kind of fuel?
	Minimum distance to burnable material, from top of appliance or casing top of furnace
	From top of smoke pipe From front of appliance From sides or back of appliance
	Size of chimney flue Other connections to same flue
	Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?
	The dameters rest are we supplied to the appliance to histire proper and safe commission?
	IF OIL BURNER
	Name and type of burner Texaco gun
	Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? top
	Type of floor beneath burner cement Size of vent pipe 14
	Location of oil storage basement Number and capacity of tanks 2 -275 gal.
	Low water shut off Make No.
	Will all tanks be more than five feet from any flame? .yes How many tanks enclosed?
	Total capacity of any existing storage tanks for furnace burners 550 gal.
	IF COOKING APPLIANCE
٠	Location of appliance
	If so, how protected? Height of Legs, if any
	Skirting at bottom of appliance? Distance to combustible material from top of appliance?
, .	From front of appliance From sides and back t'rom top of smokepipe
•	Size of chimney flue
	Is hood to be provided? Forced or gravity? Forced or gravity?
	If gas fired, how vented?
	MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
	paratherina de la companya del companya de la companya del companya de la companya del la companya de la compan
	Note that the state of the stat
	Amount of fee enclosed? 5.00
p;	COVED:
•	
•• ••	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
•••••	chervad?
•••••	observed?

· (1 4)



# APPLICATION FOR PERMIT

# DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Date Dec. 14 , 19 77
Receipt and Permit number A 03581

To the CHIEF ELECTRICAL INSPEC The undersigned hereby applies for the Portland Electrical Ordinance, the N	r a permit to make National Electrica <u>l</u> (	electrical installations in a Code and the following spe		laws of Maine,
LOCATION OF WORK 122 Bell	Street 120	9		4.5,*,
OWNER'S NAME:	alty Co.	ADDRESS:999	Forest Ave.	
OUTLETS: (number of)				
Lights			1.1	1
Switches				FEES
Plugmold (num	ber of feet)		•	
TOTAL		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • •	
FIXTURES: (number of)	,			,,
Incandescent (Do a				
TOTAL(D6)	not include strip flu	orescent)		
Strip Fluorescent, in feet	····			
SERVICES:				***************************************
Permanent, total amperes.				
remodiary	• • • • • • • • • • • • • • • •			
METERS: (rumber of)	· • • · · · • • · · · • · • · • · • · •			
MOTORS: (number of)				
Fractional,	• • • • • • • • • • • • • • • • • • • •		******	
i hy or over	•••••••			•
RESIDENTIAL HEATING:				
Oil or the (number of units) Electric (number of rooms)		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
COMMERCIAL OR INDUSTRIAL HE	ACTIVICA	• • • • • • • • • • • • • • • • • • • •	•••••	
Oil or Gas (by a main boiler)	ATING:			5.00
Oil or Gas (by separate units)			••••••	3.00
Electric (total number of kws)		• • • • • • • • • • • • • • • • • • • •		
APPLIANCES: (number of)				
Ranges		Water Heaters		
Cook Tops Wall Ovens	<del></del>	Disposals	*****	
Dryers		Dishwashers	***	
Fans		Compactors Others (denote)	****	
TOTAL				
MISCELLANEOUS: (number of)				
Branch Panels				
Transformers Air Conditioners			************	
**	•••••••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
			••••••	
Circus, Fairs, etc.		· • · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • •	
Alterations to wires				
Repairs after fire		• • • • • • • • • • • • • • • • • • • •		
Heavy Duty, 220v outlets Emergency Lights, battery		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •	
Emergency Generators				
		INSTALLATION	FEE DUE:	
FOR ADDITIONAL WORK NOT ON	ORIGINAL PERM	IT DOUBLE	FEE DUE:	
FOR REMOVAL OF A "STOP ORDER	ξ" (304-16.b)	<b></b>		
FOR PERFORMING WORK WITHOU	I A PERMIT (30	4-9)	******	
INSPECTION:		TOTAL AMO	ONT DUE:	5.00
Will be ready on 12-14	1977. or will d	Call		
CONTRACTOR'S NAME: Giroux	Oil Service			
ADDRES: 343 Wa	arreen Ave.			
TEL.: <b>797_</b>	711.	-		
MASTER LICENSE NO.: on file	<u> </u>	SIGNATURE OF CONTI	RACTOR	, ,
LIMÍTED LICENSE NO.:		SIGNATURE OF CONTI	/ Cuthun & I	nortis
		V //		William franchis

INSPECTOR'S COPY

Service called in	ELE crmit No cation ocation water _ ate of I nad Ins nad Inspec
Closing-in by	ELECTRI  crmit Numbe ocation 2  wner 2  wner 1  ate of Permit nal Inspection / Inspector 1
PROGRESS INSPECTIONS: 12-15-77	ELECTRICA  rmit Number cationBC  vncr D2  vncr D2  ite of Permit nal Inspection Inspector Inspector
/	
CODE	Region To
COMPLIANCE / / /	d With San
	TAN COLUMN
COMPLETED	TIONS P
DATE 12-15-77	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DATE: REMARKS	$ \omega $
12-15-77 This was said to be a tem	porary unstallation
OKed as such	
- my puer	
	Page 4 de la companya
	148 \$164 to the second

INSPECTIONS: Service



### APPLICATION FOR PERMIT

# DEPARTMENT OF BUILDING INSPECTIONS SERVICES

### ELECTRICAL INSTALLATIONS

			Date 11/28 Receipt and Permit number	1977 403483
To the CHIEF ELECTRICAL INSP.  The undersigned hereby applies the Portland Electrical Ordinance, th LOCATION OF WORK: 80 Bel.	e National Electrica	l Code and the following	specifications:	
OWNER'S NAME: Arthur Ga				
OUTLETS: (number of)				
Lights				
Receptacles				FEES
Switches				
Plugmold (r	umber of feet)			
TOTAL  FIXTURES: (number of) Incandescent	• • • • • • • • • • • • • • • • • • • •			,
Incandescent	1 3	1 1	•	
Fluorescent	to not include strin	Augenenet)		
TOTAL				
Strip Fluorescent, in feet	*************		***************	
SERVICES:	400	market .		6.00
SERVICES:  Permanent, total amperes  Temporary	·{·····	· · · · · · · · · · · · · · · · · · ·	•••••	
1 emporary		••••		1.00
METERS: (number of) _2	• • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
MOTORS: (number of)				
RESIDENTIAL HEATING:				
Oil or Gas (number of un	its)		,	
Electric (number of rooms				
COMMERCIAL OR INDUSTRIAL	HEATING:			
Oil or Gas (by a main boi	ler)	• • • • • • • • • • • • • • • • • • • •		
Oil or Gas (by separate un	nits)	• • • • • • • • • • • • • • • • • • • •		
·	:ws)	••••		
APPLIANCES: (number of)		Water Manage		
Ranges Cook Tops		Water Heaters Disposals	*****	
Wall Ovens		Dishwashers		
Dryers		Compactors	u-24-7-	
Fans		Others (denote)	4	
TOTAL	•••••	****		A
MISCELLANEOUS: (number of)				
Branch Panels Transformers				
Air Conditioners	••••			
Signs		••••		
Fire/Burglar Alarms				
Circus, Fairs, etc.				
Alterations to wires				
Repairs after fire Heavy Duty, 220v outlets				
Emergency Lights, battery				
Emergency Generators		<b></b>		
		***************************************	ATION FEE DUE:	
FOR ADDITIONAL WORK NOT	ON ORIGINAL P	ERMIT DO	UBLE FEE DUE:	
FOR REMOVAL OF A "STOP OF FOR PERFORMING WORK WIT	RDER" (304-16.b)		• • • • • • • • • • • • • • • • • • • •	
FOR PERFORMING WORK WIT	HOU! A PERMIT	TOTAL	AMOUNT DUE:	7,00
MODECTION		10171		
INSPECTION: Will be ready on 11/2	8/77 19; or	Will Call		
CONTRACTOR'S NAME: Fai				_
ADDDECC 245	Blackstrap	Rá.		_
TEL.: 797	-6174	— <i>1</i>		
MASTER LICENSE NO.: _420		SIGNATURE OF	CONTRACTOR:	

INSPECTOR'S COPY

LIMITED LICENSE NO.: -

INSPECTIONS PROGRESS IN	Service called in 12-7-77 min Inspection at the conference of Permit Number Closing-in by Application Service Course from the conference of Permit Service Course from the conference of Permit Service Course from the conference of Permit Course from the course from the conference of Permit Course from the course from t
COD COMPLIA COMPLIA DATE 12-2	MOE / JOHN TO THE ROLL OF THE POPULATION OF THE
DATE:	PEMARKS:
//-30-77	Poul mistalled on first floor mistead of
	in basement, must change.
	The same test of the same state of the same stat
N L.	
***************************************	

haster Whosor



## CITY OF PORTLAND, MAINE DEPARTMENT OF BUILDING INSPECTION

## COMPLAINT

FILE COPY
COMPLAINT NO. 77/45 Date Received July 5, 1977

Location 80 Bell Street

Use of Building

Owner's name and address

Telephone

Tenant's name and address

Complainant's name and address

Line and address

Tolephone

Complainant's name and address

NOTES.

Way 5/77

This pare the last the same and address

NOTES.

Way 5/77

This pare the last the last than Surperfect the same and address

In part the last the last than a facility of the same and address

NOTES.

Way 5/77

This pare the last the last than a facility of the same and address

Notes and the appearance of the same and address

Notes and the appearance of the same and address

Notes and the appearance of the same and address

Notes and the appearance of the same and address

Notes and the appearance of the same and address

Notes and address

Telephone

Telep

,

SENSTANDOM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

November, 1970

### location: #80 Ball St.

Before tanks and piping are covered from view, installer is required to notify the Fire Dept. Headquarters of readiness for immediate of readiness for inspection and by the -ire Dept. Pacdquarters to refrain from covering up until approved by the

These tanks of 1000 gallons capacity are required to be of steel or wrought iron no less in thickness than # 1000 gauge; and before installation are required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Fipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to remit the tank to settle without impairing the efficiency of the pipe cornections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to grevent "floating" when tank is empty or nearly so.