

# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 57672  
 Issued 4/3/69  
 Portland, Maine 4/2, 1969

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address Fee Gee Tel. \_\_\_\_\_  
 Contractor's Name and Address Breggs Oil Co. Tel. \_\_\_\_\_  
 Location 240-242 Howard Use of Building Dwelling Bldg 1A  
 Number of Families 8 Apartments 8 Stores — Number of Stories 2  
 Description of Wiring: New Work  Additions \_\_\_\_\_ Alterations \_\_\_\_\_

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)
No. Light Outlets		Plugs	Light Circuits	Plug Circuits
<b>FIXTURES:</b> No.				Fluor. or Strip Lighting (No. feet)
<b>SERVICE:</b> Pipe	Cable	Underground	No. of Wires	Size
<b>METERS:</b> Relocated		Added	Total No. Meters	
<b>MOTORS:</b> Number	Phase	H. P.	Amps	Volts
<b>HEATING UNITS:</b> Domestic (Oil)		No. Motors	<u>9</u>	Phase
	Commercial (Oil)	No. Motors		H.P.
		Electric Heat (No. of Rooms)		
<b>APPLIANCES:</b> No. Ranges		Watts	Brand Feeds (Size and No.)	
	Elec Heaters	Watts		
	Miscellaneous	Watts	Extra Cabinets or Panels	
Transformers		Air Conditioners (No Units)	Signs (No. Units)	
Will commence	19	Ready to cover in	19	Inspection
Amount of Fee \$	<u>2.00</u>			

Signed [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE		METER		GROUND	
VISITS: 1	2	3	4	5	6
	7	8	9	10	11
					12

REMARKS:

INSPECTED BY [Signature]  
(OVER)

LOCATION *HARVARD ST 210-42*

INSPECTION DATE *6/16/69*

WORK COMPLETED *6/16/69*

TOTAL NO. INSPECTIONS *1*

REMARKS:

**FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

**WIRING**

1 to 30 Outlets . . . . .	\$ 2.00
31 to 60 Outlets . . . . .	3.00
Over 60 Outlets, each Outlet . . . . .	.05

(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).

**SERVICES**

Single Phase . . . . .	2.00
Three Phase . . . . .	4.00

**MOTORS**

Not exceeding 50 H.P. . . . .	3.00
Over 50 H.P. . . . .	4.00

**HEATING UNITS**

Domestic (Oil) . . . . .	2.00
Commercial (Oil) . . . . .	4.00
Electric Heat (Each Room) . . . . .	.75

**APPLIANCES**

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit . . . . .

1.50

**MISCELLANEOUS**

Temporary Service, Single Phase . . . . .

1.00





Date  
Issued **5/22/69**  
Portland Plumbing Inspector  
By **ERNOLD R GOODWIN**

App. First Insp.  
Date **7/1/69**  
By **[Signature]**  
App. Find Insp.  
Date **DEC 1 1969**  
By **ERNOLD R GOODWIN**  
CHIEF PLUMBING INSPECTOR  
Type of Bldg.  
 Commercial  
 Residential  
 Single  
 Multi Family  
 New Construction  
 Remodeling

PERMIT TO INSTALL PLUMBING

2012

Address **240-242 Harvard Street** PERMIT NUMBER **379**  
 Installations For: **34-5A**  
 Owner of Bldg.: **176. House**  
 Owner's Address: **176-000 Corp.**  
 Plumber: **240-242 Harvard Street** Date: **5/22/69**  
 Plumber: **Samuel Burckoff**

NEW	REPL		NO	YES
		SINKS	10	23.00
		LAVATORIES	10	6.00
		TOILETS	10	6.00
		BATH TUBS	10	6.00
		SHOWERS		
		DRAINS FLOOR SURFACES	1	.60
		HOT WATER TANKS		
		TANKLESS WATER HEATERS	1	.60
		GARBAGE DISPOSALS		
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS		
		AUTOMATIC WASHERS		
		DISHWASHERS		
		OTHER		
			TOTAL	<b>32.20</b>

Building and Inspection Services Dept.; Plumbing Inspection

240-242 Harvard Street  
(Bldg. 2A)

June 19, 1969

Fee-Cee Corporation  
240 Harvard Street

cc to: Corporation Counsel

Gentlemen:

Permit to change the use from an 8-family apartment house to a 10-family apartment house at the above named location in the R-5 Residential Zone in which this property is located is not issuable under the Zoning Ordinance because a 10-family apartment house is not allowable use under Section 602.6A of the Zoning Ordinance.

We understand that you would like to exercise your appeal rights in this matter, as provided under Section 602.24C of the Zoning Ordinance. Accordingly you or your authorized representative should come to this office in Room 113, City Hall to file the appeal on forms which are available here. A fee of \$15.00 shall be paid at this office at the time the appeal is filed.

Very truly yours,

A. Allan Soule  
Assistant Director, Building Inspection Department

EWL:m



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #1

Portland, Maine, June 18, 1969

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 68/1204 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location .. 240-242 Harvard St. (Bldg. 2A)..... Within Fire Limits? .. Dist. No. ....

Owner's name and address .. Fee-gee Corp. 240 Harvard St. .... Telephone .....

Lessee's name and address .. .. Telephone .....

Contractor's name and address .. owners .. Telephone .....

Architect .. .. Plans filed on file <sup>yes</sup> No. of sheets

Proposed use of building .. Apartment Building .. No. families 10 ..

Last use .. .. No. families .. 8 ..

Increased cost of work .. .. Additional fee .....

### Description of Proposed Work

To increase occupancy of building from eight to 10-family apartment building as per plans originally submitted.

This application is preliminary to get settled the question of zoning appeal. Inevent the appeal is sustained the applicant will furnish complete information, estimated cost and pay legal fee.

Appeal Denied 7/16/69

### Details of New Work owners

Is any plumbing involved in this work? .. Is any electrical work involved in this work? ..

Height average grade to top of plate ... Height average grade to highest point of roof ..

Size, front .. depth .. No. stories .. solid or filled land? .. earth or rock? ..

Material of foundation .. Thickness, top .. bottom .. cells ..

Material of underpinning .. Height .. Thickness ..

Kind of roof .. Rise per foot .. Roof covering ..

No. of chimneys .. Material of chimneys .. of lining ..

Framing lumber—Kind .. Dressed or full size? ..

Corner posts .... Sills .. Girt or ledger board? .. Size ..

Girders .... Size .... Columns under girders .. Size .. Max. on centers ..

Studs (outside walls and carrying partitions) 2x4 16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor .. 2nd .. 3rd .. roof ..

On centers: 1st floor .. 2nd .. 3rd .. roof ..

Maximum span: 1st floor .. 2nd .. 3rd .. roof ..

Approved:

Fee-Gee Corp.

Signature of Owner by: *Thomas J. ...*

Approved:

Inspector of Buildings



FILL IN AND SIGN WITH INK

# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 2, 1969

PERMIT ISSUED  
APR 8 1969  
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 240-242 Harvard St. Use of Building Apt. Bldg. No. Stories 2 New Building  
Name and address of owner of appliance Fee-Gee Corp. 240-242 Harvard St. Existing  
Installer's name and address Breggy Oil Service, 84 Congress St. Telephone

### General Description of Work

To install Oil-fired forced hot water heating system.

### IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none  
If so, how protected? Kind of fuel? oil  
Minimum distance to burnable material, from top of appliance or casing top of furnace 27"  
From top of smoke pipe 3' From front of appliance over 4' From sides or back of appliance over 3'  
Size of chimney flue 10x12 Other connections to same flue none  
If gas fired, how vented? Rated maximum demand per hour  
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

### IF OIL BURNER

Name and type of burner Sunray Gold Coupe-gunttype Labeled by underwriters' laboratories? yes  
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? top  
Type of floor beneath burner concrete Size of vent pipe 1 1/2"  
Location of oil storage outside underground Number and capacity of tanks 1000 gals.  
Low water shut off Make No.  
Will all tanks be more than five feet from any flame? yes How many tanks enclosed?  
Total capacity of any existing storage tanks for furnace burners

### IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?  
If so, how protected? Height of Legs, if any  
Skirting at bottom of appliance? Distance to combustible material from top of appliance?  
From front of appliance From sides and back From top of smokepipe  
Size of chimney flue Other connections to same flue  
Is hood to be provided? If so, how vented? Forced or gravity?  
If gas fired, how vented? Rated maximum demand per hour

### MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

*Gene O'Dell Deputy Chief*  
015-289 4/2/69 *[Signature]*

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining hereto are observed? yes

Breggy Oil Service

Signature of Installer by *[Signature]*

CS 300

INSPECTION COPY



Permit No. 69/237  
Location 270-247 Harmon St. (Bldg 1-A)  
Owner Fer-See Corp  
Date of permit 4/3/64  
Approved 9/14/69

NOTES

- |    |                             |   |
|----|-----------------------------|---|
| 1  | Fill Pipe                   | ✓ |
| 2  | Vent Pipe                   | ✓ |
| 3  | Kind of Heat                | ✓ |
| 4  | Burner Rigging & Support    | ✓ |
| 5  | Tags & Labels               | ✓ |
| 6  | Start Control               | ✓ |
| 7  | High Limit Control          | ✓ |
| 8  | Reset Control               | ✓ |
| 9  | Piping Support Construction | ✓ |
| 10 | Valves in Piping            | ✓ |
| 11 | Location of Tanks           | ✓ |
| 12 | Tank Rigging & Support      | ✓ |
| 13 | Tank Details                | ✓ |
| 14 | Oil Cooler                  | ✓ |
| 15 | Instruction Cards           | ✓ |
| 16 | Low Water Shut-off          | ✓ |

**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. *57646*

Issued *March 24, 1969*

Portland, Maine *March 24, 1969*

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address *Fri-Jill Corp.* Tel. ....  
 Contractor's Name and Address *Anthony Mancini* Tel. ....  
*240.24* Location .. *Hawthorn St.* Use of Building ..  
 Number of Families Apartments *12* Stores Number of Stories ..  
 Description of Wiring: New Work  Additions .. Alterations ..  
 Pipe Cable Metal Molding BX Cable Plug Molding (No. of feet) ..  
 No. Light Outlets Plugs *155* Light Circuits Plug Circuits ..  
 FIXTURES: No. *77* Fluor. or Strip Lighting (No. feet) ..  
 SERVICE: Pipe Cable Underground  No. of Wires Size ..  
 METERS: Relocated Added Total No. Meters *12*  
 MOTORS: Number Phase H. P. Amps Volts Starter ..  
 HEATING UNITS: Domestic (Oil) No. Motors Phase H.P. ..  
 Commercial (Oil) No. Motors Phase H.P. ..  
 Electric Heat (No. of Rooms) ..  
 APPLIANCES: No. Ranges *11* Watts Brand Feeds (Size and No.) *3/6 A.C.*  
 Elec. Heaters Watts ..  
 Miscellaneous Watts Extra Cabinets or Panels *11*  
 Transformers Air Conditioners (No. Units) Signs (No. Units) ..  
 Will commence *3/24 1969* Ready to cover in *will call* 19. . . Inspection 19. . .  
 Amount of Fee \$ *32.75*

Signed *Anthony Mancini*

DO NOT WRITE BELOW THIS LINE

SERVICE . . . . . / METER GROUND  ..  
 VISITS: 1 2 3 4 5 6 ..  
 . . . . . 7 8 9 10 11 12 ..

REMARKS:

*IT*  
*4/3/69*

INSPECTED BY *J. N. Adams* (OVER)

CA 203

Fee 6.00

LOCATION HARVARD ST

INSPECTION DATE 7/16/69

WORK COMPLETED 7/16/69

TOTAL NO. INSPECTIONS

REMARKS:

FEE S FOR WIRING PERMIT'S EFFECTIVE JULY 31, 1963

WIRING

1 to 30 Outlets 5 2.00  
31 to 60 Outlets 3.00  
Over 60 Outlets, each Outlet: .05  
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug wiring will be classed as one outlet).

SERVICES

Single Phase 2.00  
Three Phase 4.00

MOTORS

Not exceeding 50 H.P. 3.00  
Over 50 H.P. 4.00

HEATING UNITS

Domestic (Oil) 2.00  
Commercial (Oil) 4.00  
Electric Heat (Each Room) .75

APPLIANCES

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit 1.50

MISCELLANEOUS

Temporary Service, Single Phase 1.00  
Temporary Service, Three Phase 2.00  
Circuses, Carnivals, Fairs, etc. 10.00  
Meters, relocate 1.00  
Distribution Cabinet or Panel, per unit 1.00  
Transformers, per unit 2.00  
Air Conditioners, per unit 2.00  
Signs, per unit 2.00

ADDITIONS

5 Outlets, or less 1.00  
Over 5 Outlets, per Outlet, Wiring 1.00

Re: Fee Gee Corporation

Oct. 30, 1968

Louis A. Wood, Attorney  
57 Exchange Street

Dear Mr. Wood:

The Zoning Ordinance requires that 5,000 square feet of land per family be left with the existing buildings thereon owned by the Fee Gee Corporation off Harvard Street, Portland, Maine.

These existing buildings must also meet the following yard requirements:

Front yard - 20' minimum

Side yard - 14' "

Rear yard - 20' "

Very truly yours,

Earle S. Smith  
Field Inspector


ESS:m

John Calvin Stevens A. I. A.  
Architect  
127 Pleasant St., Portland, Me. 04101

October 30, 1958

Dr. Thomas Florica  
12 Church Street  
Chisholm, Maine

After subtracting all land more than 25 feet westerly of Building #4 to the westerly boundary of the original project area and extending from the southerly boundary to the centerline of the proposed road extension, and all land more than 25 feet westerly of Building #3, to the original westerly boundary from the centerline of proposed road extension to the northerly boundary of the original project area, there will remain in the original project an area in excess of 150,000 square feet.



John Calvin Stevens, A.I.A.  
Architect

RECEIVED  
NOV - 1 1958  
DEPT. OF COMM. & P.  
CITY OF PORTLAND



Dial 772-4631

**BREGGY OIL SERVICE**

84 Congress Street  
PORTLAND, MAINE

*242 HARVARD ST  
FILE*

August 13, 1968

Mr. Earle Smith  
Building Inspectors' Office  
City Hall  
Portland, Maine

Dear Mr. Smith:

We are planning to install ventilation of 140 square inches to each gallon of fire at the Fee Gee Corporation buildings on Harvard Street.

There is an existing window which is 15 x 28 and the average fire is 2 3/4 gals. per hour.

Very truly yours,

Breggy Oil Service, Inc.

*Lloyd W. Jordan*  
Lloyd W. Jordan

LWJ;js

Copy: Fee Gee Corp.

# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56989  
 Issued 7/18/68

Portland, Maine July 18, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address See Fee Tel. . . . .

Contractor's Name and Address Anthony Manoin Tel. . . . .

Location Howard St. unit 4 Use of Building R

Number of Families . . . . . Apartments . . . . . Stores . . . . . Number of Stories . . . . .

Description of Wiring: New Work . . . . . Additions . . . . . Alterations . . . . .

Pipe . . . . . Cable . . . . . Metal Molding . . . . . BX Cable . . . . . Plug Molding (No. of feet) . . . . .

No. Light Outlets 4.0 Plugs 100 Light Circuits . . . . . Plug Circuits . . . . .

FIXTURES: No. 4.0 light sv. 40 Fluor. or Strip Lighting (No. feet) . . . . .

SERVICE: Pipe . . . . . Cable . . . . . Underground  No. of Wires . . . . . Size 60 AMP panel

METERS: Relocated . . . . . Added . . . . . Total No. Meters . . . . .

MOTORS: Number . . . . . Phase . . . . . H. P. . . . . Amps . . . . . Volts . . . . . Starter . . . . .

HEATING UNITS: Domestic (Oil) . . . . . No. Motors . . . . . Phase . . . . . H.P. . . . .

Commercial (Oil) . . . . . No. Motors . . . . . Phase . . . . . H.P. . . . .

Electric Heat (No. of Rooms)

APPLIANCES: No. Ranges 4 Watts . . . . . Brand Feeds (Size and No.) . . . . .

Elec. Heaters . . . . . Watts . . . . .

Miscellaneous . . . . . Watts . . . . . Extra Cabinets or Panels . . . . .

Transformers . . . . . Air Conditioners (No. Units) . . . . . Signs (No. Units) . . . . .

Will commence July 18, 1968 Ready to cover in will call Inspection . . . . . 19 . . . . .

Amount of Fee \$ 15.00

Signed Anthony Manoin

DO NOT WRITE BELOW THIS LINE

SERVICE .. <input checked="" type="checkbox"/>	METER	GROUND	
VISITS: 1 <u>7/18/68</u>	3	4	5
..... 7 .....	8	9	10
..... 8 .....	9	10	11
..... 9 .....	10	11	12

REMARKS:

INSPECTED BY F.W. Hates  
 (COVER)

12-3-6<sup>OP</sup>

LOCATION HARVARD ST. 240-212  
INSPECTION DATE 9/3/68  
WORK COMPLETED 9/3/68  
TOTAL NO. INSPECTIONS 1  
REMARKS:

FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1968

<b>WIRING</b>	
1 to 30 Outlets	\$ 2.00
31 to 60 Outlets	3.00
Over 60 Outlets, each Outlet	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	
<b>SERVICES</b>	
Single Phase	2.00
Three Phase	4.00
<b>MOTORS</b>	
Not exceeding 50 H.P.	3.00
Over 50 H.P.	4.00
<b>HEATING UNITS</b>	
Domestic (Oil)	2.00
Commercial (Oil)	4.00
Electric Heat (Each Room)	.75
<b>APPLIANCES</b>	
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit	1.50
<b>MISCELLANEOUS</b>	
Temporary Service, Single Phase	1.00
Temporary Service, Three Phase	2.00
Chaises, Carnivals, Fairs, etc.	10.00
Meters, relocate	1.00
Distribution Cabinet or Panel, per unit	1.00
Transformers, per unit	2.00
Air Conditioners, per unit	2.00
Signs, per unit	2.00



**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 56988  
 Issued 7/18/68

Portland, Maine July 18, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address fic gee corp Tel. ....  
 Contractor's Name and Address Anthony Mancini  
 Location Haxard St. Use of Building .....  
 Number of Families 8 Apartments ..... Stores ..... Number of Stories .....  
 Description of Wiring: New Work  Additions ..... Alterations .....

Pipe Cable  Metal Molding  BX Cable ..... Plug Molding (No. of feet) .....  
 No. Light Outlets 400 Plugs 200 Light Circuits 2 Plug Circuits 1  
 FIXTURES: No. 40 Light Switches 40 Fluor. or Strip Lighting (No. feet) .....  
 SERVICE: Pipe ..... Cable ..... Underground  No. of Wires 44 Size BRAND  
 METERS: Relocated ..... Added ..... Total No. Meters 4 meters  
 MOTORS: Number Phase ... H. P. Amps Volts Starter .....  
 HEATING UN'TS: Domestic (Oil) .. No. Motors ... Phase H.P. ....  
 Commercial (Oil) .. No. Motors ... Phase H.P. ....  
 Electric Heat (No. of Rooms) .....

APPLIANCES: No. Ranges 4 Watts ..... Brand Feeds (Size and No.) 3/4 Bell  
 Elec. Heaters Watts .....  
 Miscellaneous Watts ..... Extra Cabinets or Panels .....  
 Transformers ..... Air Conditioners (No. Units) ..... Signs (No. Units) .....  
 Will commence 7-1 1968 Ready to cover in will call Inspection .. 19...  
 Amount of Fee \$.. 15.00

Signed Anthony Mancini

*service on Sat 1-23-6*

DO NOT WRITE BELOW THIS LINE

SERVICE  METER ..... GROUND   
 VISITS: 1 7/18/68 2 ..... 3 ..... 4 ..... 5 ..... 6 .....  
 7 ..... 8 ..... 9 ..... 10 ..... 11 ..... 12 .....

REMARKS:

INSPECTED BY [Signature]  
 (OVER)

Fee Gee

LOCATION HARVARD ST 240-242

INSPECTION DATE 8/8/68

WORK COMPLETED 8/8/68

TOTAL NO. INSPECTIONS 1

REMARKS:

FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1968

WIRING

1 to 30 Outlets (including switches) \$ 2.00  
31 to 60 Outlets (including switches) 3.00  
Over 60 Outlets, each Outlet (including switches) .05  
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).

SERVICES

Single Phase ..... 2.00  
Three Phase ..... 4.00

MOTORS

Not exceeding 50 H.P. .... 3.00  
Over 50 H.P. .... 4.00

HEATING UNITS

Domestic (Oil) ..... 2.00  
Commercial (Oil) ..... 4.00  
Electric Heat (Each Room) ..... .75

APPLIANCES

Ranges, Cooking Tops, Ovens, Water Heaters, Dish-  
washers, etc. — Each Unit ..... 1.50

TEMPORARY WORK (Limited to 6 months from date of permit)

Service, Single Phase ..... 1.00  
Service, Three Phase ..... 2.00  
Wiring, 1-50 Outlets ..... 1.00  
Wiring, each additional outlet over 50 ..... .02  
Circuits, Conduits, Fairs, etc. .... 10.00

MISCELLANEOUS

Distribution Cabinet or Panel, per unit ..... 1.00  
Transformers, per unit ..... 2.00  
Air Conditioners, per unit ..... 2.00  
Signs, per unit ..... 2.00

Re: 240-242 Harvard Street

July 10, 1968

John Calvin Stevens  
127 Pleasant Street

cc to: Breggy Oil Service  
84 Congress Street

Gas Gas Corp.  
240-242 Harvard Street (Nr. Dutland)

Gentlemen:

In response to your letter of July 9, 1968 the question appears to be how much "Free Air" is required for these oil burners and does a 20" x 20" louvre consistently provide enough air. If the "Free Air" provided is equal to that needed by the oil burner, then, of course, it is acceptable.

Very truly yours,

Earle S. Smith  
Field Inspector

ESS:m

EB  
me  
ecy

240-242 Harvard Street

May 29, 1968

Fee Gee Corporation  
Att: Lyle Butland  
242 Harvard Street

cc to: John Calvin Stevens  
127 Pleasant Street

Dear Mr. Butland:

Please be advised that wherever metal fire doors are required metal frames are also required.

Please be advised also that there does not appear to be sufficient air for combustion in the #1 unit for which a certificate of occupancy has been requested.

It would seem best that we withhold the certificate of occupancy until such time as we have a letter from the designer assuring this office that from their calculations enough air for combustion does indeed exist.

Very truly yours,

Earle S. Smith  
Field Inspector

E39:m

MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

May 1968

Location: 210-242 Harvard St. Bldg. 16

Before tank and piping is covered from view, installer is required to notify the Fire Dept. Headquarters in readiness for inspection and to refrain from covering up until approved by the Fire Dept. Headquarters

(1)

This tank of 1000 gallons capacity is required to be of steel or wrought iron no less in thickness than # 10 gauge; and before installation is required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or ~~anchoring~~ must be provided to prevent "floating" when ~~...~~

Front

Right  
Side

rear

←4'→ 1000

↑  
3  
↓

Breggy Oil Co. for  
Fee Gee Corp.  
Bldg #6



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, May 15, 1968

PERMIT ISSUED

MAY 17 1968

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 210-212 Harvard St. Eldg. #6 Use of Building Apt. Bldg. No. Stories 2 New Building Existing? Name and address of owner of appliance Fee-Gee Corp, 12 Church St., May Maine Installer's name and address Breggy Oil Service-81 Congress St., Telephone

General Description of Work

To install Oil-fired forced hot water heating system.

IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none If so, how protected? Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace 3' From top of smoke pipe 2' From front of appliance OVER 4' From sides or back of appliance OVER 3' Size of chimney flue 8x12 Other connections to same flue If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? YES

IF OIL BURNER

Name and type of burner Federal-gunttype Labelled by underwriters' laboratories? YES Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/2" Location of oil storage outside underground Number and capacity of tanks 1000 gals. Low water shut off Make No Will all tanks be more than five feet from any flame? YES How many tanks enclosed? Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Tank will be buried 3' underground and covered with asphaltum. Tank bears Und. L 1 1/2" piping

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

5/15/68 J.R. Cremo-Tur O.K. - 5117168 - C.M.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? YES

Breggy Oil Service

Signature of Installer by

INSPECTION COPY

CS 900


799-406

NOTES

1	Fit Pipe	✓
2	Test Pipe	✓
3	Check of Fract	✓
4	Blow	✓
5	Shut off	✓
6	St. ...	✓
7	M. ...	✓
8	R. ...	✓
9	F. ...	✓
10	W. ...	✓
11	C. ...	✓
12	T. ...	✓
13	I. ...	✓
14	Q. ...	✓
15	low Water Shut off	✓

Permit No. 68/467  
 Location 246 St. ...  
 Owner ...  
 Date of permit 5/17/68  
 Approved \_\_\_\_\_

9/10/68 - pipe external  
 on one side  
 Air for combustion





MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

May 1968

Location: 240-242 Harvard St. Bldg. #4

Before tank and piping is covered from view, installer is required to notify the Fire Dept. Headquarters readiness for inspection and to refrain from covering up until approved by the Fire Dept. Headquarters


(1)

This tank of 2000 gallons capacity is required to be of steel or wrought iron no less in thickness than # 10 gauge; and before installation is required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to prevent "floating" when tank is empty or nearly so.



24' → 1000  
3'

Breggs Oil Co for  
Fee Gee Corp.  
Bldg #4



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, May 15, 1968

PERMIT ISSUED 456

MAY 17 1968

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 242-242 Harvard St. Bldg. #4 Use of Building Apt. bldg. No. Stories 2 New Building Existing
Name and address of owner of appliance Fco-Geo Corp. 12 Church St. Jay Maine.
Installer's name and address Breggy Oil Service, 84 Congress St. Telephone

General Description of Work

To install Oil-fired forced hot water heating system.

IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 3'
From top of smoke pipe 2' From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 8x12 Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Federal-guntype Labelled by underwriters' laboratories? yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank bottom
Type of floor beneath burner concrete Size of vent pipe 1 1/2"
Location of oil storage outside underground Number and capacity of tanks 1000 ga's.
Low water shut off Make No.
Will all tanks be more than five feet from any flame? yes How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Tank will be buried 3' underground and covered with asphaltum.

Und. Label.

Piping - 1 1/2"

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

5/17/68 J. P. O'Leary Chief
P.K. - 574745 - Allen

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Fco-Geo Corp.
BREGGY Oil Service

Signature of Installer by Thomas M...

INSPECTION COPY

CS 300

17M

Permit No. 68/466

Location 246-242 Harwin St. Bldg #4

Owner FEP - See Corp

Date of permit 5/17/68

Approved 10/21/68

NOTES

1	Flu Pipe	-----
2	V. S. 1. 3	-----
3	K. d. of H. L. 1. 1	-----
4		-----
5		-----
6		-----
7		-----
8		-----
9		-----
10		-----
11		-----
12		-----
13		-----
14		-----
15		-----
16		-----
17		-----
18		-----
19		-----
20		-----
21		-----
22		-----
23		-----
24		-----
25		-----
26		-----
27		-----
28		-----
29		-----
30		-----
31		-----
32		-----
33		-----
34		-----
35		-----
36		-----
37		-----
38		-----
39		-----
40		-----
41		-----
42		-----
43		-----
44		-----
45		-----
46		-----
47		-----
48		-----
49		-----
50		-----
51		-----
52		-----
53		-----
54		-----
55		-----
56		-----
57		-----
58		-----
59		-----
60		-----
61		-----
62		-----
63		-----
64		-----
65		-----
66		-----
67		-----
68		-----
69		-----
70		-----
71		-----
72		-----
73		-----
74		-----
75		-----
76		-----
77		-----
78		-----
79		-----
80		-----
81		-----
82		-----
83		-----
84		-----
85		-----
86		-----
87		-----
88		-----
89		-----
90		-----
91		-----
92		-----
93		-----
94		-----
95		-----
96		-----
97		-----
98		-----
99		-----
100		-----

**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 56840  
 Issued 5/15/68  
 Portland, Maine 5/15 ....., 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

*(This form must be completely filled out — Minimum Fee, \$1.00)*

Owner's Name and Address Fee Gee Corp Tel. ....  
 Contractor's Name and Address Bucassy Oil Co Tel. 772-4631  
 Location Bldg #4 Harvard St. Use of Building ....  
 Number of Families 8 Apartments 8 Stores — Number of Stories 2  
 Description of Wiring: New Work  Additions Alterations .....

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)
No. Light Outlets	Plugs	Light Circuits	Plug Circuits	.....
FIXTURES: No.	Light Switches	Fluor. or Strip Lighting (No. feet)		
SERVICE: Pipe	Cable	Underground	No. of Wires	Size ..
METERS: Relocated	Added	Total No. Meters		
MOTORS: Number	Phase	H. P.	Amps	Volts Starter
HEATING UNITS: Domestic (Oil)	<input checked="" type="checkbox"/>	No. Motors	Phase	H.P.
Commercial (Oil)		No. Motors	Phase	H.P.
Electric Heat (No. of Rooms)				

APPLIANCES: No. Ranges	Watts	Brand Feeds (Size and No.)
Elec. Heaters	Watts	.....
Miscellaneous	Watts	Extra Cabinets or Panels
Transformers	Air Conditioners (No. Units)	Signs (No. Units) .....
Will commence	19 Ready to cover in	19 ... Inspection 19 ..
Amount of Fee \$...	<u>7.00</u>	

Signed James A. [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE	METER	GROUND
VISITS: 1	2	3
..... 7	8	9
		10
		11
		12

REMARKS:

INSPECTED BY F. W. [Signature]  
 (OVER)

Bldg. #4  
 LOCATION HARVARD ST.  
 INSPECTION DATE 7/9/68  
 WORK COMPLETED 7/9/68  
 TOTAL NO. INSPECTIONS  
 REMARKS:

**FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

**WIRING**

1 to 30 Outlets (including switches) \$ 2.00  
 31 to 60 Outlets (including switches) 3.00  
 Over 60 Outlets, each Outlet (including switches) .05  
 (Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).

**SERVICES**

Single Phase ..... 2.00  
 Three Phase ..... 4.00

**MOTORS**

Not exceeding 50 H.P. .... 3.00  
 Over 50 H.P. .... 4.00

**HEATING UNITS**

Domestic (Oil) ..... 2.00  
 Commercial (Oil) ..... 4.00  
 Electric Heat (Each Room) ..... .75

**APPLIANCES**

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dish washers, etc. — Each Unit ..... 1.50

**TEMPORARY WORK (limited to 6 months from date of permit)**

Service, Single Phase ..... 1.00  
 Service, Three Phase ..... 2.00  
 Wiring, 1.50 Outlets ..... 1.50  
 Wiring, each additional outlet over 50 ..... .02

# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56841

Issued 5/15/68

Portland, Maine 5/15 ....., 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out -- Minimum Fee, \$1.00)

Owner's Name and Address Fee Gee Corp Tel. ....  
 Contractor's Name and Address Breggy Oil Co Tel. 772-4631  
 Location Harvard St Use of Building BK<sub>3</sub> #3  
 Number of Families 4 Apartments 4 Stores Number of Stories 2  
 Description of Wiring: New Work  Additions Alterations

Pipe Cable ... Metal Molding BX Cable Plug Molding (No. of feet)  
 No. Light Outlets ... Plugs ... Light Circuits Plug Circuits ...  
**FIXTURES:** No. Light Switches Fluor. or Strip Lighting (No. feet)  
**SERVICE:** Pipe Cable Underground No. of Wires Size  
**METERS:** Relocated Added Total No. Meters  
**MOTORS:** Number Phase H.P. Amps Volts Starter  
**HEATING UNITS:** Domestic (Oil)  No. Motors Phase H.P.  
 Commercial (Oil) No. Motors Phase H.P.  
 Electric Heat (No. of Rooms)  
**APPLIANCES:** No. Ranges Watts Brand Feeds (Size and No.)  
 Electric Heaters Watts  
 Miscellaneous Watts Extra Cabinets or Panels  
 Transformers Air Conditioning (No. Units) Signs (No. Units)  
 Will commence Ready to cover in 19... Inspection 19...  
 Amount of Fee \$.. 2.00

Signed Thomas P. [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE	METER	GROUND
VISITS: 1 ... 2 ... 3 ... 4 ... 5 ... 6 ...		
7 ... 8 ... 9 ... 10 ... 11 ... 12 ...		

REMARKS:

INSPECTED BY [Signature]  
 (OVER)

Bldg. #3  
 LOCATION HARVARD ST  
 INSPECTION DATE 7/9/68  
 WORK COMPLETED 7/9/68  
 TOTAL NO. INSPECTIONS 1

REMARKS:

FEE SCHEDULE FOR WIRING PERMITS EFFECTIVE JULY 31, 1963

<b>WIRING</b>	
1 to 30 Outlets	(including switches) . . . . . \$ 2.00
31 to 60 Outlets	(including switches) . . . . . 3.00
Over 60 Outlets, each Outlet	(including switches) . . . . . .05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	
<b>SERVICES</b>	
Single Phase	2.00
Three Phase	4.00
<b>MOTORS</b>	
Not exceeding 50 H.P.	3.00
Over 50 H.P.	4.00
<b>HEATING UNITS</b>	
Domestic (Oil)	2.00
Commercial (Oil)	4.00
Electric Heat (Each Room)	.75
<b>APPLIANCES</b>	
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dishwashers, etc. — Each Unit	1.50
<b>TEMPORARY WORK (limited to 6 months from date of permit)</b>	
Service, Single Phase	1.00
Service, Three Phase	2.00
Wiring, 1-50 Outlets	1.00
Wiring, each additional outlet over 50	.02
Circuses, Carnivals, Fairs, etc.	10.00
<b>MISCELLANEOUS</b>	
Distribution Cabinet or Panel, per unit	1.00
Transformers, per unit	2.00



# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56839  
 Issued 5/15/68  
 Portland, Maine 5/15 ....., 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

*(This form must be completely filled out — Minimum Fee, \$1.00)*

Owner's Name and Address Fee Gee Corp Tel. ....  
 Contractor's Name and Address Breggy Oil Tel. ....  
 Location Bldg 5 Harvard St. Use of Building ....  
 Number of Families 2 Apartments 4 Stores ....  
 Number of Stories 2 ....  
 Description of Wiring: New Work  Additions ....  
 Alterations .....

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)
No. Light Outlets	Plugs	Light Circuits	Plug Circuits	
<b>FIXTURES:</b> No.	Light Switches	Fluor. or Strip Lighting (No. feet)		
<b>SERVICE:</b> Pipe	Cable	Underground	No. of Wires	Size
<b>METERS:</b> Relocated	Added	Total No. Meters		
<b>MOTORS:</b> Number	Phase	H. P.	Amps	Volts
				Starter
<b>HEATING UNITS:</b> Domestic (Oil)	<input checked="" type="checkbox"/>	No. Motors	Phase	H.P.
Commercial (Oil)		No. Motors	Phase	H.P.
Electric Heat (No. of Rooms)				
<b>APPLIANCES:</b> No. Ranges	Watts	Brand Feeds (Size and No.)		
Elcc. Heaters	Watts			
Miscellaneous	Watts	Extra Cabinets or Panels		
Transformers	Air Conditioners (No. Units)	Signs (No. Units)		
Will commence	19	Ready to cover in	19	Inspection
Amount of Fee \$	<u>2.00</u>			

Signed [Signature]

DO NOT WRITE BELOW THIS LINE

<b>SERVICE</b>		<b>METER</b>		<b>GROUND</b>
<b>VISITS:</b> 1	2	3	4	5
..... 7	8	9	10	11
				12

REMARKS:

INSPECTED BY [Signature]  
 (OVER)

Bldg. #5

LOCATION Harvard St.  
 INSPECTION DATE 8/17/68  
 WORK COMPLETED 9/17/68  
 TOTAL NO. INSPECTIONS 1  
 REMARKS:

**FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

**WIRING**

1 to 30 Outlets (including switches) . . . . . \$ 2.00  
 31 to 60 Outlets (including switches) . . . . . 3.00  
 Over 60 Outlets, each Outlet (including switches) . . . . . .05  
 (Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).

**SERVICES**

Single Phase . . . . . 2.00  
 Three Phase . . . . . 4.00

**MOTORS**

Not exceeding 50 H.P. . . . . 3.00  
 Over 50 H.P. . . . . 4.00

**HEATING UNITS**

Domestic (Oil) . . . . . 2.00  
 Commercial (Oil) . . . . . 4.00  
 Electric Heat (Each Room) . . . . . .75

**APPLIANCES**

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dish Washers, etc. — Each Unit . . . . . 1.50

**TEMPORARY WORK (limited to 6 months from date of permit)**

Service, Single Phase . . . . . 1.00  
 Service, Three Phase . . . . . 2.00

MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

May 1968

Locations 240-242 Harvard St. Bldg. F3


Before tank and piping is covered from view, installer is required to notify the Fire Dept. Headquarters in readiness for inspection and to refrain from covering up until approved by the Fire Dept. Headquarters

(1)  
This tank of 1000 gallons capacity is required to be of steel or wrought iron no less in thickness than # 10 gauge; and before installation is required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to prevent "floating" when tank is empty or nearly so.



Front

1000

31

Breggy Oil Co for  
Fee Gee Corp  
Bldg #3



FILL IN AND SIGN WITH INK

### APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, May 15, 1968

PERMIT ISSUED  
468  
MAY 17 1968  
CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 240-242 Harvard St. Bldg. 3 Use of Building apt. Bldg. No. Stories 2 New Building Existing "Existing"  
 Name and address of owner of appliance Fee-Cee Corp. 12 Church St, Jay Maine  
 Installer's name and address Reggie Oil Service-84 Congress St. Telephone \_\_\_\_\_

#### General Description of Work

To install Oil-fired forced hot water heating system.

#### IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none  
 If so, how protected? \_\_\_\_\_ Kind of fuel? oil  
 Minimum distance to burnable material, from top of appliance or casing top of furnace 3'  
 From top of smoke pipe 2' From front of appliance over 4' From sides or back of appliance over 3'  
 Size of chimney flue 8x12 Other connections to same flue none  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_  
 Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? YES

#### IF OIL BURNER

Name and type of burner Federal-guntype Labeled by underwriters' laboratories? yes  
 Will operator be always in attendance? \_\_\_\_\_ Does oil supply line feed from top or bottom of tank? bottom  
 Type of floor beneath burner concrete Size of vent pipe 1 1/2"  
 Location of oil storage outside underground Number and capacity of tanks 1000 gals.  
 Low water shut off \_\_\_\_\_ Make \_\_\_\_\_ No.  
 Will all tanks be more than five feet from any flame? YES How many tanks enclosed? \_\_\_\_\_  
 Total capacity of any existing storage tanks for furnace burners \_\_\_\_\_

#### IF COOKING APPLIANCE

Location of appliance \_\_\_\_\_ Any burnable material in floor surface or beneath? \_\_\_\_\_  
 If so, how protected? \_\_\_\_\_ Height of Legs, if any \_\_\_\_\_  
 Skirting at bottom of appliance? \_\_\_\_\_ Distance to combustible material from top of appliance? \_\_\_\_\_  
 From front of appliance \_\_\_\_\_ From sides and back \_\_\_\_\_ From top of smokepipe \_\_\_\_\_  
 Size of chimney flue \_\_\_\_\_ Other connections to same flue \_\_\_\_\_  
 Is hood to be provided? \_\_\_\_\_ If so, how vented? \_\_\_\_\_ Forced or gravity? \_\_\_\_\_  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_

#### MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

.....  
 Tank will be buried 3' underground and covered with asphalt,  
 Und. Label, \_\_\_\_\_  
1 1/2" piping.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

5/17/68 J.P. Grooms Chief  
O.K. - 5/17/68 - Allen

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Reggie Oil Service

Signature of Installer by Reggie Oil Service

INSPECTION COPY

7m

Permit No. 681468

Location 240-242 Harvard St. Bldg. #3

Owner Geo - Bee Corp

Date of permit 5/17/68

Approved 9/10/68

NOTES

1	Fill Pipe	/
2	Vent Pipe	/
3	Kind of Heat	/
4	Electrical	/
5	Roof	/
6	Stack	/
7	High L	/
8	Removal	/
9	Paving	/
10	Vent	/
11	Chimney	/
12	Flue	/
13	Roof	/
14	Foundation	/
15	Low Water or Shut off	/

gout

**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 56838  
 Issued 5/15/68  
 Portland, Maine 5/15, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

*(This form must be completely filled out - Minimum Fee, \$1.00)*

Owner's Name and Address Fee Gee Corp Tel. \_\_\_\_\_  
 Contractor's Name and Address Breggy Oil Co Tel. 772-4631  
 Location Bldg C Harvard St Use of Building \_\_\_\_\_  
 Number of Families 4 Apartments 4 Stores \_\_\_\_\_ Number of Stories 2  
 Description of Wiring: New Work  Additions \_\_\_\_\_ Alterations \_\_\_\_\_

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)	
No. Light Outlets		Plugs	Light Circuits	Plug Circuits	
FIXTURES: No.		Light Switches	Fluor. or Strip Lighting (No. feet)		
SERVICE: Pipe	Cable	Underground	No of Wires	Size	
METERS: Relocated		Added	Total No. Meters		
MOTORS: Number	Phase	H. P.	Amps	Volts	Starter
HEATING UNITS: Domestic (Oil)	<input checked="" type="checkbox"/>	No. Motors		Phase	H.P.
	Commercial (Oil)	No. Motors		Phase	H.P.
	Electric Heat (No. of Rooms)				
APPLIANCES: No. Ranges		Watts	Brand Feeds (Size and No.)		
	Elec. Heaters	Watts			
	Miscellaneous	Watts	Extra Cabinets or Panels		
Transformers	Air Conditioners (No. Units)		Signs (No. Units)		
Will commence	19	Ready to cover in	19	Inspection	19
Amount of Fee \$	<u>2.00</u>				

Signed [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE		METER		GROUND	
VISITS: 1	2	3	4	5	6
	7	8	9	10	11
REMARKS:					

INSPECTED BY [Signature]  
 (OVER)

Bldg # 4

LOCATION HARVARD ST  
 INSPECTION DATE 9/17/68  
 WORK COMPLETED 9/17/68  
 TOTAL NO. INSPECTIONS 1  
 REMARKS:

**FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Not exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dishwashers, etc. — Each Unit		1.50
TEMPORARY WORK (limited to 6 months from date of permit)		1.00
Service, Single Phase		1.00



*my 3 me*

Location: 240-242 Harvard St.

May 1, 1968

Lyle Butland  
240 Harvard Street  
Fee Gee Corp.

cc to: John Calvin Stevens  
127 Pleasant Street

Dear Mr. Butland;

It is permissible to have a stepdown outside the entrance doors of these apartment houses, equal to rise of steps leading from platform to grade level.

Very truly yours,

Earle Smith  
Field Inspector

ESS:m

**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 56764  
 Issued 4/24/68  
 Portland, Maine April 24, 19 68

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address Jac. J. Lee Corp - Tel.  
 Contractor's Name and Address Anthony Maurer Tel.  
 Location Hawant St. (B) Building Use of Building  
 Number of Families 4 Apartments 4 Stores 4 Number of Stories  
 Description of Wiring: New Work N Additions Alterations

Pipe Cable  Metal Molding BX Cable Plug Molding (No. of feet)  
 No. Light Outlets 40 Plugs 100 Light Circuits 10 Plug Circuits P  
 FIXTURES: No. 40 Light Switches 40 Fluor. or Strip Lighting (No. feet)  
 SERVICE: Pipe 1 Cable 4 Underground No. of Wires 76 size 50 AMP 100 AMP  
 METERS: Relocated Added Total No. Meters 4  
 MOTORS: Number Phase H. P. Amps Volts Starter  
 HEATING UNITS: Domestic (Oil) No. Motors Phase H.P.  
 Commercial (Oil) No. Motors Phase H.P.  
 Electric Heat (No. of Rooms)  
 APPLIANCES: No. Ranges 4 Watts 0 KW Brand Feeds (Size and No.) 3/8 ALL  
1 Dryer Elec Heaters Watts  
 Miscellaneous Watts Extra Cabinets or Panels  
 Transformers Air Conditioners (No. Units) Sights (No. Units)  
 Will commence Apr/27, 68 Ready to cover in will call 19 68 Inspection 19  
 Amount of Fee \$ 16.50

Signed Anthony Maurer

DO NOT WRITE BELOW THIS LINE

SERVICE		METER		GROUND	
VISITS: 1	2	3	4	5	6
7	8	9	10	11	12

REMARKS:

INSPECTED BY [Signature]  
 (OVER)

Bldg. # 6

LOCATION HARVARD ST  
 INSPECTION DATE 9/17/68  
 WORK COMPLETED 9/17/68  
 TOTAL NO. INSPECTIONS 1  
 REMARKS:

**FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Not exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dishwashers, etc. — Each Unit		1.50
<b>TEMPORARY WORK (Limited to 6 months from date of permit)</b>		
Service, Single Phase		1.00
Service, Three Phase		2.00
Wiring, 50 Outlets		1.00
Wiring, each additional outlet over 50		.02

# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56765  
 Issued 4/24/68  
 Portland, Maine April 24, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address Free Free Co. - Tel. ....  
 Contractor's Name and Address Anthony Chausse Tel. ....  
 Location Haward St. (C) Use of Building 154 ...  
 Number of Families 0 Apartments 4 Stores \_\_\_\_\_ Number of Stories \_\_\_\_\_  
 Description of Wiring: New Work  Additions \_\_\_\_\_ Alterations \_\_\_\_\_

Pipe Cable  Metal Molding \_\_\_\_\_ BX Cable \_\_\_\_\_ Plug Molding (No. of feet) \_\_\_\_\_  
 No. Light Outlets 40 Plugs 100 Light Circuits 12 Plug Circuits 8  
 FIXTURES: No. 40 Light Switches 40 Fluor. or Strip Lighting (No. feet) \_\_\_\_\_  
 SERVICE: Pipe  Cable \_\_\_\_\_ Underground  No. of Wires \_\_\_\_\_ Size 60 AMP C.A.B.  
 METERS: Relocated \_\_\_\_\_ Added \_\_\_\_\_ Total No. Meters will be 100 AMP  
 MOTORS: Number \_\_\_\_\_ Phase \_\_\_\_\_ H. P. \_\_\_\_\_ Amps \_\_\_\_\_ Volts \_\_\_\_\_ Starter \_\_\_\_\_  
 HEATING UNITS: Domestic (Oil) \_\_\_\_\_ No. Motors \_\_\_\_\_ Phase \_\_\_\_\_ H.P. \_\_\_\_\_  
 Commercial (Oil) \_\_\_\_\_ No. Motors \_\_\_\_\_ Phase \_\_\_\_\_ H.P. \_\_\_\_\_  
 Electric Heat (No. of Rooms) \_\_\_\_\_

APPLIANCES: No. Ranges 4 Watts 6 KW. Brand Feeds (Size and No.) 3/6 A.C. -  
1 Dryer Elec. Heaters \_\_\_\_\_ Watts \_\_\_\_\_  
 Miscellaneous \_\_\_\_\_ Watts \_\_\_\_\_ Extra Cabinets or Panels \_\_\_\_\_  
 Transformers \_\_\_\_\_ Air Conditioners (No. Units) \_\_\_\_\_ Signs (No. Units) \_\_\_\_\_  
 Will commence 4/24 1968 Ready to cover in will 19 call Inspection \_\_\_\_\_ 19 \_\_\_\_\_  
 Amount of Fee \$ 16.50

Signed

DO NOT WRITE BELOW THIS LINE

SERVICE	<input checked="" type="checkbox"/>	METER		GROUND	<input checked="" type="checkbox"/>
VISITS: 1	2	3	4	5	6
7	8	9	10	11	12
REMARKS:					

INSPECTED BY [Signature]  
 (OVER)

BHg#2

LOCATION HARVARD ST  
 INSPECTION DATE 9/17/68  
 WORK COMPLETED 9/17/68  
 TOTAL NO. INSPECTIONS 1

REMARKS:

FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug moulding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Not exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dishwashers, etc. — Each Unit		1.50
<b>TEMPORARY WORK (Limited to 6 months from date of permit)</b>		
Service, Single Phase		1.00
Service, Three Phase		2.00
Wiring, 1-50 Outlets		1.00
		.02

Wiring, 1-50 Outlets over 50

# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56763  
 Issued 4/24/68  
 April 21, 1968

Portland, Maine

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address See fee card Tel. \_\_\_\_\_

Contractor's Name and Address Anthony Chausin Tel. \_\_\_\_\_

Location Harvard St. Building No. of Building \_\_\_\_\_

Number of Families \_\_\_\_\_ Apartments 4 Stores \_\_\_\_\_

Description of Wiring: New Work  Additions \_\_\_\_\_ Number of Stories \_\_\_\_\_ Alterations \_\_\_\_\_

Pipe Cable  Metal Molding \_\_\_\_\_ BX Cable \_\_\_\_\_ Plug Molding (No. of feet) \_\_\_\_\_

No. Light Outlets 40 Plugs 100 Light Circuits 12 Plug Circuits 8

FIXTURES: No. 40 Light Switches 40 Floor. or Strip Lighting (No feet) \_\_\_\_\_

SERVICE: Pipe  Cable \_\_\_\_\_ Underground \_\_\_\_\_ No. of Wires 3 Size 6 @ 40' P

METERS: Relocated \_\_\_\_\_ Added \_\_\_\_\_ Total No. Meters 4 expt. for one 100 AH =

MOTORS: Number \_\_\_\_\_ Phase \_\_\_\_\_ H. P. \_\_\_\_\_ Amps \_\_\_\_\_ Volts \_\_\_\_\_ Starter \_\_\_\_\_

HEATING UNITS: Domestic (Oil) \_\_\_\_\_ No. Motors \_\_\_\_\_ Phase \_\_\_\_\_ H.P. \_\_\_\_\_

Commercial (Oil) \_\_\_\_\_ No. Motors \_\_\_\_\_ Phase \_\_\_\_\_ H.P. \_\_\_\_\_

Electric Heat (No. of Rooms) \_\_\_\_\_

APPLIANCES: No. Ranges 4 Watts 6 KW. Brand Feeds (Size and No) 3/6 All

1 Dryer Elec. Heaters \_\_\_\_\_ Watts \_\_\_\_\_

Miscellaneous \_\_\_\_\_ Watts \_\_\_\_\_ Extra Cabinets or Panels \_\_\_\_\_

Transformers \_\_\_\_\_ Air Conditioners (No Units) \_\_\_\_\_ Signs (No. Units) \_\_\_\_\_

Will commence 4/21 1968 Ready to cover in will call 19 \_\_\_\_\_ Inspection \_\_\_\_\_ 19 \_\_\_\_\_

Amount of Fee \$ 16.50

Signed Anthony Chausin

DO NOT WRITE BELOW THIS LINE

SERVICE	<input checked="" type="checkbox"/>					
VISITS: 1		2	3	4	5	6
.. 7		8	9	10	11	12
REMARKS:						

INSPECTED BY F. W. [Signature] (OVER)

B.T.  
5/10/68

Bldg. #5  
 LOCATION HARVARD ST  
 INSPECTION DATE 9/17/68  
 WORK COMPLETED 9/17/68  
 TOTAL NO. INSPECTIONS  
 REMARKS:

**FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Nc. exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Dishwashers, etc. — Each Unit		1.50
<b>TEMPORARY WORK</b> (Limited to 6 months from date of permit)		
Service, Single Phase		1.00
Service, Three Phase		2.00
Wiring, 1-50 Outlets		1.00
Wiring, each additional outlet over 50		.02
Circuses, Carnivals, Fairs, etc.		10.00
<b>MISCELLANEOUS</b>		
Distribution Cabinet on Panel, per unit		1.00

MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

April, 1968

Location: #240-242 Harvard St.

Before tank and piping is covered from view, installer is required to notify the ~~Fire Dept. Headquarters~~ <sup>Fire Dept. Headquarters</sup> in readiness for inspection and to refrain from covering up until approved by the ~~Fire Dept. Headquarters~~ <sup>Fire Dept. Headquarters</sup>.


This tank of <sup>(1)</sup> 100 gallons capacity is required to be of steel or wrought iron no less in thickness than # 10 gauge; and before installation is required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to prevent "floating" when tank is empty or nearly so.






Hse #2

Front

rear

Grade



Broggy Oil Co  
for Fee Gee Corp  
Hse #2



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 17, 1968

PERMIT ISSUED

348 APR 24 1968

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Unit #2
Location 240-242 Harvard Street Use of Building Tenement No. Stories New Building Existing
Name and address of owner of appliance Fed. Gas Corp., Harvard St.
Installer's name and address Breggy Oil Co., 8 1/2 Congress Street Telephone

General Description of Work

To install oil-fired forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 3'
From top of smoke pipe 3' From front of appliance 4' From sides or back of appliance 3'
Size of chimney flue 8x12 Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Federal Labelled by underwriters' laboratories? yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? top
Type of floor beneath burner concrete Size of vent pipe 1 1/2"
Location of oil storage outside underground Number and capacity of tanks 1-1000 gal.
Low water shut off Make No.
Will all tanks be more than five feet from any flame? yes How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connection to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Tank to be buried at least 3' below grade; coated with asphaltum; bears Und. Lab.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:
4/22/68 J. R. Remo - Juri
O. L. S. 4/23/68

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Breggy Oil Co.

Signature of Installer

INSPECTION COPY

CS 300

P.H.



# CITY OF PORTLAND, MAINE

## Application for Permit to Install Wires

Permit No. 56743  
 Issued 4/17/68  
 Portland, Maine 4/17, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address Fee Gas Corp Harbor St  
 Contractor's Name and Address Brazzy Oil Co 84 Congress Tel. 772-2631  
 Location 240-242 Harvard Use of Building Dwelling (Apt)  
 Number of Families 4 Apartments 4 Stores \_\_\_\_\_ Number of Stories 2  
 Description of Wiring: New Work \_\_\_\_\_ Additions \_\_\_\_\_ Alterations \_\_\_\_\_

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)	
No. Light Outlets		Plugs	Light Circuits	Plug Circuits	
FIXTURES: No.		Light Switches	Fluor. or Strip Lighting (No. feet)		
SERVICE: Pipe	Cable	Underground	No. of Wires	Size	
METERS: Relocated		Added	Total No. Meters		
MOTORS: Number	Phase	H. P.	Amps	Volts	Starter
HEATING UNITS: Domestic (Oil)		<input checked="" type="checkbox"/> No. Motors		Phase	H.P. <u>1/2</u>
		Commercial (Oil)	No. Motors	Phase	H.P.
Electric Heat (No. of Rooms)					
APPLIANCES: No. Ranges		Watts	Brand Feeds (Size and No.)		
	Elec. Heaters	Watts			
	Miscellaneous	Watts	Extra Cabinets or Panels		
Transformers	Air Conditioners (No. Units)		Signs (No. Units)		
Will commence	<input type="checkbox"/>	Ready to cover in	<input type="checkbox"/>	Inspection	<input type="checkbox"/>
Amount of Fee \$					

Signed [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE	METER			GROUND		
VISITS: 1	2	3	4	5	6	
7	8	9	10	11	12	

REMARKS:

INSPECTED BY [Signature]  
 (OVER)

LOCATION *HARVARD ST 240-42*  
 INSPECTION DATE *5/7/68*  
 WORK COMPLETED *5/7/68*  
 TOTAL NO. INSPECTIONS  
 REMARKS:

**FEE SCHEDULE FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Not exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Ovens, Water Heaters, Dishwashers, etc. — Each Unit		1.50
<b>TEMPORARY WORK (limited to 6 months from date of permit)</b>		
Service, Single Phase		1.00
Service, Three Phase		2.00
Wiring, 150 Outlets		1.00
Wiring each additional outlet over 50		.02
Circuits, Cables, Fairs, etc.		10.00

Unit #4 - Fee Gee Corp.  
Harvard St.

April 9, 1968

Fee Gee Corporation  
2 Church Street  
Jay, Maine

cc: John Calvin Stevens  
127 Pleasant St.

Gentlemen:

It would seem unlikely that the crack in wall of Unit #4 can be repaired because the wall itself has been displaced allowing it to drop in one area.

The only remedy I can see is to replace that section of wall.

Very truly yours,

ESS/A

Earle S. Smith  
Field Inspector

MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

April-1968

Location: 1240-1242 Harvard St. (Unit ?)



Before tanks and piping are covered from view, installer is required to notify the Fire Dept. Headquarters of readiness for inspection and to refrain from covering up until approved by the Fire Dept. Headquarters

These tank of <sup>(1)</sup>1000 gallons capacity are required to be of steel or wrought iron no less in thickness than # 10 gauge; and before installation are required to be protected against corrosion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection whereir corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to prevent "floating" when tank is empty or nearly so.



Bross Oil Co  
for Field Geo Corp  
unit # 7





FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 4, 1968

PERMIT ISSUED

289

APR 8 1968

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 240-242 Harvard St. Use of Building Apt. Building. No. Stories 2 New Building Existing
Name and address of owner of appliance The Fee-Corporation, 240-242 Harvard St.
Installer's name and address Ereggy Oil Service, 84 Congress St. Telephone 772-4631

General Description of Work

To install Oil-fired forced hot water heating system.

IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace .36"
From top of smoke pipe 4' From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 8x12 Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Federal-gumtype Labelled by underwriters' laboratories? yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? top
Type of floor beneath burner concrete Size of vent pipe 1 1/2"
Location of oil storage outside underground Number and capacity of tanks 1000 gals.
Low water shut off Make No.
Will all tanks be more than five feet from any flame? yes How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Tank will be buried 3' underground and covered with asphaltum.
Tank bears Underwriters label.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

3/8/68 J.R. Crane - Fire
O.K. 3/8/68 - E.S.S.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Ereggy Oil Service

Signature of Installer

by: [Signature]

CS 300

INSPECTION COPY

7M



**CITY OF PORTLAND, MAINE**  
**Application for Permit to Install Wires**

Permit No. 56723  
 Issued 4/4/68  
 Portland, Maine 4/4 ....., 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address Fee Gee Tel. ....  
 Contractor's Name and Address Boeggs Oil Co Tel. 772-4631  
 Location 240-2 1/2 Howard St Use of Building Dwelling  
 Number of Families 8 Apartments Stores Number of Stories 2  
 Description of Wiring: New Work  Additions Alterations  
wire heating system  
 Pipe . Cable Metal Molding BX Cable Plug Molding (No. of feet)  
 No. Light Outlets Plugs Light Circuits Plug Circuits  
 FIXTURES: No. Light Switches Fluor. or Strip Lighting (No. feet)  
 SERVICE: Pipe Cable Underground No. of Wires Size  
 METERS: Relocated Added Total No. Meters  
 MOTORS: Number Phase H. P. Amps Volts Starter  
 HEATING UNITS: Domestic (Oil)  No. Motors Phase H.P.  
 Commercial (Oil) No. Motors Phase H.P.  
 Electric Heat (No. of Rooms)  
 APPLIANCES: No. Ranges Watts Brand Feeds (Size and No.)  
 Elec. Heaters Watts  
 Miscellaneous Watts Extra Cabinets or Panels  
 Transformers Air Conditioners (No. Units) Signs (No. Units)  
 Will commence 19 Ready to cover in 19 Inspection 19  
 Amount of Fee \$ 2.00  
 Signed Shannon J. [Signature]

DO NOT WRITE BELOW THIS LINE

SERVICE	METER			GROUND		
VISITS: 1	2	3	4	5	6	
7	8	9	10	11	12	
REMARKS:						

INSPECTED BY

[Signature]  
 (OVER)

LOCATION *HARVARD ST 42-42*  
 INSPECTION DATE *4/23/68*  
 WORK COMPLETED *4/23/68*  
 TOTAL NO. INSPECTIONS *1*  
 REMARKS:

**FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963**

<b>WIRING</b>		
1 to 30 Outlets	(including switches)	\$ 2.00
31 to 60 Outlets	(including switches)	3.00
Over 60 Outlets, each Outlet	(including switches)	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).		
<b>SERVICES</b>		
Single Phase		2.00
Three Phase		4.00
<b>MOTORS</b>		
Not exceeding 50 H.P.		3.00
Over 50 H.P.		4.00
<b>HEATING UNITS</b>		
Domestic (Oil)		2.00
Commercial (Oil)		4.00
Electric Heat (Each Room)		.75
<b>APPLIANCES</b>		
Ranges, Cooking Tops, Oven, Water Heaters, Disposals, Dish washers, etc. — Each Unit		1.50
<b>TEMPORARY WORK (limited to 6 months from date of permit)</b>		
Service, Single Phase		1.00
Service, Three Phase		2.00
Wiring, 1-50 Outlets		1.00
Wiring, each additional outlet over 50		.02
Circuits, Conduits, Pans, etc.		10.00