### CITY OF FORTLAND, MAINE

ZONING BOARD OF APPEALS



THOMAS F. JEWELL Chairman

ERIC J. GOUVIN Secretary

RAY M. JOHNSON JOHN C. KNOX DEWEY A. MARTIN, JR. MERRILL S. SELTZER MICHAEL E. WESTORT

684 Baxter Boulevard

May 13, 1991

David S. Turesky, Esq. Turesky & Howard. Attorneys 477 Congress Street, Suite 400 Fortland Maine 04101

Dear Mr. Turesky:

At the meeting of the Board of Appeals on Thursday evening, May 9, 1991, the Board voted by a unanimous vote of four members present and voting to deny your request for a space and bulk variance on behalf of Stephen Mardigan, owner of the property at 684 Baxter Boulevard in the R-3 Residence of interest. Mr. Gouvin and not participate in any deliberation or questioning.

The variance request was for a  $5\frac{1}{2}$  foot side yard setback between the existing house and the proposed swimming pool and between the proposed pool and the side property line. The Board found that the proposed pool was not essential to obtaining a reasonable return for the land, and that the hardship is the result of action taken by the applicant or a prior owner.

Sincerely,

Warren J. Turner

Administrative Assistant

Enclosure: Copy of the Board & Decision

CC. Thomas F. ell, Chairman, Board of Appeals
Joseph E. Gray, Jr., Director, Planning & Urban Development
P. Samuel Hoffses, Chief, Inspection Services
William D. Giroux, Zoning Administrator
Arthur Rowe, Code Enforcement Officer
Charles A. Lane, Associate Corporation Counsel

389 CONGRESS STREET • PORTLAND, MAINE 04101 • TELEPHONE (207) 374-8300

City of Portland BUILDING PERMIT APPLICATION Fee\$85. Zone Permit # Please fill out any part which applies to Job. Proper plans must accome any form. Owner: Stephen Mardigan For Official Use Only Subdivision: Address: <u>684 Baxter Rlvd; Ptld, ME 04103</u> Date 6/3/91 LOCATION OF CONSTRUCTION Custom Pools Contractor: 8MREX 684 Baxter Blvd Inside Fire Limits 199 تا ال**بيار** Bldg Code. \_Poblic Address; Newington, NH Time Limit Estimated Cost 13,000 Est. Construction Cost:\_\_ 13,000. Proposed Use: 1 - fam w pool R\_3 Street Frontage Provided: Zoning: Past Use: Provided Setbacks: Front. # of Existing Res. Units Back # of New Res. Units Building Dimensions L\_ \_ Total Sq. Ft. Zoning Board Approval: Yes\_\_\_\_\_No No\_\_\_ Date: Site Plan Shoreland Zoning Yes Special Exception Other (Explain) Is Proposed Use: Seasonal Condominium\_ Floodplain Yes Explain Conversion \_\_ Construct in-ground pool- XXXX Ceiling: 1. Ceiling Joists Size: Joseph District nor Landmark. 1. Type of Soil: 2. Ceiling Strapping Size
3. Type Ceilings: 2. Set Backs - Front lioso not require review. Side(s) 3. Footings Size:
4. Foundation Size 4. Insulation Type 5. Ceiling Height: Icquires Persey \*\*\*\* 5. Other Roof: 1. Truss or Rafter Size 2. Sheathing Type \_\_\_\_\_ 3. Roof Covering Type 1. Sills Size: 2. Girder Size: Chimneys: Signature of Life 3. Lally Column Spacing: Type: Number of Fire Places 4. Joists Size:
5. Bridging Type:
6. Floor Sheathing Type: Spacing 16" O.C. Heating: Type of Heat: Electrical: 7. Other Material: Service Entrance Size: Smoke Detector Required Yes\_ Plumbing: Exterior Walls: 1. Approval of soil test if required 1. Etudding Size Spacing 2. No. of Tubs or Showers 3. No. of Flushes\_\_\_\_ 2. No. windows 3. No. Doors 4. Header Sizes 4. No. of Lavatoric 5. No. of Other Fixtures 5. Bracing: Y 6. Corner Posts Size Swimming Pools:

1. Type:

2. Pool Size: 7. Insulation Type 8. Sheathing Type Size 3. Must conform to National Electrical Code and State Law. Size 9. Siding Type
10. Masonry Materials
11. Metal Materials Weather Exposure Permit Received By\_ Signaturo Applicant South Research Signaturo Charles NENTS \_Loui.s.e Interior Walls: 1. Studding Size 2. Header Sizes\_ 3. Wall Covering Type
4. Fire Wall if required 5. Other Materials White-Tax Assesor White Tag -CEO Yellow-GPCOG

il C

	Salar Control of the salar con
912670  ermit #City of Portland BUILDING PERMIT APPLI	CATION Fee: 35. Zone Map # Lot#
ernit # City of Portland BUILDING PERWIT APPER Place fill out any part which applies to job. Proper plans must accompany form.	CATION FEESTY. ZOILE PERMIT ISSUED
wher: Stephen Wardigan Phone # 771-5563	For Official Use Orly
Na	1 - 1.133.57 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31 - 1.31
iddress: 034 KAXLEF AND	Inside Five Limits
LOCATION OF CONSTRUCTION POOLS Contractor: 87828 Sub.	Bidg Code Gwnership CITY OF PORTLAND
Phone *Phone *	Estimated Cost 3
13.000 Proposed Use: 1-14.1 1 0001	Zoning: Street Frontage Prov ded: Back Side Side
Past Use:	
u. CN Dog Units	Zoning Board Approva: Yes No.
# of Existing Res. Units # of New Yes. Onto:  Building Dimensions L W Total Sq. Ft.  # Bedrooms Lot Size:	Planning Board Approval: Yes No Subdivision Subdivision Shoreland Zoning Yes No Floodplain Yes No Shoreland Zoning Yes
# Etories: # Bedrooms Lot Size:	Shoreland Zoning Yes No Floodplant Special Exception
Explain Conversion Construct in-ground nool- XHIX	Special Exception Other (Explain) -5-9
Explain Conversion 83 IS EVECT THE STATE	Ceiling:
Foundation:	1. Ceiling Joists Size Spacing Spacing
Foundation:  1. Type of Soil:  2. Set Backs - Front  Rear Side(s)	3. Type Ceilings: Size Requires Review. 4. Insulation Type Size Regulation Type
3. Footings Size:	5. Ceiling Height:
4. Foundation Size:	Roof:  1. Truss or Rafter Size Span Size Size Type Size Size Size Size Size Size Size Siz
Floor: Sills must be anchored.	
1; Sille Size:	Chimneys: Number of Fire Places
3. Lally Column Spacing:Spacing 16" O.C.	Heating:
4. Joist Size: Spacing 16 G.S.  6. Bridging Type: Size: Size:	Electrical: Service Entrance Size: Smoke Detector Required Yes No.
6. Bridging Type: Size: 7. Other Material:	Plumbing:  1. Approval of soil test if required Yes No
Waller	1. Approval of 801 test i require
Exterior Walls: Spacing Spacing	3. No. of Loustories
Spacing Size Spacing S	5, No. of Other Fixtures
3 No Doors 4 Header Sizes 5 Bracing: Yes No. 6 Corner Posts Size Size	Swimining Pools: 1. Type: Square Footage.
6, Corner Posts Size  Size  7, Insulation Type  Ste	2. Fool Size: 3. Must conform to National Electrical Code and State Law.
8. Sheathing Type Weather Exposure	Paraived By Jouise F. Chase
11. Metal Materials WITH, R	EQUIREMENTS Date 6-5-11
Interior Walls	Stanban Mariligan Date
Studding Size Spanis Spanis	Signature of CEO
3. Wall Covering Type	Inspection Dates Inspection Dates
11. Metal Materials  Interior Waller  Interior Waller  Spacing  Sp	r-GPCOG White Tag -CEO Copyright GPCOG 1988
	The state of the s

'n.,

Land Control C

	· ,
PLOT PLAN	N A
FEES (Breakdown From Front)  Base Fee \$ \$ 55 -  Subdivision Fee \$  Site Plan Review Fee \$  Other Fees \$  (Explain)  Late Fee \$	Inspection Record Type Date  / / / / / / / / / /
COMMENTS 7/18/91 Congleted	! M
Signature of Applicant A	Date 6-3-9/

#### THE BOCA NATIONAL BUILDING CODE/1990

622.2 Permits required: Approval shall be secured for all roof-mounted antennal structures more than 12 feet (3658 mm) in height above the roof. The application shall be accompanied by detailed drawings of the structure and methods of anchorage. All connections to the roof structure shall be properly flashed to maintain water tightness. The design and materials of construction shall comply with the requirements of Section 621.3 for character, quality and minimum dimension.

622.3 Dish antennas: An antenna consisting of a radiation element which transmits or receives radiation signals generated as electrical, light or sound energy, and supported by a structure which may or may not provide a reflective component to the radiating dish, usually in a circular shape with a parabolic curve design constructed of a solid or open mesh surface, shall be known as a dish antenna.

622.3.1 Permits: The approval of the code official shall be secured for all dish antennal structures more than 2 feet (610 mm) in diameter erected on the roof of or attached to any building or structure. A permit is not required for dish antennas not more than 2 feet (610 mm) in diameter erected and maintained on the roof of any building.

622.3.2 Structural provisions: Dish antennas larger than 2 feet (610 mm) in diameter shall be subject to the structural provisions of Sections 621.4, 1111.0 and 1112.0. The *snow load* provisions of Section 1111.0 shall not apply where the antenna has a heater to melt falling snow.


#### SECTION 623.0 SWIMMING POOLS


623.1 General: Pools used for swimming or bathing shall conform to the requirements of this section provided that these regulations shall not be applicable to any such pool less than 24 inches (610 mm) deep or having a surface area less than 250 square feet (23.25 m²), except when such pools are permanently equipped with a water-recirculating system or involve structural materials. For the purposes of this code, pools are classified as private swimming pools or public swimming pools, as defined in Section 623.2. Materials and constructions used in swimming pools shall comply with the applicable requirements of this code.


623.2 Classification of pools: Any constructed pool which is used or intended to be used as a swimming pool in connection with a building of Use Group R-3 and is available only to the family of the householder and private guests, shall be classified as a private swimming pool. Any swimming pool other than a private swimming pool shall be classified as a public swimming pool.

623.3 Plans and permits: A swimming pool or appurtenances thereto shall not be constructed, installed, enlarged or *altered* until plans have been submitted and a permit has been obtained from the code official. The approval of all city, county and state authorities having jurisdiction over swimming pools shall be obtained before applying to the code official for a permit. Certified copies of these approvals shall be filed as part of the supporting data for the permit application.

623.3.1 Plans: Plans shall accurately show dimensions and construction of the pool and appurtenances and properly established distances to lot lines, buildings, walks and fences, as well as details of the water supply system, drainage








JUN - 3 1991

DEPT. OF BUILDING I...

CITY OF PORTLAGE

MAY 31 '91 10:25

PAGE.004




NOTE: POOL IS LAYED-OUT
PINS ARE IN PLACE
() DENOTES POOL DEPTH
10' SETBACK FROM All SIDES



MBA 31 .81 16:54

FAGE.003



MAY 31 '91 10:23

PAGE.002

MAY 31 '91 1

### CITY OF PORTLAND, MAINE

**建设的基础中的工作区域工作。** 

ZONING BOARD OF APPEALS



THOMAS F. JEWELL Chairman

ERIC J. GOUVIN Secretary

RAY M. JOHNSON JOHN C. KNOX DEWEY A. MARTIN, JR. MERRILL S. SELTZER MICHAEL E. WESTORT

684 Baxter Boulevard

April 17, 1991

David S. Turesky, Esq. Turesky & Howard, Attorneys 477 Congress Street, Suite 400 Portland, Maine 04101

Dear Mr. Turesky:

This will acknowledge receipt of your application for a space and bulk variance on behalf of Stephen Mardigan at 684 Baxter Boulevard. Section 14-432 requires 10 foot setbacks on all sides of an inground swimming pool. Mr. Mardigan is proposing to have an inground pool installed but the L-shaped pool he plans would have only 5½ feet between the pool and the main building and 5½ feet between the pool and the side line of the property in the R-3 Residence Zone.

ha von no doubt know, the approval of variances by the Board of Appeals is corresponding upon proof by the applicant that undue hardship is involved based upon Section 14-273 of the City Zoning Ordinance. The criteria for such approval is contained on the reverse side of the variance application form. This application for variances will be considered at the meeting of the Board of Appeals on Thursday evening, May 9, 1991, in Room 209, City Hall, Portland, Markey, at 7 P.M. A copy of the agenda for that meeting will be start to you as soon as copies become available.

Sincerely,

Warren J. Turner

Administrative Assistant

cc: Thomas F, Jewell, Chairman, Board of Appeals Joseph E. Gray, Jr., Director, Planning & Urban Development P. Samuel Hoffses, Chief, Inspection Services William D. Giroux, Zoning Administrator Arthur Rowe, Code Enforcement Officer Charles A. Lane, Associate Corporation Counsel

PERMIT # 002088 TOWN OF Portland BUILDIN	NC DEPMIT ADDITICATION	MAP#	LOT#
Please fill out any part which applies to job. Proper plans must accompany form.		Official Use Only	-13
Owner: Stephen Mardigan 773-7551	_ 1/ 1/- 1000		G.L.No
	Date May 16, 1989 Inside Fire Limits Bldg Code Time Limit	— PEMP	MIT ISSUED
Address***684 Baxter Blvd.	- Bldg Code	Blog	
LOCATION OF CONSTRUCTION - 684 Baxter Flvd.	- Estimated Cost 2,000	A A A A A A A A A A A A A A A A A A A	Y 17 1980 Private
CONTRACTOR Harmony In Wood SUBCONTRACTORS: 878-8850	Estimated Cost 2 000  Values Studing	City	Private &
ADDRESS: 955 Forest Avenue			OF Portland
Est. Construction Cost: 2,000, Type of Use: single family  Past Use: Past Use:	Ceiling: 1. Ceiling Joists Size:		- 1.00 mg
Past Use: Grif Spease Call Paul Kunz	1. Ceiling Joists Size: 2. Ceiling Strapping Size	Spacing	Strainer
Building Dimensions LWSq. Ft# StoriesLot Size:	3. Type Ceilings:  4. Insulation Type	Size_	6 - 15 : 25A W66A
Is Proposed Use: Seasona 3 Condominium Apartment	5, Ceiling Height:		11.44 (1980)
	1. Truss or Rafter Size	Span_	
Conversion - Explain Construct new deck as per plan  COMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE	2. Sheathing Type	Size _	Taking C
			"A CAN A CAN
Residential Bulldings Only:  # Of Dwelling Units  # Of Dwelling Units	Chimneys:		1 TEMES
Foundation:	Heating:		
1. Type of Soil: Rear Side(s)	Type of Heat: Electrical:		
(A. W	Service Entrance Size:	Smoke Detector	Required YesNo
4. Foundation Size:	Plumbing:  1. Approval of soil test if requ	nired Yes	No
Floor:  1. Sills Size:  2. 92. let size:  3. Lette Column Spacing:  Size:  Size:	2. No. of Tubs or Showers		
Floor: 1. Sills Size: 1 Sills must be anchored.	3. No. of Flushes 4. No. of Layatorics		The state of the s
2. Ožnier išivo:	5. No. of Other Fixtures		The state of the s
A Justa Siza: Spacing 16" O.C.	Swimming Pools: 1. Type:		100
35 ** 5 D. Dirtuguig Lype: Oize:	2. Pool Size :  3. Must conform to National	X Squar	Footage
6. Floor Sheathing Type: Size: 7. Other Material:		825 N. S. N. W. W. M. M. M. M. J. N.	- 4. Stoken a sa facilità (17 S.
Let a live year his light in a real control of the light in the light and the light in the light	District Street Fr	ontere Req.:	Provided Side Side
Exterior Walls: Studding Size Spacing	Review Required:	Dack	Sittle Cittle
Exterior Walls: 1 Studding Size Spacing 2 No. windows 3, No. Doors	Zoning Board Approval: Yes	No	Date: Date: Subdivision  n  Subdivision
	Condition Use:	Veriance Site P	an Subdivision
5; Bracing: Yes No. 6; Corner Posts Size 7, Insulation Type Size	Shore and L'oodplain Mgmt.	Special Exception	n
6. Corner Posts Size  7. Insulation Type  Size	Date Approved	Double ( Verseus digential Section )	NAME OF TAXABLE PARTY.
6; Sheathing Type Sizo 9; Siding Type Weather Exposure			
10. Masonry Materials	Permit Received By Deboral	h_Goode	ENT FOR OWNU
11: Metal Materiali 100 100 100 100 100 100 100 100 100 10	Signature of Applicant Paul	O Lung Me	Data 5/16/89
Interior Walls Spacing Spacing Spacing Spacing Spacing Spacing Span(s)	- Oignavate of Applicativ Trace		
2. Header Sizes Span(e)	- Signature of CEO	<del></del>	Dato
8. Wall Covering Type 4. Pire Wall if required	Inspection Dates	Y)AK.	
5. Other Materials White-Tax Assesor Ye	ellow-GPCOG White Tag -CEO	@ Con	yright GPCOG 1987
THE CONTRACT OF SECULAR PROCESS OF THE CONTRACT OF THE CONTRAC		J 00p.	,

Chairman, Appeal Board Page 2 January 6, 1975

would set more centhetically on the lot than a shorter two family.

Very truly yours,

Edward E. Merrill

Buys. \$1 tale

Barry E. Steele, President

APPLICATION FOR PERMIT	PERMIT ISSUE
B.O.C.A. TYPE OF CONSTRUCTION	OCT 10 1984
ZONING LOCATION PORTLAND, MAINE OCC. 57. 1364	
To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE The undersigned hereby applies for a permit to erect, alter, repair, demolish move or install the follows:	UITY of PONTINE
Ordinance of the City of Portland with plans and specifications, if any submitted horowith and the	ilding Code and Zoning
First First Control of the Control o	District #1 ID US ID
2. Lessee's name and address Herries Ford - Say:	phone A.74 maran
3. Contractor's name and addressG. J. Cuffy. Inc. 5: Lowis. St west Tele	mha-a i E / mE / 22
Material No. stories Heat Style of roof	
Fetimated contractivel sees 5	
FIELD INSPECTOR—Mr. Base Fee	135.00
(a) 775-5451 Late Fee	
TOTAL	135.00
To construct 1 story ell shaped 14' x 39' and 6' x 21' as per plans, I sheet: Stamp of S	pecial Conditions
of plans.	
send permit to # 3 04092	
NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating and mechanicals.	ng, plumbing, electrical
The state of the s	and the second second
Is any plumbing involved in this work?	yee 7
Has soptic tank notice been sent?	
Height verage grade to top of plate Height average grade to highest point of	roof
Material of foundation	h or rock?
Kind of roof	
Stude (outside walls and c rrying partitions) 2x4-16" O. C. Bridging in every floor and flot modern	enters
Joints and ratters: 1st 1100r	roof
Maximum span: 1st floor2nd3rd	roof
one story building wath thissonly walls, thickness of walls?	neight?
No. cars now accommodated on same lot to be accommodated number commercial cars to be	accommodated
APPROVALE BY	building?
WILLDING INSPECTION PLAN EXAMINER Will work require disturbing of any tree of	
BUILDING CODE:  Will there be in charge of the above wo	
to can that the Center and Chickens and Chic	nts person competent
Health Dept.: are observed? . Yes.	
Signature of Applicant Phone	Bane :
Type Name of above Gregory Jozificy for G Journal Inc.	1 D 2 D 3 EK 4 ]
and Address	
FIELD MODEOTORIO	
FIELD INSPECTOR'S COPY APPLICANT'S COPY OFFICE FILE COPY	
add add 10 G A 10 Moral (1992),"1770 A 1770 A 1	the first and the second

9. J. Cidjay, Inc.
5 LEWIS STREET
WESTBROOK, MAINE 04002
TEL: 854-5423

BROCKSIDE TIN

637 66RAGE D F

71.00

PERMIT ISTURD

PERMIT ISCUED WITH LETTER RECEIVED
FEB 2 4 1983
DEPT. OF BLDG. INSP.
CITY OF PORTLAND



## CITY OF PORTLAND

JOSEPH E. GRAY, JR.
DIRECTOR OF PLANNING
AND URBAN DEVELOPMENT

February 25, 1983

G. J. Cuffey Inc. 5 Lewis Street Westbrook, Maine 04092

Dear Sir;

Your application for a building permit to erect a 10'X 22' addition at 684 Baxter Blvd. Portland, Maine, is herewith issued subject to the following Building Code requirement.

613.1 Private garages located beneath dwellings shall have walls partitions, floors and ceilings separating the garage space from the dwellings constructed of not less than one hour fireresistance rating.

If you have any questions on this requirements please call this office.  $% \left\{ 1,2,\ldots,n\right\}$ 

Sincerely;

P. Samuel Hoffses, Chief of Inspection Services

PSH/1n

389 CONGRESS STREET • PORTLAND, MAINE 04101 • TELEPHONE (207) 775-5451

	APPLICATION F		-1	ERMIT 155UED
B.O.C.A. USE	GROUP E OF CONSTRUCTION R - 3 PORT			FEB 28 1983
B.O.C.A. TYP	E OF CONSTRUCTION	00130		-
ZONING LOCATION	R-3 Port	LAND, MAINE	50. 54, 1981	ITY A DODTE AND
To the CHIEF OF BUILDING  The undersigned hereby app equipment or change use in acc Ordinance of the City of Portle LOCATION 684 Baxt 1. Owner's name and address 2. Lessee's name and address 3. Contractor's name and address	lies for a permit to erect, alter, ordance with the Laws of the S and with plans and specificati er Bladt. Herbert Fords	repair, demoitsh, move or State of Maine, the Portla ons, if any, submitted he Same	rewith and the fo	ollowing specifications: District #1 [774_#7592]
Contractor's name and add     Proposed use of building division.	iress G. J. Cuffey Inc	5 lewis st. we:	······································	No. of sheets
Last use awelling	os Heat	Style of roof	Roof	ĭng
Other buildings on same lot  Estimated contractural cost \$.	7.400		Appeal Fees	• ••••
FIELD INSPECTOR—Mr.			Base Fee	50.00
FIELD INSPECTOR—MI.	@ 775-5451		Late Fee	
<b>1 15 1 1 1 1 1 1 1 1 1 1</b>			TOTAL	\$50.00
· To erect 10' x 2  dwelling as per pla	3' addition to alreading. 4 sheets of plans	y existing , addition to be	constructed	spoke chiliting gara
send permit to #304092		•	Julia Diamp	;
Seite Perur on a grant	•			
NOTE TO APPLICANT: Se			4	
Size, front 23 dep Material of foundation  Kind of roof  No. of chimneys  Framing Lumber—Kind  Size Girder  Studs (outside walls and can Joists and rafters:  On centers:	public sewer?  sent?  of plate 12.  th 10	Form notice sent?  Height average grade to a solid or filled land ses, top bottom covers of lining covers.  Bridging in every floor, 2nd 3	o highest point of the cellar	t fuel son centers fuel fuel fuel fuel fuel fuel fuel fuel
If one story building with n	hasonry walls, thickness of wa	A GARAGE		
Will automobile repairing b	on same lot , to be accorded done other than minor repart	nmodated number	commercial cars t red in the propo MISCELLANE	aca cancing.
ZÓNING: Q/X/) BUILDING CODE:	DATE —PLAN EXAMINER 1. G. C. J. J. J. S	<ul><li>Will there be in cha</li><li>to see that the Stat</li></ul>	sturbing of any to arge of the above e and City requi	e work a person competent rements pertaining thereto
Health Dent.		· do all		, same
	Signature of Applicant			Phone #same
	Type Name of aboveG	/Herbert FordeUII	er	
V. ) ( FIELD INS	PECTOR'S COPY APP	•	OFFICE FILE CO	
19/MA.WILLIA	75			•

Date of permit NOTES 3.8.83- FRAMING DONE ON THE FODMON AND THE WAY TO THE LIVING ROOM WAS IN THE PROPERTY OF BEING LORN DWN: 77.2 WORK COMPLETE



### APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

		Date	11/15	, 1984
			Permit num	
To the CHIEF ELECTRICAL INSPECTOR, Portland, M	laine:	-		
The undersigned hereby applies for a permit to make	electrical insta	allations in acc	ordance with	the laws of
Maine, the Portland Electrical Ordinance, the National	Electrical Code	and the follo	wing specific	ations:
LOCATION OF WORK: 684 Baxter Bouleva			<del></del>	
OWNER'S NAME: Herbert Forde	ADDRESS: <u> </u>	ame	23.7.1	, ,
OUTLETS: Pecceptacles Switches Plugmold FIXTURES: (number of) Incandescent X Flourescent (not		1	. 54	FEES
Pagantaulos Suritches Blugmold	ft TO	TAT 1-30	· · · · · ·	3.00
FIXTURES: (number of)	11. 10	71KL		<del></del>
FIXTURES: (number of) Incandescent x Flourescent (not Strip Flourescent ft.	strip) TOTAL	10		3.00
Strip Flourescent ft				
SERVICES:				
Overhead x Underground Tempor METERS: (number of)	aryTC	OTAL amperes	200	/3.00
METERS: (number of)	• • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	50
MOTORS: (number of)				
Fractional1 HP or over		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
RESIDENTIAL HEATING:		• • • • • • • • • • • • • • • •		***************************************
Oil or Gas (number of units)				
Electric (number of rooms)				- 3 - 00
COMMERCIAL OR INDUSTRIAL HEATING:				
Oil or Gas (by a main boiler)				
Oil or Gas (by separate units)				
Electric Under 20 kws Over 20 kws		• • • • • • • • • • • • • • • • • • • •		
APPLIANCES: (number of) Ranges	III.			
	Water Heaters Disposals	a-aa-transman		
-	Disposais Dishwashers			
	Compactors			
Fans _2	Others (denote)			
TOTAL2				3.00
MISCELLANEOUS: (number of)				
Branch Panels				
Transformers Air Conditioners Central Unit		• • • • • • • • • • • • • • • • • • • •		
Separate Units (windows)				
Signs 20 sq. ft. and under				
Over 20 sq. ft				
Swimming Pools Above Ground				
In Ground				
Fire/Burglar Alarms Residential	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	
Commercial Heavy Duty Outlets, 220 Volt (such as welders)	00		• • • • • • • • • • • • • • • • • • • •	
	over 30 amps _			
Circus, Fairs, etc.				
Alterations to wires				
Repairs after fire				
Emergency Lights, battery				
Emergency Generators				
FOR ADDITIONAL WORK NOT ON ORIGINAL PERM		ATION FEE		
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	AIT DC	DUBLE FEE	DUE:	
TOTAL PROPERTY OF THE BEOT CROSSING (SOC-10.D)		L AMOUNT		15.50
	1011	111100111	- 014.	
INSPECTION:				
Will be ready on ready, 19; or W	Will Call		_	
CONTRACTOR'S NAME: Hannon Electric				
ADDRESS: 51 Lawn Avenue So.	. Portland			
TEL.:	77.CIST A MY 150 00 00	an abarma i an	non.	
MASTER LICENSE NO.: 2885 S LIMITED LICENSE NO.:	SIGNATURE O	F CONTRAC.	rok:	
WALLET THE THE TABLE TO.	-raus	1-4xam		

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

-65

INSPECTIONS: PROGRESS INS	Service called in CK  Closing-in //-/6-84 by	Eilby Tilby	ELECTRICAL  Permit Number  Location
COD COMPLIA COMPLE DATE	E //	/	Permit Number 0.75 f 3  Permit Number 0.75 f 3  Location 68 4 Baxter Blad,  Douner 1 f 1 Forde  Date of Permit 1 - 15-84  By Inspection 8 Permit Application Register Page No. 54

7000	C DEPMIT APPLICATION MAP #LOT#
PERMIT # 0020 CONN OF Fortland BUILDING	For Official Use Only
Please fill out any part which applies to job. Proper plans must accompany form.	O Librarian Vos / No
77375%	Name
	Inside Fire Limits Lot Block Block
Address***684 Baxter Blvd.	1 131df Code
Col Verter Rive	
CONTRACTOR Hammony In Wood SUBCONTRACTORS: 878-885)	ValueSyncture Private
CONTRACTOR Hamiloty; In wood Subcontinuous	
ADDRESS: 855 Forest Avenue	Ceiling: DEDAMT (SCHED)
Est. Construction Cost: 2,000.  Est. Construction Cost: 2,000.  Gry ( Pharcall Paul King).  Past Use:	1. Ceiling Joists Size:
Est. Construction Cost 2100 C News Call Paul Kiln 2	2. Ceiling Strapping Size Spanning
Past Use:	3. Type Cellings: Size WAY 17 1919 4. Insulation Type Size
O. T. # Storiog: LOL SIZE:	5. Ceiling Height:
Building Dimensions L W Sq. rt Scottes  Is Proposed Use: Seasonal Condominium Apartment  Conversion - Explain construct new deck as per plan	Roof: Gity Of Portland
ls Proposed Use: Seasonac	1. Truss or Raiter Size Size
Conversion - Explain construct new deck as per print	2. Sheathing Type
COMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE	4. Other
COMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE Residential Buildings Only: # Of New Dwelling Units # Of Dwelling Units	Chimneys: Number of Fire Places
# Of Dwelling Units # Of New Dwelling Units	Type:Named of the Party
	Heating: Type of Heat:
Foundation: 1. Type of Soil: 2. Set Backs - Front Rear Side(s)	Electrical: S-ake Detector Required Yes No
2. Set Backs - Frout Rear Side(s)	Comice Entrance Size: Smoke Detacol Indant
3. Footings Size:	
4. Foundation Size:	1. Approval of son test in required
5. Other	2. No. of Tubs or Showers  3. No. of Flushes
Floor: Sills must be enchanted.	3. No. of Flushes
1 Sills Size:	5. No. of Other Fixtures
2. Girder Size:	Swimming Popls:
3. Lally Column. Spacing: Size: Spacing 16" O.C.	1. Type:  /2. Pold Size:  3. Must conform to National Electrical Code and State Law.
5 Bridging Type: Size:	- 3. Must conform to National Electrical Code and State Law.
6. Floor Sheathing Type:Size.	Zoning:    Zoning: District   Street Frontage Req.:   Provided   Side
7. Other Material:	District Sofbacks: Front Back Side Side
Exterior Walls:	Review Required:
Exterior Walls: 1. Studding Size Spacing	Review Required:  Zoning Board Approval: Yes No Date:
	Planning Board Approval: YesNoSite PlanSubdivision
2. No. Windows 3. No. Doors 4. Hoader Sizes 5. Bracing: Yes No. Span(s)	Conditional Use:
4. Header Sizes Ves No.	Other (Explain)
6. Garner Posts Size	Date Approved
6. Corner Posts Size	Ok Date Approved WA 11- 5-16-8'9
8. Sheathing Type Size Weather Exposure	Pormit Received By Deborah Goode
9. Siding Type Weather Exposure  10. Masonry Materials	- Permit Meeting 199
10. Masonry Materials	Signature of Applicant Paul Shape Date 5/16/89
Interior Walls: Spacing Spacin	PERSENTING ISESIED DateDate
O Header Sizes	TAILING TOTAL TOTA
3. Wall Covering Type 4. Fre Wall if required	William Enter ER
5. Other Materials White-Tax Assessor	Willispectated Datest Lill Fellow-GPCOG White Feg -GEO Copyright GPCOG 1987
5. Cher Materials White Tax Assesor	Tellow-GPCOG White Tag-OED A MA ROLL

anno de mario

LOT PLAN		N
		ı
FEES (Breakdown From Front)  Base Fee \$ Subdivision Fee \$	Inspection R Type	ecord Date
Site Plan Review Fee \$ Other Fees \$ (Explain) Late Fee \$		
OMMENTS ///0/90 0 X AQ		
		•

A STATE OF THE PARTY OF THE PAR

#### BUILDING PERMIT REPORT

ADDRESS: 684 BaxTor BLu	1d. DATE: 16/17x:4/8-9
REASON FOR PERMIT: AECK	
BUILDING OWNER: STeplen h	nardian
CONTRACTOR: Harmany	in prood
PERMIT APPLICANT:	
APPROVED: X9	DENHER.
CONDITION OF APPROVAL OR DENIAL:	

- 1.) Before concrete for foundation is placed, approvals from Publication and Inspection Services must be obtained.
  - 2.) Precaution must be taken to protect concrete from freezing.
  - 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
  - 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
  - 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by placing over the boiler, two(2) residential sprinkler heads supplied from the domestic water.
  - 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 nm).
  - 7.) In addition to any automatic fire alarm system required by Sections 1018.3.5, a minimum of one single station smoke detector shall be installed in each guest room, suite of sleeping area in buildings of Use Groups R-1 and I-1 and in dwelling units in the immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1).

Marin Carlo

b.. ....

In buildings of Use Groups R-1 and R-2 which have basements, an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit, including basements.

In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed on both levels.

All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fireresistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The state of the st door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.
- -9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 6 inches cannot pass through any
  - 10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.
  - 11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Samuel Morkses Chief of inspection Services

/el

11/16/88

	Town Or Plantation Street Subdivision Lot #  Last: Fo Lot Applicant Name:  Mailing Address of Owner/Applicant (If Different)	PROPERTY AD  PROPERTY OWNE  First: H.  Moaise H. D.  130 F. Bright	14cm	PORTLAND  FORTLAND  FORTLAND	PERMIT & Y	* 742 TOWN COPY  \$
Constant and Annual Constant of the Constant o	Plumbing Inspector	Ignature of O-mer/Applicant	the best of my ason for the Local	I have inspected the in compliance with the Main to Main the Local Plumbing	Inspector Signar	zed above and found it to be in 18.3 Societies NOV 141
	This Applicat  1. NEW PLU  2. RELOCAT PLUMBING	MBING 1. ⊕ S  ED  3 3. □ M  4. □ O	e Of Structure To INGLE FAMILY DWEL 2.  MODULAR OF ULTIPLE FAMILY DWI THER - SPECIFY:	LING MOBILE HOME	1. 🖃 MAST 2. 📋 OILB 3. 📋 MFGT 4. 📋 PUBL	TO Be Installed By: ER PLUMBER URNERMAN D. HOUSING DEALERMECHANIC IC UTILITY EMPLOYEE ERTY OWNER
	HOO	OK-UP: to public se wer in	,	Column 2 Type of Fixture  Hosebibb / Sillcock	Number	Column 1 Type Of Fixture  Bathtub (and Shower)
of the second flat	theli	t regulated and inspected by ocal Sanitary District.		Floor Drain Urinal  Drinking Fountain	-/	Shower (Separate) Sink
Appendict of the second	wast	water disposal system,	Tace	Indirect Waste  Water Treatment Softener, Filter, etc.	, 2	Wash Basin Water Closet (Toilet) Clothes Washer
is the state of th	lines	IG RELOCATION: of san'ta drains, and piping without ixtures.	iry .	Grease/Oil Separator  Dental Cuspidor		Dish Washer Garbage Disposal
	Hoc	ok-Ups (Subtotal)		Other: Taken 1999		Laundry Tub
		k-Up Fee		Fixtures (Subtotal) Column 2	7	Water Heater Fixtures (Subtotal)
		SEE FO	PERMIT FEE SCI PR CALCULATING	IEDÜLE	2 9 \$27.	Column 1 Fixtures (Subtotal) Column 2 Total Fixtures Fixture Fee

7.3



### APPLICATION FOR PERMIT

# DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

March 16

	Date
	Date
To the CHIEF ELECTRICAL INSPECTOR, Portland,	Maine:
The and arrianed hereby applies for a permit to make	e electrical installations in accordance with the laws of
Maine, the Portland Electrical Ordinance, the National	l Electrical Code and the following specifications:
LOCATION OF WORK: 684 Baxter Bivd.	
LOCATION OF WORK: 684 BAXES BLVC. OWNER'S NAME: Herbert Forde	ADDRESS: lives there
	FEES
OUTLETS:	3.00
Receptacles Switches Plugmo	ld ft. TOTAL _1=30\
FIXTURES: (number ci)	ld ft. TOTAL _1=30 3.00 t strip) TOTAL
Incandescent Flourescent (no	t strip) TOTAL
SERVICES:	
Overhead Underground Temps	orary TOTAL amperes
METERS: (number of)	
MOTORS: (number of)	
Fractional	·
1 HP or over	·
RESIDENTIAL HEATING:	
il or Gas (number of units)	
Electric (number of rooms)	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler)	,
Floatric Under 20 kms Over 20 km	/S
APPLIANCES: (number of)	
Ranges	Wate, Hearers
Cook Tops	Disposais
Wall Ovens	Dishwashers
Dryers	Compactors
Fans	Others (denote)
MISCELLANEOUS: (number of) Branch Panels	
Transformers	
Air Conditioners Central Unit	
Separate (Inits (windows)	
Signs 20 sq. ft. and under	
Over 20 sq. ft	
Swimming Pools Above Ground	
In Ground	
Fire/Burglar Alarms Residential	
Commercial	A 00 and andon
Heavy Duty Outlets, 220 Volt (such as welders	over 30 amps
Circus, Fairs, etc.	
Alterations to wires	
Repairs after fire	
Emergency Lights, battery	
Emergency Generators	
-	INSTALLATION FEE DUE:
FOR ADDITIONAL WORK NOT ON ORIGINAL PE	RMIT DOUBLE FEE DUE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b) .	TOTAL AMOUNT DUE: 3.00
	TOTAL AMOUNT DUE:
INSPECTION:	r Will Call
Will be ready on ready , 19_; or CONTRACTOR'S N ME: Hannan, s Electric	C
ADDILESS: 51 Lawn Ave. So Po	ortland
TEL.:	
MASTER LICENSE NO.: 2885	SIGNATURE OF CONTRACTOR:
LIMITED LICENSE NO.:	Jarry Hanna.

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

Permit Number 09646  Location 684 Back Blod  Owner 4 Forde  Date of Permit 3-16-83  Final Inspection 4-11 33	
By Inspector Country	
PROGRESS INSPECTIONS: Service called in Closing-in Scrotce called in CODE COMPLETED  COMPLETED  DATE:  REMARKS:  DATE:  REMARKS:	



# CITY OF PORTLAND, MAINE DEPARTMENT OF BUILDING INSPECTION

### COMPLAINT

INSPECTION COPY
COMPLAINT NO. 82-7

Date Received Feb. 23. 1982

Location Beal of Fastman Use	of Building
Owner's name and address	Telephone
Tenant's name and address	Telephone
Complainant's name and address	Telephone
Description:	
NOTES: Received Complaint  asto trucks & hanvy a  parked in R-3 Zone in  Zonen of Boal It & E  a brapard for the Mosque  Those truckes belong one  in the I Zones,  2-24-81- Comm truck works  and 2 nother comm truck works  The state of trail era pa  The street & 255 Jam	I wolation of mo

$\wedge$		
(A) APPLICATION	ON FOR PERMIT	
B.O.C.A. USE GROUP	ON	PERMIT ISSUED
B.O.C.A. TVPF OF CONCERNA	80.100	L'Electric 100077
ZONING LOCATION	on0.0.138	co 28 1983,
	A DATE OF MAINE Sob. 24	1, 1983
THE OF BUILDING & INCRETTON OF		I manufit BATT
The undersigned hereby applies for a permit to erect, equipment or change use in accordance with the Laws of	alter, repair, demolish, move or install t	he following building assure
Orunance of the City of Portland with plans and	I or tiuna B.O.	C.A. Building Code and Zonin
LOCATION	s and admitted herewith a	na the following specifications
. Owner's name and address		Fire District #1 - #2 -
·····	TITLE TOWER DET WEST CODOR	C. Telephone 954-5422
	on to game	No. of sheets
Proposed use of building  Lost use dwelling with additi	Style of roof	No. families . 1
Material	Style of roof	Roofing
Other buildings on same lot		
FIELD INSPECTOR—Mr. 7,490.	Anneal	ees \$
@ 775-5451	Base Fee	50.00
	Late Fee	**********
To erect 10' x 23' addition to alm	TOTAL	\$ 50.00
dwelling as per plans. 4 sheets of plans	ms	*
dwelling as per plans. 4 sheets of plans and permit to \$304092	, addition to be constant	apegebouse explication as
NOTE TO ANNOTE TO		
NOTE TO APPLICANT: Separate permits are required and mechanicals.	by the installers and subcontractors of	houting -tt
	and the same state of	nearing, piumbing, electrical
		1
THETAYLO	0.7 No.	
	OF NEW WORK	
Is connection to be made to public sewer?  Has septic tank notice been sent?	If not, what is proposed for some a	s work? <b>yes</b>
Has septic tank notice been sent?  Height average grade to top of plate	Form notice sent?	***************************************
Size, front denth	are to nignest poin	it of roof
Kind of roof		
140. of chimneys		
Framing Lumber—Kind Dressed or full size Size Girder Columns under girders	? Corner posts	Sills
Size Girder Columns under girders  Studs (outside walls and carrying partitions) 2x4-16" O. C.	Size Max.	on centers
Joists and rafters: 1st floor	2nd 2	span over 8 feet.
On centers: 1st floor	2nd	, roof
If one story building with masons wells at the	2nd, 3rd	, roof
	************************	height?
No. cars now accommodated on same lot	GARAGE	
No. cars now accommodated on same lot, to be accomm Will automobile repairing be done other than minor repairs APPROVALS BY:	lodated number commercial cars t	to be accommodated
APPROVALS BY:	stored in the propo	sed building?
BUILDING (NSPECTION—PLAN EXAMINED	Will work require disturbing of any	ous
ZONING: BUILDING CODE:	Will work require disturbing of any tre	
Fire Dept.:	Will there be in charge of the above to see that the State and Char	Work a person competent
Treatti Dept.;	the State and City require	ements pertaining thereto
Others;	and observed:	
Signature of Applicant	3011	
Type Name of above	Ph	one # same
G. J. Cuffey Inc.	og Cuffey for.	. 1 🗆 2 🗆 3 🗆 🗴
		*********
	- rudicas	***************************************

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY

APPLICATION FOR PERMIT	HERMIT ISSU	ED
B.O.C.A. USE GROUP		
B.O.C.A. TYPE OF CONSTRUCTION	t91984	
To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE The undersigned hereby applies for a permit to erect, alter, repair, demolish, move of equipment or change use in accordance with the Laws of the State of Maine, the Portl Ordinance of the City of Portland with plans and specifications, if any, submitted h LOCATION 684 Baxter Blyd.  1. Owner's name and address Herbert Ford - same	or install the following building, structur land B.O.C.A. Building Code and Zonin herewith and the following specification Fire District #1 \(\sigma\), #2 ! Telephone	e, ng ns: 
Proposed use of buildingdwelling  Last usesame  Material		•••
Other buildings on same lot		••
Estimated contractural cost \$25,000	Appeal Fees \$	• •
FIELD INSPECTOR—Mr. MILLIAM. 2	Base Fee1350	00
@ 775-5451	Late Fee	
	TOTAL \$135.0	00
To construct 1 story ell shaped 14' x 39' and 6' x 21' as per plans. 1 sheet of plans.	Stamp of Special Conditions	
send permit to # 3 04092		
NOTE TO APPLICANT: Separate permits are required by the installers and subcoand mechanicals.	ontractors of heating, plumbing, electric	·al
BUILDING INSPECTION—PLAN EXAMINER Will work require dist ZONING: AND CODE: Will there be in charge	for sewage?  b highest point of roof  cearth or rock?  cellar  fing  Kind of heat  Sills  Max. on centers  and flat roof span over 8 feet.  d  roof  d  roof  height?	
Health Dept.: are observed? .yes Others:  Signature of Applicant Type Name of above	Phone # same	 

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

MR. MILLIAM S.

OFFICE FILE COPY

A CONTRACT

NOTES 360T COTOS PEN JUNET 5101 THIS DATE TOO 11-2 FRAMING INSPECTION DONE
THIS DATE TO

1-3 SP BEING MADE TO


1-39 LOGICK COMPLETE TW

.

i to day

G. J. Cuffey, Jus.
5 LEWIS STREET
WESTBROOK, MAINE 04092
ITEL: 854-5423 FORDE ALVITION 省"=1-0" 684 BAYER BUD RECEIVED PIRMIT ISTITER

9. J. Cuffey, Juc.
5 LEWIS STREET
WESTBROOK, MAINE 04092
TEL. 854 5423



tur.

. . .

5 LEWIS STATE 04092 TEL: 854-5423 这个价格 LIVINGERA APOITION COUER EXISTING ZOAR GARGE