

42 BYFIELD ROAD

  
SHAM-WALKER  
8203-1R



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, October 23, 1950

02064  
OCT 24 1950

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

N-ESS

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 12 Byfield Road Use of Building 1-family dwelling No. Stories 1 New Building Existing "
Name and address of owner of appliance Philip Aaskov, Byfield Road
Installer's name and address Harris Oil Co., 202 Commercial Street Telephone 2-8304

General Description of Work

To install circulating hot water heating system and oil burning equipment

IF HEATER, OR POWER BOILER

Location of appliance or source of heat basement Type of floor beneath appliance concrete
If wood, how protected? Kind of fuel oil
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 2 1/2'
From top of smoke pipe 3' From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 8x12 Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner General Electric Labelled by underwriters' laboratories? yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? top
Type of floor beneath burner concrete
Location of oil storage basement Number and capacity of tanks 1-275 gal.
If two 275-gallon tanks, will three way valve be provided?
Will all tanks be more than five feet from any flame? yes How many tanks fire proofed?
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance
If wood, how protected?
Minimum distance to wood or combustible material from top of appliance
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$3.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:
O.N. - 10/24/50 - O.J.S.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Harris Oil Co.

Signature of Installer by:

Dana B. Archer

INSPECTION COPY



(RC) RESIDENCE ZONE - G  
**APPLICATION FOR PERMIT**

Class of Building or Type of Structure Third Class  
 Portland, Maine, May 1, 1950

PERMIT NO. 00655  
 MAY 10 1950

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect above ground the following building structure in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Byfield Road (Route) 42 Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's name and address Philip Aaskov, 28 Byfield Road Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address C. A. Aaskov & Son, 39 Read Street Telephone 4-1335  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets 4  
 Proposed use of building Dwelling No. families \_\_\_\_\_  
 List use \_\_\_\_\_ No. families \_\_\_\_\_  
 Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_  
 Estimated cost \$ 11,000. Fee \$ 11.00

**General Description of New Work**

To construct 1 1/2-story frame dwelling house 28' x 38'.

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO C. A. Aaskov & Son**

**Details of New Work**

Is any plumbing involved in this work? yes Is any electrical work involved in this work? yes  
 Height average grade to top of plate 10' Height average grade to highest point of roof 19'  
 Size, front 38' depth 28' No. stories 1 1/2 solid or filled land? solid earth or rock? rock  
 Material of foundation concrete at least 1' below grade or to ledge Thickness, top 10" bottom 12" cellar partial  
 Material of underpinning " to sill Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof Pitch-gable Rise per foot 8" Roof covering Asphalt Class C Und. ab  
 No. of chimneys 1 Material of chimneys brick of lining tile Kind of heat hot water oil  
 Framing lumber—Kind hemlock Dressed or full size? dressed  
 Corner posts 4x6 Sills 2x8 box Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders yes Size 6x8 Columns under girders Lally Size 3 1/2" Max. on centers 8'  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor 2x8, 2nd 2x8, 3rd \_\_\_\_\_, roof 2x8  
 On centers: 1st floor 16", 2nd 16", 3rd \_\_\_\_\_, roof 16"  
 Maximum span: 1st floor 32' 14", 2nd 27' 14", 3rd \_\_\_\_\_, roof 14'  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

**If a Garage**

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

APPROVED:  
with letter by [Signature]

**Miscellaneous**

Will work require disturbing of any tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Philip Aaskov

Signature of owner by: \_\_\_\_\_

COPY

NOTES

5/2/50 - Location 0.15 - P. 22  
5/25/50 - Rough excavation made  
E. S. S.

9/13/50 - ~~Excavation made~~  
~~Excavation made above pipe~~  
~~go through down.~~  
Yeast water included here 50  
dill, ...  
... with above  
...  
...

12/13/50 - ~~Work done~~ Certificate  
to be issued. E. S. S.

12/14

1. No. 501655  
 Location Central Road  
 Owner W. H. G. G. G.  
 Date of permit 5/18/50  
 Notif. closing-in 9/13/50 8:30 P.M.  
 Inspn. closing-in 9/15/50  
 Final Inspn. 9/15/50  
 Cert. of Occupancy issued 12/13/50

6/10/50



COPY



CITY OF PORTLAND, MAINE  
Department of Building Inspection

### Certificate of Occupancy

Date of Issue December 13, 1950

Issued to Philip Askov

This is to certify that the building, premises, or part thereof, indicated below, and built—  
~~after a change of use at~~ 42 Eyfield Road  
under Building Permit No. 50/655, has had final inspection, has been found to conform substan-  
tially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved  
for occupancy, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES  
Entire Building

APPROVED OCCUPANCY  
One-family Dwelling House

Limiting Conditions:

This certificate supersedes

certificates issued 12/13/50:

*Charles J. Smith*  
Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Cop. will be furnished to owner or lessee for one dollar.



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #2  
Portland, Maine, August 30, 1950

PERMIT ISSUED

SEP 1 1950

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 50/655 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 12 Byfield Road Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's name and address Philip Askov, 28 Byfield Road Telephone \_\_\_\_\_  
Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Contractor's name and address C. A. Askov & Son, 39 Read Street Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Plans filed \_\_\_\_\_ No. of sheets \_\_\_\_\_  
Proposed use of building Dwelling No. families 1  
Last use \_\_\_\_\_ No. families \_\_\_\_\_  
Increased cost of work 1,200. Additional fee 1.75

### Description of Proposed Work

To finish off two bedrooms and bath on second floor of dwelling--2x3 studs, 16" o.c. and covered on one side with plaster.

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Framing lumber--Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

Approved:

OK 8/31/50 - agj

Signature of Owner by: Philip Askov

Approved: 8/31/50 [Signature]

Inspector of Buildings

INSPECTION COPY



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. 21

Portland, Maine, August 7, 1950

PERMIT ISSUED

AUG 9 1950

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. \_\_\_\_\_ pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any; submitted herewith, and the following specifications:

Location 42 Wyefield Rd. Within Fire Limits? no Dist. No. \_\_\_\_\_

Owner's name and address Chilio Askov, 28 Wyefield Rd. Telephone \_\_\_\_\_

Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_

Contractor's name and address C. A. Askov & Son, 39 Read St. Telephone \_\_\_\_\_

Architect \_\_\_\_\_ Plans filed no No. of sheets \_\_\_\_\_

Proposed use of building Dwelling No. families 1

Last use \_\_\_\_\_ No. families \_\_\_\_\_

Increased cost of work \_\_\_\_\_ Additional fee .25

### Description of Proposed Work

To excavate and construct foundation for entire building.  
 To use 6x8 girder full size - 4x4 columns 5' O.C.

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_

Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_

Material of foundation concrete at least 4' below grade or to ledge \_\_\_\_\_ Thickness, top 10" bottom 12" cellar yes

Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_

Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_

No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_

Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_

Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_

Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_

Studs (outside walls and carrying partitions) 2x4 16" O. C. Bridging in every floor and flat roof span over 8 feet.

Floors and rafters: \_\_\_\_\_ 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for dwelling and garage  
at 36 Ryfield Road Date 5/1/50

1. In whose name is the title of the property now recorded? Philip Aaskov
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? none
3. Is the outline of the proposed work now staked out upon the ground? yes If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? \_\_\_\_\_
4. What is to be maximum projection or overhang of eaves or drip? \_\_\_\_\_
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? yes

Philip Aaskov



WARNING !!!

THIS BUILDING PERMIT IS ISSUED  
SUBJECT TO SPECIAL CONDITION:

THAT NO CONCRETE SHALL BE POURED IN FOUNDATION FORMS AND NO LAYING OF UNIT MASONRY IN FOUNDATION WALLS SHALL BE STARTED UNTIL NOTICE HAS BEEN GIVEN AT THE DEPARTMENT OF BUILDING INSPECTION OF READINESS TO START ACTUAL MASONRY WORK, AND UNTIL RE-CHECK OF LOCATION HAS BEEN MADE BY INSPECTOR.

\* \* \*

Original markings of corners of lot and especially stakes on street line set by Dept. of Public Works must be kept intact and easily accessible for re-check-- not covered by excavated earth or building materials. Otherwise the "go-ahead" cannot be given. Dept. of Public Works cannot re-set their stakes.

Obviously the notice for re-check must be given at such a time as to allow reasonable opportunity to make re-check.

Warren McDonald  
Inspector of Buildings

36-40 Dyfield Road

May 10, 1950

Copy to  
Mr. Philip Anokov  
28 Dyfield Road

Warren & Son  
100 West  
100 West  
100 West

Contractor

The permit for construction of a dwelling 28'x38' at 36-40 Dyfield Road is issued herewith based on plans filed with the application together with additional information furnished concerning the following items:

1. It is understood that the entire building will rest on ledges so that no retaining wall will be needed between the excavated and unexcavated portions beneath the building.
2. The rear porch is to have no roof on it and is to consist of a concrete slab poured on top of the ledge.
3. An 8x8 full size girder will be used instead of the 6x3 originally shown on plans.
4. Front platform and steps are to be of masonry.
5. The 4x8 header which you have indicated for use over the picture window in the rear wall of building and which will be on about an eight foot span will not figure out if it is dressed spruce or hemlock, but will do so if it is dressed Douglas Fir. A 4x10 dressed hemlock or spruce will work out all right. The permit is issued on the basis that either one or the other will be used unless you have a different solution which you would like to use.

Very truly yours,

Warren McDonald  
Inspector of Buildings

AJS/D

*File with file copy*  
AP 36-40 Byfield Road-I

May 9, 1950

C. A. Aaskov & Son  
39 Road Street  
Portland, Maine

Copy to:  
Mr. Philip Aaskov, 28 Byfield Road

Gentlemen:

A check of the plans filed with the application for a dwelling 28' x 38' at 36-40 Byfield Road raises the following questions as to compliance with Building Code requirements:

*In earth all led ge*

1. What is to be provided to retain the earth where a portion of the space beneath the building is to be unexcavated? Is the outside foundation wall enclosing the unexcavated portion to extend to the same depth below grade as the rest of the wall and how thick is it to be made?

*for roof*

2. Is the concrete floor of the rear porch to have a roof over it? Is it to be just a slab on top of the ground or is it to have a foundation extending at least four feet below grade?

*6x8*

3. The 6x8 dressed hexlock girder or spans of about 8' will not figure out. Either a full size 8" x 8" hexlock timber or a 6" x 10" of dressed Douglas Fir lumber is required. Which will you use?

*Arch*

4. Are the front platform and steps to be of concrete or of wood construction? If of wood, what is the foundation and framing of them to be?

*XXF*

5. What is the size of the header to be over the picture window in the rear wall of the kitchen?

*6-0*

6. What is the length of the dormer window on the rear of the building to be? Presumably the 2x8 rafters spaced 16" on centers as specified for the main roof will be provided for the dormer roof.

Information to show that compliance with Building Code requirements will be provided in regard to all the above questions is needed before a permit may be issued.

Very truly yours,

Warren McDonald  
Inspector of Buildings

AJS/G

*7/10/50*

P. S. Our inspector reports that the location of the proposed garage was not staked out on the lot for checking at the time he checked the location of the dwelling. Please notify when this has been done so that checking may be made and the permit for the garage issued if everything is found in order.



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #1

Portland, Maine, August 7, 1950

PERMIT ISSUED

AUG 9 1950

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. \_\_\_\_\_ pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 42 Byfield Rd. Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's name and address Philip Askov, Jr., 28 Byfield Rd. Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address C. L. Askov & Son, 29 Read St. Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Plans filed no No. of sheets \_\_\_\_\_  
 Proposed use of building Dwelling No. families 1  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_  
 Increased cost of work \_\_\_\_\_ Additional fee 1.5

### Description of Proposed Work

To excavate and construct foundation for entire building.  
To use 6x8 girder full size - Lally columns 5' O.C.

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation concrete st 16" x 4" below grade, 3" to ledge, 12" cellar Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of living \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

Approved:

Philip Askov

Signature of Owner

Approved:

Inspector of Buildings

FILE COPY

2/21

B



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #2  
Portland, Maine, August 30, 1950

PERMIT ISSUED

SEP 1 1950

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND MAINE

The undersigned hereby applies for amendment to Permit No. 50/655 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 42 Byfield Road Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's name and address Philip Askov, 28 Byfield Road Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address C. A. Askov & Son, 39 Bond Street Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Plans filed \_\_\_\_\_ No. of sheets \_\_\_\_\_  
 Proposed use of building Dwelling No. families 1  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_  
 Increased cost of work 1,200. Additional fee 1.75

### Description of Proposed Work

To finish off two bedrooms and bath on second floor of dwelling—2x3 studs, 16" o.c. and covered on one side with plaster.

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

Approved: \_\_\_\_\_

Signature of Owner by: Philip Askov

Approved: \_\_\_\_\_ Inspector of Buildings

FILE COPY



(RC) RESIDENCE ZONE - C  
**APPLICATION FOR PERMIT**

Class of Building or Type of Structure Third Class

Portland, Maine, May 1, 1950

**PERMIT ISSUED**  
 MAY 11 1950  
 CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect ~~and operate~~ ~~and use~~ the following building structure ~~in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:~~

Location 42 36 Byfield Road (26-40) Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's name and address Philip Aaskov, 28 Byfield Road Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address C. A. Aaskov & Son, 39 Read Street Telephone 4-1335  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans \_\_\_\_\_ No. of sheets \_\_\_\_\_  
 Proposed use of building 1-car garage No. families \_\_\_\_\_  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_  
 Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot proposed dwelling  
 Estimated cost \$ 800. \_\_\_\_\_

**General Description of New Work**

To construct 1-car frame garage 15' x 22'.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO C. A. Aaskov & Son**

**Details of New Work**

Is any plumbing involved in this work? no Is any electrical work involved in this work? yes  
 Height average grade to top of plate 8' Height average grade to highest point of roof 11' 6"  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock?  
 Material of foundation concrete slab Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof Pitch-gable Rise per foot 5" Roof covering Asphalt Class C Und Lab  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Framing lumber—Kind hemlock Dressed or full size? dressed  
 Corner posts 1x4 Sills 1x4 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns' under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor concrete, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x6  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 24"  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 7 1/2'  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

**If a Garage**

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

VED:  
R-5711/50-ags

**Miscellaneous**

Will work require disturbing of any tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Philip Aaskov

SECTION COPY

Signature of owner by: [Signature]



NOTES

5/12/50 - C. & S. says not a table  
5/11/50 - Location O. I. C. & S.  
12/13/50 - All work done & S. S.

Cert. of Occupancy issued

Final Inspn.

Final Notif.

Inspr. closing-in

Notif. closing-in

Date of permit

Owner

Location

Permit No.

50, 61, 2

3/1 C. & S. [unclear]

C. & S. [unclear]

5/11/50

12/13/50

[unclear]

[Large section of the form is crossed out with a large 'X']

1/10/51 [unclear]