

|--|

FIELD INSPECTOR'S COPY

APPLICATION FOR PERMIT

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

AIIC 13 1975

B.O.C.A. TYPE OF CONSTRUCTION	
ZONING LOCATION PORTLAND	MAINE, August 13. 1975 CITY of PORTLAND
To the DIRECTOR OF BUILDING & INSPECTION SERVICE: The undersigned hereby applies for a permit to erect, alter, repenser, equipment or change use in accordance with the Laws of the Zoning Ordinance of the City of Portland with plans and specifications.	sair, demolish, move or install the following blanding, structures, structures
1. Owner's name and address . Tom . Lowell., . sane	Telephone Telephone No. of sheets No. families No. families No. families Telephone Telephone No. families No. families Telephone No. families No. families Telephone Telephone No. of sheets No. families No. families Telephone Telephone No. of sheets No. families No. families Telephone Telephone No. of sheets No. families No. families No. families Telephone Teleph
Masonry Bldg	Stamp of Special Conditions
Other	e installers and subcontractors of heating, plumbing, electri-
PERMIT IS TO BE ISSUED TO	0 1 🖭 2 📋 3 🔲 4 🗍 Other:
DETAILS OF	NEW WORK
Is any plumbing involved in this work?	s any electrical work involved in this work?
IF A G	ARAGE .
at to be account	odated number commercial cars to be accommodated to cars habitually stored in the proposed building?
APPROVALS BY: DATE BUILDING INSPECTION—PLAN EXAMINER ZONING: BUILDING CODE: Fire Dept.: Ifenth Dept.:	Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes
	10 men of 1977 235 0
Type Name of above	Other

CITY OF PORTLAND, MAINE Application for Permit to Install Wires

				Permit No.	5/7	Z
		Portl	and, Maine	Act. 5		. 19.2-2
To the City Electrician	, Portland, Maine:					
The undersigned h tric current, in accordar and the following speci-	nce with the laws (fications:	of Maine, the	Electrical Or	dinance of the (City of Po	ng elec- ortland,
(This)	orm must be com	pletely fiffed	out _ Minin	num Fee, \$1.00))	
Owner's Name and Add	dress Lheru	es for	ech o	Tel.		
Contractor's Name and	Address State	est Mrs. Ilk	showing Po	Tel. 7	772-1	570
Location /4 Claster	long Sol,	Use of	Building			
Number of Families	. Apartmen	ts . S	tores	Number of St	ories .	
Description of Wiring:	New Work	,	tions	Alteratio	ons	
upprocling Son	rice from	10 to 2	Oi. Clips	<u>L</u>		
Pipe Cable .	Metal Molding	BX Ca	ible . P	lug Molding (N	o. of feet)	
No. Light Outlets	Plugs	Light	Circuits	Plug Cit	cuits	
FIXTURES: No.			Fluor, or Str	ip Lighting (No	o. (cet)	
SERVICE: Pipe	Cable	Undergrou	nd N	o. of Wires	Size .	
METERS: Relocated	,	Added	To	otal No. Meters		
MOTORS: Number	Phase	H. P.	Amps	Volts	Starter	
HEATING UNITS:	Domestic (Oil)	No. M	otors	Phase	H.P.	
	Commercial (Oil)	No. M	otors	Phase	H.P.	
	Electric Heat (No.	of Rooms)				
APPLIANCES: No. F	Ranges	Watts	Brand I	Feeds (Size and	No.)	
Elec. H	eaters	Watts				
Miscella	ineous .	Watts	Extra	Cabinets or Par	nels	
unsformers	Air Condition	ers (No. Unit	is) .	Signs (No. U	nits)	
commence	19 Read	y to cover in	. 19	Inspection		19
nt of Fce \$.00		-	+ 1 1	m A	
		Sign	ed <i>Glorres</i>	t mcg	no flore	··
		T WRITE BELOV	V TUIS LINE			
SER	DO NO	JI WRITE BELOV				
VISI'.	METE	R	(GROUND	_	
/	2	3	4	5	6	
REMA	. 8	9	10	11	iż	•
				n	// 9	
C8 305		INS	PECTED BY	They	tel	(OVER)

1



CS 301

INSPECTION COPY

APPLICATION FOR PERMIT

Class of Building or Type of Structure

MAY 6 1972 O491

	Portland, Maine, May 4, 1972	DAY of PURTLAND
To the INSPECTOR OF I	BUILDINGS, PORTLAND, MAINE	EPATE OF A OFFICE LANGE
The undersigned here in accordance with the Laws specifications, if any, submit	by applies for a permit to erect alter repair aemotich ins of the State of Maine, the Building Code and Zoning ted herewith and the following specifications:	Ordinance of the City of Portland, plans and
Owner's seems and add	Ave. Within F	ire Limits? Dist. No
owner's name and address	Thomas J. Lowell, 14 Antak Anthony A	lve, Telephone
Lessee's name and address	***************************************	Talantan
contractor a name and add	ress owner	Telephone
Architect	Specifications	Plans No of sheets
Proposed we of building	Utility_buildizer	. No. families
Last use		No families
MaterialNo. s	toriesStyle of roof	Roofing
Other buildings on same lot	Dwelling	and the state of t
estimated cost \$100.	Canada Daniel Cara	Fee \$3.00

General Description of New Work

To construct 10'x12' utility building

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Owner Details of New Work Is connection to be made to public sewer? _____ If not, what is proposed for sewage? _____ Has septic tank notice been sent? _Form notice sent? ____ Size, front_10!_____depth __12!_____No. stories ___1___solid or filled land?____solid____earth or rock? earth_____ Material of foundation ___concrete_blocks___ Thickness, top _____ bottom_____ cellar __ Kind of roof __pitch _____Rise per foot ____4" ____ Roof covering __asphalt_roofing_Class_C__ No. of chimneys ______ Material of chimneys _____ fuel ____ fuel _____ Framing Lumber-Kind_spruce____ Dressed or full size?__dressed___ Corner posts __4x4____ Sills4x6.... Columns under girders _____ Size ____ Max. on centers ____ Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. 1st floor............, 2rd......., 3rd......, roof, roof Joists and rafters: 1st floor......, 2nd...., 3rd..., roof, roof On centers: Maximum span: _____, 3rd ______, roof _____<u>5</u>t____ If one story building with masonry walls, thickness of walls?_____height?.... If a Garage No. cars now accommodated on same lot......, to be accommodated......number commercial cars to be accommodated...... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... APPROVED: Miscellaneous Will work require disturbing of any tree on a public street?..... Will there be in charge of the above work a person competent o see that the State and City requirements pertaining thereto are observed? yes

Signature of owner

10

(COPY)



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION Lot 5 Anthony Ave.

Issued to R. Risbara Company
175 Diackpoint Road, Scarboro Maine
This is in exertify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 69/1011, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy of use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

One family dwelling house.

Limiting Conditions:

This certificate supersedes certificate issued

R3 REF



APPLICATION FOR PER. ..

Class of Building or Type of Structure Tnird Class Portland, Maine, October 6 1969 007 10 134.

CITY of PORTLAND

o the INSPECTOR OF BUILDINGS, PORTLAND, MAINE	
The undersigned hereby applies for a permit to crect alter	repair demalish install the following building structure equipment
e accordance with the Laws of the State of Maine, the Buildin	g Code and Zoning Ordinance of the City of I whate, providence
2902 to the second that the following Special	incallous:
Lot 5 Anthony Ave.	Within Fire Limits? Dist. No.
R.Risbara Company, 175	Blackpoint Road Scarbaco Me Telephone 883-5528
Twier's name and address	Telephone
essee's name and address	Telephone
Contractor's name and address	Telephone 2
ArchitectSpec	ifications Plans yes No. of sheets 2
Dwelling	No. families
	No, families
Last use $\frac{1}{3}$ View	Style of roofRoofing
Material Traine No. stories	
Other buildings on same lot	Fee \$ _22.00
Estimated cost \$ 11,000	ree §
	ion of New Work

To construct 12-story frame dwelling 24' x 32'.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO HE ISSUED TO owners Details of New Work Is any plumbing involved in this work? Yes Is any electrical work involved in this work? Yes Is connection to be made to public sewer? Yes If not, what is proposed for sewage? Form notice sent? ________ Has septic tank notice been sent? Height average grade to top of plate ______ Height average grade to highest point of roof._____ Size, front 32! depth 24 No stories 1 Solid or filled land? solid earth or rock? sarth Material of foundation concrete Thickness, top 10 tottom 10" cellar yes Height Material of underpinning Kind of roof ______nitch_____Rise per foot ______ Roof covering ____Asphalt Class C Und Label No. of chimneys _____ Material of chimneys brick of lining ____ tile ___ Kind of heat f h Laterius Framing hariber-Kind apruce Corner posts 4x6 Sills 50% Girt or ledger board? Girders 6x10 Size Columns under girders Lally Size 3½" Max. on centers 7'10" Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. ..., 3rd, roof ... Joists and rafters: __, 2nd____16" 1st floor......16" On centers: Maximum span: If one story building with masoury walls, thickness of walls?.... If a Garage No. cars now accommodated on same lot.... , to be accommodated.....number commercial cars to be accommodated.... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... Miscellancous Will work require disturbing of any tree on a public street?_____no APPROVED: Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are

observed? _yes_

Signature of owner

INSPECTION COFY

R.Risbara Company

CITY OF PORTLAND, MAINE Application for Permit to Install Wires

	Permit No. 58369
	Issued 12/4/69
	Portland, Maine
	To the City Electrician, Portland, Maine:
	The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:
	(This form must be completely filled out - Minimum Fee \$1.00)
	Owner's Name and Address & Risbara Conet Co. Tel
	Contractor's Name and Address Perfer but in Tel. Location Anthony Ave Use of Building
	Number of Families / Apartments Stores Number of Stories
	Description of Wiring: New Work Additions Alterations
4.55 19.00	Pipe Cable . Metal Molding BX Cable Plug Molding (No. of feet) No. Light Outlets // Plugs 25 Light Circuits Z Plug Circuits
300	FIXTURES: No. Fluor. or Strip Lighting (No feet)
	SERVICE: Pipe Cable Underground No. of Vires 3 Size 2-3/1-4
750	METERS: Relocated Added Total N 's
	MOTORS: Number Phase H. P. Amps V. Starter
	HEATING UNITS: Domestic (Oil) No. Motors Phase H.P.
	Commercial (Oil) No. Motors Phase H.P.
	Electric Heat (No. of Rooms)
	APPLIANCES: No. Range, Watts Brand Feeds (Size and No.) Elec. Heaters Watts
	Miscellaneous Disposar Watts Extra Cabinets or Panels
	Transformers Air Conditioners (No. Units) Signs (No. Units)
	Will commence 19 Ready to cover in 19 Inspection 19
	Amount of Fo: \$
	Signed Octob Keese
	DO NOT WRITE PLLOW THIS LINT.
	SERVICE GROUND
	VISUTS. 1 2 3 4 5 6
	REMARKS:
	- I for a second a se
	INSPECTED BY July Jecke

29

	LOT!#
CITY OF PORTLAND BUILDING PER	Time Limits Permit Expertion; Public Private Values Group In Inc.
ERMIT # SITY OF POTEING BUILDING	For Official Ose Offi
Figure 51 out any part which apply #10 job. Proper plans bloss account	11/9/87 Namo Namo
Catherine Williams	Yngide Pire Limits
Name	Bidg Code Permit Expansion Public
Address: 14 Anthony Avenue 04103 797-5484 Address: 14 Anthony Avenue 14 Anthony Avenue	Betirrated Coot. Private
LOCATION OF CONSTRUCTION	Value/Structure Fee 55 00
CONTRACTOR: CWINET SUBCONTRACTORS:	The state of the s
- nappegg	Ceiling: 1. Ceiling Jointa Size 2. Ceiling Strapping Size SpacingSpacingSPAFFSIIF-D
ADDRESS: Type of Use: Single family	2. Coiling Strapping Size Spacing Spacing
ADDRESS Est. Construction Cost: 7,000 Type of Use: S. ngle tentry Post Use: Stories is Size:	3. Type Cellings: Size 4. Insulction Type
Past Use: Past Use: Building Dimensions L W Sq.Ft Stories Apartment If Proposed Use: Conversion Explain to construct 26' x 32' garage 1 car Complete Only If the number of units will change Construct Residential Buildings Only: Construct 26' x 32' garage 1 car	5. Ceiling Height.
Bullding Dimensions, L Sq. Ft Apart ment	Span
Tr Principed Use Seasonal Condominating Condominating Control Control	1. Truss or Rafter Size Size Size Size Size Size Size Size
Course Fxolain to construct 26' x 32 garage	3. Roof Covering Type
CONVENIENT OF UNITS WILL CHANGE COTOC (CC)	4, 0000-22
COMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE COMPLETE ONLY IF THE NUMBER OF UNITS	Chimneys: Number of Fire Places
Mostdentiang Units	Heating:
1,000	Type of Heat: Smoke Detector Required Yes,No Service Entrance Size: Smoke Detector Required Yes,No
Foundation: 1. Type of Soil: 2. Set Eacko - Front Rear Side(s)	Service Entrance Size: Smake Discert Av-
2. Set Backs - Front	Plumbing: Yes Yes Yes
4 Thursdation SWO!	a at a circular or showers
6. Other	3 No. of Flushes
will must be unchored.	4. No. of Lavatories 5. No. of O. 10r Fixtures
Floor: 1. Sills Size: Sills must be unchered.	Swimming Pools:
2. Girder Size: 3. Lally Colu: an Spacing: Spacing 16" O.C. Spacing 16" O.C.	
3. Laily Collection Specing 15 4. Ista Size: Size: Size: 5. Pridging Type: Size: Size:	2. Pool Size: X 3. Must conform to National Electrical Code and State Law.
5. Pridging Type: Size: Size:	Zoning: District Street Frontage Req.: Provided Side Side Side Side Side Side Side
6. Floor Steathing Ayro. 7. Other Material:	Required Sotbacks: Front lock
	Review Required:
Exterior Walls: Spacing Spacing	Zoning Board Approval: Yes No Date: Plearing Board Approval: Yes No Site Plan Subdivision
The same of the sa	Shore and Plooders
4. Hoader Sizes Yes No.	Other (Explain) Date Approved
6. Corner Posts Size Size	•
7. Insulation Type Size	Permit Received By Kandi Cotte
9 Siding Type	Oaklania 1 11)11 (10 100) Date 11/9/8/
10. Masonry Materials	Permit Received By Reside Control of Williams Date 11957 Signature of Applicant Catherine of Williams Date
	Signature of CEO Date
1. Stunding Size.	Signature of CEO
2. Hender Sizes Spanto. 3. Wall Covering Type.	Inspection Dates CEO © Copyrigi c (1987
4 Fire Wall il required	
4. Fire Wall it required. 5. Other Materials White-Tax Assessor Ye	ellow-GPCOG White Tag -CEO

- いついたの

· with

PERMIT # CITY OF POLCIAIR BUILDING PE	For Official Use Only
Please fill out any part which applies to job. Froper plans must accompany form.	For Official Use Only
Owner: Braan & Katherine Williams	Date 11/6/87 Fubilitistion Yes / No Name Inrido Fire Limits Lot Bldg Code Time Limit Periol Expiration Estimated Cost / 1000 Ownership Public Value/Structura Private Fig. 105 x / O
14 7-thouse 7-1-700 04102 797-5484	Bldg Code Ullock
Address: 14 AMERICAN AVERUES GATOS STATES LOCATION OF CONSTRUCTION: 14 American Averues	Time Limit Petralic Expiration
LOCATION OF CONSTRUCTION.	ValueStructura Privete
CONTRACTOR: Owner SUBCONTRACTORS:	Foe. 35
ADDRESS:	Calling
Est. Construction Cost: 7,000 Type of Use: SJ 1918 1811 19	1. Cesting Joists Size: 2. Cesting Strapping Size: Spacing
Past Uset	3. Type Cellings:
ADDRES 3: Est. Construction Cost: 7,000 Type of Use: Si ligite family Past Use: Building Dimensions L. W. Sq. Ft. # Stories: Lo. Size: In Proposed Use: Seasonal Condominium Apartment	3. Type Cellings: SIME CANOTICS SUED 5. Celling Height:
Y Proposed Use: Seasonal Condominium Apartment	Roce: 1. Trussor Rafter Size Span NOV 10 1987 2. Spanhjug Type Size
Conversion - Explain to constant 26' x 32' canage 1 car	1. Trus or Rafter Size Span VOV 2001 2. Sheathing Type Size
Conversion - Explain	3. Foof Covering Type City Of Portional 4. Other
COMPLETE ONLY IF THE NUMBER OF UNITS WILL GRANGE	
Residential Buildings Only: # Of Dwelling Units # Of New Dwelling Units	Chimneys: Type: Number of Fire Places
Foundation:	Heating: Type of Freat:
1. Type of S /il: 2. Set Backs - Front Rear Side(s),	Electrical: Service Entrance Size: Smoke Detector Required Yes_No_
3. Pootingr Size:	
5. Other	Plumbing: 1. Approval of sail test if required Yos No. 2. No. of Tubs or Shawers
,	3. No. of Flushes
Floor: 1. Sills Sizor S lls must be anchored.	4 No of Laustories
2. Girder Size: 3. Lelly Column Spacing. 4. Joists Size: 5. Bridging Type: 6. Floor Sheathing Type: Size: Slace: Size: Size: Size: Size:	₹ 5. No. of Other F) (tures Swimming Pools:
3. Lally Column SpacingSize:Specing 16" O.C.	1. Type:
4, Joista Size: 5 Bridging Type: Size:	T: Type: 2. Po il Si e
6. Floor Sheathing Type: Size:	Zoulor 'S Anna o Marchan Electrical Code and State 2500
7, Other Material:	Zoning: District X-2 Stree Frontage Req. Provided Required Schbacks Front Back Side Side
Exterior Walls:	Required Setbacks Front Back Slace
1 Studding Size Stracing	Review Required: Zeni g Board Approval: Yos No Date: Plenning Board Approval: Yos No Date: Conditional Use Variance Site Flan Subdivision. Shore and Floolplain Mgmt. Special Exception Other (Explain) Date Special Exception
9 No windows	Plenning Board / pp oval: Yes No Date:
3. No. Doors	Conditional Use Variance Site Plan Subdivision
5. Bracker: Yes No.	Shore and Flooplain Mgmt special Exception
6. Corner Posts Size Size Size	Other Carpet of the Control of the C
7. Insulation TypeSize	Timio Approved.
8. Sheathing Type Size	
7. Insulation Type 8. Sheathing Type 9. Siding Type We shor Exposure	Permit Received By Randi Cote
10. Masonry Materials 11. Metal Materials	Signature of Applicant and a set of section of Date will T
Y. A. a. Jan Wallet	
1. Studding Size Speci sg Spec	Signature of CEO Date
2. Header Sizes Span(s)	Signature of CEO
3. Wall Covering Type	Y Dobe
5. Other Materials	Inspection Dates CPCCC 1987
5. Other Materials White-Tax Assesor Yello	w-GPCOG White Tar CEC Copyright GPCOG 1987

OT PLAN	N A
FEES (Breakdown From Front)	Inspection Record FILITYPE B Pate SE
Base Fee \$	
Other Fees \$	
OMMENTS OMPLETED ON BC	CORDING TO PLAN.
COMPLETED ON AC	
AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	Date 1//9/87

912442) Permit #City of Portland BUILDING PERMIT APPLICE Please fill out any part which applies to job. Proper plans must accompany form.	
Owner: Brian & Catherine Williams Phone 797-5484 Address: 14 Anthony Ave., Portland, ME 04103Call while ready LOCATION OF CONSTRUCTION 14 Anthony Avenue Contractor: Damon & Malone Construction & Falmouth Foundations 6 Stagecoach Rd., Falmouth Address: 227 Congress St., Portl Phone 775-6605	For Official Use Only Subdivision: Date March 22, 1991 Name MAR 2 9 1991 Inside Fire Limits Line Bldg Code Cweerahip: Charles Code Charles Ch
Est. Construction Cost; \$6,000.00 Proposed Use: Single Family Past Use: Same # of Existing Res. Units # of New Res. Units Building Dimensions L W Total Sq. Ft. # Stories: # Bedrooms Lot Size: Is Proposed Use: Seasonal Condominium Conversion Explain Conversion Construct foundation 24'x28' and cap over,	Zoning: Street Frontage Provided: Provided Setbacks: Front Back Side
as per plan. Addition. Foundation: 1. Type of Soil: 2. Set Backs - Front Rear Side(s) 3. Footings Size: 4. Foundation Size: 5. Other Floor: 1. Sills Size: Sills must be anchored. 2. Girder Size: 3. Lally Column Spacing: Size: 4. Joints Size: Spacing 16" O.C. 5. Bridging Type: Size: 6. Floor Sheathing Type: Size: 7. Other Material:	1. Ceiling Joists Size: 2. Ceiling Strapping Size 3. Type Ceilings: 4. Insulation Type 5. Ceiling Height: 1. Truss or Rafter Size 2. Sheathing Type 3. Roof Covering Type Chimneys: Type: Number of Fire Places Size Size Size Size Size Approved. Approved. Approved. Approved. Approved. Size Span Action: Approved. Approved. Size Sovice Entrance Size: Smoke Detector Realized Yes No
Exterior Walls: 1. Studding Size	Plumbing: 1. Approval of soil test if required Yes No 2. No. of Tubs or Showers 3. No. of Flushes 4. No. of Lavatories 5. No. of Other Fixtures Swimming Pools: 1. Type: 2. Pool Size: x Square Fact age 3. Must conform to National Electrical Code and State Law. Permit Peceived By Joyce Mar Ringdow ED Signature of Applicant Applicant Application Signature of CEO Date
6. Other Materials White-Fax Assesor Yellow-GP	Inspection DatesCOG White Tag -CEO

1 1 1 1

Inspection Services Samuel P. Hoffses Chief Planning and Urban Development Joseph E. Gray Jr. Director

CITY OF PORTLAND

March 24, 1992

Mr. Brian Williams 14 Anthony Ave. Portland, ME 041(13

re: 44 Anthony St. VGreat Outdoor Lawn Care, Inc.

Dear Mr. Williams:

City of Portland zoning rules require a Change of Use permit for a home-based occupation.

You may make application for such permit in Room 315, Portland City [Hall, 389 Congress St.

You are requested to make such application within five working days of receipt of this letter; or immediately discontinue conducting business at 14 Anthony St.

Sincerely,

Pivitor MacIsoac

Burton MacIsaac Code Enforcement Officer. P. Samuel Hoffises, Chief Inspection Services

lec

389 Congress Street · Portland, Maine 04101 · (207) 874-8704

City of Portland BUILDING PERMIT APPLICATION Feesso on Zone Please fill out any part which applies to job. Proper plans must accompany form. Owner: Brian & Catherine Williams Phone # 797-5484 For Official Use Onl Address: 14 Anthony Ave., Portland, ME 04103 Call when neady LOCATION OF CONSTRUCTION 14 Anti-American Inside Fire Limits __ Contractor Darron & Malone Construction & Falmouth Foundations Bldg Code CITY OF PORTLAND Estimated CostSIS 000 00 Est. Construction Cost: S6,000 00 Proposed Use: Single Family Street Frontage Provided: Provided Setbacks: Front_ # of New Res. Units_ Building Dimensions L Zoning Board Approva: Yes No Date Zoning Board Approval: Yes____ No___ Planning Board Approval: Yes___ No___ Variance___ __ No____ Site Plan Shoreland Zoning Yes___ No__ Floodplain Yes_ Is Proposed Use: Seasonal Condominium Special Exception_ Other (Explain) Explain Conversion Construct foundation 24'v28' and can over as per plan. Addition. HISTORIC PRESERVATION Foundation: 1. Ceiling Joists Size: 2. Ceiling Strapping Size 1. Type of Scil: 2. Set Backs - Front_ Side(s) 3. Type Ceilings: 3. Footings Size: 4. Insulation Type 4. Foundation Size: Requires Review. 5. Ceiling Height: 50 02 **************** 5. Other 1. Truss or Rafter Size 2. Sheathing Type ____ 3. Roof Covering Type continued with Concident 1. Sills Size: Sills must be anchored. Chimneys: 2. Girder Size 3. Lally Column Spacing 4. Joists Size: Heating: 5. Bridging Type: Type of Heat: 6. Floor Sheathing Type: Electrical: 7. Other Material: Service Entrance Size: Smoke Detector Required Yes Plumbing: **Exterior Walls:** 1. Approval of soil test if required 1. Studding Size 2. No. of Tubs or Shewers 2. No. windows 3. No. of Flushes 3. No. Doors 4. No. of Lavatoric 4. Header Sizes 5. No. of Other Fixture 5. Bracing: Swimming Pools: 6. Corner Posts Size 1. Type: _____ 2. Pool Size : 7. Insulation Type Square Footage 2. Pool Size: x Square Foot
3. Must conform to National Electrical Code and State Law. 8. Sheathing Type 9. Siding Type
10. Masonry Materials
11. Metal Materials Permit Received By Joyce M. Rinaldi PERMIT ISSUED Signature of Applicant Interior Walls: 1. Studding Size 2. Header Sizes_ Signature of CEO 3. Wall Covering Type 4. Fire Wall if required Inspection Dates 5. Other Materials White-Tax Assesor Yellow-GPCOG @Copyright GPCOG 1988

PLOT PLAN		. N
	• .	
		'
FEES (Breakdown From Front) Base Fee \$ 50.00 Subdivision Fee \$	Foundatione Inspe	ction Record 1 Date 91 1 7 91 1 1 1
OMMENTS		
	-	

BUILDING PERMIT REPORT

ADDRESS: 14 ANThon) Ave. DATE: 29/mor/a
REASON FOR PERMIT: 24/ x28/ Foundation only-will
be Capped.
BUILDING OWNER: WILLIAM S.
CONTRACTOR: Damon & Malone Const.
PERMIT APPLICANT: 1/
APPROVED: $\frac{*}{-}$
CONDITION OF APPROVAL:

- 1.) Before concrete for foundation is placed, approvals from Public Worker and Inspection Services must be obtained.
- 2.) Precaution musc be taken to protect concrete from freezing.
 - 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
 - 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessable location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
 - 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
 - 7.) All single and multiple-scation smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 74).

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fireresistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.
- 9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any
- 10.) Section 25-135 of the Municipal Code for the City of Portland states:
 "No person or utility shall be granted a permit to excavate or open
 any street or sidewalk from the time of November 15 of each year to April 15 of the following year.
- 11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

P. Samuel Hoffses
Chief of Inspection Services


11/16/88 11/27/90 Parks/Public Works 55 Portland Street Portland, Maine 04101

The undersigned hereby requests permission to install additional water meter(s) in accordance with Section 322.60 of the "Municipal Code of the City of Portland, Maine"

It is understood that all expenses related to the purchase, installation and maintenance of the meter(s) is to be horne by the applicant.

TO:	ΒE	С	0	М	Р	L	Ε	T	Ε	D	В	Y	Α	P	P	L	I	C	Α	N	T	S
-----	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Address where sub-meter is requested 14 ANTHONY ANE, PORTLAND, MIE 04103
Aproperty owner's name BRIAN K. & CATHERINE A. WILLIAMS
WTax Map Reference (On Real Estate Tax Bill) 172-E-2-3 RAY ST 38 (extension No) WProperty Owner's address SAME
Mercon to be contacted to schedule inspections (ATHY UNIVIAMS 774-8871 (W) (Name and Telephone Number)
Hortland Water District Account No. (On bill) D-10-02807
XBilling Name & Addres (On bill) BRIAN K. WILLIAMS 14 ANTHONY AVENUE PORTANO, ME. 04103 -4302
Location and size existing Portland Water District Service Meter 5/8" Nepture in tront-
right corner of basement.
Proposed location and size of sub-meter 5/8" Sub-meter to be "Piggy-
backed" above the existing main (see reverse, upper-
will a remote reading register be utilized? NO (YES) (If yes, state location Front
laft corner of house, near
Description of proposed changes in plumbing required for sub-metering: L. Cut & ISolate
sillcock & stop + waste valve. 2. Plug cut line serving tub,
washer turnace etc. 3. Plumb new line from sillcock to
Submeter. 4. Flumb in New Submeter. The volume of water to be submetered can be shown not to enter the sewerage system by virture
of its use for: watering large garden plus complete new lawn to be
installed in spring. Frequent washing of vehicles and
to isoat coming out of Salt waiter
I certify the above infermation is true and correct.
X Bruss K Williams X 2/25/88
Signature
Paulinal 12-20-95
Revised 12-30-85 5/23/88



TO BE COMPLETED BY PUBLIC WORKS

Pre-installation	inspection by F	rank Brancely	
•	on 2	9 February 1988	7. 1
Automatic reading	system requested		
		7.	· it is the
M A Wairts	BA NE	Back Flow Preventer or equal shall	be .
installed on the	ie outside s	ill cock hosebibb at (A)	above.
Application	Approve	d Denied	
Conments		· · · · · · · · · · · · · · · · · · ·	,
Danie Tari			
i i		. "	
	,		APPLACE SUBMINE
3, 2 1 1 1 3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1	,	The second secon	
	1	A CONTRACTOR OF THE PARTY OF TH	
י אים פור אויין א			Caralian Language
TUBE	COMPLETED		ECTOR
		그 그 그는 그는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	3 7 13 14 " " march
			2 . 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Shell in things	ion of the contract		•
An inspect	ion of the complet	red installation of the sub-motoring	
WILL CHITS OFFITTONE	LUN Was conducted	ted installation of the sub-metering s	
WILL CHITS OFFITTONE	nspector of the Ci	on 5/20/88 by or Portland.	
Chief Plumring I	nspector of the Ci	on 5/20/88 by or Portland.	
Chief Plumring In	nspector of the Ci	on 5/20/88 by of Portland.	
Chief Plumring In	nspector of the Ci	on 5/20/88 by of Portland.	
Chief Pluming I	nspector of the Ci	ted installation of the sub-metering son 5/20/88 by of Portland. The sub-metering so by th	system approved Ernold R. Goodyin
Chief Pluming I	nspector of the Ci	on 5/20/88 by of Portland.	system approved Ernold R. Goodyin
Chief Pluming I	nspector of the Ci	ted installation of the sub-metering son 5/20/88 by of Portland. The sub-metering so by th	ystem approved Ernold R. Goodyin
Chief Plumring In The sub- No cross The inst	retering system was connections were allation is	on 5/20/88 by or Portland. as installed as approved found approved dis-approved	ystem approved Ernold R. Goodyin
Chief Plumring In The sub- No cross The inst	nspector of the Ci	on 5/20/88 by or Portland. as installed as approved found approved dis-approved	system approved Ernold R. Goodwin
Chief Plumring In The sub- No cross The inst	retering system was connected aspector of the Cincetions were allation is	installation of the sub-metering son 5/20/88 by try of Portland. as installed as approved found approved Ernold Goody dis-approved	system approved Ernold R. Goodwin
Chief Plumring In The sub- No cross The inst	retering system was connections were allation is E C O M P L E T	installation of the sub-metering son 5/20/88 by try of Portland. as installed as approved found approved Ernold Goody dis-approved	system approved Ernold R. Goodwin
The sub- the following In The sub- the cross The inst TO B Date subjector se Subjector agroup	retering system were allation is E C O M P L E T	installation of the sub-metering son 5/20/88 by try of Portland. Installed as approved found approved Ernold Goody dis-approved ED BY THE WATER DIST!	System approved Ernold R. Goodyin
The sub- tio cross The inst To B Date sub-eter se Submeter ration Submeter rate as Submeter rate as	metering system was connections were allation is E C O M P L E T Old I manuar Wi number Strict reagings	installation of the sub-metering son 5/20/88 by try of Portland. Is installed as approved found approved Ernold Goody dis-approved ED BY THE WATER DIST!	system approved Ernold R. Goodwin
Chief Plumring In The sub- No cross The inst TO B Date subvetor se Subvetor recommended as invotor recommended in the subvetor recommende	metering system was connections were allation is E C O M P L E T and a manner and number and numb	installation of the sub-metering son 5/20/88 by try of Portland. Its installed as approved by approved Ernold Goody installed as approved installed as approved by approved Ernold Goody installed as approved by approved by approved Ernold Goody installation of the sub-metering so by the sub-met	System approved Ernold R. Goodyin
Chief Plumring In The sub- No cross The inst TO B Date subvetor se Subvetor rate at	metering system was connections were allation is E C O M P L E T old in manner with number connection readings connection into con contered into con contered into con contered into con contered into con	installation of the sub-metering son 5/20/88 by try of Portland. Is installed as approved found approved Ernold Goody dis-approved ED BY THE WATER DIST! 4/21/88 D-10-102807 5/25/38	System approved Ernold R. Goodyin
Chief Plumring In The sub- No cross The inst TO B Date subvetor se Subvetor recommended as invotor recommended in the subvetor recommende	metering system was connections were allation is E C O M P L E T old in manner with number connection readings connection into con contered into con contered into con contered into con contered into con	installation of the sub-metering son 5/20/88 by try of Portland. Its installed as approved by approved Ernold Goody installed as approved installed as approved by approved Ernold Goody installed as approved by approved by approved Ernold Goody installation of the sub-metering so by the sub-met	System approved Ernold R. Goodyin
Chief Plumring In The sub- No cross The inst TO B Date subvetor se Subvetor rate at	metering system was connections were allation is E C O M P L E T old in manner with number connection readings connection into con contered into con contered into con contered into con contered into con	installation of the sub-metering son 5/20/88 by try of Portland. Is installed as approved found approved Ernold Goody dis-approved ED BY THE WATER DIST! 4/21/88 D-10-102807 5/25/38	System approved Ernold R. Goodwin
Chief Plumring In The sub- No cross The inst TO B Date subvetor se Subvetor rate at	metering system was connections were allation is E C O M P L E T old in manner with number connection readings connection into con contered into con contered into con contered into con contered into con	installation of the sub-metering son 5/20/88 by try of Portland. Is installed as approved found approved Ernold Goody dis-approved ED BY THE WATER DIST! 4/21/88 D-10-102807 5/25/38	System approved Ernold R. Goodyin



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Date

Receipt and Permit number 3 Tothe CHIEF ELECTRICAL INSPECTOR, Portland Maine: The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine; the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 14 Anthony St.

OWNER'S NAME: Brian Williams ADDRESS: FEES OUTLETS: Receptacles 30 Switches 10 Plugmold FIXTURES: (number of)
Incandescent 6 Flourescent (not str _ f., TOTAL <u>40</u>_ ___ (not strip) TOTAL __ ft. Strip Flourescent SERVICES: Underground X Temporary TOTAL amperes 200 .. Overhead METERS: (number of) 1 MOTORS: (number of) Fractional ____ 1 HP or over______RESIDENTIAL HEATING: Oil or Gas (number of units) Electric (number of rooms) ____.
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) ____ .. Oil or Gas (by separate units) Electric Under 20 kws _____APPLIANCES: (number of) __Over 20 kws Water Heaters Ranges Cook Tops Disposals Wall Ovens Dishwashers Compactors Dryers ... Onters (denote) Fans TOTAL MISCELLANEOUS: (number of)
Branch Panels 4.00 Branch Panels Transformers Air Conditioners Central Unit Signs 20 sq ft. and under _____ Over 20 sq. ft. Swin ming Pools Above Ground _____.... In Ground ______
Fire/Burglar Alarms Residential ____ Commercial ____ Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _ over 30 amps_ Circus, Fairs, etc. Alterations to vrives Repairs after fire Emergency Lights, battery_ Emergency Generators_ FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE:

Will be ready on Vic 9/19 9 or Will Call for rest

CONTRACTOR'S NAME: Denn is A. Smith, Elect

ADDRESS: 9 Sulli van Dr- Gorham

TEL: 339W4026

JASTER LICENSE NO.: #03939

SIGNATURE OF CONTRACTOR:

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

INSPECTIONS:	Service 7-19-94 by B Service called in 10.45 Am Closing-in 9-9-94 by SB Closing-in 9-9-94 by SB
PROGRESS IN	Service Called in 1947-118 Service called in 1947-118 Permit: Application Research Page No. Comp. Permit: Application Research Page No. Comp. Permit: Application Research Page No. Comp.
DATE:	REMARKS:
, -	

.क्षात्रभाग्नाः भाग्याः ।

Permit 9 40 6t 0 Portland BUILDING PERMIT APPLICA	ATION Fee 255,00 Zone Map # Lot#
Please fill out any part which applies to iob. Proper plans must accompany form.	
Address: Brian & Cathy Williams Phone # 797-5484 Address: 14 Anthony Ave Ptld, ME 04103 LOCATION OF CONSTRUCTION 14 Anthony Ave Contractor: Clifford Beane Sub.: Address: Phone # 854-4020 - Cliff	Pate 17 June 1994 Subdivision: Inside Fire Limits Lot Ownership Tune Lamt Estimated Cost Cost Ownership
Est. Construction Cost: 47,000.00 Proposed Use: 1-fam w/addition Past Use: 1-fam Fast Use: 1-fam For Existing Res. Units For New Res. Units For Indian Sq. Ft. Building Dimensions L W Total Sq. Ft. Stories: # Bedrooms Lot Size: Is Proposed Use: Seasona' Condominion Conversion Explain Conversion Construct Addition as per plans	Zoning: Street Frontage Provided: Provided S.atbacks: Front Review Required: Zoning Board Approval: Yes No Date: Planning Board Approval: Yes No Date: Conditional Use:
172-E-001 Foundation: 1. Type of Soil: 2. Set Backs · Front Rear Side(s) 3. Footings Size: 4. Foundation Size: 5. Other	1. Ceiling Joists Size: 2. Ceiling Strapping Size 3. Type Ceilings: 4. losulation Type 5. Ceiling Height: 1. Ceiling Joist Size: Spacing Does not require review. Size: Requires Strates. Size: Size:
Floor: 1. Sills Size: 2. Girder Size: 3. Lally Column Spacing: 4. Joists Size: 5. Eridging Type: 6. Floor Sheathing Type: 7. Other Material:	S. Roof Covering Type Chimneys: Type: Number of Fire Places Signatury Type of Heat: Electrical: Service Entrance Size: Smoke of Required Yes No
Exterior Wallet	1. Approval of sail test is required 2. No. of T. i., 'Shewers 3. No. of Flushes 4. No. of Lavatories 5. No. of Other Vixtures Swimming Pools: 1. Type: 2. Pool Si.e: 3. Must conform to National Electrical Column of State Law. Permit Received By Macy Gresik
Interior Walls: 1. Studding Size Spacing 2. Hender Sizes Spants 3. Wall Covering Type 4. Fire Wall if required 5. Other Materials White - Tax Assessor	Signature of Applicant Date 17 June 1994

ر زيري

940605	·
Permit * City of Portland BUILDING PERMIT APPLIC Please fill out any part which applies to job. Proper plans must accompany form.	CATION Fee 255.00 Zone Map # Lot#
Owner: Brian & Cathy Williams Phone # 797-5434	
Address: 14 Anthony Ave Ptid, ME 04103	For Official Use Only
LOCATION OF CONSTRUCTION 14 Anthony Ave	Subdivision:
CONSTRUCTION 14 ANCHORY AVE	Inside Fire Limits Name JOP
Contractor Clifford Beane Sub:	Bldg Code
Address:Phone # 854-4025 - C1tff	Time Limit Estimated Cost Private
Est. Construction Cost: 47,000.00 Proposed Use: 1-fam w/addition. Past Use: 1-fam	Zoning
# of Existing Res. Units # of New Res. Units	Street Frontage Provided: Provided Setbacks: Front BackSideSide
Building Dimensio, as L W Total Sq. Ft	Review Required: Zoning Poard Approval: Yes No Date:
# Stories: # Bedrooms Lot Siz v:	Planning Roard Approval: Ves No Date:
Is Proposed Usc. Seasonal Condominium Conversion	Conditional Use: Variance Site Plan Subdivision
Explain Conversion Construct Addition as per pilans	Shereland Zoning Yes No Floodplain Yes No Special Exception Other (Explain) Celling: HISTORIS PRESERVATION
	(Explain)
!72-E-001 Foundation:	Celling: HISTORIL PRESERVATION
1 100	1. Ceiling Joists Size Spacing Revin Matrict nor Landmark
2. Set Backs - Front Rear Side(s)	3. Type Ceilings: Does nittedure revive.
3. Footings Size: 4. Foundation Size: 5. Other	4. Insulation Type Size Require Review. 5. Ceiling Height: Received Receiv
5. Othc.	
Floor:	1. Truss or Rafter Size Sparaction: Approved with factions 2. Sheathing Type Size Size
1 Sills Size: Sills must anchored. 2. G. der Size: Sills must	3. Roof Covering Type
3 Lally Column Specing	Chiznneys: Type. Number of Fire Places Signatury.
4. Joists Lize: Gpacing 18' O.C.	Heating:
4. Joists Cize: Size: Spacing 15 O.C. 5. Bridging Type: Size. 6. Floor Sheathing Type: Size: 7. Other Material:	Type of Heat:
7. Other Material:	Service Entrance Size: Smoke Detector Required Yes No
Exterior Walls:	Plumbing: J. Approval of soil test if required Yes No
1. Studding Size Spacing 2. No. windows	2. No. of Tubs or Showers
3. No. Docts	4. No. of Lavatories
4. Header Sizes Span(s) Span(s) No.	3 No. of Flushes 4. No. of Lavatories 5. No. of Other Fixturea Swimming Pools: 1. Type: 2. Pool Size: 3. Must conform to National Hickingal Collegant State Law.
6. Corner Posta Size 7. Insulation Type Size 8. Sheathing Type Size	1. Type:
8. Sheathing Type Size	2. Pool Size : X Square Footage
8. Sheathing Type Size 9. Siding Type Weather Exposure	
10. Masonry Materials 11. Metal Materia	Permit Received By Mary Gresik
In erior Walls:	2. Pool Size: 3. Must conform to National Electrical Confequent State Law. Permit Received By Mary Gresik Date 17 June 1994 CEO Bearn
1. Studding Size Spacing 2. Header Sizes Span(s)	Kathy Williams
3. Wall Covering Type	TO STATE OF THE PARTY OF THE PA
5. Other Materials	CEO Manto Eathy Williams CONTINUED TO REVERSE SIDE
White - Tax Assessor	Ivory Tag - CEO

THE PROPERTY OF THE PROPERTY O

7-20-94 Foundatookings 8-23 94 - Framing OK Rotter 2x6 + author their 8-31-94 Plumbing - OK, Rough in - will mail in permit Fez 3-20-95 Looks completed (call) 4.5-95 XType 5/3" Cillugabar gover / weds to brick up cosemulander 9-15-95 - Fort some tubes dear to pour 2-15.96 - "Tate Rec Final 8-26-96 - Close

Reason for Permit 70 Construct an addition

Building Permit Report

Date 22/June/94

Reason for Permit 70 Construct an addition

Bldg.Owner: William ?

Contractor: Chifford Beane

Permit Applic. 1: CWNIC

Approval: X X 7 X 9 X 9 X 11 X 13 X 12 X 14 CONDITION OF APPROVAL:

- 1. Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection).
 - 2. Precaution must be taken to protect concrete from freezing.
 - 3. It is strongly recommended that a register land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 4. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hr., including fire doors with selfclosers.
 - 5. Each apartment shall have access to (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 6. The boiler shall be protected by enclosing with one (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible locations between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
 - 7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of special knowledge or separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping room must have minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq.ft.
 - 8. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code 919.3.2 (BOCA National Building Code 1993), and NFPA 101 Chapter 18 & 19.

9. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by Fire Partitions and floor/ceiling assembly; lies which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BCC./1993).

10. Guardrails & Handrails - A guardrail system is a system of building components located near the oper sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fell from the walking surface to the lower level. Minimum height all Use Group 42", except Use Group R which is 36". In occipancies in Use Group A, B,/H-4, II, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

11. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. 1024.0 of the City's building code (The BOCA National Building Code/1993).

212. Stair construction in Use Group R-3, R-4 is a minimum of 9" tread and 8-1/4" maximum rise.

13. Headroom in habitable space is a minimum of 7'6".

14. The minimum headroom in all parts of a stairway shall not be less than 80-68

15. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of sum disposal must be furnished to the office of Inspection Services before final certificate or occupancy is issued or demolition permit is granted.

16. Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".


17. The builder of a facility to which Section 4594-C of the laine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.


Sincerely

The second

P. Samuel Horfses Chief of Inspections

/dmm 01/14/94 (redo w/additions)





BEAN E CATHY WILLIAMS IN ANTHONY AVENUE PORTLAND, ME DYIGS

Department of Human Services Division of Health Engineering (207) 289-3826 PROPERTY ADDRESS "对外文"不是 TOWN COPY BO 742 Owner/Applicant Statement Caution: Inspection Required rthat the information submitted is correct to the best of my e and understand that any falsification is rear on for the Local PERMITINFORMATION Plumbing To Be Installed By: This Application is for Type Of Structure To Be Served: 1. DAMASTER PLUMBER 1. DESINGLE FAMILY DWELLING 1. DINEW PLUMBING 2.

OIL BURNERMAN 2 I MODULAR OR MOBILE HOME 2.

RELOCATED 3.

MFG'D. HOUSING DEALER/MECHANIC PLUMBING 3.

MULTIPLE FAMILY DWELLING 4.

□ FUBLIC UTILITY EMPLOYEE 4. I OTHER SHECIFY _ 5. PROPERTY OWNER LICENSE # LCI 21 EICO Hook-Up & Piping Relocation Maximum of 1 Hook-Up Column 1 Type of Fixture Column 2 Type of Fixture Num'øer Number Bathtub (and Shower) Hosebibb / Sillcock HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by Floor Drain Shower (Separate) the local Sanitary District. Sink Urinal OR Wash Basin Drinking Fountain HOOK-UP: to an existing subsurface vastewater disposal system. Viater Closet (Toiler) Indirect Waste Cicthes Washer Water Treatment Softener, Filter, etc. Grease/Oil Separator Dish Washer PIPING RELOCATION: of sanitary lines, drains, and piping without Denta_i Cuspidor Garbage Disposal new fixtures. Laundry Tub Number of Hook-Ups Water Heater & Relocations Fixtures |Subtotal) Fixtures (Subtotal) Column 2 Hook-Up & Relocation See Flytures (Subtotal) SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE Fixture Fee (4) Hook-up & Relocation (ce Page 1 of 1 HHE-211 Rev. 9/86

TOWN COPY