

PERMIT TO INSTALL NUMBING MUMBING

Address

Installation For:

Owner of Blog.

Mrs. Peter C. Stockholm

Owner's Address:

Plumber: Portland Gas Light Company Date:

CIALLY.

PROFOSED MISTALLATIONS

Ref. 11986 PERMIT NUMBER JOSEPH P. WELCH BY TYPE OF BUILDING

OF COMMERCIAL

RESIDENTIAL

SINGLE

MULTI FAMILY

DIREMODELING

REMODELING

PC \$ 2.00 PORTLAND HEALTH DEPT. PLUMBING INSPECTION TOTAL \$ 2.00

PERMIT TO INSTALL PLUMBING Own ir of Bldg : Th 5INKS LAVATORIES TOILETS BATH TUBS SHOWERS SHOWERS

DRAINS

DRAINS

HOT WATER TANKS

HOT WATER TANKS

TANKLESS WATER HEATERS

GARBAGE GRINDERS

SEPTIC TANKS

SEPTIC TANKS

ROOF LEADERS I Conn. to house droin) DRAINS

DRAINS

DRAINS

DRAINS


TANKESS W

T PLUMBING INSPECTION TOTAL

.

e deser


2






FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT





To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to install the following heating, cooking or bower equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: Location 172 Braddely St. Use of Building dwelling Name and address of owner of appliance andrew Molbeck 172 Braddley No. Stories 12 Kow Ruiding Existing Installer's name and address Randall MacAllister 84 Commedical St. Telephone 3-29411 General Description of Work To install organil Tamken Oil burner in connection with existing steem heat IF HEATER, OR POWER BOILER Location of appliance or source of heat If wood, how protected? Type of floor beneath appliance . Kind of fuel From top of smoke pipe From front of appliance . From sides or back of appliance Size of chimney flue . Other connections to same flue If gas fired, how vented? the second secon Rated maximum demand per hour IF OIL BURNER Name and type of burner Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom...... Labelled by underwriters' laboratories? . yes Type of floor beneath burner concrete Location of oil storage ... basement ... Number and capacity of tanks 1-275 gal. If two 275-gallon tanks, will three-way valve be provided? Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed? Total capicity of any existing storage tanks for furnace burners?... None.... Location of appliance. Kind of fuel Type of floor beneath appliance If wood, how protected? Minimum distance to wood or combustible material from top of appliance From front of appliance From sides and back From top of smokepipe From top of smokepipe Other connections to same flue Is hood to be provided? If so, how vented? If gas fired, how vented? Rated maximum demand per hour MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION and the second s Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.) Will there be in charge of the above work a person competent to see that the Strte and City requirements pertaining thereto are observed? yes Signature of Installer

INSPECTION COPY

Randall Middlistor Co.

original ERMIT ISSUED



AMENDMENT TO APPLICATION FOR PERMIT 7 1985

Portland, Maine, To the INSPECTOR OF EUILDINGS, PORTLAND, MY. The undersigned hereby applies for an amendment to Permit No. 26/411 pertaining to the building or structure comp ised in the original application in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specification, if any, subnitted herewith, and the following specifications: ._With the Fire Limits?_ Location 168 Pradley Street Owner's of Lessee's name and address Deoring Loan & Building Assoc. 848 Forest Ave Contractor's name and address E. G. Johnson Co., 20 Free Street Plaus filed as part of this Ar. adment_yes Increased cost of work 400 . Description of Proposed Work To build a two car garage 18' x 20' instead of one one garage 12' x 20' as originally given. Height average gives to highest point 16' - top of plate 9', foundation ceder posts patch roof rise 's to foot, Asphalt roofing Class C.Und. Lab.; corner posts 644, sills 4x5, floor joists 2x6, 16" OC, 9' open, 4x6 girders 10' span, rafters 2x6 2' OC both private cars Deoring Lot 1 & Building Assect. By 8, 0. Johnson Co.

PATERIANT GOOFPANYING APPLICATION FOR BUILDING PERMIT

for one car frame garage . .

In whose name is the title of the property now recorded? Deering boand Bld. Asse are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how?

3. Is the outline of the proposed we'r now staked cut upon the ground? 65. If not, will you actify the Inspectic. Office when the work is staked out and before any of the work is commenced?

4. What is to be maximum projection or overhang . eaves or drip? /2

5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections?

6. Do you assume full r sponsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building?

7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?



APPLICATION FOR PERMIT

Class of Building or Type of Structure____ Portland, Maine, April 13, 1976 To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted here with and the following specifications:

Location 168 Bradley Street Ward 8 ... Within Fire Limits? no __Dist. No.____ Owner's or Lessee's name and address Deering Loan & Building Assoc. 648 Forest Archephone. Contractor's name and address. E. G. Johnson Co., 20 Free St. Telephone 4-1983 Architect's name and address____ Proposed use of building 1 car garage Other buildings on same lot. 1 family dwelling house Plans filed as part of this application? _____yes No. of sheets. Estimated cost \$ 250. Description of Present Building to be Altered Material_____No. stories_____Ileat_____Style of roof_______ofing_____ No. families

General Description of New Work

To erect one car frame garage 12 x 20&

NOTIFICATION BELOILE IN IT OR CLOSING-IN IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately the heating contractor.

Details of New Work Size, front 12 depth 20 No. stories 1 Height averag , rade to highest point of roof 324 in Height average grade to top of plate______10 ___carth or rock?____oarth Material of foundation ceder posts or concrete piers
Thickness, top_ bottom Material of underpinning. _____ Height ____ Thickness. ___

Kind of Roof pitch Rise per foot 5" Roof covering rephalt roofing Class C Und. Lab. No. of chimneys no Material of chimneys of lining. Kind of heat ro Type of fuel Is gas fitting involve!? Corner posts 4x4 Sills 4x6 Girt or ledger board? _____Size_____ Material columns under girders____ ____Size_____Max. on centers____ Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof Joists and rafters:

On centers: 1st floor_______, 2nd_______ Maximum span: ______, 3rd________, roof_____ If one story building with masonry walls, thickness of walls?____

____height?____ If a Garage No. cars now accommodated on same lot_______none to be accommodated 1 Total number commercial cars to be accommodated____ ____nong_

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?___no____ Miscellaneous

Will there be in charge of the above work a appetent to see that the State and City requirements pertaining thereto

are observed? yes Deering Loan & Building Assoc.

IMSPECTION COPULLING CHIEF OF FIRE PARKY

Notif. closing-in Inspin. closing-in Final Notif. Final Inspn. 6 7 Cert. of Occupancy issued Varia 4/24/36-Noworke, started a Jes 5/4/36-Same a Je 5/4/36-No worke star 5/21/36-No worke 5/21/36-Adming co pleted-A.J.S.



Original Permit No. 127/816

Amendment No. 17/816

	AMENDMENT T	O APPLICATION FOR PERMITING TO LUCK
Print of marking company		Portland, Maine, September 29, 1931
	OF BUILDINGS, PORTLAND, ME.	miles Francis as
structure comprised	in the original application in ac	ent to Permit No. 27/816 pertaining to the building or cordnee with the I was of the State of Maine, the Building Code submitted herewit, and the following spec fications:
Location Lat 4 E	esciler Strest Ward_	8 With the Fire Limits? no Dist. No
Owner's or Lessee's n	aine and address _ Frent og Ic.	en & Suite' - As v. 644 Forest Ave.
Contractor's name and	address E. G. Johnson Co.	19 fres St. P 255
Plans filed as part of	this Amendment	No. of sheets.
The state of the s	Description	of Proposed Work
	ip garage door opening in 8° ooncrete block wederpi	because well with 12° concrete block well to using to sell.
To provide atom	refigur flew val'rom ten ni c	sum partor (below front) with concrete block
underplaning	g 6 high and 82 thick	
		Dearing book & Brilliting Angly.
		Deoring boon & Building Assin. By E. G. Johnson Co.
		Signature of Owner
Approved:	Control of Control	() - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
		Approved: 9/6-9/3/
	Chief of Fire Department.	
MINE THE PROPERTY		Wanen motorold
NEPEC: W COPY	Commissioner of Public Works.	Inspectar of Bandal og.
		A ANDREAS AND A STATE OF THE ANDREAS AND A STATE

27/316

April 50, 1930

Deering Loan & Eul. ding Association . 648 Forest Avenua Portland, Maine

Gentlemen:

With reference to the dwelling house nearing completion or Lot 44 Bradley Street covered under building permit #27/316 insued to 0. B. Foster, it is understood that you have taken over this

Upon examination, we find the following details which must be taken care of before a certificate of occupancy is sissued from

Partitions are required around the portion of the basement to be used as a garage, and on the garage side of these partitions is to be applied metal lath and at least two coats of Fortland cement. plaster. The same material is to be applied to the cetIin, part over the garage. It should be noted that this is Portland cement plaster instead of the usual gypsum plaster, and that extreme care is needed in curing this plaster to prevent checking. If a door is to be provided between the garage part and the balance of the cellur, e self-closing fire door must be provided and the threshold of the doorway raised at least six inches above the level of the garage floor. This door must be covered tightly with metal all over using galvanized iron or tin with joints locked, and the frame of the doorway covered all over likewise. The door is to be made shif-closing by means of a door check, weight, or other suitable and approved device.

Incombustible fire stops are to be provided in cellar and attic around bot, the chimney and the soil pipes. A twelve inch safety collar is to be provided around the smokepipe in the kitchen.

Will you be kind enough to have all of these matters attended to, and notify this office when the work has been done so that another inspection may be made prior to issuing the certificate of occupancy.

Very truly yours,



APPLICATION FOR PERMIT

Permit No. 0339

SSUED

THATE	Class of Build	ling ou Tr	YOU LOK	PERMIT	710,	
To the INSPEC	Class of Build	ang or I ype o	f Structure	givs	FERMIT	ISS
any, submitted he	signd hereby applies for the Laws of the State of crewith and the following	ortland, ME. a permit to erect Maine, the Buildi	ulter install the f	aine, ipril a	1927 12	,
Owner's . See	5 name and	Ward	8	, - ortiana, pla	and specification	nt in ns. H
Contractor's name	and address O	B. Postar	Within I	ire Limits?	ЖI ⁴	1105 4
Architect's name an	d add Organization	le Pridos do	30.00	S. L.	Dist. No.	
Propused was at	addressogenty 19361	DOM SOUTH			elephone P	(A)
Other buildings on	same lot landling hou	o former			elephone	`
Material	Description	of D	ailding to be A	N	o. familic	
ast usa	No. stories Heat	or Present Bu	ilding to be A	140- 1		
usu usu		S	tyle of roof_	rtered	,	_
See a constant	Gau			-Roofing	-	
and I am	General Butter	I Description	of New W.	No	families	-
	ernes.	of Present Building to be Altered Style of roof Roofing No families No families				
				CHIFT	KI NAIVED.	ipment in cations, if
				OTIFICATIL VIEW	÷ • · ·	
				LOOR CLUS	CUPANCY	
Size, front 10	D	etaile of ar		1. 1. 15	W.V. Line	,
To be erected on solid or Material of foundation	deptnNo. s	orial	Work	Charles		V
Material of found	filled land ? colic	Heig	ill average prode			
Material of foundation_	Oumont points	P1 · .	earth or rooks	ingnest point of re	nf_15	
Kind of roof Piton	the sales and the sales are	TOD_B	11 510			
No. of chima		-Height_		bottom	,	
Kind of hard	-Material of chi-	Roof cov	ering Association	Thickness .		
If oil have	- Chimneys		-	auth 500		1
Cappair.	del	of fuel	Dist	_of lining		
Capacity and location of ill Is gas fitting involved? Corner ports. 434	tanks		Distance, he	afer to chimney_		
Corner Gas arting involved?			-		-	
Is gas fitting involved? Corner ports 432 Sil Material columns under gird Studs (outside walls and carr span over 8 feet. Sills and co	is 4x4	Size	of and			
Material columns under girds Studs (outside walls and carr span over 8 reet. Sills and co Joists and rafters: On centers:	ersGirt or led	ger hoard?	service			
Studs (outside walls and carrespan over 8 feet. Sills and confidence of the state o	ying partitions	-Size		Size		
Joists and raftage.	orner posts all one piece in	D. C. Girders 6x8	Max.	On centers		
On centers:	1st floor 298	oross section.	ot larger. Bridgi	ng in every floor		
Marin	ist floor_16	WIIO	_ 31	ц.	nd lat roof	
No. cars now accommodated on Total number commercial cars to	Ist floor 225 Ist floor 18 I	ond	, 3rd_	roof Re	<u> </u>	
	nry walls, thickness	the second resemble of the	3rd	, root	3 <i>n</i>	
410, Cars nous	Ya.			, -001		
- Util Biimhan -	THE TOTAL MARKET	-		G		
Will automobile man to	be accommodated	, to	be accommed		-	
No. cars now accommodated on Total number commercial cars to Will automobile repairing be done Will above work require removal of Itans filed as part of this applications.	other than minor renal-			-1		
IVIII ahovo	70 400	TIEDITUSII.	r stone t s	-		
Flans filed as part of the	or disturbing of any attack	naneous	an the prop	ored building? _De		
AND THE PART AND A SERVICE	VIII LVFM	" PUDIC 6	trant 5			
Will above work require removal of flans filed as part of this applicate Estimated cost \$ 300 Will there be in charge of the above are observed? 330	The second secon	No	henry	·		
are observed? Yab	work a person	•		 .	-	
PPROVED	competen	t to sec that the o		Fee 9 . 24	**************************************	
Will there be in charge of the above of PPROVED INSPECTION COPY	Engine of owner		and City require	ments pertaini		
CHIEF OF FIRE PEFF	- J Gwner_		_	· · · · · · · · · · · · · · · · · · ·	icte ₁ 0	
- account of high little	•					

(C) SINGLE RUS DUNCE ZONE



INSPECTION COPY

APPLICATION FOR PERMIT

Permit No. 31.
PERMIT ISS

Class of Building or Type of Structure_____ 3rd__ Portland, Maine, April 6 1927

The undersignd here accordance with the Laws on the country, submitted herewith and	by applies for a permit of the State of Maine, th d the following specifica	to crect älten install the e Building Code of the itions:	ne following build City of Portland	ling struction ដូច្នៅផ្ទុំ , plans and specifica	ញ់ដូច្នើឡី in tions, if
Location Lot 44 Bradley	1 460	Ward 8 Wit	hin Fire Limits?_	no Dist. No.	***
Owner's ord Liessed's name a					
Contractor's name and addr	ross C. J. Cole Pr	rides Cor.		Telephone	
Architect's name and address					
Aremtect's name and address Proposed use of building	Treation and I form	7		No. families	1
Proposed use of building. Other buildings on same lo	. Common	· <u>····································</u>			
Other buildings on same io		resent Building to			
	-	<u>v</u>		Dankan	
MaterialNo. s					
Last use				No. families	/5/
Build Dwelling	General D house 1 family	escription of New	Work		
		tails of New Work	1.3	of Mr.	
Size, front 24 de		ories 🔀 Height aver	• -	est point of 1000	24
To be erected on solid or fi		ear			
Material of foundation Co	norete	Thickness,, top 19	bc	ottom	
Material of underpinning	donurete block	Height_239	T	hicknes 3	
Kind of roof Pitch		Roof covering	Aspha) · Jh	inglos	
No. of chimneys	Material of chimneys	s Brick	0	f liningTile	
Kind of heat Hot air	Туу	pe of fuel coal	Distance, heate	er to chimney 4'-0	
If oil burner, name and mo	odel				
Capacity and location of o	il tanks		#4 #4 # # # # # # # # # # # # # # # # #	***************************************	
Is gas fitting involved?					
Corner posts 4x4	Sills 6x8 Girt or	ledger board?		ize	
Material columns under g	irders iron Col.	Size _4" dia	Max.	on centers	
Studs (outside walls and o span over 8 feet. Sills and	carrying partitions) 2x4- d corner posts all one pion	16" O. C. Girders 6x8 ece in cross section.	or larger. Bridgi	ing in every floor and	i flat roo
Joists and rafters:	1st floor 2x3	, 2nd 2x8	, 3rd	, roof	}
On centers:	1st floor	, 2nd	, 3rd	, roof	
Maximum span:	1st floor 12'-0	301:0		, roof	
If one story building with	masonry walls, thickness	s of walls?		height?	
	•	If a Garage			
No. cars now accommodate					
Total number commercial	cars to be accommodated				
Will automobile repairing	be done other than mind	or repairs to cars habitu Miscellaneous	ally stored in the	proposed building?	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Will above work require r	removal or disturbing of	any shade tree on a pub	olic street? no		
Plans filed as part of this				**************************************	···
				1.5	风
Estimated cost \$ 500003	5000	·.		Fe. \$	

2/4/30 - House agent been since from the self of the self of the same of the self of th 12 - safety collar around smokefilpe opening in kitchen. Kitchen 10/21/02-Mattero-Calcen care of Building occus projects beyond rear fortudation wall four pout in bother boaler yourst feet with floor joints further commedato furnace La regelieure havelieure lacting as cantilever. therebeing no posts Final Notif... supporting outside Pinal Inspn. is reller thankitions Cert. of Occupancy issued None wall. This makes langarage hicelar Hasteton garageculu a one story 4' X12' NOTES raggection Tourear has not been done In of house, -a. I. d. 73/30 - House Ceing OF - until sowas all to Leaving Building 130/20- Better to ring Bran. 5/26/30. E. g. Sohman Loan Descration. Cellar floor was been he in. However walls for or tall and lange Janage in Casembirt have but been created room calling over some plastered. Firestop around chimney is on doors and finish as Luna 10/6/31- Work under amend ment done and firestop top of those timbers around soil pefe in instead of underneather basement in lingly no firestop around toget whotains to check soil stack either in on other matters. and basement or in attic 10/12/31- Vinable to get no firestop around chimney in atter he 11/6/31 Dame Q.

, .