

14-18
LOT 15 ANSON ROAD



Full size # 2000 - Half size # 2000 - 1/4 size # 2000 - 1/8 size # 2000



APPLICATION FOR PERMIT

Class of Building or Type of Structure
Portland, Maine, July 2, 1973

PERMIT ISSUED

JUL 2 1973
00710
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 16 Anson Road Within Fire Limits? Dist. No.
Owner's name and address Mrs. Irene Groden Telephone
Lessee's name and address Telephone
Contractor's name and address Maine Craft, Inc. 480 Congress St. Telephone
Architect Specifications Plans No. of sheets
Proposed use of building Dwelling No. families
Last use No. families
Material No. stories Heat Style of roof Roofing
Other buildings on same lot
Estimated cost \$ Fee \$ 5.00

General Description of New Work

To cover outside walls with aluminum siding

OK FWA

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber-Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor, 2nd, 3rd, roof
On centers: 1st floor, 2nd, 3rd, roof
Maximum span: 1st floor, 2nd, 3rd, roof
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot, to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVED:

Blank lines for approval signature

Miscellaneous

Will work require disturbing of any tree on a public street?
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

CS 301

INSPECTION COPY

Signature of owner

Maine Craft, Inc. [Signature]

210 #3013

CITY OF PORTLAND, MAINE Application for Permit to Install Wires

Permit No. _____

Issued JULY 23, 1973

Portland, Maine

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address MRS. EDWARD CRODEN Tel. 7751419
 Contractor's Name and Address HENRY G. GAGNE WESTBROOK Tel. 7973472
 Location 16 ANSON RD Use of Building _____
 Number of Families 1 Apartments _____ Stores _____ Number of Stories 2
 Description of Wiring: New Work _____ Additions _____ Alterations
100 AMP SERVICE ALUM. SIDING
 Pipe _____ Cable _____ Metal Molding _____ BX Cable _____ Plug Molding (No. of feet) _____
 No. Light Outlets _____ Plugs _____ Light Circuits _____ Plug Circuits _____
 FIXTURES: No. _____ Fluor. or Strip Lighting (No. feet) _____
 SERVICE: Pipe Cable _____ Underground _____ No. of Wires 3 Size 2/2, 1/4
 METERS: Relocated _____ Added _____ Total No. Meters _____
 MOTORS: Number _____ Phase _____ H. P. _____ Amps _____ Volts _____ Starter _____
 HEATING UNITS: Domestic (Oil) _____ No. Motors _____ Phase _____ H.P. _____
 Commercial (Oil) _____ No. Motors _____ Phase _____ H.P. _____
 Electric Heat (No. of Rooms) _____
 APPLIANCES: No. Ranges _____ Watts _____ Brand Feeds (Size and No.) _____
 Elec. Heaters _____ Watts _____
 Miscellaneous _____ Watts _____ Extra Cabinets or Panels _____
 Transformers _____ Air Conditioners (No. Units) _____ Signs (No. Units) _____
 Will commence 7/23 1973 Ready to cover in WILL CALL 19 _____ Inspection _____ 19 _____
 Amount of Fee \$ _____

Signed Henry G. Gagne

DO NOT WRITE BELOW THIS LINE

SERVICE	METER	GROUND
1	2	3
4	5	6
7	8	9
10	11	12

REMARKS:

INSPECTED BY [Signature]
(OVER)

CITY OF PORTLAND, MAINE
Application for Permit to Install Wires

Permit No. 57161
 Issued 9-12-68
 Portland, Maine 9-12, 1968

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address Mrs. Edward Groden Tel. 775-1419
 Contractor's Name and Address Falmouth Electric Tel. 781-3395
 Location 16 Anson Str Use of Building dwelling
 Number of Families 1 Apartments _____ Stores _____ Number of Stories 2
 Description of Wiring: New Work Additions Alterations _____

Pipe _____ Cable _____ Metal Molding _____ BX Cable _____ Plug Molding (No. of feet) _____

No. Light Outlets _____ Plugs _____ Light Circuits _____ Plug Circuits _____

FIXTURES: No. _____ Fluor. or Strip Lighting (No. feet) _____

SERVICE: Pipe _____ Cable _____ Underground _____ No. of Wires _____ Size _____

METERS: Relocated _____ Added _____ Total No. Meters _____

MOTORS: Number _____ Phase _____ H. P. _____ Amps _____ Volts _____ Starter _____

HEATING UNITS: Domestic (Oil) _____ No. Motors _____ Phase _____ H.P. _____

Commercial (Oil) _____ No. Motors _____ Phase _____ H.P. _____

Electric Heat (No. of Rooms) _____

APPLIANCES: No. Ranges 1 Watts _____ Brand Feeds (Size and No.) 6-3

Elec. Heaters _____ Watts _____

Miscellaneous _____ Watts _____ Extra Cabinets or Panels _____

Transformers _____ Air Conditioners (No. Units) _____ Signs (No. Units) _____

Will commence 10 Sept 1968 Ready to cover in 10 Sept 1968 Inspection 11 Sept 1968

Amount of Fee \$ 1.50

Signed Rowell W. Welch

DO NOT WRITE BELOW THIS LINE

SERVICE _____ METER _____ GROUND _____

VISITS: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____

7 _____ 8 _____ 9 _____ 10 _____ 11 _____ 12 _____

REMARKS:

INSPECTED BY J. W. Hester
 (OVER)

PERMIT TO INSTALL PLUMBING

PERMIT NUMBER **1461** Address: **16 Anson Road**

Date Issued: **Mar. 16, 1955** Installation For: _____
 PORTLAND PLUMBING INSPECTOR
 Owner of Bldg.: **Mrs. Edward J. Grodin**
 Owner's Address: **Same**
 By: **J. P. Welch** Plumber: **Portland Gas Light Co.** Date: **3-16-55**

APPROVED FIRST INSPECTION
 Date: **June 20-55**
 By: **J. P. Welch**

APPROVED FINAL INSPECTION
 Date: **June 20-55**
 By: **J. P. Welch**

NEW	REPL	PROPOSED INSTALLATIONS	NUMBER	FEE
		SINKS		
		LAVATORIES		
		TOILETS		
		BATH TUBS		
		SHOWERS		
		DRAINS		
		HOT WATER TANKS 30 gal. Water	1	1.00
		TANKLESS WATER HEATERS		
		GARBAGE GRINDERS		
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS (conn. to house drain)		

SM 12-53 PORTLAND HEALTH DEPT. PLUMBING INSPECTION Total **1.00**

PERMIT TO INSTALL PLUMBING

11066
PERMIT NUMBER

Date Issued: **1-3-62** Address: **16 Anson Road**
 PORTLAND PLUMBING INSPECTOR
 Installation For: **Edward Grodin**
 Owner of Bldg.: **Edward Grodin**
 Owner's Address: **16 Anson Road** Date: **1-3-62**
 By: **J. P. Welch** Plumber: **W. H. Wallace**

APPROVED FIRST INSPECTION
 Date: **Jan. 5, 1962**
 By: **JOSEPH P. WELCH**

APPROVED FINAL INSPECTION
 Date: **Jan. 5, 1962**
 By: **JOSEPH P. WELCH**

NEW	REPL	PROPOSED INSTALLATIONS	NUMBER	FEE
		SINKS		
		LAVATORIES		
		TOILETS		
		BATH TUBS		
		SHOWERS		
		DRAINS		
		HOT WATER TANKS		
		TANKLESS WATER HEATERS		
		GARBAGE GRINDERS	1	\$ 2.00
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS (Conn. to house drain)		

TYPE OF BUILDING
 COMMERCIAL
 RESIDENTIAL
 SINGLE
 MULTI FAMILY
 NEW CONSTRUCTION
 REMODELING

PORTLAND HEALTH DEPT. PLUMBING INSPECTION TOTAL **\$ 2.00**



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED
01965
NOV 15 1949
CITY OF PORTLAND

Portland, Maine, November 8, 1949

W-ESS

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location ¹⁴⁻¹⁸ 15 Anson Road Use of Building Dwelling No. Stories 1 New Building Existing " " Name and address of owner of appliance Mr. E. J. Monte, 64 Deering Avenue Installer's name and address Pallotta Oil Co., 112 Exchange St. Telephone 4-2671

General Description of Work

To install hot water boiler and oil burner.

IF HEATER, OR POWER BOILER

Location of appliance or source of heat basement Type of floor beneath appliance concrete
If wood, how protected? Kind of fuel oil
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 3'
From top of smoke pipe 3' From front of appliance 20' From sides or back of appliance 15'
Size of chimney flue 8 x 10 Other connections to same flue
If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Fluid Heat Labeled by underwriter's laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete
Location of oil storage basement Number and capacity of tanks 1 275-gal.
If two 275-gallon tanks, will three-way valve be provided?
Will all tanks be more than five feet from any flame? yes How many tanks fire proofed? 1
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance
If wood, how protected?
Minimum distance to wood or combustible material from top of appliance
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

RECEIVED

NOV 10 1949

DEPT. OF BLD'G. INSP.
CITY OF PORTLAND

Amount of fee enclosed? \$2.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

O. K. E. 11/10/49

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Pallotta Oil Company

Signature of Installer By: J. Pallotta

INSPECTION COPY



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED
01114
MAY 24 1947

Portland, Maine, May 22, 1947

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

1418

Location 15 Anson Road Use of Building Dwelling No. Stories New Building Existing

Name and address of owner of appliance DiMillo Construction Co., 78 Read Street

Installer's name and address Portland Gas Light Co., 5 Temple St. Telephone 2-8321

General Description of Work

To install gas-fired forced warm air heat

IF HEATER, OR POWER BOILER

Location of appliance or source of heat basement Type of floor beneath appliance concrete

If wood, how protected? Kind of fuel gas

Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 2'

From top of smoke pipe 3' From front of appliance Over 4' From sides or back of appliance 2'

Size of chimney flue 8x12 Other connections to same flue water heater

If gas fired, how vented? chimney Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Labelled by underwriter's laboratories?

Will operator be always in attendance? Does oil supply line feed from top or bottom of tank?

Type of floor beneath burner Number and capacity of tanks

Location of oil storage

If two 275-gallon tanks, will three-way valve be provided?

Will all tanks be more than five feet from any flame? How many tanks fire proofed?

Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance

If wood, how protected?

Minimum distance to wood or combustible material from top of appliance

From front of appliance From sides and back From top of smoke pipe

Size of chimney flue Other connections to same flue

Is hood to be provided? If so, how vented?

If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Burner has device for automatically shutting off gas supply in case automatic heat control demands heat and the supply of gas fails to ignite.

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

OK'd by A.G.S.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Portland Gas Light Co.

Signature of Installer

Harold W. Sullivan

INSPECTION COPY

CITY OF PORTLAND, MAINE
DEPARTMENT OF BUILDING INSPECTION

CERTIFICATE OF OCCUPANCY

Temporary Certificate only
Permit to be issued later

This is to certify that the building at Lot 13
Anson Road, built under Building Permit No.
46/1852 has been finally inspected and may now be oc-
cupied for the purpose of one family dwelling house.

Date 5/27/47

Inspector of Building
Issued to DiMillo Construction Co.

(See reverse side for conditions)

PERMIT ISSUED
02852
MAY 28 1947

the following building structure equipment in
the City of Portland, plans and specifications,

Fire Limits? no Dist. No. _____

Congress Street Telephone 4-0915

Telephone _____

Telephone _____

Plans yes Standard Plan 1B No. of sheets 6

No. families 1

No. families _____

Last use _____

Material _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____

Other buildings on same lot _____ Fee \$ 4.00

Estimated cost \$ 7400.

General Description of New Work

To construct 2 story frame dwelling house 24'x26' with 1 car garage attached, 12'x21'
4" overhang brick veneer front

The inside of the garage will be covered, where required by law with perforated gypsum
lath and plaster & covered with one-half inch thickness gypsum plaster. No opening
between dwelling and garage.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of
the heating contractor.

Details of New Work

Is any plumbing work involved in this work? yes Is any electrical work involved in this work? yes

Height average grade to top of plate 15'6" Height average grade to highest point of roof 25'

Size, front 26' depth 24' No. stories 2 solid or filled land? solid earth or rock? earth

Material of foundation concrete at least 4' below grade. Thickness, top 10" bottom 16" cellar yes

Material of underpinning " to sill Height _____ Thickness _____

Kind of roof pitch-gable Rise per foot 7" Roof covering asphalt roofing Class C Und. Lab.

No. of chimneys 1 Material of chimneys brick of lining tile _____ Kind of heat hot air fuel gas

Framing lumber—Kind hemlock Dressed or full size? dressed

Corner posts 4x6 Sills 4x6 Girt or ledger board? girt Size 2-2x8

Girders yes Size 6x8 Columns under girders Lally columns 3 1/2" Max. on centers 12'3"

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor 2x8, 2nd 2x8, 3rd ceiling, roof 2x8

On centers: 1st floor 16", 2nd 16", 3rd 20", roof 20"

Maximum span: 1st floor 12'3 1/2", 2nd 12'3", 3rd _____, roof 12'

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____ to be accommodated 1 number commercial cars to be accommodated none

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

Miscellaneous

Will work require disturbing of any tree on a public street? no

Will there be in charge of the above work a person competent to
see that the State and City requirements pertaining thereto are
observed? yes

APPROVED:

DiMillo Construction Co.

Signature of owner

Antonio DiMillo Pres.

INSPECTION COPY



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date 8/2/91, 19
 Receipt and Permit number 8675

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 16 ~~Acorn~~ St. ANSON ST
 OWNER'S NAME: James Graval ADDRESS: _____ FEES

OUTLETS: Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____

FIXTURES: (number of) Incandescent _____ Fluorescent _____ (not strip) TOTAL _____
 Strip Fluorescent _____ ft. _____

SERVICES: Overhead Underground _____ Temporary _____ TOTAL amperes 200 .. 15.00
 1 HP or over _____ .. 1.00

METERS: (number of) 1 .. _____

MOTORS: (number of) Fractional _____
 1 HP or over _____

RESIDENTIAL HEATING: Oil or Gas (number of units) _____
 Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) _____
 Oil or Gas (by separate units) _____
 Electric Under 20 kws _____ Over 20 kws _____

APPLIANCES: (number of) Ranges _____ Water Heaters _____
 Cook Tops _____ Disposals _____
 Wall Ovens _____ Dishwashers _____
 Dryers _____ Compactors _____
 Fans _____ Others (denote) _____
 TOTAL _____

MISCELLANEOUS: (number of) Branch Panels _____
 Transformers _____
 Air Conditioners Central Unit _____
 Separate Units (windows) _____
 Signs 20 sq. ft. and under _____
 Over 20 sq. ft. _____
 Swimming Pools Above Ground _____
 In Ground _____
 Fire/Burglar Alarms Residential _____
 Commercial _____
 Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____
 over 30 amps _____
 Circus, Fairs, etc. _____
 Alterations to wires _____
 Repairs after fire _____
 Emergency Lights, battery _____
 Emergency Generators _____

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE: _____
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE: _____
 TOTAL AMOUNT DUE: 16.00

INSPECTION: Will be ready on 8/6- am, 1991; or Will Call _____
 CONTRACTOR'S NAME: Lofey Electric
 ADDRESS: 45 hillside Rd - Ptd
 TEL: 773-3400
 MASTER LICENSE NO.: John Lofey #8675 SIGNATURE OF CONTRACTOR: _____
 LIMITED LICENSE NO.: _____

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN

