

APPLICATION FOR PERMIT

PERMIT ISSUED

001 28 198**0** 00 011

ZONING LOCATION	PORTLAN	D, MAINE, 90ct. 22,1989.	CITY of PORTLAN
ture, equipment or change use in according Ordinance of the City of Portla	a per sat to erect, alter, t dance with the Laws of th and with plans and specifi	epair, demolish, move or install the fore the State of Maine, the Portlant B.O.6 cations, if any, subrated herewith and	ollowing building, struc- `A Building Code and I the following specificu-
LOCATION 105 Edgeworth Owner's name and address Lessee's name and address Contractor's name and address! Architect I roposed use of building Dw Last use Material No. stories Other buildings on same lot Estimated contractural cost \$ FIELD INSPECTOR—Mr. This application is for: Dwelling Garage Masonry Bldg. Metal Bldg. Alterations D-molitions Change of Use Other	ine Shawnee Ste Specificat OO 775-5451 Ect. 234 FrontRy Left Si	p. lo, Auburn.Me. To cations Plans N Style of roof Roo GENERAL DESCRIPTION EXEM 3 riser Shawnee de 3 riser Shawnee Stamp of	elephone
NOTE TO APPLICANT Separate	permits are required by t	he installers and subcontractors of n	еанпу, ритоглу, елест-
cal und mechanicals. PERM		Other:	
	DETAILS OF	NEW WORK	
Has septic to the been sent? Height average grade to top of plate Size, front	wer?	If not, what is proposed for sewage? Form notice sent? ight average grade to highest point of solid or filled land? catop bottom cellar. Roof covering Kind of heat Corner posts Size Max. Bridging in every floor and flat roed described and street described	roof
		GARAGE	. t. to some amodeted
No. cars now accommodated on sa- Will automobile repairing be done	other than minor repairs	nodated number commercial car to cars habitually stored in the propo	osed bui'ding?
APPROVALS BY:	DATE	MISCELLAN	
BUILDING INSPECTION—PLANT ZONING: BUILDING CODE: Fire Dept: Health Dept.: Others:		Will work require disturbing of any Will there be in charge of the above to see that the State and City requ observed?	e work a person competent
Signature of Applicant . Showe . Phone #			
Type	Name of above . NAGDA	Other	

FIELD INSPECTOR'S COPY

्ः -29-9a - प्र	FA/60	duplicate	Approved GMM www. Ste	Permit No. 6 Location 10: Commer Decommer Date of permit
mits			B	Ber 105
			<u> </u>	270
,			}	10-28-Marie
				Tac e
				888
			[* ₁	march worth
			ν̈́	<u> </u>
			<u></u>	A. are
			(0	- 1 m
				- The state of the
				The state of the s
	1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				
				, -
				y 1
				- 1 7g
* of #		_		The state of the s
4 or			<u> </u>	** 1.1 %
- ^				الله منظم الله الله الله الله الله الله الله الل
				The state of the second
				#
F 1				
··	<u> </u>			
			_ 4	- j
, , , , , , , , , , , , , , , , , , ,		1,2,2-1,2		1
rest in the state of the state	·	,,	* _	
		7	A William Carlo	

The second of th



FIELD INSPECTOR'S COPY

APPLICATION FOR PERMIT PERMIT ISSUED

FAMILY ALEXANDER VERNING CONTRACTOR OF THE PROPERTY OF THE PRO

OCT 15 1980

and Address

ZONING LOCATIO	N	PORTLA	ND, MAINE,Oct9,1980.	·· CITY of PORTLAN
To the DIRECTOR OF BUIL	LDING & INSPECTIO	N SERVI	CES, PORTLAND, MAINE	PH 1-01-10 (11111)
ture, equipment or change use Zoning Ordinance of the City	in eccordance with th	e Laws of	repair, demolish, move or instail t the State of Maine, the Portland I fications, if any, submitted nerewith	3.O.C A Building Code and
1 Owner's name and addres 2. Lessee's name and addres 3 Contractor's name and add 4. Architect	ssBertha.Macs	daid wnee St Speci	tland, Maine F dep. Co. Auburn, Maine, fications Plans Style of toof GENERAL DESCRIPTION	Telephone
This application is for:			Shawnee Step 3 riser	٠,
Dwelling	Ext. 234			
Garage		Lert	iide Shawnee Step 3 r Stam	p of Special Conditions
Demolitions Change of Use Other NOTE TO APPLICANT: S cal and mechanicals.	eparate permits are rec	ISSUED T	he installers and subcontractors of	
			Other:	•••
Is connection to be made to p Has septic tank notice beer, s Height average grade to top of Size, front	his work? sublic sewe of? sent? No. storic Rice per foot Mate jal of chimney Dressed or fo Columns under girder rrying partitions) 2x4- 1st floor 1st floor	: : : : : : : : : : : : : : : : : : :	Ro 'covering Kin ' I heat Corner posts Ma Bridging in every floor and tlat r 3rd 3rd 3rd 3rd 3rd	of roof cath or rock? uel Sills x. on centers coof span over 8 feet roof roof roof roof roof roof
No. cars now accommodated	on same lot to l		ARAGE odated number commercial c	ars to be accommodated
			to cars habitually stored in the pro	
APPROVALS BY: FUILDING INSPECTION- ING			MISCELLA Will work require disturbing of a	
Fire Dept		•••••	Will there be in charge of the aboto see that the State and City reaare observed?	quirements pertaining thereto
	Signature of Applican	Ru	hard of Snowe	: Phone #
			ard. L. Snc.ve	

10-29-80 mofalled

105- Edgewoith Port. Me. Heberbon Gropone Hompsons Goent

105 Edgeworth

R3 RESIDENCE ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Installation

PERMIT ISSEL

	A UI 654 15119 AIAMITHS	March 6, 1969	PITY of 1 3971 AN
To the INSPECTOR OF BUIL			1
The undersigned hereby a	pplies for a permit to erco he State of Mainc, the B	ct alter repair demolish install the followin wilding Code and Zoning Ordinance of t	g building structure equipment he City of Portland, plans and
		Within Fire Limits?	Dist. No
		5 Edgeworth Ave.	
		ne, Thompson's Point	
\rchitect	***************************************	Specifications Plans yes	No. of sheets1_
Proposed use of building	Dwelling		No. families
ast use	11		No. families
MaterialNo. stori	ies Heat	Style of roof	Roofing
Other Fulldings on same lot			
Estimated coxt \$	44011000000		Fee \$2,00
	gallon propang ga		
Tank to set on c	oncrete slab or as	sbestos base	
It is understood that this perms	t does not include install	elion of Lealing apparatus which is to be	Sent to Fire Dept. 3/6/64 den trans or Dept. 3/10/64 taken was separately by and in
	Detai	ISSUED TO Suburban Propens Is of New Work Let any electrical work involved in	
Is any plumbing involved in the is connection to be made to p. Has septic tank notice been so the ight overage grade to top of Size, front	bis work?	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possible or filled land? Roof covering Of lining Size? Corner posts Size No. C. Bridging in every floor and flag 2nd 3rd 3rd 3rd 3rd 3rd	int of roofearth or reclarellarellarsillssills, roof, roof
Is any plumbing involved in the sonnection to be made to pure the septic tank notice been so the sign of the septic tank notice been so the sign of the septic tank notice been so the sep	his work? ublic sewer? ent? No. stories Thic Rise per foot Material of chimneys Dressed or full Columns under girders ying partitions) 2x4-16" 1st floor 1st floor 1st floor sonry walls, thickness o	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possible or filled land? Exchange the sent of th	int of roofearth or rock:earth or rock:eellar
Is any plumbing involved in the sonnection to be made to possible the septic tank notice been so theight overlage grade to top of Size, front	bis work? ublic sewer? ent? No. stories Thic Rise per foct Material of chimneys. Dressed or full Columns under girders ying partitions) 2x4-16" 1st floor. 1st floor. sonry walls, thickness o	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possible or filled land? Exhress, top bottom control work involved in the sent? Roof covering Size Note of lining Size? O. C. Bridging in every floor and flater of the sent of th	in to roof earth or rock: neat fuel sills fax, on centers roof span over 8 feet. roof height? cars to be accommodated
Is any plumbing involved in the sonnection to be made to possible the septic tank notice been so theight overlage grade to top of Size, front	bis work? ublic sewer? ent? No. stories Thic Rise per foct Material of chimneys. Dressed or full Columns under girders ying partitions) 2x4-16" 1st floor. 1st floor. sonry walls, thickness o	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possibility of filled land? Exchange to highest possibility of lining the size? Size to the sent of lining the size? O. C. Bridging in every floor and flaction, and the sent of walls? If a Garage to highest possibility of size? If a Garage to care habitually stored in the sent of sent of size?	int of roofearth or rock:earth or rock:eilar
Is any plumbing involved in the sonnection to be made to possible the septic tank notice been so the septic tank notice been so tank notice tank notice tank notice tank notice been so tank notice tank not	bis work? ublic sewer? ent? No. stories Thic Rise per foct Material of chimneys. Dressed or full Columns under girders ying partitions) 2x4-16" 1st floor. 1st floor. sonry walls, thickness o	Is of New Work Is any electrical work involved in the involve	int of roofearth or rock:earth or rock:eilar
Is any plumbing involved in the sonnection to be made to possible that notice been so theight average grade to top of Size, front depth	bis work? ublic sewer? ent? No. stories No. stories Thic Rise per foot Material of chinneys Dressed or full Columns under girders ying partitions) 2vi-16" 1st floor 1st floor 1st floor on same lot on same lot to be a done other than minor r	Is of New Work Is any electrical work involved in the image of the im	int of roof earth or rocks meat fuel Sills fax, on centers roof span over 8 feet. roof height? cars to be accommodated proposed building? cous ee on a public street?
Is any plumbing involved in the isconnection to be made to possible that notice been so theight average grade to top of Size, front	bis work? ublic sewer? ent? No. stories No. stories Thic Rise per foot Material of chinneys Dressed or full Columns under girders ying partitions) 2vi-16" 1st floor 1st floor 1st floor on same lot on same lot to be a done other than minor r	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possibility of filled land? Exhress, top bottom Roof covering Kind of size? Corner posts Size No Corner posts O. C. Bridging in every floor and flater, 2nd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3r	int of roofearth or rocksearth or rooferoofearth or earth or
Is any plumbing involved in the is connection to be made to p. Has septic tank notice been so theight overage grade to top of Size, front	bis work? ublic sewer? ent? No. stories No. stories Thic Rise per foot Material of chinneys Dressed or full Columns under girders ying partitions) 2vi-16" 1st floor 1st floor 1st floor on same lot on same lot to be a done other than minor r	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possibility of filled land? Exercises, top bottom of lining Kind of size? Corner posts Size Merry floor and flater, and services, and services, and services to care habitually stored in the Will there be in charge of the above see that the State and City require observed? 15 If a Garage of the above see that the State and City require observed? 16 In not, what is proposed for set involved in the services and services and services and services and city require observed? 16 In not, what is proposed for set involved in the services and services and services and services and services and city require observed? 17 In not, what is proposed for set involved in the services and	int of roofearth or rocksearth or rooferooferoofearth or roofearth or rocksearth or roofearth or roo
Is any plumbing involved in the is connection to be made to p. Has septic tank notice been so theight average grade to top of Size, front	bis work? ublic sewer? ent? No. stories No. stories Thic Rise per foot Material of chinneys Dressed or full Columns under girders ying partitions) 2vi-16" 1st floor 1st floor 1st floor on same lot on same lot to be a done other than minor r	Is of New Work Is any electrical work involved in the learn potton sent? Height average grade to highest potton solid or filled land? Exchanges, top bottom control land of lining Kind of size? Corner posts Size More and flag size? O. C. Bridging in every floor and flag size? John Size More and size size size size size size size size	int of roofearth or rockseath or rockseath or rockseatheatfueleath
Is any plumbing involved in the is connection to be made to p. Has septic tank notice been so theight average grade to top of Size, front	bis work? ublic sewer? ent? No. stories No. stories Thic Rise per foot Material of chinneys Dressed or full Columns under girders ying partitions) 2vi-16" 1st floor 1st floor 1st floor on same lot on same lot to be a done other than minor r	Is of New Work Is any electrical work involved in the sent? Form notice sent? Height average grade to highest possibility of filled land? Exercises, top bottom of lining Kind of size? Corner posts Size Merry floor and flater, and services, and services, and services to care habitually stored in the Will there be in charge of the above see that the State and City require observed? 15 If a Garage of the above see that the State and City require observed? 16 In not, what is proposed for set involved in the services and services and services and services and city require observed? 16 In not, what is proposed for set involved in the services and services and services and services and services and city require observed? 17 In not, what is proposed for set involved in the services and	int of roofearth or rockseath or rockseath or rockseatheatfueleath

Staking Out Notice
Form Check Notice NOTES Cert. of Occupancy is Final Laspn. Final Notif.

.

PERMIT TO INSTALL	PLUMBING Lat. 9-15-64	
Date 9-8-64 PORTLAND PLUMBING INSPECTOR By J. P. Volch	Acdress 105 Edgeworth Avenue Installation For: Charles W. Pacoloid Owner of Bidg. Charles '!, Macoloid Owner's Address Same	14451 PERMIT NUMBER
APPROVED FIRST INSPECTION	NEW SEPT PROPOSED INSTALLATIONS	7-8-64
	SINKS	NEUMBER FEE
Late 9-15-64	LAVATORIES	
N 70 10 1	TOILETS	
By LANG.	BATH TUBS	
	SHOWERS	
APPROVED FINAL INSPECTION	DRAINS	
10SEPH P. WE	LOH HOT WATER TANKS	
	TANKIEGO TANKS	1 8 0 00
CHIEF PLUMBING IN	PECHOR TANKLESS WATER HEATERS	1 \$ 2.00
TYPE OF BUILDING	GARBAGE GRINDERS	
COMMERCIAL	SEPTIC TANKS	 3
PESIDENTIAL	HOUSE SEWERS	
/ UNGLE	ROOF LEADERS (Conn to house drain)	
MULTI FAMILY		
:W CONSTRUCTION		
"LING		
	AND UEA	
	AND HEALTH DEPT. PLUMBING INSPECTION TOTAL	▶ 3 2.00



APPLICATION FOR PERMIT

. . . . Third C'n :

Class of Building or

april 30, 1952

,,00627

To the INSPECTOR OF BUILDINGS, POR			
The undersigned hireby applies for a p			ing building s tootooopidpaant
in accordance with the Low of the Slave of Ma specifications is my, subresseementh and th	i no, the Buill is code and he following specifications:	l Zoning Ordinance of	the City of Portland, plans and
Location . 1.05 .1 h xtr aver	nue	Within Fire Limits?	no Dist. No.
Owner's name and actives: Whell Figure	ucharne, 105 Ldgewo	rth Avenue	Telephone. 3-5323.
Lessee's name and address			Telephone
Contractor's name an . ldress 2Wngr			Telephone
Architect	Specifications	Plans 110	No. of sheets
Proposed use of building dealling	ng house		No. families . 1
Last use	11		No. families 1.
Material wood No stories 2 p. H	leat .Style o	f roof	Roofing
Other buildings on same lot	₩	100	
Estimated cost \$_ 100.			Fee \$.5Q
_			

General Description of New Work

To remove existing side platform 40° x 40° (left hand side of building) and to construct l-story frame addition 4° x 7° . 10° to side property line.

Permit Issued with I ater

CERTIFIC ATT OF OCCUPANCE BEULL ESTING IS N TICH

It is understood that this permit does not include installation of hearing apparails which is to be taken out separately by and in the come of the heating contractor. PERMIT TO BE ISSUED TO OWNER

Details of New Work Is any electrical work in solved in this work? Is any plumb r involved in this work? ____ If not, what is propose ' for sewage? . Is connection to be ande to public sewer? Height average grade to highest point of roof 13' Height average grade to top of plate | ll' Size, front depth No. stores solid or filed land? earth or Material of foundation concrete riars Thickness, top the bottom of the land to cellar the material of underpinning Height Thickness Thickness earth or rock? Kind of roof pitch-gatie Rise per foot . . . Roof covering asphalt Class G and Lah No of chimneys Materia of chimneys of lining Kind of heat fuel ... Dress-d or full size? dressed Γ uming lumber—Kind ... pine Corner posts 4x4, Sills 4x6 Girt or ledger board? Max. on centers ze Columns under girders . Size Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. 1st floor 2x6. , 2nd ___ , 3rd , roof 2x4. Joists and rafters. 1st floor 10th .. , 3rd . , 2nd , roof ... , $3^{\,1}$, $6^{\,0}$ 1st floor 7° , 3rd , 2nd Maximum span . heigh 17 If one story building with masonry walls, thickness of walls? If a Garage

number commercial cars to be accommodated No. cars now accommodated on same lot _____, to be accommodated Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

	Miscellaneous
APPROVED:	Will work require disturbing of any tree on a policy treet? no
5-5-52, a, 1-	Will work require disturbing of any tree on a policy treet? no will there be in charge of the above work a person competent to
and the second s	see that the State and City requirements pertaining thereto are
4- 4	observed? Lan_

Signature of owner 6 hel . F. Ducharme

INSPECTION COPY

6-10-52 4 mile	NOTES Seublotin july	Final Inspn. 6.252- 6 MM. Cert. of Occupancy issued	Permit No. of 21/2 27 Location 10. Edgeswerth lung Owner (J'M. III) I Rucklanue Notif. closing-in Inspn. closing-in
	•		

AP 105 Eigeworth Avenue

May 6, 1952

Mr. O'Neil F. Ducharne 105 Edgeworth Avenue Portland, Maine

Dear Mr. Ducbarne:

In the absence of sufficient information to show completely compliance with building Code requirements in connection with your application for a building permit to remove a side platform and to build in its place a one story addition at 105 Edgeworth Avenue, the permit is issued to you subject to the following. If these conditions are not understood, or if you are unable or unwilling to comply with them, it is important that you refrain from starting the work and contact this office for adjustment.

Concrete piers uniformly 9" in diameter are not allowable. The piers may be 9" in diameter, however, if a looting is used beneath them no less than 8" in depth and no less than 10" square. If you do not wish to provide this footing, it is necessary the the size of the piers be increased so that they will be no less than 10" square or in diameter at the bottom "the pier. The piers must extend no less than 6" above the finish digrade of the ground and the wood work superimposed upon the piers is to be anchored to the piers by means of metal dowels or equivalent.

The 4x6 sills indicated on the application are to be all one piece of lumber in cross section, and set with the 6-inch dimension upright. The floor joists are to be supported upon the sill either by bearing them upon the top of the sill or notching the joists over no less than 2x3 mailing strips spiked to the sides of the sills.


Application indicates the corner post to be tale. Note that the stude or unrights in the outside will are to be no less than 2x4, appead no more than 16" from center to center; elso that a double 2x4 plate is required at the top of the uprights. Door or window openings of normal width require double 2x4 headers with short stud under each end.

Please note that notice of readiness for closing in is required to be given at this office and that no part of inside of walls or ceiling is to be covered from view until our inspector has left his green tag at the job.

Very truly yours,

KMcD/B

Warren McDonald Inspector of Euildings · 1





FILL IN AND SIGN WITH INK

HEATh .

N FOR PERMIT FOR OR POWER EQUIPMENT

PERMIT ISSUED 00929 Jun 11 1946

Por and, Maine. June 2 10, 1948

CHY of PORTLAND

	I Or Ind,	maine, outto 101		
To the INSPECTOR OF BUIL	DINGS, PORTLAND, 3	MAINE		
The undersigned hereby of	applies for a permit to	install the following heati	ng, cooking or power eq	uipment in accord-
ance with the Laws of Maine, the	e Building Code of the	City of Portland and the fo	llowing specifications:	
Location 105-107 Edgewor	th Aye. Use of Bui	lding Dwelling	. No. Stories .	New Building 1≯ÆÆnc "
Name and address of owner of a	• •	•		
Instatler's name and address	Portland Gas Lig	ht Co., 5 Temple St	• Telephone 2	-8321
	General I	Description of Work		
To install gas-fired floor		 .	* 14 * Adr	
pak majar (manari sa samari mana sa sana sana sa sa s		haden age of got	The second section of the basis spanning of the second section of	•
		R, OR POWER BOILE		
Location of appliance or source If wood, how protected?				
Minimum distance to wood or o	combustible material.	from top of appliance or co	ising top of furnace 1	register
From top of smoke pipe _ 8"	11 e d I rom front of app	liance . 4 [†] . From s	ides or back of appliance	ce 4
Size of chimney flue _ 8x12	Other connection	is to same flue none		#* mt
If gas fired, how vented?		Rated maxi	mum demand per hour	*** * ******
	IF	OIL BURNER		
Name and type of burner	***	Labelled by	underwriter's laborator	ies?
Will operator be always in atter				
Type of floor beneath burner				
Location of oil storage				
If two 275-gallon tanks, will thr	-			21 - 1 - 24 - 14 - 14 - 14 - 14 - 14 - 1
Will all tanks be more than five			nks fire proofed?	
Total capacity of any existing s	storage tanks for aurna	ice burners .	•	14 Breef
	IF COO	KING APPLIANCE		
Location of appliance	. Kind of fue	el Type o	f floor benear't applianc	e
If wood, how protected?		146 - Laminoso - Eng - L com		
Minimum distance to wood or co				
From front of appliance				
Size of chimney flue				
Is hood to be provided?				
If gas fired, how vented?	***		mum demard per hour	
MISCELI	ANEOUS EQUIP	MENT OR SPECIAL	INFORMATION	
and to set to represent the set of the set o		M . W. F. C. H		,
- # 4 etc 11				
THE BOOK A PROPERTY I		•		
ANT				1 >>
1 558 1	, , IM M.			
dendrite tomer us and				
Amount of fee enclosed? . 1.00 ouilding at same time.)		te- etc , 50 cents addition		eater, etc., in same
ROVE.Ų:	0			
JX-6/10/48-QS	K L	Will there be in charge of	of the above work a per	rson competent to
	7 -	see that the State and		•
		observed? yes		-
	P0 - 07 E04 E1 200 E4 c8100 c5100	Portla	nd Gas Light Co.	
		./1	9- 20-4	
INSPECTION COPY	Signature of Installer	Steorge W. 6	tulleston	* 1 *** *******

Permit No. 48/ 929	
Location 165-107 Edworth are	さくままり、 は 東京学院 1984年 19
Owner Gottland Const Co.	
Date of permit 6/ 1/ 148	
Approved \$/25/48	
NOTES ,	このできて かんさん 人がみ かっこう
E/55/18 - Warfalu	
1	
	・
<u> </u>	
	7. 4. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
	A CONTRACTOR OF THE PARTY OF TH
1	"一个"。"一个"。"一个"。"一个"。"一个"。"一个"。"一个"。"一个"。
-	THE PARTY OF THE P
-	Company of the Compan



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

Portland Construction Company

Date of Issue August 25, 1943

This is to certify that the building, premises, or part thereof, indicated below, and builtsitered—changed as to use at 105-107 Edgeworth Ayenus under Building Permit No. 18/266, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire Building

One-fall / Dwelling House

Limiting Conditions:

This certificate supersedes certificate issued

Inspector of Buildings

Notice This certificate identifies tawful use of building or promises, and ought to be transferred from owner to owner when property changes hands. Cop. with he furnished to owner or lesses for one dollar

(RC) RESIDENCE 7047 C APPLICATION FOR PERMIT



Class of Building or Type of Structure Third Class

PERMIT ISSUED

Portland, Maine Warch 10, 1948
To the INSPECTOR OF BUILDINGS, PORTLAND AND

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PURTLA	ND, ME.	· · · · · · · · · · · · · · · · · · ·
The undersigned hereby applies for a permit accordance with the Laws of the State of Maine, the Bi if any, submitted herewith and the following specifical	mang Code and Zoning Ordinance of f.	he Gity of Portland, plans and specifications,
Location Lot 36 Edgeworth Avenue (/C	<u>5-101)Within Fir</u>	e Limits? no Dist. No
Owner's name and address Portland Con	struction Co., 234 Middle	St. Telephone
Lessee's name and added a		
Contractor's name and address Everett W. Architect.	Jones, 812 Sawyer St., So.	Portland Telephone 2-4680
Architect	Specifications	Standard Plan A
Proposed use of building Dwe	lling	No families 1
Last use		- No families
MaterialNo. store sHeat_	Style of roof	Ranting
Other buildings on same lot		KOODUĞ
Fstimated cost \$ 3500.		Fee \$ 1.00
		

General Description of New Work

To construct 1 story frame dwelling 25'x25'

Permit Issued with Letter

	t chill issued with Detter
It is understood that this permit does not include installation the heating contractor. FIRMLE TO IN 1 TOTAL TO	of heating apparatus which is to be taken out separately by and in the name of Everett W. Jones
Det	tails of New Work
Is any plumbing work involved in this work?ye	es!s any electrical work involved in this work?yes
Height average grade to top of plate11'	Height average grade to bighost using at most 101
Size, front 251 uepth 251 No. stor	rics 14 solid or filled land? solid earth or rock? earth
Meterial of foundation concrete block Ti	hickness, top_8"_bottom_8" cellar_no
Material of anderpinning trench wall	
Kind of roof pitch-gable Rise per frot 8	8" Roof covering asphalt roofing Class C Und. Lab
No. of chimneys Material of chimneys	brick of lining tile Kind of heat hot airfuel
h ming lumber-Kind hemlock	Dressed or full size? dressed
Corner posts 4x4 Sills 4x6 Girt or i	ledger board?Size
Girders yes Size 6x8 Columns unde	er girders Size Max, on centers
Studs (outside walls and carrying partitions) 2x4-14	16" O. C. Bridging in every floor and flat roof span over 8 feet.
Inists and rafters: 1st floor 2x8	2x8 , 3rd , roof 2x6
centers: 1st floor 12"	, 2nd 16" , 3rd , roof 24"
Maximum span: 1st floor. 14	
	of walls?
y management in the state of th	
Net care now paraments to	If a Garage
Will automatibe and the test of	e accommodatedr — ober comme cial cars to be accommodated
will altomobile repairing he done other than minor	repairs to cars habiteally stored in the proposed building?
PPROVED:	Miscellancous
	Will work require disturbing of any tree on a public street?_no
	Will there be in charge of the above work a person competent to
700000000000000000000000000000000000000	see that the State and City requirements pertaining thereto are
	observed?yos
	Portland Construction Co.
	^
	$\mathcal{Q}(\mathcal{Q}) \wedge \mathcal{Q}$

Signature of owner By: 10. W. Janes

INSPECTION COPY

Permit No 48/ 266 15		
Location Lat 86 Edgeworth are		
Owner Portland Const. Co.		<u></u>
Date of permit 3/ 10 148		3
	<u>, _ , </u>	4 9
Notif. closing-in 7/3/4/8	1	E27
Inspn. closing-in '//9///	1	<u> </u>
Final Notif		v <u>*</u>
Final Inspn 8/65/11	·—	1 1
Cert. of Occupancy issued 1/05/4/		* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NOTES		9 2
3/12/46- focation 01.		7,2,4
3.49		ie- j
3/19/48 - Raufil excession	 j	17.5
made 1		
3125/18- Spanie & St		- J
4/23/48-18 and 8th		- · · · · · · · · · · · · · · · · · · ·
7/9/48 20.3 10:610		
		
8/20141- Holes winesth tub		
to be plugged: Heart not get		, .
77		1
Complete with all		
5/55/14 - WW at		
		Ţ.
The second secon		
and the second of the second o		