reacousta be cover method of prov outside and for healt

A



### COLONIAL BEACON OIL COMPANY

NEW ENGLAND SALES LIVISION

Boston, Mass.

J. C. RICHDALE. DIVISION MANAGER J. A. KNOWLTON.

December 22, 1941

RECEIVED

DEC 23 1941

SEPT. OF PLD'S. PAR. CITY OF PERTLAND

MAIL REPLY TO 378 STUART STREET BOSTON, MASS.

Warren McDonald, Inspector of Buildings Department of Building Inspection City of Portland, Maine

Brighton Ave. & Woodford St. Portland, Maine 5339 - WR

Dear Sir:

Due to the shape and the layout of the 24' driveways, we feel that if the curbing at the inside of the property line is not set back 51 from the corner of the driveway that we will experience considerable difficulty in that a definite hazard will be created when cars are entering or leaving the station. In your letter of December 8, first paragraph, you stated that the curbs may be set back not more than 5' from the edge of the approaches, which is in accordance with our standard practice where curbs are required by municipal ordinances.

We are attaching a signed statement covering the design of the service station building in accordance with paragraph two.

We feel sure that the contractor will notify you when the batter boards are set.

In all of our service stations we use a terra cotta duct, underground, connected to a galvanized iron duot where it runs through the building for ventilation of the pit.

We intend to install a large louver in the outside wall of the heater room which will supply fresh air for combustion, and also supply fresh air for the recirculation of outside air through the heating system. This recirculation is obtained by installing a 4"x10" grille in the boiler room in the duct which attaches to the circulating fan. The fresh air, onters the boiler room through the outside grille and thon is drawn into the heating system by means of the grille in the return a r duct. The intake fan opening has an area of 400 square inches and the area of the grills will be 40 square inches, which should give at least 5% and probably more of outside air. We trust this method of circulating outside air is satisa factory.

In taking care of drainage for our pit floor, we shall either use a floor drain piped to a sump outside the building as suggested in your letter or we shall eliminate the drain in the pit altogether.

BUY AT THE (ESSO) SIGN FOR HAPPY MOTORING

. The other items will be handled by the general contractor. Yours very truly, W. RAPHAEL Construction and Maintenance WR:CS RECEIVED DEC 23 1941 OEPT. OF F. S. SEP. CITY OF FERTLAND

December 20, 1941 Subject: Service Garage for Colonial Beacon Oil Company at 569-575 C. Durso & Sons, 527 Main Street Brighton Ave., corner moodford St. Haverhill, Mass. Gontlemen: Enclosed is the building permit as above issued subject to the following, Colonial Beacon Oil Company having a copy of this letter: 1. The plat plan still shows the inside ourbs at the street corner set back the five feet from the approach driveways. I presume that it is understood that these two curbs are to extend clear out to the edge of the approach driveway on either side. 2. I have not found any statement of design. A blank is exclused for Mr. Raphael. Will be please sign and return as soon as possible so that it may be attached to the plans. 5. As soon as batter boards are up and rear property line located, please notify this office for checking the location of the rerr wall before proceeding with the work. 4. Material of pit want duet not shown. Progumably this is to be tile or similar durable moterial wherever dust is below ground. 5. It is not clear how the required percentage (5%) of outside air is to reach the warm air circulating system. Neither is there is any assurance as for as I can see that that minimum percentage of air supplied to the heating system will be maintained from out of doors. The louvres indicated in the outside wall of the heater room are evidently intended to supply fresh air for combustion which is proper. Please explain in detail how this feature as contained in Section 204-h-2 of the Building Code is to be complied with. 6. With reference to paragraph No. 3 of my letter of Docember 8th, the rear span of beams under the roof and the 2x3 joists on the longer span do not work out very well even if No. 1 West Coast Fir is used at 7 igured

at 1200 pounds per square inch. We shall not question this small discrepancy, but you should make sure that no less a grade of humber than that specified is finally used. Also note items of anchorage of joists to succerny walls, bridging and fire stops as provided in the referenced sections of the Euilding

7. You are no doubt aware of the required notification for clouing in inspection, the required notification for final inspection, the required certificate of occupancy before the building is used, and the requirement for a separate permit for heating system which may be issued only to the installer.

Very truly yours,

Inspector of Buildings

Code.

MoD/H

December 20, 1941

Fig. Chief Sankorn is unwilling to approve sump in floor of pit.

Admin may be used and if drained to crop outside of building no
in identification liquide trup will be necessary. I case furnish detail of what
full propose.

,



#### COLONIAL BEACON OIL COMPANY

NEW ENGLAND SALES DIVISION

BOSTON, MASS.

PICHDALE, DIVISION MANAGER KNOWLTON, ASST. DIVISION MANAGER

December 17, 1941

MAIL REPLY TO 378 STUART STREET BOSTON, MASS,

Warren McDchald, Inspector of Buildings Department of Building Inspection City of Portland, Maine

Portland, Maine 5339 - WR

Brighton Ave. & Woodford St.

Dear Sir:

Your file · . 675D-I

We wish to assure you that in the spring of 1942, after the frost is out of the ground, we shall take care of the following work:

A standard curb shall be provided and public sidewalks will be paved with brick or concrete the entire length of frontage of both Brighton Avenue and Woodford Street.

The approaches over the public sidewalks shall be paved permanently and suitable curbs shall be provided between the public sidewalks and the service station property along both street frontages except at the approaches. These inside curbs will be set back not more than 5' from the edges of the approaches to afford sufficient room for passage of vehicles in and cut of the station.

We are attaching two sets of a supplementary building plan on which we have indicated the additional items as required by you.

We are listing below the information you requested and the item numbers coincide with those in your letter of December 8:

- 1. We believe that the signed statement of design covering reinforced and structural steel design has already been submitted to you. If you do not have this in your office, please send us another blank so that we may execute it and return it to you.
- 2. We have indicated on the plot plan that the rear wall of the building is set at least 5' from the rear property line. We shall install windows in this rear wall and they shall be a stock standard fire window as called for by you. We shall arrange to have the fresh air louver in the rear wall equipped with a fire shutter or similar device. We intend to use this louver for both fresh air for the boiler room and for air to be recirculated in the heating system.
- 3. We shall arrange to have the fan for the pit taken off at the lowest point of the pit floor and the enclosed plan indicates a photo-electric cell arrangement for operating the vent fan. The fan which we are using is equipped with an explosion proof Class 1, Group D, motor, has a 12" diameter blade, and will move 970 cubic feet of free air per minute. It is Design #7

BUY AT THE (ESSO) SIGN FOR HAPPY MOTORING

<u>.</u>

manufactured by + . 3. F. Sturtevant Company. We have shown the additional exit door to allow a second means of egress from the wash bay on the side wall and trust it will meet with your approval in this position. We install a splash wall between the wash bay and the pit bay. We are providing a 6" curb across the openings at the front and rear of this wall. The interior walls of the heater room will be constructed of 8" concrete block. We intend to provide fresh air to the warm air heating system by installing an open louver in the rear wall of the boiler room and providing a grill on the side of the return duct which leads directly to the fan. This fresh air will circulate into the system by way of the boiler rcom. The return air ducts in the lubricating room and office will be located 4' above the floor. There will be no return air ducts from the toilet rooms. The floor drains will be equipped with inflammable liquid traps which will satisfy the State Plumbing Code and Chief of the Fire Department. We intend to install two  $4^n \times 10^n$  timbers in place of the  $14^n$  "I" beam supporting the roof. A 4" Lally column will be used to support these timbers. The roof joists will be anchored to the masonry walls. Fire stops adjacent to masonry walls will be of incombustible material. 1"x3" bridging will be used as per your request. The foundation will be of 8" concrete block as per Section 306-c-3.6 of the Building Code, which allows a minimum thickness of 8" provided the space enclosed within the foundation is not excavated, and which is the case as we have no basement in this building. A concrete footing at least 8" in depth will be provided for the foundation walls. We have lowered the roof to give us a maximum of 120 unsupported height from the top of the foundation to the underside of the roof joists. In doing this, we believe we shall be allowed to use 8" concrete block according to Section 308-b-3 of the Building Code. We appreciate the cooperation you have given us in going over these plans and we trust that the attached separate sheet, which gives the various special details, will meet with your requirements, and that the use of this sheet together with the standard plans that already have been filed will be sufficient to allow the issuance of the building permit. If you have any further comments or suggestions, please let us know. Yours very truly, W. RAPHAEL Construction and Maintenance WJK: CS Eno. ALL AND DESCRIPTION OF THE PARTY OF THE PART

December 5, 1941

in consideration of an appeal sustained and a permit granted by the City of Portland, under the Zoning Ordinance of said City, to establish and maintain a gasoline service station on the property at 569-575 Brighton Avenue, corner Woodford Street in said Portland, Colonial Beacon Oil Company, a corporation, owner of said property, agrees for itself, its successors and assigns, for such period of time as said property shall be leased or used under the terms of the application for permit granted, to observe and enforce the following conditions:

- 1. That no commercial vehicle shall be stored or allowed to be stored on these premises.
- 2. That no retail business or service, other than that of a gasoline service station shall be conducted or allowed to be conducted on these premises.

IN WITNESS WHEREOF we have hereunto set our hands and seals this 5th day of December, A.D. 1941.

COLONIAL BEACON OIL COMPANY

December 5, 1943.

In consideration of an appeal austained and a permit granted by the City of Fortland, under the Soning Ordinance of said City, to establish and maintain graculine service station on the property at 569-575 Brighton Avenue, corner Woodford Street in said Portland, Colonial Beacon Oil Company, a corporation, owner of said property, agrees for itself, its successors and assigns, for such period of time as said property shall be leased or used under the terms of the application for permit granted, to observe and enforce the following conditions:

- I. That no commercial vehicle shall be stored or allowed to be stored on these promises.
- 2. That no retail business or service, other than that of a gasoline service station shall be conducted or allowed to be conducted on those presidess.

IN WITHERS WHEREOF we have hereunto set our hands and seals this Becomber, A.D. 1941.

COLONIAL BRACON OIL COMPANY

Witness

Docomber 13, 1941 Subject: Plat plan for service station for Colonial Beacon Oil Co. is Raphael, Chief of at 569-575 Brighton Avenue, corner tonstruction and Maintenance tolonial Beacon 011 Co., por Stunrt Street, Mondford Street. Hoston, Mass. I showed your revised plat plan on chive to the Municipal Officers Door Mr. Raphael: yesterday and they are natisfied with it except for two feetures, they feel that there is no need of the five foot setbicks of the incide curbs at the very corner and they desire that these inside curbs be extended to the edge of the concrete ramp approach. I have just noted information on the revised print: "concrete ramps and brick sideralks to be installed in the spring of 1942." This is satisfactory. prick siderniks to be installed in the spring of 1942. Into it satisfactory. They objected to the pea stone ramps and sideralks shown on the location platitudiff, but they have no objection to this material as long a the permanent payement is put in next spring. Very truly yours, Inspector of Buildings WideD," CC: Harry Wilson Street 507 Woodford Street noticed the words "wood frame" indicating the proposed P.S. I have just noticed the words as I understand the building is to new building. I presume this is in error as I understand the building is to have manoury walls complying with our Code for Escond Class Construction which would permit the good frame in the roof and wooden partitions on the inside. mounta persit one sood irries in one foot and nooden persitions on the inning a tribiding with a mooden frame to considered here as heving mooden frame in the cutsido walls, is tyrued Third Class Construction and in a Service Garage is not allowed to have as large an area as your proposed building would have.

December 8, 1941

truction & Maintaince mini Beacon Oll Co. 8 Stuart Street, Boston, Menn.

Dear Sir:

Subject: Building permit for Service Garage for Colonial Bescon Uil Co. at 563-675 Brighton Avenue, corner Roodford Street. References thus (204-b-1) are to sentions of paragraphs for the Bldg. Code of the City of Portland

From a copy of my letter to the owners of the above premises, you are no doubt sware that the zoning appeal relating to this project was sustained conditionally on December 5rd. One of the conditions being the approval of the plot plan by the "imicipal Officers. The immicipal officers have opproved the lot plan subject to the conditions that standard curb shall be provided and jublic sidewalks shall be paved with brick or concrete the entire length of frontege on both Brighton Avenue and Woodford Street, that approaches over public sidewalks shall be paved permenently, and that suitable curbs shall be provided between the public sideralks and these presises along toth street frontages except test the approaches, with the provision that these inside curbs may be set back not more than five feet from the odger of approaches to afford exple room for passage of vehicles in and out of the station; all of this work to be by the appellant owners as seen as possible efter frost is out of the ground in the spring of 1942."

It was my understanding at the hearing that the lesvee would be responsible for natually parforming this work, and I shall appreciate a letter from you acknowledging these conditions and giving the assurance that they are understood and will be complied with.

The plans accompanying the application for the permit are short as follows:

- To cover the reinforced concrete and the structural sheel design, vo shall need your signed statement of dosign (blonk attached) and this statement should be secured to the revised plans.
- 2. At the hearing you indicated that the rear well of the building would be set at least five feet from the rear property line. If the rear property line is not already staked on the ground, it ought to be and as mon'as the batter boards are up for the new building this office should be notified for checking that distance. If the well were less than four feet from the line, a magenry perapet wall at least two feet above the level of the roof would be required in the roar wall besides other requirements for standard fire windows and doors. (204-b-1) I find that a note on Shoet 2 of the plans about substituting skylights for the windows in the rear wall under certain circumstances. Ferhaps you intend to do it in this case, if so it should be clearly stated on the plans or in a letter. Because this rear wall would be closer than 50 feet to the rear property line ony windows or doors in the wall are required to be standard fire windows or standard fire doors. Unprotected Louvres in this rear wals to admit air to the heater room are not allowable unless equipped with a fire shutter over them. A standard fire window with ventilating panel for that purpose would be acceptable. If leuvres

A difficient this rear until to edult air from the out of doors to reach the Hally system by means of a dust, those louvres will be permitted without (204-b-4)

- pit floor. The arrangement proposed for making the pit fan switch automatic ought to be stated on the plan or in specifications and the capacity of the fan with relation to the job at hand should be stated. (204-d-2)
- 4. In additional exit door at least two feet wide is required in the rear of the car wash rows or at the rear of the lubricating space. If in the rear of the land this door wash rows to be a standard fire door labelled by the lader-rear wall this door would have to be a standard fire door labelled by the lader-wall sale for use in Exterior Walls of light Exposure, and writers! Laborator, 3. Lac. for use in Exterior Walls of light Exposure, and writers! Laborator, 3. Lac. for use in Exterior Walls of Light Exposure, and set in a structural metal frame. This is required to provide a separate und distinct recond means of egress, it not being allowable to count the large loors as a means of egress. (204-u-2)
- Lubricating pit, the Cade requires a curb at least six inches in height above the lubricating non floor extending completely around the pit. If you prefer, the lubricating most floor extends a similar curb from front to rear wall of the it will be satisfactory to extend a similar curb from front to rear wall of the building between the pit and the west stand. (2)4-f-1)
- 9. The interior walls of the heater roca are required to have a rating of at least two-hour fire resistance. The 26 inch tile wells to satisfy this requirement must have two cells in thickness of the wall and be lead-bearing. (302-a-Schedule A)
- 7. It is necessary that at least five parcent of the air for the heating system be taken from the outside of the brilding and delivered as provided in the Code, and in all but the ladies' toilet room it is necessary that the bottoms of the return air ducts he at least four feet above the level of the labricating room floor. (204-h-2)
- B. The floor drains are required to be equipped with inflammable liquide temps to sath by the State Plumbing Code and to the approval of the Chief of the Fire Department. The inspection of this feature comes under the duties of the Plumbing Inspector.
- 9. It is apparently the intention of the contractor to substitute 6x8 timbers for the 14-inch I-bean indicated under the roof. Some sort of indefinite totation is multim in crayen on the plan. It looks inadequate and we cannot except totation in that shape at any rate. Soof joints are required to be analyzed to the massary walls. (301-b-2 and o-1) firs stops adjacent to assory walls are required to to of incombustible material. (301-c-2) Ka loss then 1x3 bridging is required to to of incombustible material. (301-c-2) Ka loss then 1x3 bridging is to be used. (311-c-3.8) Shoots 2 and 3 of the plane, supportably Shoot 2, are quite to be used. (311-c-3.8) Shoots 2 and 3 of the plane, supportably shoots (306-c-3.8) The plane of the foundation. (306-c-3.8)
- 10. Apparently the concrete block wall in the high part would be more than 12 feet unsupported height from the top of the conduction to the underside of the joists. This may be everyone by the allowence in 808-b-5.
- We have had to discontinue the practice of accepting plane with applications. For permits with supplementary information marked on the interaction shows be printed. to provide the transfer feshion, but it is necessary that all of the interaction shows be printed.

Documber 8, 1941

original. Having used the standard plan system for several years of gringles appreciate some of the difficulties of doing this on your part, the desards on the time and efficiency of tris office make this rule necessary. The desards on the time and efficiency of tris office make this rule necessary. The desards on that you may accomplish this by making a separate sheet showing all reggest that you may accomplish this by making a separate sheet showing all this details required which are not on your standard plans and give us a print of that. Even if this is done there should be reference on each of these details to the particular sheet and number of the standard plans which that particular information supersectes.

The Chief of the Fire Department, who is required by law to approve this building permit is unwilling to do so until the details of all vent, for end automatic emitch are clearly shown.

May so have this information promptly so that the building permit may be issued.

Very truly yours,

II\Coku

Inspector of Buildings

CG: C. Durse ? SEA, 527 So. Main Street Haverhill, Mass.

2 Soldier Military Edford Street, tend, using

Subjects building point and repeal relating to construction of Service Carage for Calonial. Basery Off Co., on property of Harry W. & Milno Wilson of 5692 575 Brighton Ave., corner Joedford

Wh Decomber 3, 1941, the cunicipal difficers voted to sustain conditionally Your appoil under the South Ordinance relating to the above subject, the conditions being besides that requiring full compliance with all terms of the

- 1. Thut a detailed los can plen showing all arrangements of tuildings, pusps, drivernys, floodisphte, signs, approaches and substantial oppurtenances of the establishment, be approved by the Committee in Coning and Euliding of the estationary, as anything paralts or additional licenses to store
- 2. That, before building permit or additional Licensus to store gesoline or oil on the presisor are issued, the appallant owners shall agree genoline or our on the property of appeal sustained and the building permit in writing, in consideration of their said assigns to refrein from parking or allowing to be purked on thes promises any commercial vehicles, and to or allowing to be pursued or allowing to be empleted on any part of those promises any retail business or service other than the automobile business

The Municipal Officers have already approved the detailed location plan substitted by Polonial Boscon Oll vampany but with the provision: "subject to the condition that atendard ourb shall be provided and public addenals chall be paved with brick or concrete the entire length of frontages on both Brighton Avenue and Woodford Street, that approaches over public sidewalks shall be payor permanently, and that suitebla curbs chall be provided between the public bidowalks and those promises clong both street frontages except at the approaches, with the provision that these inside curbs may be set back not more than five foot fr. the edgen of approaches to support ample room for passage of vehicles in and out of the stations all of this work to be done by the appollant emerge as soon as possible efter frost is out of the ground in the spring of 1342.

The plans have not been fully checked, but are in that process now, with relation to item No. 2 of the conditions, there is attrohed a suggested agreement which I think will be approved by the Corporation Counsel. Naturally we and the this afficient of egreement properly executed before the building permit may be lagued. Please file the signed agreement in duplicate.

Very erally yours,

MCD/H The Nato Raphael, Chief ince halanial Beacon Oil Goo, 576 Ernet Stee Baston Hovember 8, 1941

Colonial Boncon Oil Co., 578 Stuart Street, Boston, Mass.

Subject: Building permit for construction of new Service Garage for Colonial Beacon 011 Co., at 569-575 Brighton Ave., corner Woodford Street

C. Purso & Sone have applied for the above permit, and I hasten to advise you that this location is in a Local Business Zone under our Gentlemen: Zoning Law, where a service building or gazago (the usual auto service building is called a Service Carage by our Building Code) is a nonconforming use. of Course your building there has existed for many years, but the coming Law does not allow increase in volume of such a non-conforming use. Therefore I am unable to Issue the permit. Parhaps you will desire to file an appeal speking a variance from the previse terms of the ordinance which the Sunicipal Officers (Appeal Board) have authority to grant in event the sembers believe that what is desired may be permitted without substantially departing from the intent and purpose

Such an appeal would have to be filed in the name of the owner of the property and on blanks furnished by this office. There is a fee of of the law. Two dollars which is not refundeble whether the appeal is successful or not, the fee being because the less requires a public hearing and motification of the hearing to be sent by mail ten days before the hearing to exmers of property within 500 feet of the premises in question.

No doubt the time element is quite important in your case. The first dete on sprey Aon could bessiply exbect seriou or ency su abbest month pe at the regular Council meeting on December Srd. The public hosring for apposis to be seed mon on that dute world normally be on Erique, Hovember Setuto be seven upon on that once bound assembly be on errous, account to have the appeal filed in this office not later then November 13th, 11 you hope to got action at the Documber 3rd meeting.

Very truly yours,

Inspector of Buildings

hitaD/R CC: Harry & Ecline M. Wilson 507 Woodford Street

C. Durso & Sons, 527 So. Main St. Havernill, Mass.

### APPLICATION FOR PE Class of Building or Type of Structure

|  |   | escond Cla   |  |
|--|---|--|--|
| TOTOR OF RITIDIT   | NGS, PORTLAND, MR.  | Portland, Maine, November  | and and the self-  |
| with the Laws of the State of Maine, il<br>and the following specifications:           | for a permit to crect altering to Building Code of the City | stall the following building strace<br>of Portland, plans and specification  | turn-equipment in accordan   |
| Lucation 509-575 Brighton  | Yenne Ward  | III'at to the same of the same | and the same of th |
| Owner's or Lasseo's name and addres Contractor's name and address C                    | SS Colonial Reson   | 243 C  | aoDist. No   |
| Contractor's name and address C.   | Durso & Song 527 St   | Made of the Student Student  | Bost Celephone   |
| Architect Colonial Beac  | ion .   |  | es. Telephone 897  |
| Proposed use of buildingServic   | e Gares   | Plans  | filed yes No. of sheets 3  |
| Proposed use of building. Service Other buildings on same lot. Estimated cost \$ 4.000 |   |  | No. families   |
| Estimated cost \$ 4,000.   |   |  |  |
|  | Crintion of Present D.                                      | !.   | Fee \$ 3.00  |
| MaterialNo. stories  | cription of Present B                                       | uliding to be Altered  | •  |
| Material No. stories Last use  |   | Style of roof  | Roofing  |
|  | General Description   |  | _No. families  |
| use, tankswill bear Und-<br>grade, mi imma diameter                                    | or printing tenk to p                                       | nwb 15.  | A 000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  |
| t is understood that this permit does not include heating contractor.                  | ude installation of heating appa:                           | ratus which is to be taken out seen  | 2/2/4 <u>1.</u>  |
| the healock  | Details of New  | Work   | ately by and in the name of  |
| ize, front   | 070.co/l  | _  | te   |
| ize, frontdepthdeptho be erected on solid or filled land?                              | No. storiesHe   | ight average grade to highest po   | int of roof  |
| o be erected on solid or filled land?<br>laterial of founda:ion                        |   | earth or rock?   |  |
| aterial of foundation  | Thickness, top_   | bottom   |  |
| aterial of underpanning Rise   | Height  | Thickne  | 255  |
|  |   |  |  |
|  | of chimneys   | rick of lining   | * *110   |
| ind of heat hot et -   | Tunn of to  |  | ; <u></u>  |

K of fuel\_\_\_\_\_\_Is gas fitting involved?\_\_\_\_\_ Corner posts \_\_\_\_\_ Sills \_\_\_\_ Girt or ledger board r \_\_\_\_\_ Size\_ Material columns under girders\_\_\_\_\_\_Size\_\_ \_\_\_\_Max. on centers\_ Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders Cx8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section. 1st floor\_ On centers: 1st floor\_ \_\_\_\_, 2nd\_\_\_\_\_\_\_\_\_\_, roof\_\_\_\_\_\_\_\_\_\_\_, roof\_\_\_\_\_\_\_ Maximum span: 1st floor\_\_\_\_\_, 2nd\_\_\_\_\_, roof\_\_\_\_, roof\_\_\_\_ If one story building with masonry walls, thickness of walls?\_\_\_ If a Garage No. cars now accommudated on same lot\_ ----, to be accommodated Total number commercial cars to be accommodated\_\_\_\_ Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?\_\_\_

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto

Will above work require removal or disturbing of any shade tree on a public street?

Miscellaneous

| Ward & Permit No. 41/1964 P   | ٠ ا                                     |              |  |
|---|---|--------------|--|
| Gration 5/ 545Bialta Co 17/142 - Better alm &   |   |              | <u> </u>   |
| Direction of Board Wille  |   | <del> </del> | <u> </u>   |
| Date of permit 12/20/41   | ) : : : : : : : : : : : : : : : : : : : |              | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |
| at tif. closing-in 7/4/42 ///87/11  |   | 15           | 4 H  |
| Inspin closing-in 2/4/42 CT   | <u>.</u>                                |              | 1  |
| Final Notif.  |   | - 4          | 1 2  |
| Final Inspn. 3/35/42 = 0x   | <u></u>                                 | . I          | # # 22 E   |
| K. B. C. S.   |   |              | 1 20   |
| Pro 3 6 ANOTRE  | 2                                       |              | ben I prou   |
| MUDHUE-Checker all 2 31   | 3                                       |              |  |
| of tean heard of I - white  | 3                                       |              | 171 × 111 ×  |
| the not started   | 2 ( 11 )                                |              | <u> </u>   |
|   | 5. 3                                    | - :          |  |
| 12/01/4-Cicarating-all  |   |              |  |
| Block from Hating world to the state of the |   | . !          |  |
| Books to Waling works   |   | <del></del>  | 1 135  |
| 1/8/42 - Finindalina 1200   | ·                                       |              | , , <del>ë</del>   |
| Enter Other   |   | <del></del>  | - 18<br>1 18 19  |
| 1/13/40-Sulle production  | :                                       | <u> </u>     | Fire on State of the state of t |
| being water all   |   |              | 2 13 13 A  |
| 1/3/42/ cattle aint   | ! .                                     |              | * * * * * * * * * * * * * * * * * * *  |
| Medit of french wind  |   |              | चारक   |
| THE THE COURT OF STREET, "THE   |   | ! 4          | . 99/  |
| - hastonin ed hon   | - Files                                 | 1            | apr.   |
| Da carbonit   |   | •            | ! !;   |
|   |   |              | <del></del>  |
|   | -                                       |              |  |



#### City of Portland, Maine

affect pustament embetings 173 175 41/86

Appeal to the Municipal Officers to Change the Decision of the

Inspector of Buildings Relating to the Property Owned

by Harry R Wilson and at 569-575 Brighton Avenue
Roline Wilson Corner Woodford Street

November 12, 19 41.

To the Municipal Officers:

Your appellant, Harry E. Wilson and Eoline Wilson

who is the Owner of property at 569-575 Brighton Avenue

respectfully petitions the Municipal Officers of the City of Portland to change the decision of
the Inspector of Buildings relating to this property, as provided by Section 13 Paragraph c,
of the Zoning Ordinance, on the ground that the entorcement of the ordinance in this case
involves unnecessary hardship and because relief may be granted without substantially derogating from the intent and purpose of the Zoning Ordinance.

The decision of the Inspector of Buildings denies a permit to cover the construction of a Service Garage 26° x 40° in place of the existing gasoline filling station office on the property because the property is located in a Local Figure 3 Zone where such a change in a non-conforming use is not permissible under the Zoning Ordinance

The reasons for the appeal are as follows: There has been a gasoline filling station with small office building on this property for many years, and the appealant annual desire to provide a building where motor vehicles may be serviced under down. The lesses of this property plans to construct an attractive building, and it is their belief that to house the motor vehicles while working upon them would be better for the neighborhood than to have the work done in the open air as at presss. It is their belief that the proposed use of the building would not be opportune or detrimental to the neighborhood in any way.

Harry E. Wilson

41/D

To whom it may concern; -

We, the undersigned, who are owners of property within 500 feet of the proposed new filling station of Harry E. Wilson at 569-575 Brighton Ave., heartily endorse the change to be made in having a new building in place of the one now on the premises and believe it will add to the attractiveness of the corner and be an asset to the neighborhood.

First W Forg 5 to Beghton cever

Hered Ho Watson 13 Whitwood AT

Mistrife & Evolution 12 Colonial Rd.

Samuel Kallen Si,
by known reducts

Stratal. Riskins 16 Colonial Rd.

Stratal. Riskins 16 Colonial Rd.

Thope D. Greely 503 Wood Jords Street

Mary S. Cleanes 16 Columbia Rd.

Edith C. Batio 12 Columbia Rd.

Hagel 2 Starting

Claim L. Cherney 502 Brighton live

Sladyo F. Bachelden 7 25 Kenilworth St.

Thomas. Spirosis 572 Brighton live

By Mily

Action of Appeals Committee on Appeal of Harry E. & Eoline Wilson at 569-575 Brighton Ave., cor. Woodford St.

November 28, 1941

| Chairman Martin- |
|------------------|
| Edward C. Berry- |
| Dr. Leighton     |
| Herman Libby     |
| William J. Word- |

Sustained 41/10 conditionally 12/3/41

City of Burtland, Maine

ORDERED, that the appeal under the Zoning Ordinance of Harry E. & Eoline Wilson at 569-575 Brighton Avenue, corner Woodford Street, relating to the construction of a Service Garage contrary to the terms of the ordinance in the Local Business Zone where the property is located, be sustained conditionally and that the building permit be granted to said appellants subject to full compliance with all terms of the Building Code and subject to the following additional conditions:

- l. That a detailed location plan showing all arrangements of buildings pumps, driverays, floodlights, signs, approaches and substantial appurtenances of the establishment, be approved by the Committee on Zoning and Building Ordinance Appeals before building permits or additional licenses to store gasoline or oil on the premises are issued.
- 2. That, before building permit or additional licenses to store gasoline or oil on the premises are issued, the appellant owners shall agree in writing, in consideration of appeal sustained and the building permit granted, for themselves, their heirs and assigns to refrain from parking or allowing to be parked on these premises any commercial vehicles, and to refrain from conducting or allowing to be conducted on any part of these premises any retail business or service other than the automobile business involved in this appeal.

DECAUSE enforcement of the ordinance in this specific case would cause unnecessary hardship by needlessly preventing improvement and development of the property; and desirable relief may be granted "ithout substantially derogating from the intent and purpose of the ordinance in the proposed new building would undoubtedly improve the situation from the ...andpoint of the neighborhood.

December 4, 1941

Harry E. & Rollr. dilson, 507 Woodford Street, Portland, Maine

Doar Sir & Madama

Subject Building persit and appeal relating to construction of Service Carago for Colonial Beacon Dil Co., on property of Harry E. & Foline Wilson at 569-575 Brighton Ave., corner Woodford Street

On December 5, 1941, the Eunicipal Officers votal to sustain conditionally year appeal under the coning Ordinance relating to the above subject, the conditions being besides that requiring full complience with all terms of the Balding Godes

- l. That r datailed location plan showing all arrangements of buildings, pumps, drivernys, floodlights, signs, approaches and substratial expurtements of the establishment, be approved by the Committee on coming and Endiding Ordinance Appeals before building permits or additional licenses to store gasonine or oil on the premises are issued.
- 2. That, before buildir q permit or additional licenses to store gasoline or oil on the premisor re issued, the appellant owners chall agree in writing, in consideration of appeal systemed and the building permit granted, for themselves, their heirs and assigns to refroin from parking or allowing to be parked on these premises any commercial vehicles, and to refrain from conducting or allowing to be conducted on any part of these promises any retail business or service other than the automobile business involved in this appeal.

The Sunicipal Officers have already approved the detailed location plan submitted by Colonial Beason Oil Company but with the provision: "subject to the condition that standard curb shall be provided and public sideralk shall be paved with brick or concrete the entire length of frontages on both Brighton Ayanus and Moudford Street, that approaches over public sideralks shall be ploved a transmitly, and that suitable curbs shall be provided between the public sideralks and these premises along both street frontages except at the approaches, with the provision that these inside curbs may be set back not more than five feet from the edges of approaches to support ample room for passage of vehicles in and out of the station; all of this work to be done by the appellant camers as soon as possible after frost is out of the ground in the spring of 1942."

The plans have not been fully chesked, but are in that process now, With relation to item No. 2 of the conditions, there is attached a suggested agreement which I think will be approved by the Corporation Counsel. Naturally we must have this statement of agreement properly executed before the building permit may be issued. Please file the signed agreement in duplicate.

Very truly yours,

Wind Raphiel, Chief Engg., Colimin Beacon Oli Co., 373 Stuart St., Boston

CITY OF PORTLAND, MAINE
BOARD OF MUNICIPAL OFFICERS
COMMITTEE ON ZONING AND BUILDING ORDINANCE APPEALS

Room 21, City Hall November 18, 1941

To Whom It May Concern:

The Committee on Zoning and Building Ordinance Appeals of the Municipal Officers will hold a public hearing at the Council Chamber, City Hall on Friday, November 28, 1941 at two o'clock in the afternoom upon the appeal under the Zoning Ordinance of Harry E. & Eoline Wilson relating to the use of the property at 569-575 Brighton Avenue, corner Woodford Street.

The Inspector of Buildings is unable to issue a building permit to Colonial Beacon Oil Company (lessee of the property) to construct a one story concrete block with stucco finish building approximately 25° g 40° to be used as a motor vehicle service station because such a per doep not comply with the provisions of the ordinance in the Local Fusings a Zone where the property is located. Use of the property as a factor filling station has existed for many years, and it is the intention of replace the smaller office building by this new service building, the smaller building to be removed from the premises. The ordinance dues not allow the increase in size of a building for this non-conformations.

The appellant owners set forth the reasons for the appeal as follows:

"There has been a gasoline filling station with small office building on this property for many years, and the appellants now desire to provide a building where motor vehicles may be serviced under cover. The lessee of this property plans to construct an attractive luilding, and it is their belief that to house the motor vehicles while working upon them would be better for the neighborhood than to have the work in the open air as at present. It is their belief that the proposed the building would not be obnoxious or detrimental to the neighborhood in any way."

All persons interested either for or against this appealwill to heard at the above time and place, this notice of hearing having been sent to the owners of property within 500 feet of the promises in question as required by law.

COMMITTEE ON ZONING AND BUILDING ORDINANCE APPEALS

Harry E. Martin, Chairman

as I understand, This is simply a frequenty improvement proposition, and as such I see no objection to it Solvin Meles, 600 Bright as

† •

•

Room 81. City Hall Moyomber 26, 1341

Mr. Harry E. Wilson, 507 Received Street, Portland, deine

Door Stri

The Committee on Loning and building Ordinance Appeals of the Eunicipal Officers will hold : public heering of the Council Chamber, City Hali on Friday, November 18, 1941 at two o'clock in the afternoon upon your appeal under the doning Ordinance relating to the use of the property at 563-575 Exighton Avenue, corner Woodford Street.

Clease to present or to represented at this hearing in support of your espect.

CHARLETTEE ON LANING MID SULLDING ORDINANCE APPEALS

Hegry E. Martin, Chairman

CC: Colonial Beacon Oil Co. 378 Stuart Street, Baston, Mass.

CITY OF PORTLAND, MAINE
BOARD OF MUNICIPAL OFFICERS
COMMITTEE ON ZONING AND BUILDING ORDINANCE APPEALS

Room 21, City Hell November 18, 1941

To Whom It May Concern:

The Committee on Zoning and Building Ordinance Appeals of the Municipal Officers will hold a public hearing at the Council Chamber, City Hall on Friday, November 28, 1941 at two o'clock in the afternoon upon the appeal under the Zoning Ordinance of Harry E. & Eoline Wilson relating to the use of the property at 569-575 Brighton Avenue, corner Woodford Street.

The Inspector of Buildings is unable to issue a building permit to Colonial Beacon Oil Company (lessee of the property) to construct a one story concrete block with stucco finish building approximately 26' x 40' to be used as a motor vehicle service station because such a use does not comply with the provisions of the ordinance in the Local Business Zone where the property is located. Use of the property as a gasoline filling station has existed for many years, and it is the intention to replace the smaller office building by this new service building, the smaller building to be removed from the premises. The ordinance does not allow the increase in size of a building for this non-conforming use.

The appellant owners set forth the reasons for the appeal as follows:


"There has been a gasoline filling station with small office building on this property for many years, and the appellants now desire to provide a building where motor vehicles may be serviced under cover. The lessee of this property plans to construct an attractive building, and it is their belief that to house the motor vehicles while working upon them would be better for the neighborhood than to have the work done in the open air as at present. It is their belief that the proposed use of the building would not be obnexious or detrimental to the neighborhood in any way."

All persons intorested either for or against this appeal will be heard at the above time and place, this notice of hearing having been sent to the owners of property within 500 feet of the promises in question as required by law.

COMMITTEE ON ZONING AND BUILDING ORDINANCE APPEALS

Harry E. Martin, Chairman

n



To demolish building 20' x 20'

PERMIT ASSED

| Class of Building or Type of Structure Phira Class DEC 3 1941  |  |
|--|--|
| Portland, Maine, November 7, 1941  |  |
| To the INSPECTOR OF BUILDINGS, PORTLAND, ME.  The undersigned hereby applies for a permit to exect alter instell the following building structures equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith me, the following specifications:  Within Fire Limits?  Within Fire Limits?  Within Fire Limits?  Owner's or Lessee's name and address—Colonial Esseon Oll Co., 376 Stuart St. Boatchelephone.  Contractor's name and address—Colonial Esseon Oll Co., Baronill Mass Telephone S97  Contractor's name and address—Colonial Esseon Oll Co., Baronill Mass Telephone S97  Contractor's name and address—Colonial Esseon Oll Co., Special Main St. Haverhill Mass Telephone S97 |  |
| Architect Plans filed XET No. of sheets Plans filed XET No. of sheets  |  |
| Proposed use of buildingNo. families   |  |
| Other buildings on same lotFee \$50  |  |
| Estimated cost \$  |  |
| Material wood No. stories 1 Heat Style of roof Roofing   |  |
| William Station Utilia No. Iamines No. Iamines   |  |
| General Description of New Work  |  |

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately bleam in the name of the heating contractor.

Details of New Work

OR COMMAND STATES CENTURATE OF OH CLOCK PORT Is any plumbing work involved in this work?\_\_\_\_\_ Is any electrical work involved in this work? Height average grade to top of plate. Size, front\_\_\_\_\_\_depth\_\_\_\_\_\_No. stories\_\_\_\_\_Height average grade to highest point of roof\_\_\_\_\_ To be erected on solid or filled land?\_\_\_\_\_earth or rock?\_\_\_\_\_ Material of foundation\_\_\_\_\_\_Thickness, top. \_\_\_\_bottom\_\_\_\_\_cellar\_\_\_\_ Height Thickness — Material of underpinning\_\_\_\_\_ \_\_\_\_Rise per foot\_\_\_\_\_Roof covering\_\_\_\_\_ Kind of roof... No. of chimneys \_\_\_\_\_\_ of lining \_\_\_\_\_ of lining \_\_\_\_\_ \_\_\_\_\_Type of fuel\_\_\_\_\_\_Is gas fitting involved?\_\_\_\_\_ Kind of heat... Dressed or full size?. Framing lumber-Kind-\_\_\_\_Sills\_\_\_\_\_\_Girt or ledger board?\_\_\_\_\_Size\_\_\_\_\_ Corner posts\_ Size\_\_\_\_ Max. on centers\_\_\_\_ Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section. \_, 2nd\_\_\_\_\_\_, 3rd\_\_\_\_\_, roof\_\_\_\_\_\_ Joists and rafters: 1st floor\_\_\_\_\_\_\_, 2nd\_\_\_\_\_\_\_\_\_, 3rd\_\_\_\_\_\_\_\_, 100f\_\_\_\_\_\_\_\_ On centers: \_\_\_\_\_\_, 2nd\_\_\_\_\_\_\_\_, roof\_\_\_\_\_\_\_, roof\_\_\_\_\_\_ If one story building with masonry walls, thickness of walls? \_\_\_\_\_height?\_\_\_\_\_ If a Garage No cars now accommodated on same lot\_\_\_\_\_\_\_ to be accommodated\_\_\_\_\_\_ Total number commercial cars to be accommodated\_\_\_\_\_ Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?\_\_\_\_\_, Miscellaneous Will above work require removal or disturbing of any shade tree on a public street? no Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therety Coloniel Pencos Oil Co. are observed? yes Signature of owner. INSPECTION COPY

|        |  | _            |                 |             |   |   |           |             |             |                |     |         |               |                      |     |          |              |              |               |                 |                                       | 100 |
|--------|--|--------------|-----------------|-------------|---|---|-----------|-------------|-------------|----------------|-----|---------|---------------|----------------------|-----|----------|--------------|--------------|---------------|-----------------|---------------------------------------|-----|
|        | Permit No. 41) 1894 2000 4. 1964   |              |                 |             |   |   |           |             | ~           | •              |     |         |               |                      |     |          |              |              |               |                 |                                       |     |
| :      | Location 569-595 Bughton O.  | 1            | 2               |             |   |   |           | ··          | <u> </u>    |                | 2   | j       | •             | **                   | 317 | 20.2     | N. O.        | Z.           |               | 132             |                                       | 4   |
| •,     | Owner Colonial Beach Dille.  | •            |                 |             |   |   |           | *10.0       | 1           |                | * . |         | <del></del> - | <del>- 7.</del><br>7 |     | ;a       | 22           | 2            | Supplied in   |                 | enar.                                 | 1   |
|        | Date of permit /2/4/4/   |              |                 |             | _ |   |           |             |             |                |     |         |               |                      |     | <u> </u> | THE STREET   |              |               |                 | 100                                   | -   |
|        | Notif. closing-ip  | <del>,</del> |                 |             |   |   |           |             | - 1         |                |     |         |               |                      | •   | _,       | <del>-</del> |              | 36            | 7117            | 4                                     | 4   |
|        | inspa. closing-in  |              | ·               |             |   |   |           |             | ·           |                |     |         |               | :                    | ,   |          | •            |              | art           |                 | 4                                     | 1   |
|        | Final Notif.   |              | -               | <del></del> |   |   |           |             |             |                |     |         |               |                      | 1   |          |              |              |               | 033             |                                       |     |
| ;      | Final Inspn. 4/6/42"   |              |                 | 4           |   |   |           |             |             |                |     |         | -             |                      |     |          | <del></del>  |              | . 2           | 2               |                                       |     |
| ÷ •    | Cert, of Occupancy issued in )   |              |                 | -           |   |   |           |             | - ;         |                |     |         |               |                      |     |          | <del>.</del> |              |               | ٠               | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | - 5 |
| ;      | NOTES  | ·            | <del></del>     |             |   |   |           |             |             |                |     |         |               |                      |     |          | ,            |              |               | ·               | 10.0                                  |     |
| ·      | Ofutur Not yet don 194   |              |                 |             |   |   |           |             | 1           |                |     |         |               |                      |     | .7       | -            |              |               | <u>.</u>        | 25 E                                  | -   |
|        | Holy Wolkdon and   | ,'-          |                 |             |   |   | ********* | <del></del> |             |                |     |         |               |                      |     |          | ÷            | <del></del>  |               |                 | 13.3<br>14.1                          | -   |
|        | ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )  |              |                 |             |   |   |           |             |             | ,              |     |         |               | <del></del> -        |     |          |              | <del></del>  |               | 2               | Q                                     |     |
|        | W E 3  | •            |                 |             |   |   |           |             |             | <del>-,-</del> | _   |         |               |                      |     |          |              |              |               | 94.5            | <del>-7: #-</del>                     | . 1 |
|        |  | -1           |                 |             |   |   |           |             |             | <del></del>    |     |         |               |                      |     |          |              |              | <del>4:</del> | *******         | 100                                   |     |
| 1      |  | <u></u>      | - <del>''</del> |             |   |   |           |             | - 1-        |                |     |         |               |                      |     |          |              |              |               |                 | .3                                    |     |
| 1      |  |              |                 |             |   |   |           |             |             |                |     |         |               |                      |     |          |              |              | · ';          |                 | Ş                                     |     |
| •      |  |              |                 |             |   |   |           | -           | +           |                |     |         |               |                      |     |          |              |              |               |                 |                                       | نـ  |
| 1      |  |              |                 |             |   |   |           | · ·         | <del></del> | -              |     |         |               |                      |     | _        |              | <del></del>  |               | <u> </u>        | ·.<br>····                            | 4   |
|        |  |              | ******          |             |   |   |           | ***         | - +         |                |     |         |               |                      |     |          |              | ·            | <del></del> , | 3               | · £2.                                 | ,   |
| .e∯ •• |  |              |                 |             |   |   |           |             |             |                |     |         |               |                      |     |          |              | <u> </u>     |               | <u>ئ</u>        | - <u> </u>                            |     |
|        |  |              |                 |             |   |   |           |             | <b>-</b> }- |                |     |         |               |                      |     |          |              | <del>-</del> |               | <i>‡</i>        | -                                     | t   |
| -      |  |              |                 |             |   |   |           |             |             |                |     | ******* |               |                      |     |          |              | <u></u>      |               |                 | 3                                     |     |
|        |  |              |                 |             |   | - |           |             |             |                |     |         |               |                      |     |          |              |              |               | · <del></del> - | 1                                     |     |
| ÷      |  |              |                 |             |   |   |           |             | -           |                |     |         |               |                      |     |          |              |              | -             |                 | d:<br>N                               |     |
| ***    |  |              |                 |             |   |   |           |             | <b>-</b>    |                | -   |         |               |                      |     |          |              |              |               |                 | 1                                     | b., |
|        | Martin dada aya kadanga kayana amada Ari amada Ari - Anganayan - Angana Kasanara, ana ang ar |              |                 |             |   |   |           |             | - 4-        |                |     |         |               |                      |     |          |              |              |               |                 |                                       |     |

100000

والمراجعة والمراجعة


WRITTEN ONSENT AND AGREEMENT RELATING TO A CERTAIN SIGN PROPOSED TO BE ERECTED PROJECTING OVER A PUBLIC SIDEWALK FROM THE PREMISES AT 5/2 Woodsfords St. IN PORTLAND, MAINE

Stary E. Willing, being the owner of the premises at 3/2 Wbv/lafords St. in Portland, Maine hereby gives consent to the erection of a certain sign owned by Beacon Oil Co. projecting over the public sidewalk from said premises as described in application to the Inspector of Buildings of Portland, Maine for a permit to cover erection of said sign;

And in consideration of the insuance of said permit\_ , owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign/shall fail to remove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign within ten days of notice from said Inspector of Buildings that said sign is in such condition and of order from him to remove it.

In Witness whoreof the owner of said premises has signed this consent and agreement this 24 day of Nor., 194/

1 Mary (. bilong Owner



#### 

Portland, Maine, November 6, 1941 19

| To the INSPECTOR OF BUILDINGS, PORTLAND, MR.  The undersigned hereby applies for a permit to erect the following described sign extending over a public sign<br>walk or street in accordance with the Building Code of the City of Portland, and the following specifications: |                |
|--|----------------|
| Location 512 Wondford Street Within Fire Limits? no Dist. No   |                |
| Owner of building to which sign is to be attached  |                |
| Name and address of owner of sign Colonial Educan Oil Co., 1 Lincoln St. So. Portland  |                |
| Contractor's name and address C. B. Wilson, 78 Larm Armus, So. Portl. M. Telephone 2-63%   | <u></u>        |
| When does contractor's bond expire?  | _              |
| Information Cencerning Building  |                |
| No. Mories Iron using Material of wall to which sign is to be attached  Stendera Plan  Details of Sign and Connections   |                |
| W  |                |
| Electric? Canony 11ghted Vertical dimension after erection 4 Horizontal 6 Horizontal 6   |                |
| WeightAny rigid frame?Any rigid frame?   |                |
| Material of frameNo. advertising faces, material   |                |
| No. rigid connections Are they fastened directly to frame of sign?   |                |
| No shraugh holts Size  |                |
| Material Size, Size  |                |
| Minimum clear height above sidewalk or street 12*1*  |                |
| Maximum projection intoftreet 6.   |                |
| lana Gradones.   | ر.<br>ار،      |
| CHES OF SELLS Signature of contractor  | <del>, c</del> |



## a) 1000 THE PERMIT ESSUE APPLICATION FOR PERMIT TO ERECT Pormit No. SIGN OVER PUBLIC SIDEWALK OR STREET NOV 24 1941

| To the INSPECTOR OF BUILDINGS, PORTLAND, ME.  | Portland, Maine, November 6, 1941 19  |
|---|---|
| The indersigned hereby applies for a permit to creet the fo<br>walk or street in accordance with the Building Code of the City of | llowing described sign extending over a public side.<br>Portland, and the following specifications: |
| Location 50%-57% Brighton Avenue Compet Worlford St   | Within Fire Limits? no Dist. No.  |
| Owner of building to which sign is to be attached   |   |
| Name and address of owner of sign Colonial Boncon Oil Co.   | 1 Lincoln St. So. Portland  |
| Contractor's name and address C. M. Milson, 73 Lawn Ave.  | Sc. Partland Telephone -6336  |
| When doe: contractor's bond expire?   |   |
| Information Concernin   | g Building Carre  |
| No. stories Stoel column Material Il to which sign is to be at  | tached  |
| Standard Planetails of Sign and C   | g Building  tached  connections  Connections  Connections   |
| Electric? Canopy Lighted Vertical dimension after erection  | tached  |
| Weightlbs., Will there be any hollow spaces?  |   |
| Mazerial of frameNo. advertising faces  | , material  |
| No. rigid connectionsAre they fastened di   | rectly to frame of sign?  |
| No. through bolts, Size   |   |
| No. guys, material  |   |
| Mitamum clear height above sidewalk or street   |   |
| Maximum projection into street 11   |   |
| dern Van de   | Fee \$ 1,00   |
| CHIEF OF FIRE DEFT. Signature of contractor.  | HI Walson 1   |
| INSPECTION COPY   |   |



## LICATION FOR PERMIT TO ERFCT SIGN

## APPLICATION FOR PERMIT TO ERECT SIGN OVER PUBLIC SIDEWALK OR STREET

| OVER TODER SIDERIALITY OF THE  |
|--|
| Portland, Maine, Harch 28, 1934 19   |
| The stranger of the control of the c |
| To the INSPECTOR OF BUILDINGS, PORTLAND, ME.  The undersigned hereby applies for a permit to erect the following described sign extending over a public side.  |
| The undersigned hereby applies for a permit to erect the following specifications:   |
| The undersigned hereby applies for a permit to erect the following described sign extending of the wilding Code of the City of Portland, and the following specifications:  Location 512 Woodford Street 18 14 14 14 Ward 8 Within Fire Limits? no Dist. No  |
| Location, ale number of the state of the sta |
| Owner of building to which sign is to be attached  |
| Standard U11 UD. OI No. 14 20 MULE   |
| Name and address of owner of sign  |
| When does contractor's bond expire? Octobor, 1934  |
| When does contractor's bond expire? Octobor, 1934  Information Concerning Building  NOTIFICA ION BEFORE LATHING  NOTIFICA ION BEFORE LATHING   |
| Information Concerning Building  |
| No. stories Material of wall to which sign is to be attached CR CLOSING IN IS WAIVED.  |
| Details of Sign and Connections  |
| Electric? Cenopy Inglitted Vertical dimension after erection 41411 Horizontal 51   |
| Electric? Cenopy 1821 Leg Vertical dimension after erection  |
| The Will there be any hollow spaces?   |
| aterial of frame stroot vips No. advertising faces 2 material ves  |
| No. rigid connections. Are they fastened directly to frame of sign?  |
| No. rigid connections.  Are they fastened directly to frame or sign?  No. through bolts no , Size , Location, top or bottom  |
| No. through bolts no , Size , Edeation, top of notes.  |
| No. guys, material   |
| Minimum clear height above sidewalk or street  |
| Maximum projection into street 6!  |
| Fee \$   |
| Signature of contractor John allessen  |
| Signature of contractor for White Constant   |
| INSPECTION COPY ALTON I . WIRTHWAY SE  |
|  |
| CT 2 COF PIR2 D221.  |

Location SID Wordend St Owner Standard Ris Co Any. Date of permit 3/29/34 Sign Contractor
Sec 84/256
Yinal Inspn. of 34/25 ectel, 600,

Magneral coll



| SVRO                       |                                |                      | <b>&gt;</b> >   |
|----------------------------|--------------------------------|----------------------|---|
|                            | •                              |                      | Original Permit Walf Prate  |
|                            | A REPORT OF A COMMUNICATION    |                      | Amendment Ng  |
|                            | AMENUMENT                      | TO APPLICATION       | ON FOR PERMIT 97 1992   |
| To the INSPECTOR O         | F BUILDINGS normalis           | Portland             | M   |
| a ne undersigned           | hereby upplies for any         |                      | pertaining to the building or the State of Maine, the Building Coda and the following specifications: |
| in man - 1 west suffer ( ) | Still Diff (CO) W// CONSTITUTE | ·                    | W Translations  |
| Owner's or Lessee's name   | ie and address                 | With the Fir         | e Limits?Dist. No   |
| Contractor's name and a    | ddress John 2.01000 Sw         | un Oil to, Inc. H.Y. | 1. Rufu a.  |
| Plans filed as now at at   | ddress John A-Oloson Sw        | ma fits to Fortland  | - Constitution  |
| Plans filed as part of thi | s Amendment Te-                | No. of s             |   |
| To attach sheet me         | Description                    |                      |   |
| Blots and                  |                                | 177 Pt 4 American    | e Walolsk an  |
| werd connection (          | o be made to existing s        | is as per nier       | - 111-E44. Sy   |
|                            |                                | Pacific Pacific      | 4   |
| ,                          |                                |                      |   |
| Σ φ                        |                                |                      |   |
| pproved:                   |                                | Signature of Owner   | John Colling of the   |
| Slive                      | r T. Sambors                   |                      | · · · · · · · · · · · · · · · · · · ·   |
|                            | Chief of Fire Department.      | Approved: 🗸          | 10/31/34,   |
| SPECTION COPY              | mmissioner of Public Works.    | M                    | Double by of  |
|                            |                                | Was ar               | Inspector of Building.  |



## A PLICATION FOR PERMIT TO ERECT SMAN 1934 A PLICATION FOR PERMIT TO ERECT SMAN 1934 OVER PUBLIC SIDEWALK OR STREET Portland, Maine, Harch 28, 1984

| Portuna, nation  |
|--|
| To the INSPECTOR OF BUILDINGS. PORTLAND, ME.  The undersigned hereby applies for a promit to erect the following described sign extending over a public side— The undersigned hereby applies for a promit to erect the following described sign extending over a public side— walk or street in accordance with the Building Code of the City of Portland, and the following specifications:  walk or street in accordance with the Building Code of the City of Portland, and the following specifications:  Ward 8 Within Fire Limits? no Dist. No.  |
| walk or street in accordance with the Building Code of the Within Fire Limits? no Dist. No   |
| Location 512 Woodford Streets Ward William File  |
| Owner of building to which sign is to be attached AS Mein St. So. Porbland   |
| Owner of building to which sign is to be attached  Name and address of owner of sign Standard Oll Co. of N. Y. 48 Main St. So. Portland  Name and address of owner of sign Standard Oll Co. of N. Y. 48 Main St. So. Portland  Contractor's name and address. John A. Olgson, Evans St. So. Portland R.F.D.#2 Telephone 4-4778   |
| 1 divorce JOHN No OLOGONIA   |
| ( ) de   |
| Information Concerning Building NOTIFICATION BEFORE LANDED.  |
| Sign on 1ron post  |
| Potails of Sign and Connections  |
| 4'4" Horizontal AV   |
| Details of Sign and Connections    Horizontal 5!   Horizontal  |
| 100 lbs., Will there be any hollow spaces? 110   |
| No advertising faces, material   |
| Material of frame #1981 p199 No. advertising advertising and advertising advertising and advertising a |
| No. rigid connections.   |
| Location; top of   |
| , 5146   |
| No. cuys 40 , material 75  |
| Minimum clear height above sidewalk or street  |
| notes in the street 82   |
|  |
| Volum a Blasen   |
| Signature of contractor folin a Olssen   |
| INSPECTION COPY DIVER TO LEAD BOX II   |
| Mar 150 and 15 |

01%. Ward & Permit No. 34/258
Location 3/3/2/2/2/2/2/2
Location 3/3/2/2/2/2/2/2
Location 3/3/2/2/2/2/2
Location 3/3/2/2/2/2/2
Location 3/3/2/2/2/2/2
Location 3/3/2/2/2/2

Location 3/3/2/2/2

Location 3/3/2/2

Location 3/3/2

Location 3/3/2/2

Location 3/3/2

Location 3/3/2 Sign Contractor

Sign Contractor

Sign Sylvesty

Final Paspin. 9 1/2/34 Sign Total

NOTES

NOTES 12/35. Amondment
tacked to this pleasured
worth of 10/19/34.
would have been or
count 34/209 This
ign sort lacted sec.
1308 - 20-to 6/19/24, Elle,



Location, Ownership and detail must be correct, complete and legible.

Separate application required for every building.

Plans must be filed with this application.

# Application for Permit for Alterations, etc. Portland, Me., October 2, 1924 19

|                  |          | INSPECTOR OF BUILDINGS:  |
|------------------|----------|--|
| ī.               | Sec 567  | The undersigned applies for a permit to alter the following described building:—  Location Aug. 518 Woodfords Street Ward 8 in fire-limits? no   |
| <b>.</b>         |          | Name of Owner or Lessee, HE Wilson Address 507 Woodfords St  |
|                  | Descrip- | e "Contractor,Owner" "   |
| ř                | tion of  | " Architect,   |
|                  | Present  | Material of Building is cement Style of Roof, pitch Material of Roofing, asphalt   |
|                  | Rldg.    | Size of Building is feet long; feet wide. No. of Stories,  |
|                  |          | Cellar Wall is constructed of is inches wide on bottom and batters to inches on top.  Underpinning is  |
|                  |          | Om(or b  |
|                  |          | Height of Building Wall, if Brick; 1st, 2d, 3d, 4th, 5th,  |
|                  |          | What was Building last used for i filling station No. of Families i  |
|                  |          | What will Building now be used for 8 filling station   |
|                  |          | cement Detail of Proposed Work   |
|                  |          | build addition 12x20feet with asphalt roof   |
|                  |          | build addition 12x20feet with asphalt roof all to comply with the bu lding ordinance   |
| <b>P</b> in      |          |  |
|                  |          |  |
|                  |          |  |
|                  |          | Estimated Cost \$ 500 •  |
|                  |          | If Extended On Any Side  |
|                  |          | Size of Extension, of feet long?; No. of feet wide?; No. of feet high above sidewalk?  |
|                  |          | No of Staries high?  |
|                  |          | Of what material will the Extension be built? Foundation?  |
|                  |          | If of Exick, what will be the thickness of External Walls? inches; and Party Walls inches.   |
|                  |          | How will the extension be occupied?  |
|                  |          | When Moved, Raised or Built Upon   |
|                  |          | No. of Stories in height when Moved, Raised, or Built upon? Proposed Foundations?  |
|                  |          | No of feet high from level of ground to highest part of Poof to be?  |
| ;                |          | How many feet will the External Walls be increased in height? Party Walls  |
|                  |          | Kiringharantan) han pamagangangan karangan magan managan managan managan managan managan managan managan manag   |
|                  |          | Phoninennilly rations something and the source of the sour |
|                  |          | 160)   |
|                  |          | \$126-116-116-11-1-1-1-1-1-1-1-1-1-1-1-1-1   |
|                  |          | If Any Portion of the External or Party Walls Are Removed  |
|                  |          | Will an opening be made in the Party or External Walls? in in  |
| ſ                |          | Size of the opening?   |
| 136              |          | How will the remaining portion of the wall be supported?   |
| aris 42 Landayin |          | Signature of Owner or  |
| 3                | •        | Signature of Owner or Authorized Representative  |
| à                |          | "  |

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

July 1, 1963

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine, on Thursday, July 11, 1963, at 4:00 p.m. to hear the appeal of Humble Oil & Refining Company requesting an exception to the Zoning Ordinance to permit erection of a metal frame tire rack 15 feet long, 3 feet wide and 8 feet high with sign space 2 feet high and 15 feet long on the top of it, making an overall height of about 10 feet, at 512 Woodford Street (569-579 Brighton Avenue).

This permit is presently not issuable because: the service station use on the lot is non-conforming in the B-I Business Zone in which the property is located and therefore this structure, which is to be accessory to that use, is not allowable unless authorized by the Board of Appeals; the structure is to be located only about 11 feet back from the street line of Woodford Street and therefore would encroach unlawfully upon the 15-foot deep front yard area required by Section 8-C-b-3 of the Ordinance; sign space on top of the structure and on the sliding doors is to advertise goods by trade name, contrary to the provisions of Section 16-A-4a of the Ordinance.

This appeal is taken under Section 24 of the Zoning Ordinance which provides such variance may be granted only if the Board of Appeals finds that the strict application of the provisions of the Ordinance would result in undue hardship in the development of property which is inconsistent with the intent and purpose of the Ordinance; that there are exceptional or unique circumstances relating to the property that do not generally apply to other property in the same zone or neighborhood, which have not arisen as a result of action of the applicant subsequent to the adoption of this Ordinance whether in violation of the provisions of the Ordinance or not; that property in the same zone or neighborhood will not be adversely affected by the granting of the variance; and that the granting of the variance will not be contrary to the intent and purpose of the Ordinance.

All persons interested either for or against this appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of property within 500 feet of the property in question as required by Ordinance.

BOARD OF APPEALS

Franklin G. Hinckley

Chairman

GITY OF PORTLAND, MAINE BOARD OF APPEALS

July 8, 1963

TO THE BOARD OF APPEALS

The Board of Appeals will hold a public hearing in the Council Chamber, City Hall, Nortland, Maine on Thursday, July 11, 1963 at 4:00 p.m. to hear the following appeals

Humble Oil & Refining Company • 512 Woodford Street (569-579 Brighton Avenue) & To permit erection of a metal frame tire rack 15 feet long, 3 feet wide and 8 feet high with sign space 2 feet high and 15 feet long on top of it, making an overall height of about 10 feet. This permit is presently not issuable under the Zoning Ordinance because: the service station use on the lot is non-conforming in the Bel Business Zone in which the property is located and therefore this structure, which is to be accessory to that use, 9s not allowable unless authorized by the Board of Appeals; the structure is to be located only about 11 feet back from the street line of Woodford Street and therefore would encroach unlawfully upon the 15-foot deep front yard area required by Section 8-C-b-3 of the Ordinance; sign space on top of the structure and on the sliding doors is to advertise goods by trade name, contrary to the provisions of Section 16-Ao4a of the Ordinance.

าก

0

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

July 1, 1963

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine, on Thursday, July 11, 1963, at 4:00 p.m. to hear the appeal of Humble Oil & Refining Company requesting an exception to the Zoning Ordinance to permit erection of a metal frame tire rack 15 feet long, 3 feet wide and 8 feet high with sign space 2 feet high and 15 feet long on the top of it, making an overall height of about 10 feet, at 512 Woodford Street (569-579 Brighton Avenue).

This permit is presently not issuable because: the service station use on the lot is non-conforming in the B-1 Business Zone in which the property is located and therefore this structure, which is to be accessory to that use, is not allowable unless authorized by the Board of Appeals; the structure is to be located only about 11 feet back from the street line of Woodford Street and therefore would encroach unlawfully upon the 15-foot deep front yard area required by Section 8-C-b-3 of the Ordinance; sign space on top of the structure and on the sliding doors is to advertise goods by trade name, contrary to the provisions of Section 16-A-4a of the Ordinance.

This appeal is taken under Section 24 of the Zoning Ordinance which provides such variance may be granted only if the Board of Appeals finds that the strict application of the provisions of the Ordinance would result in undue hardship in the development of property which is inconsistent with the intent and purpos. of the Ordinance; that there are exceptional or unique circumstances relating to the property that do not generally apply to other property in the same zone or neighborhood, which have not arisen as a result of action of the applicant subsequent to the adoption of this Ordinance whether in violation of the provisions of the Ordinance or not; that property in the same zone or neighborhood will not be adversely affected by the granting of the variance; and that the granting of the variance will not be contrary to the intent and purpose of the Ordinance.

All persons interested either for or against this appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of property within 500 feet of the property in question as required by Ordinance.

BOARD OF APPEALS

Franklin G. Hinckley

Chairman

0

· > 0

CITY OF PORTLAND, MAINE Department of Building Inspection AP-512 Woodford Street(569-579 Erighton Avenue) June 19, 1%3 Numble Oil & defining Co. I Lincoln Street South Portland, Maine cc to: Corporation Counsel
cc to: Portland Pump Company
321 Lincoln St., 'S. Portland Gentlemen: Euilding pormit for erection of a metal frame tire rack 15 feet long, 3 feet wide and 8 feet high with sign space 2 feet high and 15 feet long on the top of it, making an overall height of about 10 feet, is not issuable under the Zoning Ordinance for the following 1. The service station use on the lot is non-conforming in the B-1 Business Zone in which the property is located and therefore this structure, which is to be accessory to that use, is not allowable unless authorized by

the Board of Appeals. 2. The structure is to be located only about 11 feet back from the offeet line of Woodford Street and therefore would encroach unlawfully upon the 15 foot deep front yard a required by Section 8-G-b-3 of the Ordinance.

3. Sign space on top of the structure and on the sliding doors is to advertise goods by trade name, contrary to the provisions of Section 16-A-la of the Ordinance.

In case you desire to exercise your appeal rights in this matter, a copy of this letter is being sent to the Corporation Counsel, to whose office in Room 208, City Hall, an authorized representative should go to file the appeal.

Very truly yours,

Albert J. Sears Building Inspection Director

AJS:m

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

July 1, 1963

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine, on Thursday, July 11, 1963, at 4:00 p.m. to hear the appeal of Humble Oil & Refining Company requesting an exception to the Zoning Ordinance to permit erection of a metal frame tire rack 15 feet long, 3 feet wide and 8 feet high with sign space 2 feet high and 15 feet long on the top of it, making an overall height of about 10 feet, at 512 Woodford Street (569-579 Brighton Avenue).

This permit is presently not issuable because: the service station use on the lot is non-conforming in the B-1 Business Zone in which the property is located and therefore this structure, which is to be accessory to that use. Is not allowable unless authorized by the Board of Appeals; the structure is to be located only about 11 feet back from the street line of Woodford Street and therefore would encroach unlawfully upon the 15-foot deep front yard area required by Section 8-C-b. of the Ordinance; sign space on top of the structure and on the sliding doors is to advertise goods by trade name, contrary to the provisions of Section 16-A-4a of the Ordinance.

This appeal is taken under Section 24 of the Zoning Ordinance which provides such variance may be granted only if the Board of Appeals finds that the strict application of the provisions of the Ordinance would result in undue hardship in the development of property which is inconsistent with the intent and purpose of the Ordinance; that there are exceptional or unique circumstances relating to the property that do not generally apply to other property in the same zone or neighborhood, which have not arisen as a result of action of the applicant subsequent to the adoption of this Ordinance whether in violation of the provisions of the Ordinance or not; that property in the same zone or neighborhood will not be adversely affected by the granting of the variance; and that the granting of the Variance will not be contrary to the intent and purpose of the Ordinance.

All persons interested either for or against this appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of propercy within 500 feet of the property in question as required by

BOARD OF APPEALS

Franklin G. Hinckley

Chairman

A.P. 512 woodford Street( 569-579 Brighton Avenue)

Fay 20, 1963

Humble Oil & defining Co.

2 Lingoln St., So. Fortland
Fortland Pump Company
321 Lincoln St., So. Fortland

cc to: Corporation Counsel

Gentlemen:

failding permit for crection of an enclosed metal tire rack 5 feet isep, 8 feet long, and 9 feet high on premises of service station at the above named location is not issuable under the Loning Grdinance because such an extension of the service station use, which is non-conforming under the provisions of Section 8-A of the Ordinance applying to the B-1 faciness Zone in which the property is located, is not allowable under Jection 17-B thereof.

while this matter is subject to appeal, lack of information as to freming and construction of the tire rack makes it impossible to determine whether it will meet kuilding Code requirements so that a permit can be issued under that Ordinance. Under such circumstances it is suggested that information of this nature, together with statement of design, be furnished for checking before any appeal is filled; bearing in mind that wall and roof construction is required to support a live load of not less than 40 pounds per square foot.

Very truly yours,

Albert J. Sears Euilding Inspection Pirector

miPLA

- T

#### BI BUSINESS ZONE



## APPLICATION FOR PERMIT

Class of Building of Type of Structure

Poriland, Maine,

May 17, 1963

| To the INSPECTOR OF YUILDINGS, PORTLAND, MA  | AINE   |  |  |
|--|--|--|--|
|  |  | ing building structure equipment       |  |
| in accordance with the Laws of the State of Maine, the Di  | tituing Code and Boiling Comme   | •                                      |  |
| specifications, if any, submitted herewith and the jointains   | GUTON A /F Within Fire Limits?   | Dist. No                               |  |
| Location 512 Woodford St. 1301 3. (1971)   | of the Carallet of the San San Stan San Stan San Stan San San San San San San San San San S  | Felephone Telephone                    |  |
| Owner's name and address Humble Qil & 100 Coll & 100 Co | Trutue per periode 1 por periode 1 por periode 1 periode 1 por periode 1 por periode 1 por periode 1 perio | Telephone                              |  |
| Lessee's name and address  |  | land Telephone 2-6336                  |  |
| Contractor's name and address Fortland Pump Co   | San Francisco Plans  | yes No. of sheets                      |  |
| Architect storage for tires Proposed use of building storage for tires   | Specifications   | No. families                           |  |
| Proposed use of building   |  | No. families                           |  |
| Last useNo. stories Heat   | Scale of roof  | Roofing                                |  |
| Material No. stories Heat Other tuildings on same lot  | Style of 1001  |  |  |
| Other buildings on same lot  |  |  |  |
| Estimated cost \$ Empryum 350.   | scription of New Work  |  |  |
| General Der  | scription of 146# 44.07=   |  |  |
| To erect all metal tire rack 31 lo   | ng by 5' wide as per plar  | 1                                      |  |
| To erect all metal tils lack to inch   |  |  |  |
| APPEAL FOR TIRE RACK 15'LO.  | NE A SINGIF TENDED   | 8/11/60                                |  |
| mer (  | # I  |  |  |
| This applie the was  | CI A COLOR MILL  |  |  |
| Survey no the  | · Mysellatily  | with the same of the                   |  |
| - White the site of the  |  | •                                      |  |
| We will have a some the  |  |  |  |
|  |  |  |  |
| It is understood that this permit does not include inta  | lation of healing apparatus which is .   | to be taken out suparately by and      |  |
| the name of the heating contractor. PERMIT TO B.   | E ISSUED TO contractor   |  |  |
| Det  | ile of New Work  |  |  |
|  | Is any electrical work involved  | ved in this work?                      |  |
| a the section of the section of  | If not what is proposed to   | 1 30,1080.                             |  |
| Ctone mead - the total   | Form notice sentr  |  |  |
|  | Heigh? average grade to migner   | st ponit of root                       |  |
| - doub No stories  | solid or filled land   |  |  |
| The state of the s | ickness, top Dottom  | CCIIAI                                 |  |
| Rise per foot  | Roof covering  | ······································ |  |
| Material of chimney  | of lining  | na oi neat                             |  |
| E-ming I umber-Kind Dressed or fu  | ill size? poster posts   |  |  |
| Size Cirder Columns under girde  | rs Size Size   | IVIAN. OII CCITIC                      |  |
| Stude (outside walls and carrying partitions) 2x4-1  | 6" O. C. Bridging in every floor an  | d nat root span                        |  |
| Tainta and rofters' 1st floor  | , 2nd, 3rd   |  |  |
| On centers: 1st floor.   | , 2nd, 3rd   | , r/                                   |  |
| Marinum enan: 1st floor  | , 2nd, 3rd   |  |  |
| If one story building with masonry walls, thicknes   | s of walls?  |  |  |
| II one sway butter,  | If a Garage  |  |  |
| 4 . 4 1.4 4m h   |  | ercial care                            |  |
| No. cars now accommodated on same lot, to h  | e accommodated   | 1 the pro                              |  |
| Will automobile repairing be done other than mind  | or repairs to cars habituary sector -  | - Ilamas                               |  |
| APPROVED:  | ĺ  | ellaner                                |  |
|  | Will work require disturbing of  |  |  |
|  | Will there be in charge of the   |  |  |
|  | see that the State and City  | edn                                    |  |
|  | observed? yes  |  |  |
| and the state of t | Portland lump Co.  | _ `                                    |  |
| 1  | 1 . 1  |  |  |
| ION COPY Signature of owner By:  |  |  |  |
| Signature of variet admini   | The think the  |  |  |
| U  | - V  | <u>.</u>                               |  |

### BI BUSINESS ZONE



# APPLICATION FOR PERMIT

| Section of manning of The of our  | uciure   | .,,,,,,  |
|---|--|--|
| Portland, M   | <i>laine</i> , March 27, 1962  | CITY of PORTLAND   |
| To the INSPECTOR OF BUILDINGS, PORTLAN  | ND. MAINE  |  |
| The undersigned hereby applies for a permit in accordance with the Laws of the State of Maine, is specifications, if any, submitted becaute and the full  | to erect alter repair demolish install the foll<br>the Building Code and Zoning Ordinance<br>lowing specifications:  | of the City of Portla . Ins and  |
| Location 512 Woodford Street 569-57   | Within Fire Limit  | s? Dist. No  |
| Owner's name and address <u>Esso Standard</u> Lessee's name and address <u>Linc</u>   | Div. of Humble Oil & Lefining  | Co. Telephone  |
| essee's name and address  |  | Telephone  |
| Contractor's name and address 0.G.K. hobi.  | nson, 17 Fitch St., Westbrook  | Telephone  |
| Architect   | Specifications Plans   | No. of sheets  |
| Proposed use of buildingSe  | rvice_Station  | No. families   |
| ast use   |  |  |
| Material  |  |  |
| Other buildings on same lot   |  |  |
| Estimated cost \$_120   | Description of New Work  | Fee \$ 2 3.00  |
| To close up two existing windows re   | ear wall with 8" concrete bloc   | cks. (Lub. room)   |
|   |  |  |
| It is understood that this permit does not include in the name of the heating contractor. PERMIT TO   | BE ISSUED TO O.G.K. nobin  | o be-taken out separately by and in<br>1900  |
| to name of the healing contractor. PERMIT TO  Discourse in this work?   | etails of New Work  Is any electrical work involved.   | ed in this work?   |
| be name of the healing contractor. PERMIT TO  S any plumbing involved in this work?  S connection to be made to public sewer?   | etails of New Work  Is any electrical work involv  If not, what is proposed for  | red in this work?  |
| is any plumbing involved in this work?  s connection to be made to public sewer?  Tas septic tank notice been sent?   | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?   | red in this work?  |
| Is any plumbing involved in this work?  So connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?  Height average grade to highest  | red in this work? sewage? t point of roof  |
| Is any plumbing involved in this work?  So connection to be made to public sewer?  Tas septic tank notice been sent?  Height average grade to top of plate  Size, front   | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?  Height average grade to highest iessolid or filled land?   | red in this work? sewage? t point of roof earth or rock?   |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front   | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?  Height average grade to highest iessolid or filled land?  Thickness, topbottom   | red in this work? rewage? t point of roof earth or rock?   |
| Is any plumbing involved in this work?  Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front depthNo. stori  Material of foundation Kise per foot  | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?  Height average grade to highest iessolid or filled land?  Thickness, topbottom   | red in this work?t point of roofearth or rock?erellar  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Tas septic tank notice been sent?  Height average grade to top of plate  Size, front   | etails of New Work  Is any electrical work involv  If not, what is proposed for  Form notice sent?  Height average grade to highest iessolid or filled land?  Thickness, topbottom  Roof covering  eysof liningKince   | red in this work?t point of roofearth or rock?erellar  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Tas septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation Rise per foot  No. of chimneys Material of chimner  Framing Lunber-Kind Dressed or  | etails of New Work  Is any electrical work involved.  If not, what is proposed for series and the series are series.  Height average grade to highest ies solid or filled land?  Thickness, top bottom   | red in this work?  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimneys  Franzing Lumber—Kind Dressed or  Size Girder Columns under gird  | etails of New Work  Is any electrical work involved.  If not, what is proposed for series ent?  Height average grade to highest ies solid or filled land?  Thickness, top bottom.  Roof covering Kine full size?  Corner posts ders Size   | red in this work?  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Its septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. storic depth No. storic depth Rise per foot  Material of foundation Rise per foot  No. of chimneys Material of chimner araning Lumber—Kind Dressed or dize Girder Columns under gird Studs (outside walls and carrying partitions) 2x4-   | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Material of foundation  Kind of roof  No. of chimneys  No. of chimneys  Material of chimneys  Franzing Lunber—Kind  Oressed or  Size Girder  Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters:  Ist floor  | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimne  Francing Lunber—Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  | etails of New Work  Is any electrical work involved.  If not, what is proposed for the property of lining the lining the line line lining the line line line line lining the line line line line line line line lin  | red in this work? red in this work? red in this work? resewage?  t point of roof  earth or rock?  rellar  Sills  n centers  flat Jof span over 8 feet.  roof  roof  roof  roof  roof  roof  roof  roof   |
| is any plumbing involved in this work?  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  Maximum span; 1st floor   | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimney  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  Maximum span; 1st floor  | etails of New Work  Is any electrical work involved in the second in the | red in this work?  |
| is any plumbing involved in this work?  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimney  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| Is any plumbing involved in this work?  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimne  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne  | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Framing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne  | etails of New Work  Is any electrical work involved in the second of the | red in this work? red in this work? red in this work? relat relat relat rellar  |
| Is any plumbing involved in this work?  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne | etails of New Work  Is any electrical work involved in the second of the | red in this work?  |
| Is any plumbing involved in this work?  Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Franzing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne | etails of New Work  Is any electrical work involved.  If not, what is proposed for property in the proposed for solid or filled land?  Thickness, top bottom bottom Roof covering Kine Size  of lining Kine Size  16" O C. Bridging in every floor and property floo | red in this work?  red in this work?  reaction rock?  earth or rock?  rellar  Sills  n centers  flatof span over 8 feet.  roof  n, roof  height?  rial cars to be accommodated  the proposed building?  reconstruction apublic street?   |
| s any plumbing involved in this work?  s connection to be made to public sewer?  Tas septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation Rise per foot  No. of chimneys Material of chimney  Framing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne   | etails of New Work  Is any electrical work involved in the second of the | red in this work? red in this work? red in this work? resewage?  t point of roofearth or rock?ellar  |
| Is any plumbing involved in this work?  Is connection to be made to public sewer?  Is septic tank notice been sent?  Height average grade to top of plate  Size, front depth No. stori  Material of foundation  Kind of roof Rise per foot  No. of chimneys Material of chimner  Framing Lunber-Kind Dressed or  Size Girder Columns under gird  Studs (outside walls and carrying partitions) 2x4  Joi ts and rafters: 1st floor  On centers: 1st floor  Maximum span; 1st floor  If one story building with masonry walls, thickne  | BE ISSUED TO O.G.K. nobing the letails of New Work  Is any electrical work involved.  If not, what is proposed for property in the letails of interest in the letails of its proposed for the letails of lining and lining and the letails of lining and lines of lining and lines of lining and lining and lines of lines of lining and lines of lining and lines of lining and lines of lining and lines of lines of lining and li | red in this work? red in this work? red in this work? relation earth or rock? rellar r |

INSPECTION COPY

Signature of owner By:

7 NOTES Form Check Notice Staking Out Notice of Occupancy issued A property of the second

Danied 8/11/60

DATE: July 28, 1960

HEARING ON APPEAL UNDER THE ZONING ORDINANCE OF MRS. MAPJOHIE W. CLAY

Public Hearing on the above appeal was held before the Board of Appeals.

| BOARD OF APPEALS                          | VOTE |              |
|---|------|--------------|
|   |      |              |
|   | Yes  | No           |
| FYENYAMXEXXHINCKLEYX Frederick b. ! elson | ( )  | (8/)         |
| Ralph L. Young                            | ( )  | <b>(//</b>   |
| Harry M. Shwartz                          | ( )  | ( <b>/</b> ) |

Record of Hearing:

Denied

Ŋ.

CITY OF PORTLAND, MAINE BOARD OF APPEALS

VARIANCE APPEAL

July 5, 1960

cooner Brighton Ave.

Marjorie W. Clay , owner of property at 512 Woodford St./ provisions of Section 24 of the Zoning Ordinance of the City of Portland, hereby respectetitions the Board of Appeals for a variance from the provisions of said Ordinance to permit of an enclosed metal rack 15 feet long by 3 feet deep by 9 feet high for the storage play of tires on the premises of the automobile service station at this location. This is presently not issuable for the following reasons: (1) The existing service station is non-conforming under Sec. 8-4 of the Ordinance applying to the B-1 Business Zone in which property is located and the proposed accessory use thereto is therefore not allowable. (2) The structure is to be located only about 10 feet back from Woodford Street and therefore would encroach upon the 15 foot front yard setback required for t e b-1 Business Zone by Section 8-C-b-3 of the Ordinance.

LEGAL BASIS OF APPEAL: Such variance may be granted only if the Board of Appeals finds that the strict application of the provisions of the Ordinance would result in undue hardship in the development of property which is inconsistent with the intent and purpose of the Ordinance; the there are exceptional or unique circumstances relating to the property that do not generally apply to other property in the same zone or neighborhood, which have not arisen as a result of action of the applicant subsequent to the adoption of this Ordinance whether in violation of the provisions of the Ordinance or not; that property in the same zone or neighborhood will not be adversely affected by the granting of the variance; and that the granting of the variance will not be contrary to the intent and purpose of the Ordinance.

Margery J. Clay

#### DECISION

July 28, 1700 After public hearing held , the Board of Appeals finds that all of the above conditions do ot exist with respect to this property and that a variance should not be granted

'At is, therefore, determined that & variance from the grovisions of the Zoning Ordinance should not be granted in this case.

Denied 8/11/60

CITY OF PORTLAND, MAINE BOARD OF APPEALS

July 18, 1960

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public mearing in the Council Chamber at City Hall, Fortland, Maine, on Thursday, July 28, 1960, at 4:00 p.m. to hear the appeal of Marjorie W. Clay requesting an exception to the Zoning Ordinance to permit erection of an enclosed metal rack 15 feet long by 3 feet deep by 9 feet high for the storage and display of tires on the premises of the automobile service station at 512 Woodford Street, corner of Brighton Avenue.

This permit is presently not issuable for the following reasons:

(1) The existing service station use is non-conforming under Section 8-A of the Ordinance applying to the B-I Business Zone in which the property is located and the proposed accessory use thereto is therefore not allowable:

(2) The structure is to be located only about 10 feet back from Woodford Street and therefore would encroach upon the 15 foot front yard setback required for the B-I Business Zone by Section 8-C-b-3 of the Ordinance.

This appeal is taken under Section 14 of the Zoning Ordinance which provides such variance may be granted only if the Board of Appeals finds that the scrict application of the provisions of the Ordinance would result in undue hardship in the development of property which is inconsistent with the intent and purpose of the Ordinance; that there are exceptional or unique circumstances relating to the property that do not generally apply to other property in the same zone or neighborhood, which have not arisen as a result of action of the applicant subsequent to the adoption of this Ordinance whether in violation of the provisions of the Ordinance or not; that property in the same zone or neighborhood will not be adversely affected by the granting of the variance; and that the granting of the variance will not be contrary to the intent and purpose of the Ordinance.

All persons interested either for or against this appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of property within 500 feet of the premises in question as required by the Ordinance.

BOARD OF APPEALS

Franklin G. Hinckley

Chairman

5