

62-64 Bancroft St. (lot #165)

66-68 BANCROFT STREET



cut out * 82011 - Hct cut * 82021 - Tiled out * 8203R - Filt cut * 82051

RESIDENCE ZONE-C



APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class
Portland, Maine, April 26, 1951

00804
APR 27 1951
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ alter ~~repairs~~ ~~demolish~~ ~~the~~ following building ~~structure~~ ~~work~~ in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 68 Bancroft Street Within Fire Limits? no Dist. No. _____
Owner's name and address Francis Doherty, 68 Bancroft Street Telephone 3-8790
Lessee's name and address _____ Telephone _____
Contractor's name and address owner Telephone _____
Architect _____ Specifications _____ Plans 11 No. of sheets _____
Proposed use of building dwelling house No. families 1
Last use _____ " " _____ No. families 1
Material wood No. stories 1 1/2 Heat _____ Style of roof _____ Roofing _____
Other buildings on same lot _____
Estimated cost \$500. 300. Fee \$ 2.00

General Description of New Work

To finish off one room on second floor, 2x3 studs, 16" on centers, covered on both sides with wallboard. Existing stairway and floor.

CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
Height average grade to top of plate _____ Height average grade to highest point of roof _____
Size, front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Rise per foot _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____ Kind of heat _____ fuel _____
Framing lumber—Kind _____ Dressed or full size? _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Girders _____ Size _____ Columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

APPROVED:

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

ACTION COPY

Signature of owner Francis Doherty



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 6, 1950

01421
1950

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 68 Bancroft St. Use of Building Dwelling No. Stories 2 ~~New Building~~ Existing "
Name and address of owner Francis T. Doherty, 68 Bancroft St. Telephone 2-1991
Installer's name and address Ballard Oil & Equipment Co.

General Description of Work

To install One Fully Automatic Oil Burner under Steam Boiler

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Type of floor beneath appliance
If wood, how protected? Kind of fuel
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace
From front of appliance From sides or back of appliance
Size of chimney flue Other connections to same flue Rated maximum demand per hour
If gas fired, how vented? Yes bottom

IF OIL BURNER

Name and type of burner Ballard 4YR3S Labeled by underwriter's laboratories? Yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete Number and capacity of tanks 1 - 275
Location of oil storage basement How many tanks fire proofed? none
If two 275-gallon tanks, will three-way valve be provided? yes
Will all tanks be more than five feet from any flame? yes
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Type of floor beneath appliance
If wood, how protected?
Minimum distance to wood or combustible material from top of appliance From top of smokepipe
From front of appliance From sides and back
Size of chimney flue Other connections to same flue
Is hood to be provided? yes If so, how vented?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? \$2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED: OK 7.7.50 [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of Installer [Signature]
Ballard Oil & Equipment Co.

INSPECTION COPY



FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUED
1819

Permit No. NOV 9 1940

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 66 Bancroft Street Use of Building dwelling house No. Stories 2 New Building
Name and address of owner of appliance M. G. Howell, C. P. D. #5 Existing
Installer's name and address Thomas DePater, 51 Trenton St., S.P. Telephone 2-3077

General Description of Work
To install steam heating system

IF HEATER, POWER BOILER OR COOKING DEVICE
Is appliance or source of heat to be in cellar? yes If not, which story _____ Kind of Fuel coal
Material of supports of appliance (concrete floor or what kind) concrete
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace, 50"
from top of smoke pipe 2' from front of appliance over 4' from sides or back of appliance over 4'
Size of chimney flue 8x12 Other connections to same flue stone

IF OIL BURNER
Name and type of burner _____ Labeled and approved by Underwriters' Laboratories? _____
Will operator be always in attendance? _____ Type of oil feed (gravity or pressure) _____
Location oil storage _____ No. and capacity of tanks _____
Will all tanks be more than seven feet from any flame? _____ How many tanks fireproofed? _____

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)
Signature of Installer Thomas DePater 8354P

INSPECTION COPY

P: 40/1069-I

December 17, 1940

Mr. Francis T. Doherty,
66-68 Bancroft Street,
Portland, Maine

Dear Sir:

I understand that you are actually the present owner of the new dwelling house at 66-68 Bancroft Street which is now ready for occupancy.

We are issuing the certificate of occupancy required by law to Mr. T. G. Howell with a copy of this letter because he is listed as the owner of the building and has not instructed us to do otherwise. No doubt he will surrender this certificate to you at your request.

It is understood that the second story is not to be plastered at this time. If this plastering is done within five months of this date, it is sufficient to notify this office for inspection and secure a certificate before closing in any of the work. If the plastering is done later than that, it will be necessary to secure another permit.

Very truly yours,

W McD/H

CC: T. G. Howell
R.F.D. #5

Inspector of Buildings

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for ~~one-family dwelling house~~ _____
at 66-62 Bencroft Street _____ Date 8/5/40

1. In whose name is the title of the property now recorded? Mary Doherty
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? wood stakes
3. Is the outline of the proposed work now staked out upon the ground? yes If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? _____
4. What is to be maximum projection or overhang of eaves or drip? 11' 0"
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete _____



(R) GENERAL RESIDENCE ZONE

APPLICATION FOR PERMIT

PERMIT ISSUED

Class of Building or Type of Structure Third Class

Permit No. 1069
AUG 5 1940

Portland, Maine, August 5, 1940

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect after-install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 66-68 Bancroft Street Within Fire Limits? no Dist. No. _____

Owner's or Lessee's name and address T. G. Howell, R. F. D. 5 Telephone 3-2663

Contractor's name and address OWNER Telephone _____

Architect _____ Plans filed yes No. of sheets 1

Proposed use of building dwelling house No. families? 1

Other buildings on same lot _____ Fee \$ 1.25

Estimated cost \$ 4,000.

Description of Present Building to be Altered

Material _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____

Last use _____ No. families _____

General Description of New Work

To erect one family frame dwelling house

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? yes

Is any electrical work involved in this work? yes Height average grade to top of plate 10'

Size, front 32' depth 36' No. stories 1 Height average grade to highest point of roof 24'

To be erected on solid or filled land? solid earth or rock? earth

Material of foundation concrete Thickness, top 10" bottom 12" cellar yes

Material of underpinning " to sill Height sill at least 8" above grade Thickness _____

Kind of roof pitch Rise per foot 9" Roof covering Asphalt roofing Class C Und. Lab

No. of chimneys 1 Material of chimneys brick of lining tile

Kind of heat stove Type of fuel coal Is gas fitting involved? no

Framing lumber Kind bracket Dressed or full size? dressed

Corner posts 4x6 Sills 4x6 Girt or ledger board? girt (rear) Size 2x4

Material columns under girders lally Size 2 1/2" Max. on centers 8'

Studs (outside walls and carrying partitions) 2x4-10 O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor 2x8, 2nd 2x8 inf., 3rd 2x6, roof 2x6

On centers: 1st floor 16", 2nd 16", 3rd 20", roof 20"

Maximum span: 1st floor 10', 2nd 10', 3rd 18', roof 12'

If one story building with masonry walls, thickness of walls? _____ tied to _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Thomas G. Howell

INSPECTION COPY

Permit No. 40/1069
 Location 68 Bancroft St.
 Owner W. G. Howell
 Date of permit 8/5/40
 Notif. closing-in 11/7/40
 Inspn. closing-in 11/7/40 - GT
 Final Notif. 11/7/40

Final Inspn. 12/12/40 - O.K.
 Cert. of Occupancy issued 12/17/40

Form 201a NOTES

8/5/40 - Work in progress
 8/10/40 - Work in progress
 8/15/40 - Still in progress
 8/20/40 - Starting forms
 8/25/40 - Work in progress
 9/1/40 - Work in progress
 9/1/40 - Work in progress
 9/1/40 - Work in progress
 9/15/40 - Work in progress
 9/25/40 - Work in progress
 10/2/40 - Walls framed
 10/9/40 - Ready to frame

roof - A.G.S.
 10/17/40 - Framed - A.G.S.
 11/1/40 - Work progressing
 A.G.S.
 11/7/40 - Bridging rest
 nailed in cells. Shrink
 in chimney in basement
 should extend into
 living above
 stop No 12
 The Miller Put in
 lobby - window on base -
 must have two girders join
 Also move one lobby
 columns to another
 junction of girders - GT
 A.G.S.
 12/10/40 - Second story not
 yet partitioned out
 floors finished
 time. O.K. for occupancy
 Bancroft Francis J
 Dearty, 68 Bancroft
 Street, A.G.S.

912866

Permit # _____ City of Portland BUILDING PERMIT APPLICATION Fee \$40. Zone _____ Map # _____ Lot# _____


Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Richard N. Rice Phone # 774-7721
 Address: 63 Bancroft St; Ptld, ME 04102
 LOCATION OF CONSTRUCTION 63 Bancroft St.
 Contractor: Pine State Const. Sub. Phone # 775-5423 878-8931
 Address: 539 Auburn St Phone # Seaboard, ME 04074
 Est. Construction Cost: 4400 Proposed Use: 1-fam w garage
 Past Use: 1-fam
 # of Existing Res. Units _____ # of New Res. Units _____
 Building Dimensions L _____ v _____ Total Sq. Ft. _____
 # Stories: _____ # Bedrooms _____ Lot Size: _____
 Is Proposed Use: Seasonal _____ Condominium _____ Conversion _____
 Explain Conversion Construct garage - 12'x20'

For Official Use Only

Date 7/23/91 Subdivision: _____ Name: _____
 Inside Fire Limits _____ Lot: _____
 Bldg Code _____ Ownership: _____
 Time Limit _____
 Estimated Cost: \$4400

Zoning: R-3
 Street Frontage Provided: _____
 Provided Setbacks: Front _____ Back _____ Side _____
 Review Required: same footprint
 Zoning Board Approval: Yes _____ No _____ Date: _____
 Planning Board Approval: Yes _____ No _____ Date: _____
 Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____
 Shoreland Zoning Yes _____ No _____ Floodplain Yes _____ No _____
 Special Exception _____
 Other (Explain) W.P. 7-26-91



Foundation:
 1. Type of Soil: _____
 2. Set Backs - Front _____ Rear _____ Side(s) _____
 3. Footings Size: _____
 4. Foundation Size: _____
 5. Other _____

Floor:
 1. Sills Size: _____ Sills must be anchored.
 2. Girder Size: _____
 3. Lally Column Spacing: _____ Size: _____
 4. Joists Size: _____ Spacing 16" O.C.
 5. Bridging Type: _____ Size: _____
 6. Floor Sheathing Type: _____ Size: _____
 7. Other Material: _____

Exterior Walls:
 1. Studding Size _____ Spacing _____
 2. No. windows _____
 3. No. Doors _____
 4. Header Sizes _____ Span(s) _____
 5. Bracing: Yes _____ No _____
 6. Corner Posts Size _____
 7. Insulation Type _____ Size _____
 8. Sheathing Type _____ Size _____
 9. Siding Type _____ Weather Exposure _____
 10. Masonry Materials _____
 11. Metal Materials _____

Interior Walls:
 1. Studding Size _____ Spacing _____
 2. Header Sizes _____ Span(s) _____
 3. Wall Covering Type _____
 4. Fire Wall if required _____
 5. Other Materials _____

Ceiling:
 1. Ceiling Joists Size: _____
 2. Ceiling Strapping Size _____ Spacing _____
 3. Type Ceilings: _____
 4. Insulation Type _____ Size _____
 5. Ceiling Height: _____

Roof:
 1. Truss or Rafter Size _____ Span _____
 2. Sheathing Type _____ Size _____
 3. Roof Covering Type _____

Chimneys:
 Type: _____ Number of Fire Pl: _____
 Date: _____
 Signature: _____

Heating:
 Type of Heat: _____

Electrical:
 Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____

Plumbing:
 1. Approval of soil test if required Yes _____ No _____
 2. No. of Tubs or Showers _____
 3. No. of Flushes _____
 4. No. of Lavatories _____
 5. No. of Other Fixtures _____

Swimming Pools:
 1. Type: _____
 2. Pool Size: _____ x _____ Square Footage _____
 3. Must conform to National Electrical Code and Gtate Law.

Permit Received By Louise E. Chase
 Signature of Applicant Ralph Arsenault Date 7/23/91
 Signature of CEO _____ Date _____

Inspection Dates _____

White-Tax Assesor Yellow-GPCOG White Tag -CEO **14** © Copyright GPCOG 1988
 MR. CARROLL

PERMIT ISSUED WITH REQUIREMENTS

PLOT PLAN

N
▲

SS

FEES (Breakdown From Front)

Base Fee \$ - 40 -
Subdivision Fee \$ _____
Site-Plan Review Fee \$ _____
Other Fees \$ _____
(Explain) _____
Late Fee \$ _____

Type

Inspection Received

Date

Type	Inspection Received	Date
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

COMMENTS

12/5/96 News Called
Work Completed

Signature of Applicant

[Handwritten Signature]

Date

7/25/91

BUILDING PERMIT REPORT


ADDRESS: 63 Bancroft St DATE: 26/11/91
REASON FOR PERMIT: To Construct A 12'x20'
detached garage.
BUILDING OWNER: Richard-Rice
CONTRACTOR: Pine State Const.
PERMIT APPLICANT:
APPROVED: X 1

CONDITION OF APPROVAL:

- X 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
- 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closers.
- 4.) Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 5.) The boiler shall be protected by enclosing with one (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 74).

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fire-resistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.
- 9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening.
- 10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.
- 11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Sincerely,



P. Samuel Hoffses
Chief of Inspection Services

/el
11/16/88
11/27/90




PINE STATE CONSTRUCTION, INC.



5 DOWNEAST LANE, SCARBOROUGH, MAINE 04074

TEL. (207) 775-5423

PLAN A



Customer Richard N. Rice
 Street 63 RANDOLPH ST
 City PORTLAND Phone 774-7721
 Date 5/23/91 Delivery Date _____

SPECIAL INSTRUCTIONS

RECEIVED

JUL 23 1991

DEPT. OF BUILDING INSPECTIONS
CITY OF PORTLAND

SPECIFICATIONS

Siding 1/11
 Window with locks 2
 Overhead doors _____
 Reinforced concrete floor _____
 Shingle color BLACK
 Service Door 2/8 x 6/8 _____


PERMIT ISSUED WITH REQUIREMENTS
 over
 plan

Rust proof nails on exterior walls
 Bottom plate - double 2 x 4
 Studs - 2 x 4 - 16" O.C.
 Corner Posts - triple 2 x 4
 Top plate - double 2 x 4
 Rafters - 2 x 6 - 16" O.C.
 Rafter ties 2 x 6 - 48" O.C.
 Ridge board - 2 x 6
 Roof deck - plywood sheathing 1/2"
 Shingles - 240# asphalt strip shingles

Cornice - soffit - 1 x 6 or 1 x 8
 Facia - 1 x 4
 Corner boards - 1 x 3 and 1 x 4
 butted at right angles
 Rake - 1 x 4
 Collar ties
 Felt under shingles
 Metal drip edge
 Header 4 x 10

IMPORTANT: All Site preparation including digging, dozing, fill, gravel, and tree removal will be PAID BY OWNER and is not included in the contract price.

Plan Approved by _____



63 BANCROFT ST



GENERAL RESIDENCE ZONE APPLICATION FOR PERMIT

Class of Building or Type of Structure: Third Class

1965

Portland, Maine, September 26, 1965

To the INSPECTOR OF BUILDINGS: I hereby certify that the following building structure equipment is in accordance with the Building Code of the City of Portland, plus and specifications, if any, indicated hereon.

Location: 63 Portland Avenue
Owner's name and address: Wendell H. Wilson, 63 Dancroft Street Within Fire Limits? Yes Dist. No. 1
Contractor's name and address: Owner Telephone 4-3882
Architect: _____ Telephone _____
Proposed use of building: 1 car garage Plans filed yes No. of sheets 1
Other buildings on same lot: 1 family dwelling house No. families _____
Estimated cost \$ 200.

Description of Present Building to be Altered
Material _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____
Last use _____ No. families _____

General Description of New Work

To erect one car frame garage 10' x 20'

CERTIFICATE OF EXAMINATION
REQUIREMENTS

PERMIT ISSUED WITH REQUIREMENTS

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and to the satisfaction of the heating contractor.

Details of New Work

Size, front 10' depth 20' No. stories 1 Height average grade to top of plate 0'
To be erected on solid or filled land? no Height average grade to highest point of roof 11'
Material of foundation concrete earth or rock? earth
Material of underpinning _____ Thickness, top _____ bottom _____
Kind of Roof pitch Height _____ Thickness _____
Rise per foot 7" Roof covering Asphalt Class C Dist. 1st
No. of chimneys no Material of chimneys _____ of lining _____
Kind of heat no Type of fuel _____ Is gas fitting involved? _____
Framing Lumber—Kind pine Dressed or full size? dressed
Corner posts 4x4 Sills 4x4 Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O.C. _____ 6x8 or larger. Bridging in every floor and flat roof
spar over 8 feet. Sills and corner posts all one piece in cross _____
Joists and rafters: 1st floor 2x4 2nd 2x4 3rd _____
On centers: 1st floor 24" 2nd _____ 3rd _____