

CERTIFICATE

0 F

COMPLIANCE

CITY OF PORTLAND Health Department - Housing Division Tel. 775-5451 Ext 226

Nr. Paul Loring 83 Bradley Street Portland, Maine

Re: Premises located at ____<u>34 Boiton Streat</u>

Dear Mr. Bradley:

A re-inspection of the premises noted above was made on <u>September 6. 1972</u> by Housing Inspector <u>Stone</u>, of the Health Department.

This is to certify that you have complied with our request to correct the violations of the Municipal Codes relating to housing conditions described in our "Notice of Housing Conditions" dated _______.

Thank you for your cooperation and your efforts to help us maintain decent, safe and sanitary housing for all Portland residents.

Sincerely yours,

Arthur A. Hughson, CPH, MPH Health Director By Chief_of Housing inspections

September 11, 1972

inspector

pector <u>______</u>

gh-

SENDER: Be sure to follow instructions on other side
PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOUK(S)
(Additional charges required for their services)
Show to whom, date and address
Show to whore delivered
Deliver ONAY
Deliver ONAY
DECENT Ą RECEIPT Received the numbered article rescrived below SIGNATURE OR NAME OF ADDRESSEE (Must always be filed in j REGISTERED NO. CERTIFIED NO. INSURED NO. DATE DELIVERED G/13/72 e e SIGNATURE OF ADDRESSEE'S AGEN SHOAY WHERE DELIVERED (Only 1, requested, and include ZIP Code)

10000 21	•				*
		NOTICE OF HOUS	ING CONDITIONS		Р
CITY OF	PORTLAND				00 3
Health D	epartment - Housing Div	vision	Location:	34 Bolton Street	
Telephon	e 775-5451 - Extension	226	Project: Issued: Expires:,	6/9/72	
83	PPaul Loring Bredlay Street Tlend, Nelne			<i></i>	
Dear Nr.	Laring:				
An examir	nation was made of the Maine by Houston Las	promises at the			
Portland, relating	Maine, by Housing ins to housing conditions	pector Stone were found as desc	ribed in detail	/iolations of Munic below.	ipal Codes
premises Your coop	in or before July 9. ictory repair schedule issume the repairs to be and, on reinspection w have been brought into eration will help this afe and sanitary housin	within the time se Compliance with G	t forth above, w ode Standards.	III anticipate that	t the
			Very truly	-	
	4	L		Huahson, CPH, MPH	
Inspector	L.A	4 miles	Arthur A. H Health Din By	Hughson, CPH, MPH	4
	LI OLATIONS OF CHAPTER 3	17	Arthur A. H Health Dir By Chief o	Hughson, CPH, MPH ector	
EXISTING	/I OLATIONS OF CHAPTER 3	15	Arthur A. H Health Dir By Chief o DARDS FOR HOUSIN	Hughson, CPH, MPH ector 4 (c d Juryer f Housing Inspectio 6" -	ns Section(:
EXISTING V	If or replace the loose	treads on the fir	Arthur A, H Health Dir By Chief o DARDS FOR HOUSIN St floor rear pa	Hughson, CPH, MPH ector 4 (1)	
EXISTING V 1. Repe Or ro 2. Inst	If of replace the loose place the loose floor all adactute proteinsta	treads on the fir boards on the from	Arthur A, H Health Dir By Chief o DARDS FOR HOUSIN St floor rear po t porch.	Hughson, CPH, MPH ector 4 (1) Juryer f Housing Inspectio 5" - Prih end repair	<u>Section(</u>
EXISTING V 1. Repe or r 2. inst 0. Reps con ti	If or replace the loose splace the losse floor all adequate artificabl in or replace the worn or cellar physics the worn	treads on the fir boards on the from lilumination in t treads on the celi	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN St floor coar po It porch. The celiar stain or stainway and	Hughson, CPH, MPH ector 4 (e)	<u>Section(</u> 3(d) 8(c)
EXISTING V 1. Repa or r 2. Inst. 6. Repa on ti 4. Repa hall	If or replace the loose splace the lossé floor all adequate artificial in or replace the worn to cellar spirway, from in or replace the loose and boose, cracked and	treads on the fir boards on the from illumination in t treads on the celi it and rear halls.	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN ist floor rear pa it porch. the celiar stain or stainway and	Hughson, CPH, MPH ector 4 (e d Juryson f Housing Inspectio 6" - proch and repair rey. Install handrails	<u>Section(</u>
EXISTING V 1. Repe or rv 2. inst 0. Repai on ti 4. Repai hall calla 5. Repai	If or replace the loose splace the losse floor all adequate artificabl in or replace the worn to cellar spirway, from in or replace the loose and boose, creaked and brihallusys, in or replace the broke	treads on the fir boards on the from illumination in t treads on the cell t and rear hells, creaked sud miss missing celling a	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN ist floor cear pa it porch. The celiar stain or stainway and ling celling plas and wall plaster	Hughson, CPH, MPH ector 4 (e d Juryson f Housing Inspectio 6" - Proh end repair Proh end repair Proh end repair Proh end repair tor in the front in the repair end	<u>Section()</u> 3(d) 8(c)
EXISTING V 1. Repa or r 2. Inst 0. Repa on ti 4. Repa hall calia 5. Repa Sacor	If or replace the loose aplace the loose floor all adequate artificabl ir or replace the worn to cellar spirway, from ir or replace the loose and spose, cracked and br hallways, ir or replace the broke of floor American	treads on the fir boards on the from lilumination in t treads on the cell it and rear balls. cracked and miss missing celling a n window grame in	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN to collar stain or stainway and ing colling plas and wall plaster the second floor	Hughson, CPH, MPH ector i ()	Section(3(d) 8(c) 3(d)
EXISTING V 1. Repa or r 2. Inst 0. Repa on tl 4. Repa hall call 5. Repa <u>5. Repa</u> <u>5. Repa</u> <u>5. Repa</u>	If or replace the loose aplace the loose floor all adequate artificabl ir or replace the worn to cellar spirway, from ir or replace the loose and boose, cracked and brindlasse, cracked and brindlasse, the bruke of floor Applace the bruke in or replace the loose for replace the loose	treads on the fir boards on the for illumination in t treads on the cell it and rear balls. crecked sold miss missing celling a n window grame in celling plaster in	Arthur A. H Health Dir By Chief o DARDS FOR HOUSIN st floor rear pa to porch. the cellar steine or stainway and ing celling plas and wall plaster the second floor a the bathroos a	Hughson, CPH, MPH ector 4 (1)	<u>Section(</u> 3(d) 8(c) 3(d) 3(d) 3(b) 3(c)
EXISTING V 1. Repa Or r 2. Inst 0. Repa on tl 4. Repa hall call 5. Repa <u>5. Repa</u> <u>5. Repa</u> <u>5. Repa</u> <u>7. Repi</u>	If or replace the loose ablace the loose floor all adequate artificable if or replace the worn to cellar spirway, from if or replace the worn if or replace the loose and Boose, cracked and brind Boose, cracked and brind Boose, cracked and brind Boose, cracked and brind Boose, cracked and if or replace the broked if or replace the loose if or replace the loose if or replace the imission or replace the imission	treads on the fir boards on the for lituraination in t treads on the cell it and rear balls, cracked sold mise missing celling a celling plaster fi ing celling and we	Arthur A. H Health Dir By Chief of DARDS FOR HOUSIN rst floor rear pa to porch. the cellar stains or stainway and ing celling plas and wall plaster the second floor is plaster in the	Hughson, CPH, MPH ector 4 (1 1	<u>Section(</u> 3(d) 8(c) 3(d) 3(d) 3(c) 80+0y.3(b)
EXISTING 1. Repa Or r 2. Inst 0. Repa on ti 4. Repa hall cali 5. Repa <u>Bacor</u> 6. Repa <u>Cali</u> <u>Bacor</u> 6. Repa <u>Cali</u> <u>Bacor</u> 8. Repa <u>Cali</u> <u>Bacor</u> 8. Repa <u>Cali</u> <u>Bacor</u> 8. Repa <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cali</u> <u>Cal</u>	If or replace the loose aplace the loose floor all adequate artificable in or replace the worn to cellar spirway, from in or replace the worn and boose, cracked and brindlasse, cracked and brindlasse, cracked and thallasse, cracked and in allow Apartment in or replace the broked in or replace the imissi- in or replace the imissi- to the broken window gi do a beams to keen the	treads on the fir boards on the for litumination in t treads on the cell it and rear balls. , cracked sold miss maining celling an celling plaster for lass in the bethroo	Arthur A. H Health Dir By Chief of DARDS FOR HOUSIN ist floor rear pa to porch. the celliar stains or stainway and ing celling plas and wall plaster the second floor is plaster in the on and vaar hall	Hughson, CPH, MPH ector 4 (1 1	<u>Section(</u> 3(d) 8(c) 3(d) 3(d) 3(b) 3(c)
EXISTING A 1. Repa or rv 2. Inst. 6. Repai hall calla S. Repai Bacor 6. Repai 7. Repla 8. Provi 1 Ivin 9. Third	If or replace the loose all adequate artificial ir or replace the worn the cellar spirway, from ir or replace the worn ir or replace the loose and spose, cracked and brithal ways, ir or replace the broken id floor Apartment ir or replace the broken if floor Apartment ice the broken window give do a mona, to keep the ig room, dising room, fi	treads on the fir boards on the for liturainetism in t treads on the cell it and rear halls. , cracked said miss missing celling a celling plaster hi ing celling and wa less in the bethrow windows from acci- ront and rear bedro	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN st floor rear point porch. the cellar stain or stainway and ing celling plas and wall plaster the second floor is plaster in the on and vasr hall dentally closing pom.	Hughson, CPH, MPH ector 4 (t d Juryson f Housing Inspection 6 10 10 10 10 10 10 10 10 10 10	Section() 3(d) 3(d) 3(b) 3(c) 3(c) 3(c) 3(c)
EXISTING 1. Repa or rv 2. Inst. 6. Repai 6. Repai 5. Repai 5. Repai 5. Repai 5. Repai 7. Repla 6. Repai 7. Repla 8. Provi	If or replace the loose all adequate artificial ir or replace the worn the cellar spirway, from ir or replace the worn the cellar spirway, from ir or replace the loose and spose, cracked and brihal ways, ir or replace the broken d floor Apartment r or replace the loose r or replace the loose r or replace the loose r or replace the loose r or replace the loose g room, to keep the ig room, during room, fi <u>Floor Apartment</u>	treads on the fir boards on the for liturainetism in t treads on the cell it and rear halls. , cracked said miss missing celling a celling plaster hi ing celling and wa less in the bethrow windows from acci- ront and rear bedro	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN st floor rear point porch. the cellar stain or stainway and ing celling plas and wall plaster the second floor is plaster in the on and vasr hall dentally closing pom.	Hughson, CPH, MPH ector 4 (t d Juryson f Housing Inspection 6 10 10 10 10 10 10 10 10 10 10	Section() 3(d) 3(d) 3(b) 3(c) 3(c) 3(c) 3(c)
EXISTING V 1. Repa or r 2. Inst. 9. Repa on ti 4. Repa hall calid 5. Repa <u>Bacor</u> 6. Repa <u>Bacor</u> 6. Repa <u>Bacor</u> 8. Provi 11vin 9. <u>Third</u> 9. Provi	If or replace the loose aplace the loose floor all adequate artificable in or replace the worn to cellar spirway, from in or replace the worn to replace the worn and boose, cracked and brind boose, cracked and the loose cracked and the loose the broked or replace the broked in or replace the broked in or replace the broked in or replace the imissi of a teams to keep the g room, dining room, fi <u>Floor Appresent</u> de a means to keep the ze the loose window per	treads on the fir boards on the fir boards on the from litumination in t treads on the cell it and rear balls. , cracked sold miss intraing celling and lass in the bettron windows from accid (ont and rear bedro window from accide (on the from the	Arthur A. H Health Dir By Chief of UDARDS FOR HOUSIN Tot floor rear part of soliar stained or stainway and ing celling plas and wall plaster the second floor is plaster in the one and vaser hall dentally closing is form.	Hughson, CPH, MPH ector thousing Inspection Bu - bruth and repair By. Install handrails tor in the front in the rear and front hill. Ad living roce and antrancessy. In the bathroom and	<u>Section(</u> 3(d) 8(c) 3(d) 3(d) 3(c) 3(c) 3(c)
EXISTING 1. Repa or rv 2. Inst. 6. Repa hall calla S. Repa Bacor 6. Repa Sacor 6. Repa Sacor 6. Repa Sacor 9. Provi 1 Ivin 9. Provi rogia 10. Repa	If or replace the loose all adequate artificial ir or replace the worn the cellar spirway, from ir or replace the worn the cellar spirway, from ir or replace the loose and spose, cracked and brihal ways, ir or replace the broken d floor Apartment r or replace the loose r or replace the loose r or replace the loose r or replace the loose r or replace the loose g room, to keep the ig room, during room, fi <u>Floor Apartment</u>	treads on the fir boards on the for lituraination in t treads on the cell it and rear balls. , cracked sold miss in soing celling an celling plaster to ing celling and wa less in the bethrow Windows from accle (out and rear bedro window from eccle	Arthur A. H Health Dir By Chief or DARDS FOR HOUSIN rst floor rear part of porch. The cellar stain or stainway and ing celling plas and wall plaster the second floor is plaster in the one and vasr hall dentally closing to droop.	Hughson, CPH, MPH ector f Housing Inspection Housing Inspection By. Instell headrells ter in the front in the rear and front hill. Ad living roce and e rear hall entrance entranceway. In the bathroom and	<u>Section(</u> 3(d) 8(c) 3(d) 3(d) 3(c) 3(c) 3(c)

.

·• 、 ·

,

1

.

,

•

.

Inspection Services P. Samuel Hoffses Chief



Planning and Urban Development Joseph '4. Gray Jr. Director

CITY OF PORTLAND

May-11, 1995

LORING PAUL F 34 BOLTON ST PORTLAND ME 04102

> Re: 34 Bolton St CBL: 186- - C-031-001-01 DU: 3

Dear Mr. Loring:

The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the above referenced property. Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's

Good maintenance is the best way to protect the value of your property and Please feel free to call on us if we can be of assistance to you. Sincerely,

· · 24

Marland Wing Code Enforcement Officer

۰. ۲ 123 -

際がの学

lamme Tammy Munson Code Enfc. Offr./ Field Supv.

389 Congress Streel • Portland, Maine 04101 • (207) 874-8704 • FAX 874-8716 • TTY 874-8936

Altan in ro Inspection Services P. Samuel Hriffses Planning and Urban Development CITY OF PORTIAND Joseph E. Gray Jr. May 11, 1995 LORING PAUL F 34 BOLTON ST POWTLAND ME 04102 Re: 34 Bolton St. CBL: 186- - C-031-001-01 DU: 3 Dear Mr. Loring: The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the above referenced property. Congratulations are fittended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code. Good maintenance is the best way to protect the value of your property and neighborhood. Please feel free to call on us if we can be of assistance to you. Sincerely, Frankin Cin Marland Wing Code Enforcement Officer Tammy Munson Code Enfc. Ofir / Field Supv. 389 Congress Street • Purlland Maine 04101 • (207) 874-8704 • FAX 874-8716 • TTY 874-8936

Director

Inspection Services P. Samuel Hoffses Chief

Planning and Urban Development Joseph E. Gray Jr. Director

CITY OF PORTLAND

JUNE 17, 1997

LORANGER FRANCIS C 35 BOLTON ST PORTLAND ME 04102

OLTON ST _-005-001-01

Dear Mr. Loranger:

The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the above-referred property.

CBL DU.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code. We did, however, note the following items that could cause future problems:

113.50 HARD-WIRED BATTERY-BACK/UP SMOKE DETECTORS ARE REQUIRED IN EACH UNIT 1. INT - OVERALL -- PERMIT BY MASTER ELECTRICIAN

Good maintenance is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely,

David Jordan

Code Enforcement Officer

Tammy Munson

Code Enfc.Offc./ Field Supv.

389 Congress Street • Portland, Maine 04101 • (207) 874-8794 • FAX 874-8716 • 'TY 874-8936



Planning and Urban Development Joseph E. Gray Jr. Director

CITY OF PORTLAND

October 17, 1991

Inspec ion Services Samuel P. Hoffses

Chief

and the state of the state of the state

ALC: N DECKAR

Paul Loring 34-36 Bolton St 3rd fl Portland, ME

CBL #: 186-C-031 DU: 3 Re:

The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the above referred property.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code.

Good maintenance is the best way to protect the value of "our property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely,

IG. Mark Mitchell

Samuel Ho vices Chief of Inspecti

Code Enforcement Officer

389 Congress Street · Portland, Maine 04101 · (207) 874-8704