

86-92 BANCROFT STREET



Full cut # 920R - Half cut # 9202R - Third cut # 9203R - Fifth cut # 9205R



FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUED

Permit No. 15008

APR 29 1941

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 29, 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 88 Bancroft Street, Use of Building Residence No. Stories New Building Existing

Name and address of owner of appliance Robert R. Reed, 88 Bancroft St.

Installer's name and address Randall & McAllister - 84 Com'l St. Telephone 3-2941

General Description of Work

To install Oil burner to Forced Hot Water

IF HEATER, POWER BOILER OR COOKING DEVICE

Is appliance or source of heat to be in cellar? Yes If not, which story Kind of Fuel Oil

Material of supports of appliance (concrete floor or what kind) Concrete

Minimum distance to wood or combustible material, from top of appliance or casing; top of furnace, from top of smoke pipe from front of appliance from sides or back of appliance

Size of chimney flue Other connections to same flue

IF OIL BURNER

Name and type of burner Timken Labeled and approved by Underwriters' Laboratories? Yes

Will operator be always in attendance? Type of oil feed (gravity or pressure) Pressure

Location oil storage Basement No. and capacity of tanks 1-275 Gal.

Will all tanks be more than seven feet from other tanks? Yes How many tanks fireproofed?

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

Signature of Installer Randall & McAllister

INSPECTION COPY

CERTIFICATE OF OCCUPANCY OR CLOSING IS REQUIRED

9324C



# APPLICATION FOR PERMIT **PERMIT ISSUED**

Class of Building or Type of Structure Third Class

Permit No. 0917  
Portland, Maine, July 10, 1934

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter ~~install~~ the following building ~~structure~~ ~~equipment~~ in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 88 Bancroft Street Ward 8 Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address Russell R. Reed, Telephone \_\_\_\_\_  
Contractor's name and address G. L. Cronkite, 131 Caplain St. Telephone 8-0027  
Architect's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Proposed use of building dwelling house No. families \_\_\_\_\_  
Other buildings on same lot \_\_\_\_\_  
Plans filed as part of this application? no No. of sheets \_\_\_\_\_  
Estimated cost \$ 150. Fee \$ .75

### Description of Present Building to be Altered

Material wood No. stories 2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use dwelling house No. families \_\_\_\_\_

### General Description of New Work

To replace existing rear foundation wall with concrete

NOTIFICATION BEFORE LATHING  
OR CLOSING-IN IS WAIVED.  
CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
To be erected on solid or filled land? \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
Material of foundation concrete earth or rock? \_\_\_\_\_ Thickness, top 12" bottom 16"  
Material of underpinning brick Height 30" Thickness 8"  
Kind of Roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of \_\_\_\_\_ at \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? no

INSPECTION COPY

Signature of owner Russell R. Reed  
G. L. Cronkite

333





# City of Portland, Maine

OFFICE HOURS  
10 TO 12 M.  
4 TO 5 P.M.

## OFFICE OF INSPECTOR OF BUILDINGS

To the Inspector of Buildings of the City of Portland:

May 5, 1915. 191

(86-92) The undersigned respectfully makes application for a permit to erect enlarge a building on Bancroft St. street, at number 83 to be 1 stories high 14 feet long 18 feet wide; also an addition to be 1 stories high, feet long, feet wide, and to be used as a garage

CELLAR WALL — To be constructed of to be inches wide on bottom and batter to inches on top.

UNDERPINNING — To be Height of underpinning from top of cellar wall to bottom of sill ft. inches to be inches in thickness.

EXTERIOR WALLS — To be constructed of If of Brick, Stone, etc. Total Height of wall ft. inches. Thickness of 1st 2d 3d 4th 5th 6th story walls. If of reinforced concrete, state mix and reinforcing system to be used.

If wood construction, sills to be 4x6 Girders 2x6 Floor Timbers 4x6 Spaced 16 or Centers Post 4x4 Girts 2x4 Studs 2x4 to be spaced.

This building will be used for the purposes of garage (If for apartments, tenements, or other family uses state number of families accommodated and number on each floor. If for manufacturing or mercantile purposes state character of business and amount of estimated weight to be carried by the floor.)

Number of families on floor  
Total number of families  
Manufacturing (state character)  
Estimated load on floors per sq. ft.  
Mercantile business (state character and load per sq. ft.)

If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this.)

FIRESTOPS — All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger board are used there shall be firestops cut in tight against bottom of ledger board, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary.

STAIRWAYS — No. in building location to be enclosed with walls to be lathed with lathing.

ROOF — To be constructed of slate Rafters to be 2x4 inches to be spaced 18 inches on centers. Roof to be covered with slate

Gutters to be made of Cornices to be made of  
Bay Windows to be made of to be covered with  
Dormer Windows to be made of to be covered

Chimneys, Smoke Flues to be lined with and provided with a 10-inch outside collar and an inside collar to go to the inside of the flue.

Estimated Cost of Building: \$175  
INSPECTION — The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun.

The Building is F. A. Drumery Address 30 Centre Street  
The Architect is Address  
The Owner is Mr. Drumery Address 83 Bancroft St.

No Deviation will be made in the above application without written permission from the Inspector of Buildings  
The above petition is submitted this Fifth day of May 1915

Applicant to sign here M. E. Wing



# APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class  
City of Maine, March 4, 1929

Permit No. \_\_\_\_\_

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect ~~and install~~ the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 606-65 Bancroft Street Ward 8 Within Fire Limits? No Dist. No. \_\_\_\_\_  
Telephone F 2328

Owner's or Lessee's name and address Harry W. Sanford, 68 Bancroft St. Telephone F 7738

Contractor's name and address Thos. Skinner Co. 127 Main St. So. Portland

Architect's name and address \_\_\_\_\_ No. families \_\_\_\_\_

Proposed use of building poultry house (commercial)

Other buildings on same lot dwelling house,

Description of Present Building to be Altered

Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_ No. families \_\_\_\_\_

Last use \_\_\_\_\_

## General Description of New Work

To erect one story frame poultry house, 10' x 12'  
(sectional)

## Details of New Work

Size, front 12' depth 10' No. stories 1 Height average grade to highest point of roof 8 1/2'

To be erected on solid or filled land? solid earth or rock? earth

Material of foundation concrete posts Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_

Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_

Kind of roof pitch Roof covering Asphalt shingles on Class C Und. Lab.

No. of chimneys no Material of chimneys \_\_\_\_\_ Thickness \_\_\_\_\_

Kind of heat gas Type of fuel \_\_\_\_\_ Distance, heater to chimney \_\_\_\_\_

If oil burner, name and model \_\_\_\_\_

Capacity and location of oil tanks \_\_\_\_\_ Size of service \_\_\_\_\_

Is gas fitting involved? no Size \_\_\_\_\_

Corner posts 4x6 Sills 6x6 Girt or ledger board? \_\_\_\_\_ Max. on centers \_\_\_\_\_

Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_

Studs (outside walls and carrying partitions) 2x4 19" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor 2x4, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x4

On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

Maximum span: 1st floor 12', 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, height? \_\_\_\_\_

If one story building with masonry walls, thickness of walls? \_\_\_\_\_

## If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_

Total number commercial cars to be accommodated \_\_\_\_\_

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

## Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Plans filed as part of this application? yes No sheets \_\_\_\_\_

Estimated cost \$ 95. Fee \$ .50

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of owner

*Harry W. Sanford*

INSPECTION COPY