



de.

## APPLICATION FOR PERMIT

Class of Building or Type of Structure Structure APP 1 1935

Fortland, Main . April E, 1885

To the INSPECTOR	01	BUILDINGS.	PORTLAND,	HE.
------------------	----	------------	-----------	-----

The undersigned hereby applies for a permit to cross altor install the following building structure equipment in accordance with the Laws of the State of Maine, the Ruildin, he of the City of forlland, plans and specifications, if any, submitted herewith and the following specifications:

Section 2425 Congress Street Vivid Within the Limits? DO Note No.  Description of Present Street Street Street Street Street Telephone E-Middle Street Street Street Telephone E-Middle Street Street Telephone E-Middle Street Street Telephone Telephone Telephone Street Telephone	any, submitted kerewith an	d the following spec	ificationi:	•	• "	
Contractor nee and address  Architect's name and address  Proposed use of building dwelling house  Other buildings on same lot 2. CER. 221822  Plans filed as part of this application 2. Description of Present Building to be Altered  Material wood No, stories 1. Heat. Style of roof Roofing  Last use dwelling house No. families 1.  General Description of New Work  To put in partition to provide ner both room 5 x 12! first floor, relocating one existive window for ventilation of bath room, window at luast three squere feet in sreat  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the waining contractor.  Details of New Work  Height average grade to top 66 plats  Height average; grade to high style						
Architect's rame and address.  Proposed use of building dwalling house No. families 1.  Description of Present Building to be Altered  Material Bood No. stories 1. Heat. Style of roof Roofing  Last use dwalling house No. families 1.  General Description of New Work  To put in partition to provide ner beth room 5 x 12'; first floor, relocating one exist window for ventilation of bath room, vindow at least three squere feet in srea  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the resting contractor.  Details of New Work  Height average grade to top 61 page.  Size, front depth No. stories I. Leight average grade to top 61 page.  Material of foundation. Thickness, top bottom.  Material of foundation. Thickness, top bottom.  Material of conditation. Thickness, top bottom.  Material of conditation. Thickness, top of the last gas parately by and find the name of the resting contractor.  Size, front Asserting the foundation. Thickness, top bottom.  Material of conditation. Thickness, top bottom.  Material of conditation. Thickness, top bottom.  Material of conditation. Thickness, top of the last gas fitting involved?  Corner posts. Sills. Girt or ledger board? Size.  Size Max, on centers.  Sixe Max, on centers.  Sixe Max on centers.  Joints and raitres: last floor. 2nd 3rd roof.  Asid are recommendated.  Total number commercial cars to be accommodated.  No. cars now accommodated on same lot 7.  Total number commercial cars to be accommodated.  Will above work require removal or disturbing of any shade tree on a public street? no  Will above work require removal or disturbing of any shade tree on a public street? no  Will there be in charge of the above work a person competent to see that the Sixe and City requirements pertaining thereto conserved? 7.788						
Proposed use of building dwelling dwelling boust  Other buildings on same lot . 2. CAR garage  Plans filed as part of this application?  Description of Present Building to be Altered  Material wood . No. stories 1. Heat . Style of roof . Roofing .  Last use . Style of roof . Roofing . No. families 1.  General Description of New Work  To put in partition to provide new both room, wildow at least three squere feet in seas . Details of New Work  To put in partition to provide new both room, wildow at least three squere feet in seas . Details of New Work  Height warrage grade to top 61. Play . Height average grade to biglify . Size, front	•				-	
Cher buildings on same lot. 2 CEF EARES  Commission as part of this application? BO No. of sheets.  Sestimated cost \$ 6.50.  Description of Present Building to be Altered  Material Bood No. stories 1 Heat. Style of roof Roofing  Last use dwelling house No. families 1  General Description of New Work  To put in partition to provide her bath room 5 x 12¹, first floor, relocating one existivation for ventilation of bath room, window at least three square feet in srea  It is understood that this permit does not inclode installation of heating apparatus which is to be taken out separately by and in the name of the sating contractor.  Details of New Work  Height average grade to top 61,0445.  Size, front depth No. stories Height average grade to top 61,0445.  Material of foundation Thickness, top bottom.  Material of underpinning Height Thickness.  Kind of Roof Rise per foot. Rise per foot. Roof covering No. of thing.  Kind of Roof Rise per foot. Roof covering No. of thing.  Kind of lunes Material of chiameys. Of fining involved?  Corner posts Size. Size. Max. on centers.  Joists and raffers: 1st floor. Roof Roof Roof Roof Roof Roof Roof Roo						
Plans filed as part of this application?  Description of Present Building to be Altered  Material wood No, stories 1 Heat Style of roof Roofing  Last use dwelling house No, families 1  General Description of New Work  To put its partition to provide her beth room 5 x 12', first floor, relocating one existive window for ventilation of bath room, visidow at least three squere feet in eres  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the eating contractor.  Details of New Work  Height average grade to top 61.04.  To be recreted on solid of filled land?  Details of New Work  Height average grade to high the following apparatus which is to be taken out separately by and in the name of the eating contractor.  Details of New Work  Height average grade to top 61.04.  Material of foundation  Thickness, top  Material of underpinning  Height  Thickness  Nind of Roof  Rise per foot  Rise for relegation and filling involved?  Corner posts  Size  Max on centers  Size  Max on centers  Stude (outside walls and carrying partitions) 2x4-16* O. C. Girders 6x8 or Irage: Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor  Rise land  No. ars now accommodated on same lot  Total number commercial cars (o be accommodated  Will above work require removal or disturbing of any shade tree on a public street?  Details of taken  Will above work require removal or disturbing of any shade tree on a public street?  Deadys Co. Tlankam  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining theret are observed?  View of the contractor of the proposed brilding?  Miscel	•					
Description of Present Building to be Altered    Description of Present Building to be Altered   No. stories   1   Heat   Style of roof   Roofing	_					
Description of Present Building to be Altered  Material wood No, stories 1 Heat Style of roof Roofing Last use dwelling house No, families 1  General Description of New Work  To put in partition to provide new bath room 5 x 121, first floor, relocating one existif window for ventilation of bath room, window at least three squere feet in srea  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the beating contractor.  Details of New Work Height average grade to top of plats.  To be erected on solid or filled land?  Material of foundation Thickness, top bottom Material of underpinning Height Thickness, top bottom Material of underpinning Rise per feet plats Roof covering No. of chimneys Material of country Size Max, on centers Stude (outside walls and carrying partitions) 2x-1-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor 2nd 3rd 7coof Maxinum span: 1st floor 2nd 3rd 7coof 3rd 7coof 4darinum span: 1st floor 2nd 4darinum span: 1st floor 2nd 4darinum span: 2nd 3rd 7coof 4darinum span: 2nd 4darinum span: 2nd 3rd 7coof 4darinum span: 2nd 3rd 7coof 4darinum span: 2nd 4d	Plans filed as part of this app	plication?	120	_No. of sheets		
Material mode No. stories 1 Heat Style of roof Roofing Last use	Estimated cost \$ 6 50	L			Fee \$	<u>'io</u>
General Description of New Work  To put in partition to provide new bath room 5 x 12', first floor, relocating one existing window for ventilation of bath room, viadow at least three square feet in area.  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the bening contractor.  Details of New Work  Height average grade to top of page.  To be erected on solid or filled land?  No. stories  It ight average grade to high description of foot the page.  Material of foundation  Thickness, top.  bottom  Material of underpinning  Rise per foot  Rise per foot  Type of fuel  Is gas fitting involved?  Corner posts  Site  Max. on centers  Stude (outside walls and carrying partitions) 2x+16' O. C. Girders 0x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills ard corner posts all one piece in cross section.  Joists and rafters:  Ist floor  2nd  3rd  7cof  On centers:  1st floor  2nd  3rd  7cof  To a Garage  No. cars now accommodated on same lot  Total number commercial cars to be accommodated  Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?  Will above work require removal or disturbing of any shade tree on a public street?  Do Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therefore observed?  Will above work require removal or disturbing of any shade tree on a public street?  Do Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therefore or cobserved?  Total number commercial cars to be accommodated on a public street?  Do Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therefore observed?  Total number commercial cars to the showe work a person competent to see that the State and City requirements pertaining therefore the see that the State and Cit		Description of	of Present Building	to be Altered		
General Description of New Work To put in partition to provide new bath room 5 x 121, first floor, relocating one exists window for ventilation of bath room, window at least three square feet in area  It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the nume of the 'sating contractor.  Details of New Work Height average grade to top 61 plats Height average grade to high separately by and in the nume of the 'sating contractor.  Details of New Work Height average grade to top 61 plats Height average grade to high separately by and in the nume of the 'sating contractor.  Details of New Work Height average grade to top 61 plats Height average grade to top 61 plats Height average grade to high separately by and in the nume of the 'sating contractor.  Material of foundation Thickness, top  Height Thickness Notion of Roof Rise per foot  Height Thickness  Kind of Roof Rise per foot  Rise per foot  Rise per foot  Rise per foot  Height Thickness  Size  Max. on cunters  Size  Max. on cunters  Size  Max. on cunters  Studs (outside walls and carrying partitions) 2x-16° O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joist and raiters: 1st floor  Jand  Jand  Troof  On centers: 1st floor  Jand  Jand  Troof  Maximum span: 1st toor  Jand  Jard  Troof  Maximum span: 1st toor  Jand  Max. on cunters  Maximum span: 1st toor  Jand  Jard  Troof  Maximum span: 1st toor  Jand  Max. on cunters  Maximum span: 1st toor  Jand  Max. on cunters  Maximum span: 1st toor  Jand  Jard  Troof  Maximum span: 1st toor  Jard  Troof  Maximum span: 1st toor  Maximum span: 1st toor  Jard  Troof  Maximum span: 1st toor  Jard  Tro	Material bood No. st	ories 1 Heat	Style of	roof	Roofing	
To put in partition to provide ner bath room 5 x 121, first floor, relocating one existival window for ventilation of bath room, window at least three squero feet in erea window for ventilation of bath room, window at least three squero feet in erea fit is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the 'sating contractor.  Details of New Work  Height average grade to top of page.  To be erected on solid or filled land?  No. stories literature rock?  Material of foundation.  Thickness, top bottom  Material of underpinning Height Thickness.  Kind of Roof Rise per foot Rise per foot overing of lining.  Kind of least Type of fuel Is gas fitting involved?  Corner posts Sills Girt or ledger board?  Size Max. on centers  Studs (outside walls and carrying partitions) 2x+16° O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joist and raiters: 1st floor.  Jand 3rd roof  Maximum span: 1st thoor 2nd 3rd roof  Maximum span: 1st thoor 2nd 3rd roof  Total number commercial cars to be accommodated.  Will above work require removal or disturbing of any shade tree on a public street?  Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street?  Miscellaneous  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therefore observed?  Total number commercial cars for the above work a person competent to see that the State and City requirements pertaining therefore observed?  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining therefore observed?  Total number commercial cars for the showe work a person competent to see that the State and City requirements pertaining therefore observed?  Total number commercial cars for the shove work a person competent to see that the State and City requ	Last use	dwelling	house		No. families_	1
Details of New Work  Height average grade to top 66 plate.  Size, front	window for v	entilation of ba	th room, window a	t least three :	squere feet in	eres.
Material of foundation Thickness, top bottom  Material of underpinning Height Thickness  Kind of Roof Rise per foot Roof covering  No. of chimneys Material of chimneys of lining.  Kind of neat Type of fuel Is gas fitting involved?  Corner posts Sills Girt or ledger board? Size  Material columns under girders Size Max. on centers  Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor 2nd 8rd 7roof Maximum span: 1st floor 2nd 8rd 7roof 1st floor 1st flo	the 'reating contractor.					
Material of foundation Thickness, top bottom  Material of underpinning Height Thickness  Kind of Roof Rise per foot Roof covering  No. of chimneys Material of chimneys of lining.  Kind of neat Type of fuel Is gas fitting involved?  Corner posts Sills Girt or ledger board? Size  Material columns under girders Size Max. on centers  Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor 2nd 8rd 7roof Maximum span: 1st floor 2nd 8rd 7roof 1st floor 1st flo	Size, frontdej	pthNo.	storiesIleight a	verage grade to high	despoint of foote	1
Material of foundation Thickness, top bottom  Material of underpinning Height Thickness  Kind of Roof Rise per foot Roof covering  No. of chimneys Material of chimneys of lining.  Kind of neat Type of fuel Is gas fitting involved?  Corner posts Sills Girt or ledger board? Size  Material columns under girders Size Max. on centers  Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor 2nd 8rd 7roof Maximum span: 1st floor 2nd 8rd 7roof 1st floor 1st flo	To be erected on solid or fil	led land?	·	earth or rock?	-11 B 41	ATTACT
Rind of Roof Rise per foot Roof Rise per foot Roof Covering Roof covering Roof chimneys Roof chimneys Roof covering Roof Roof Roof Roof Roof Roof Roof Roo	Material of foundation		Thickness, top	t	ottom	
Rind of Roof Rise per foot Roof Rise per foot Roof Covering Roof covering Roof chimneys Roof chimneys Roof covering Roof Roof Roof Roof Roof Roof Roof Roo	Material of underpinning_	P 4	Height		Thickness	
No. of chimneys	Kind of Roof	Rise per for	Roof cover	ing		
Corner posts Sills Girt er ledger board? Size Max. on centers  Studs (outside walls and carrying partitions) 2x4-16* O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof , reof Maxinaum span: 1st floor , 2nd , 3rd , reof	No. of chimneys	Material of chim	neys		of lining	
Corner posts Sills Girt er ledger board? Size Max. on centers  Studs (outside walls and carrying partitions) 2x4-16* O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof Maxinaum span: 1st floor , 2nd , 3rd , reof , reof Maxinaum span: 1st floor , 2nd , 3rd , reof	Kind of heat	· · · · · · · · · · · · · · · · · · ·	Type of fuel	Is gas fi	tting involved?	
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat root span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor						
span over 8 feet. Sills and corner posts all one piece in cross section.  Joists and rafters: 1st floor. , 2nd , 3rd , roof.  On centers: 1st floor. , 2nd , 3rd , roof.  Maximum span: 1st floor. , 2nd , 3rd , roof.  If ore story building with masonry walls, thickness of walls? , height?   If a Garage  No. cars now accommodated on same lot , to be accommodated.  Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street? no   Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? 788	Material columns under gir	ders	Size	Max.	on centers	
On centers:  Ist floor	span over 8 feet. Sills are	i corner posts all one	piece in cross section.	-	_	
Maximum span: 1st iloor	Joists and rafters:	1st floor	, 2nd	, 3rd	, rcof	
If one story building with masonry walls, thickness of walls?  If a Garage  No. cars now accommodated on same lot	On centers:					
No. cars now accommodated on same lot, to be accommodated  Total number commercial cars to be accommodated  Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?  Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street?	Maxin.um span:	1st iloor	·, 2nd	, 3rd	, rooi	
No. cars now accommodated on same lot	If ore story building with	masonry walls, thickr	ics of walls?		height?	
Total number commercial cars to be accommodated  Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?  Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street?  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?  Thinkham		·	If a Garage			-
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?  Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street?  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?  Thinkham	No. cars now accommodate	d on same lot	: · •	to be accommodated		
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?  Miscellaneous  Will above work require removal or disturbing of any shade tree on a public street?  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?  Thinkham	Total number commercial c	ars to be accommodate				
Will above work require removal or disturbing of any shade tree on a public street? no  Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? 788  Cladyz C. Tinkham			inor repairs to cars habi			
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?  Gladyz C. Tinkham	*****			•••	-	
are observed? 198 Gladyz C. Tinkham	ì		•			
11.7 14 0		the above work a per			requirements perta	ining thereto
	are observed? 798		11.		amo.	

INSPECTION COPY

W1 Q Permit No. 35/393			
Ward O Terminal Start			and the second second
Location 1505 Congress St.		<u> </u>	· 11-15-16-16-16-16-16-16-16-16-16-16-16-16-16-
Owner Gladys C. Tinkhins	10 <sup>1</sup>		The second secon
Date of permit 4/3/35.			
Notif. closing-in	7.87		一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个
In-pa. closing-in	71	12 1- 12	
Final Notif.			
Final Inspn: 4/18/85	Three states		· · · · · · · · · · · · · · · · · · ·
Cert. of Occupancy assued Marua			THE RESERVE THE PROPERTY OF TH
NOTES D	The state of the s		· · · · · · · · · · · · · · · · · · ·
Mistry - Will direct			一
CA. CO.	3 2 2 4 3		
			· · · · · · · · · · · · · · · · · · ·
			THE RESERVE OF THE PROPERTY OF
		344	Since Free Report Action
			A STATE OF THE PROPERTY OF THE
	3 190		A CONTRACTOR OF THE PARTY OF TH
	13		
		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			· · · · · · · · · · · · · · · · · · ·
		2 30	· · · · · · · · · · · · · · · · · · ·
			一
		一十五十二十	一大人。自己的人们的原则是是建筑。
			(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
		4 4 4	A STATE OF THE STA
		لَدُهُ عَلَيْهِ الْمُعَالِينَ الْمُعَلِّينِ الْمُعَالِينَ الْمُعَلِّينِ الْمُعَالِينَ الْمُعَلِّينِ الْمُعَلِّينِ الْمُعَلِينِ الْمُعَلِّينِ الْمُعَالِينِ الْمُعَلِّينِ الْمُعَلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعَلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِّينِ الْمُعِلِي الْمُعِلِينِ الْمُعِلِينِ الْمُعِلِّينِ الْمُعِلِينِ الْمُعِلِي الْمُعِلِينِ ال	Berger in The Standard or special



Location, ownersh', and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

## APPLICATION FOR PERMIT TO BUILD (3D CLASS BUILDING)

May 11,1921 Portland, Me.,

19

То тне

## INSPECTOR OF BUILDINGS

	The undersigned hereby applies for a permit to build according to the following Specifications:—	
	Location/949-1953 1365 Congress	
	Name of owner is? Gladys C Tinkham Address 1500 Congress	
Ė	Name of mechanic is? Robert Tigicham " 1505 Congress	PI
demand	Name of architect is?	X
	Proposed occupancy of building (purpose): private garage (one car only no space to be let	RMIT
00	If a dwelling or tenement house, for how many families?	4
ile	Are there to be stores in lower story? No No. of feet rear?; No. of feet reep?; No. of feet reep?;	₹
į	Size of lot, No. of feet front? ; No. of feet rear? ; No. of feet eep?	S
Ğ	Size of building, No. of feet front? 19ft; No. of feet rear 10ft; No. of feet deep? 16ft	<b>-</b> i
alia.	No. of stories, cont? 1	$\square$
Ä	No. of her in reight from the mean grade of street to the highest part of the roof? 12ft	Ш
3	Distai " feet; side? feet; side? feet; rear? feet	ZJ.
the	Firest	Ö
Ģ.	Will the bull along accreted on solid or filled land?	
=	Will the foundation be laid on earth, rock or piles?	¥
	'I on piles, No. of rows? length of? length of?	-
<u>خ</u> ـ	Diameter, top of?duanieter, bottom of?	
ehull	Size of posts?	
	" girts?	
Buildings)	" floor timbers? 1st floor word 2d , 3d , 3d , 4th ,	
F	O. C. " " "	
	Span " " " "	_
jo .	Braces, how put in?	
spector	Building, how framed?	
spe	Material of foundation? laid with mortar? laid with mortar?	· Z
<u>,                                    </u>	Underpinning, material of? thickness of? thickness of?	Ž
tite	Will the roof be flat, pitch, mansard, or hip? nitch Material of roofing: asphalt	(t)
Jo	Will the building be heated by steam turnaces, stoves or grates? Will the flues be sined?	٤
approval	Will the building conform to the requirements of the law? Ye.	Q
Ĕ	No. of brick walls?and where placed?	2
ä	Means of egress?	•
	The state of the s	
	If the building is to be occupied as a Tenement House, give the following particulars:	
	What is the height of cellar or basement?	
	What will be the clear height of first story?second?third?	
	State what means of egress is to be provided?	
	Scuttle and stepladder to roof?	
	Estimated Cost,	
	Signature of owner or author- ized representative,  Cobert S. Culklicae.	1
	Signature of owner or authorized representative,  Address, 1403 Conques St.	•
	$oldsymbol{ u}$	,
	Plans submitted?Received by?	•

set to be filed with the Department and the duplicate

