

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 165 W. Riverside Hill Rd		Owner: Smith, David & Cheryl		Phone:		Permit No: 240865	
Owner Address: 340 Sawyer St Portland, ME 04106		Lease/Buyer's Name:		Phone:		Business Name:	
Contractor Name: Tie Biggins		Address: 123 Easton Ave Portland, ME 04103		Phone: 757-2129		Permit Issued: ISSUED AUG 19 1994	
Past Use: Vacant lot		Proposed Use: 1-fer dwelling		COST OF WORK: \$ 77,000.		PERMIT FEE: \$ 405 + 30.00 = 435	
Proposed Project Description: Construct 1-fer dwelling		FIRE LEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:		CITY OF PORTLAND Zoning: CBL 112-A-061	
		Signature:		Signature:		Zoning Approval: Special Zone, or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan: major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Signature:		Date:	

- This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate building permit and stop all work.

PERMIT ISSUED WITH LETTER

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approval
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: 8/16/94

SIGNATURE OF APPLICANT: [Signature] ADDRESS: DATE: 10 Aug 1994 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector PHONE:

CEO DISTRICT: [Signature]

COMMENTS

9/1/94 Called for Fo. Insp. Stakes not out - No R

11/1/94 Stakes Now out - Measures ok - ok to Pour R

11/1/94 Floor & rough plumbing ok - ok to Close R

12/13/94 Plumbing & finish almost done R

12/20/94 Call for Final - Not ready - Handicaps, Walkways & Groundfalls in Bathroom not done R

12/21/94 Called back - ok for Temp C.O. - Owner M. ok for Temp w/conditions

12/22 Issue Temp C.O. w/conditions by Owners M. - Expires MAY 15, 1995

Occupancy Single Family w/2 Car Garage attached - No Deck, Unfinished Room above garage

Inspection Condition - 3 conditions as per Owners M. Letter Dated 12/20/94

Notes: Per Jim Robbins Street address changed to #16 tide Mill Rd

Jim Robbins
x 8037

Inspection Record

	Type	
Foundation:	✓	_____
Framing:	✓	_____
Plumbing:	11/9 - 12/13	_____
Final:	12/22	_____
Other:	Vermin	_____

Date
9/1/94

11/9/94

~~John~~ Kallen

TO: Mary Gresik, Permit Secretary
FROM: Owens McCullough, Acting Development Review Coordinator *mm*
DATE: December 20, 1994
SUBJECT: 18 Tide Mill Road - Lot #2

A temporary Certificate of Occupancy may be issued for 18 Tide Mill Road with the following conditions:

1. Final lot grading, loan, seed and mulch shall be completed no later than May 15, 1995.
2. (2) City of Portland approved street trees shall be installed no later than May 15, 1995.
3. Street number# shall be displayed on house and be visible from street.

Drop permit app if ok.

Mary

Inspection Services
Samuel P. Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

August 19, 1994

RE: 18 Tide Mill Road

Tim Higgins
123 Maine Ave.
Portland, ME 04103

Dear Tim Higgins:

Your application to construct a one-family dwelling as per plan has been reviewed and a permit is herewith issued subject to the following requirements: This permit does not preclude the applicant from meeting applicable State and Federal laws.

No Certificate of Occupancy can be issued until all requirements of this letter are met.

1. All the conditions indicated on the attached site plan review conditions of approval by Owens McCullough must be met.
2. This is a one family dwelling only at this time. Any change in this status would require a separate permit.
3. All the conditions on the attached building permit report must be met. (starred items (1, 3, 7, 8, 9, 10, 12, 13, 14, and 15)

If you have any questions regarding these requirements, please do not hesitate to contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Marge Schmuckal".

Marge Schmuckal
Asst. Chief of Inspection Services

/el

cc: David & Cheryl Smith, 340 Sawyer St., South Portland, ME 04106
Owens McCullough, Planning

CITY OF PORTLAND, MAINE
SITE PLAN REVIEW (ADDENDUM)
CONDITIONS OF APPROVAL

APPLICANT: TIMOTHY HIGGINS
ADDRESS: 123 MAINE AVE
SITE ADDRESS/LOCATION: 18 TIDE MILL ROAD
DATE: 8/11/94

Review by the Development Review Coordinator is for General Conformance with ordinances and standards only and does not relieve the applicant, his contractors or agents from the responsibility to provide a completely finished site, including but not limited to not increasing or concentrating of all surface runoff onto adjacent or downstream properties, issues regarding vehicle sight distance, location of public utilities and foundation elevations.

CONDITIONS CHECKED OFF BELOW ARE IN FORCE FOR YOUR SITE PLAN

- All damage to sidewalk, curb, street, or public utilities shall be repaired prior to issuance of a Certificate of Occupancy.
- Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- Your new street address is now 18 TIDE MILL ROAD, the number must be displayed on the street frontage of your house prior to issuance of a Certificate of Occupancy.
- The Development Review Coordinator (874-8300, ext. 8722) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closings with these requirements in mind.
- A sewer permit is required for your project. Please notify Paul Niehoff at 874-8300 ext 8838. The Sewer Division of Parks and Public Works (Jackie Wurslin at 797-5302) must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- As-built record information for sewer and storm service connections must be submitted to Parks & Public Works Engineering Division (55 Portland St.) and approved prior to issuance of a Certificate of Occupancy.
- A street opening permit(s) is required for your site. Please contact Carol Poliskey at 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible).
- DRIVEWAY ACCESS TO BE FROM EXISTING CURB CUT. ESTABLISH FINISH GRADE ELEVATIONS AT FOUNDATION AND WITHIN LOT TO PROVIDE POSITIVE DRAINAGE. GRADES SHOULD BE CONSISTANT WITH ADJUTING LOTS. SEE ATTACHED cc: P. Niehoff. SITE PLAN, DATED AUGUST 4, 1994

BUILDING PERMIT REPORT

Address 18 Tide Mill Rd Date 8/19/94
Reason for Permit: construct 1-family Dwelling
Bldg. Owner: DAVID & Cheryl Smith
Contractor: Tim Higgins, 123 Maine Ave, Portland
Permit Applicant: contractor
Approval: with conditions (stamped items #1, 3, 7, 8, 9, 10, 12, 13, 14, 15)

CONDITION OF APPROVAL:

- *1. Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection).
2. Precaution must be taken to protect concrete from freezing.
- *3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hr., including fire doors with selfclosers.
5. Each apartment shall have access to (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- *7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of special knowledge or separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping room must have minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq.ft.

(over)

- * 8. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code 919.3.2 (ICC National Building Code 1993), and NFPA 101 Chapter 18 & 19. (smoke detectors shall be installed and maintained at the following locations):
1. In the immediate vicinity of bedrooms
 2. In all bedrooms
 3. In each story within a dwelling unit, including basements
- * 9. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by Fire Partitions and floor/ceiling assembly; lobbies which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1993).
- * 10. Guardrails & Handrails - A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Group 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
11. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024.0 of the City's building code (The BOCA National Building Code/1993).
- * 12. Stair construction in Use Group R-3, R-4 is a minimum of 9" tread and 8-1/4" maximum rise.
- * 13. Headroom in habitable space is a minimum of 7'6".
- * 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- * 15. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the Division of Inspection Services before final certificate of occupancy is issued or demolition permit is granted.
16. Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
17. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRS refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

P. Samuel Hoffses
P. Samuel Hoffses
Chief of Inspections

/cmm 01/14/94(redo w/additions)