

1913-1915 CONGRESS STREET

Building and Inspection. Services Dept.: Plumbing Inspection



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date May 7, 19 79
Receipt and Permit number A 24072

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of
Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:
LOCATION OF WORK: 1915 Congress St.

OWNER'S NAME: Kenneth Ward ADDRESS: same

FEES

OUTLETS:

Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____

FIXTURES: (number of)

Incandescent _____ Fluorescent _____ (not strip) TOTAL _____

Strip Fluorescent _____ ft. _____

SERVICES:

Overhead x Underground _____ Temporary _____ TOTAL a. wires 100 .. 3.00

METERS: (number of) 1 .. .50

MOTORS: (number of)

Fractional _____

1 HP or over _____

RESIDENTIAL HEATING:

Oil or Gas (number of units) _____

Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING:

Oil or Gas (by a main boiler) _____

Oil or Gas (by separate units) _____

Electric Under 20 kws _____ Over 20 kws _____

APPLIANCES: (number of)

Ranges _____ Water Heaters _____

Cook Tops _____ Disposals _____

Wall Ovens _____ Dishwashers _____

Dryers _____ Compactors _____

Fans _____ Others (denote) _____

TOTAL _____

MISCELLANEOUS: (number of)

Branch Panels _____

Transformers _____

Air Conditioners Central Unit _____

Separate Units (windows) _____

Signs 20 sq. ft. and under _____

Over 20 sq. ft. _____

Swimming Pools Above Ground _____

In Ground _____

Fire/Burglar Alarms Residential _____

Commercial _____

Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____

over 30 amps _____

Circus, Fairs, etc. _____

Alterations to wires _____

Repairs after fire _____

Emergency Lights, battery _____

Emergency Generators _____

INSTALLATION FEE DUE: _____

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE: _____

FOR REMOVAL OF A "STOP ORDER" (304-16.b) _____

TOTAL AMOUNT DUE: 3.50

INSPECTION:

Will be ready on _____, 19 ____; or Will Call x

CONTRACTOR'S NAME: Thomas Maignano

ELECTRICAL INSTALLATIONS—

Permit Number: 24612

Location 1712 Congress St.

Owner - Sen Liang

Date of Perm.:

Final Inspection 3-7-77

By Inspector Leahy

Permit Application Register Page No. 10

25

INSPECTIONS: Service ✓ by Kibby
Service called in 5-7-79
Closing-in _____ by _____

PROGRESS INSPECTIONS: _____ / _____ / _____
_____/_____/_____
_____/_____/_____
_____/_____/_____
_____/_____/_____
_____/_____/_____
_____/_____/_____

CODE
COMPLIANCE
COMPLETED

DATE 5-7-79

DATE:

REMARKS:

OK

Date
Issued **11-4-71**
Portland Plumbing Inspector
By **ERNOLD R. GOODWIN**

App. First Insp.
Date **WALTER H. WALLACE**
By **DEPUTY PLUMBING INSPECTOR**

App. Final Insp.
Date **WALTER H. WALLACE**
By **DEPUTY PLUMBING INSPECTOR**

- Type of Bldg.
- ☐ Commercial
 - ☐ Residential
 - ☐ Single
 - ☐ Multi Family
 - ☐ New Construction
 - ☐ Remodeling

PERMIT TO INSTALL PLUMBING

Address 1915 Congress St.		PERMIT NUMBER 985	
Installation For: Single			
Owner of Bldg Cony McGurdy			
Owner's Address: Same		Date: 11-4-71	
Plumber	Walter J. Lewis	NO	FEE
NEW	Westbrook, Maine		
	SINKS		
	LAVATORIES		
	TOILETS		
	BATH TUBS		
	SHOWERS		
	DRAINS FLOOR SURFACE		
	HOT WATER TANKS		
1	TANKLESS WATER HEATERS		2.00
	GARBAGE DISPOSALS		
	SEPTIC TANKS		
	HOUSE SEWERS		
	ROOF LEADERS		
	AUTOMATIC WASHERS		
	DISHWASHERS		
	OTHER		
		TOTAL	2.00

Building and Inspection Services Dept., Plumbing Inspection

CITY OF PORTLAND, MAINE

Application for Permit to Install Wiring

Permit No. 55455
 Issued 4/14/71

Portland, Maine, 1971

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out — Minimum Fee, \$1.00)

Owner's Name and Address Conn Inc Curdy Tel. _____

Contractor's Name and Address Walter Lewis Westbrook Tel. _____

Location 1915 Congress St Use of Building _____

Number of Families _____ Apartments _____ Stores _____ Number of Stories _____

Description of Wiring: New Work ☒ Additions _____ Alterations _____

Pipe ☒ Cable ☒ Metal Molding _____ BX Cable _____ Plug Molding (No. of feet) _____

No. Light Outlets _____ Plugs _____ Light Circuits _____ Plug Circuits _____

FIXTURES: No. _____ Fluor. or Strip Lighting (No. feet) _____

SERVICE: Pipe _____ Cable _____ Underground _____ No. of Wires _____ Size _____

METERS: Relocated _____ Added _____ Total No. Meters _____

MOTORS: Number 2 Phase 3 H. P. _____ Amps _____ Volts _____ Starter _____

HEATING UNITS: Domestic (Oil) ☒ No. Motors _____ Phase _____ H.P. _____

Commercial (Oil) _____ No. Motors _____ Phase _____ H.P. _____

Electric Heat (No. of Rooms) _____

APPLIANCES: No. Ranges _____ Watts _____ Branch Feeds (Size and No.) _____

Elec. Heaters _____ Watts _____

Miscellaneous _____ Watts _____ Extra Cabinets or Panels _____

Transformers _____ Air Conditioning (No. Units) _____ Signs (No. Units) _____

Will commence _____ 19 _____ Ready to cover in _____ 19 _____ Inspection _____ 19 _____

Amount of Fee \$ 2.00 Signed Walter Lewis

DO NOT WRITE BELOW THIS LINE

SERVICE _____ METER _____ GROUND _____

VISITS: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____

7 _____ 8 _____ 9 _____ 10 _____ 11 _____ 12 _____

REMARKS: _____

INSPECTED BY J. W. Hackett
 (OVER)

LOCATION *Conq ST 1315*
 INSPECTION DATE *11/10/71*
 WORK COMPLETED *11/10/71*
 TOTAL NO. INSPECTIONS *1*
 REMARKS:

FEE FOR WINING PERMITS EFFECTIVE JULY 31, 1963

WIRING

1 to 30 Outlets	\$ 2.00
31 to 60 Outlets	3.00
Over 60 Outlets, each Outlet	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	

SERVICES

Single Phase	2.00
Three Phase	4.00

MOTORS

Not exceeding 50 H.P.	3.00
Over 50 H.P.	4.00

HEATING UNIT

Domestic (Oil)	2.00
Commercial (Oil)	4.00
Electric Heat (Each Room)	.75

APPLIANCES

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers and any permanent built-in appliances - each



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, November 4, 1971

PERMIT ISSUED
NOV 4 1971
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

I, the undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 1915 Congress St. Use of Building Dwelling No. Stories 1 ~~New~~ Building Existing
Name and address of owner of appliance Cony McCurdy, 1915 Congress St.
Installer's name and address Walter Lewis, Duck Pond Rd., Westbrook Telephone

General Description of Work

To install new heating system - replacement. Forced hot water

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 3 ft.
From top of smoke pipe 3 ft From front of appliance 4 ft From sides or back of appliance 4 ft.
Size of chimney flue 8 x 12 Other connections to same flue no
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Weil McLain - gun type Labelled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete Size of vent pipe 1 1/4"
Location of oil storage basement Number and capacity of tanks 1 - 275
Low water shut off Make No.
Will all tanks be more than five feet from any flame? yes How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smoke pipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed: \$10. (\$200 for one heater, etc., \$100 additional for each additional heater, etc., in same building at same time.)

APPROVED:

Permit No. 71/1381

Location 1915 Congress St

Owner Croy Mc Curdy

Date of permit 11/4/71

North electric in WALLY

Inspn. closing-in

Final Notif.

Final Inspn.

(site of Occupancy tested)


NOTES

12/23/71 11/4/71



APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class
Portland, Maine, August 31, 1966



To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 1915 Congress St. Within Fire Limits? _____ Dist. No. _____
 Owner's name and address Gony McCurdy, 1915 Congress St. Telephone 777-7880
 Lessee's name and address _____ Telephone _____
 Contractor's name and address owner Telephone _____
 Architect _____ Specifications _____ Plans no No. of sheets _____
 Proposed use of building Dwelling No. families 1
 Last use _____ " _____ No. families 1
 Material frame No. stories 1 1/2 Heat _____ Style of roof _____ Roofing _____
 Other buildings on same lot _____
 Estimated cost \$ 25.00 Fee \$ 2.00

General Description of New Work

To demolish existing front porch approx. 20' x 6'.
 (To re-shingle this portion of building, when porch is removed.)

*put back 4' x 4' platform
 4' x 6' sills etc.*

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
 Is connection to be made to public sewer? _____ If not, what is proposed for sewage? _____
 Has septic tank notice been sent? _____ Form notice sent? _____
 Height average grade to top of plate _____ Height average grade to highest point of roof _____
 Size, front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____
 Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
 Kind of roof _____ Rise per foot _____ Roof covering _____
 No. of chimneys _____ Material of chimneys _____ of lining _____ Kind of heat _____ fuel _____
 Framing Lumber—Kind _____ Dressed or full size? _____ Corner posts _____ Sills _____
 Size Girder _____ Columns under girders _____ Size _____ Max. on centers _____
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
 Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
 On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
 Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
 If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage:

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

APPROVED:

M. E. M.

Miscellaneous

Will work require disturbing of any tree on a public street? no
 Will there be in charge of the above work a person competent to

Permit No. 66/835
Location 1915 Englewood Street
Owner Con. J. M. C. C. C.
Date of permit 10/16/66
Notif. closing-in
Inspn. closing-in
Final Notif.
Final Insp.
Cert. of Occupancy Issued
Sinking Out Notice
Form 10-1-66 Notice

NOTES

9-19-66 platform
porch removed
10-24-66 New
platform up



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, .. Oct. 14, 1254

OFFICE OF THE
ATTORNEY GENERAL
STATE OF NEW YORK

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 1915 Congress St. Use of Building 1-family dwelling. No. Stories 1 New Building
Existing " "
Name and address of owner of appliance Oliver D. Maxwell, 1915 Congress St.
Installer's name and address Harris Oil Co., 202 Commercial St. Telephone 2-3304

General Description of Work

To install steam boiler and oil burning equipment (replacement)

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? _____ Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 12"
From top of smoke pipe 16" From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 12 Other connections to same flue none
If gas fired, how vented? _____ Rated maximum demand per hour _____
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner General Electric Labeled by underwriter's laboratories? yes
Will operator be always in attendance? yes Does oil supply line feed from top or bottom of tank? top
Type of floor beneath burner concrete Size of vent pipe 1"
Location of oil storage basement Number and capacity of tanks 1-25 gal.
Low water shut off yes Make McDermott Miller No. 030
Will all tanks be more than five feet from any flame? yes How many tanks enclosed? 0
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance _____ Any burnable material in floor surface or beneath? _____
If so, how protected? _____ Height of Legs, if any _____
Skirting at bottom of appliance? _____ Distance to combustible material from top of appliance? _____
From front of appliance _____ From sides and back _____ From top of smokepipe _____
Size of chimney flue _____ Other connections to same flue _____
Is hood to be provided? _____ If so, how vented? _____ Forced or gravity? _____
If gas fired, how vented? _____ Rated maximum demand per hour _____

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

[illegible]

1. Cost of gas employed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same

- 1 Fill Pipe ✓
- 2 Vent Pipe ✓
- 3 Kind of Heat Steam
- 4 Burner Rigidity & Supports ✓
- 5 Name & Label ✓
- 6 Stack Control ✓
- 7 High Level Control ✓
- 8 Remote Control ✓
- 9 Piping Support & Protection ✓
- 10 Valves in Supply Line ✓
- 11 Capacity of Tanks ✓
- 12 Tank Rigidity & Supports ✓
- 13 Tank Distance ✓
- 14 Oil Gauge ✓
- 15 Instruction Card ✓
- 16 Low Water Shut off ✓

NOTES

Permit No. 541767
 Location 1915 Congress St.
 Owner Clarence D. Mayfield
 Date of permit 10/14/54
 Approved 10-55 H. H. H.

10-55 H. H. H.

110



APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, May 4, 1953

PERMIT ISSUED
MAY 6 1953
PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect ~~the proposed building~~ the following building ~~in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:~~

Location 1915 Congress St. Within Fire Limits? no Dist. No.
Owner's name and address Elmer Maxfield, 1915 Congress St. Telephone 5-5825
Lessee's name and address Telephone
Contractor's name and address owner Telephone
Architect Specifications Plans yes No. of sheets 1
Proposed use of building 1-car garage No. families
Last use No. families
Material No. stories Heat Style of roof Roofing
Other buildings on same lot dwelling house
Estimated cost \$ 650. Fee \$ 4.00

General Description of New Work

To construct 1-car frame garage 16' x 21'.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO owner**

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Height average grade to top of plate 8' Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation concrete slab Thickness, top bottom cellar
Material of underpinning Height Thickness
Kind of roof pitch-gable Rise per foot 6" Roof covering Asphalt Class C and Lab
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing lumber—Kind hemlock Dressed or full size? dressed
Corner posts 4x6 Sills 4x6 Girt or ledger board? Size
Girders Size Columns under girders Size Max on centers
Studs (outside walls and carrying partitions) 2x4-16" C. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor concrete, 2nd , 3rd roof 2x6
On centers: 1st floor , 2nd , 3rd roof 2x4"
Maximum span: 1st floor , 2nd , 3rd roof 8'
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot 0, to be accommodated 1 number commercial cars to be accommodated 0

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

NOTES

5-4-53 - Mat staked out set W. J. M.
 5-5-53 - Permitted by City Board that
 garage & driveway lot is on lot line
 of 1st & 2nd. When drawn to walls
 of existing. U. C. W. J. M.
 5/24/53 Same W. J. M.
 6/25/53. Work progressing Framing
 started W. J. M.

7/31/53. Walls laid in W. J. M.
 9-2-53. Almost completed. No need for
 more inspections W. J. M.

5-2-53 7-2-53 9-2-53
 Permit No. 53/664
 Location 1915 Langston St.
 Owner Elmer Mayfield
 Date of permit 5/6/53
 Notif. closing-in
 Inspn. closing-in
 Final Notif.
 Final Inspn. 9/2/53 W. J. M.
 Cert. of Occupancy issued

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for garage
at 1915 Congress St. Date 4/4/53

1. In whose name is the title of the property now recorded? Elmer Maxfield
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? no
3. Is the outline of the proposed work now staked out upon the ground? Yes
If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? _____
4. What is to be maximum projection or overhang of eaves or drip? _____
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? yes

Elmer D. Maxfield



Campus Street



APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class
Portland, Maine, April 10, 1953

ISSUED
APR 10 1953
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ ~~repair~~ ~~demolish~~ ~~install~~ the following building ~~structure~~ ~~equipment~~ in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 1915 Congress St. Within Fire Limits? no Dist. No. _____
Owner's name and address Elmer Laxfield, 1915 Congress St. Telephone _____
Lessee's name and address _____ Telephone _____
Contractor's name and address owner Telephone _____
Architect _____ Specifications _____ Plans no No. of sheets _____
Proposed use of building _____ No. families _____
Last use 2-car garage No. families _____
Material wood No. stories 1 Heat _____ Style of roof _____ Roofing _____
Other buildings on same lot dwelling Fee \$ 50
Estimated cost \$ _____

General Description of New Work

To demolish 2-car frame garage approximately 20' x 20'.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO** owner

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
Is connection to be made to public sewer? _____ If not, what is proposed for sewage? _____
Height average grade to top of plate _____ Height average grade to highest point of roof _____
Size, front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Rise per foot _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____ Kind of heat _____ fuel _____
Framing lumber—Kind _____ Dressed or full size? _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Girders _____ Size _____ Columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

APPROVED:

54

Permit No. 53/510

Location 1915 Congress St.

Owner Ernest McMillan

Date of permit 4/10/23

Notif. closing-in

Inspn. closing-in

Final Notif.

Final Inspn. *E/10/53 W J Ma*

Cert. of Occupancy issued

NOTES

5-10-53 work completed. J. J. J.



(R) General Residence Zone
Application for Permit for Alterations and Miscellaneous Structures

26/1239

CLASS OF BUILDING OR TYPE OF STRUCTURE 3rd

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. Portland, Maine, December 13/26 19

The undersigned hereby applies for a permit to alter the following described building
specifications, the Laws of the State of Maine, and the Building Ordinance of the City of Portland:

Location 1481 Congress Street Ward 9 Within Fire Limits? no
Owner's name and address? D J Jackson, 1481 Congress Street
Contractor's name and address? " " "
Architect's name and address? " " "
Last use of building? private garage 2 cars No. Families?
Proposed use of building? private garage 2 cars No. Families?

Description of Present Building

Material wood No. of Stories 1 Style of Roof gable Roofing asphalt

General Description of New Work

Remove present partition between garage and workshop and change location of doors

Size of New Framing Members

Corner posts? Sills? Rafters or roof beams? on center?
Material and size of columns under girders? on center?
Ledger board used? Size? Studs (outside walls and carrying partitions) 2 x 4 16" O. C.
Girders 6" x 8" or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts will
be all one piece in cross section.

Floor timbers: 1st floor , 2nd , 3rd , 4th
On centers: 1st floor , 2nd , 3rd , 4th
Span: 1st floor , 2nd , 3rd , 4th

If 1st or 2nd Class Construction

External walls } thickness { 1st story , 2nd story
Party walls } 1st story , 2nd story

Other Details New Construction

To be erected on solid or filled land? earth or rock?
Material of foundation? Thickness, top? bottom?
Material of underpinning? over 4 ft. high? thickness?
Kind of roof (pitch, hip, etc.)? Kind of roofing?
No. of new chimneys? Material of chimneys? of lining?

If a Private Garage

No. cars now accommodated on lot? Total number to be accommodated?
Other buildings on same lot?
Distance from nearest present building to proposed garage?
All parts of garage, including eaves, will be at least 2 ft. from all lot lines.
Garage will be at least feet from nearest windows of adjoining property.

Miscellaneous

Will the above construction require the removal or disturbing of any shade tree on the public street? no
Plans filed as part of this application?

NOTIFICATION
before
LATHING OR CLOSING
is
WAIVED

New Work not done

Ward <u>8</u>	Permit No. <u>24/1234</u>
<u>1481 Congress St</u>	
<u>D J Jackson</u>	
<u>Dec 13/26</u>	
Notif. Closing in _____	
Inspn. Closing in _____	
Final Notif _____	
Final Inspn _____	

Apparently rebridden range
forming from at this date
O/W 1/20/27

3/19/27

Printed copies become available for distribution.

S. Gately,

Walter J. Turner
Zoning Enforcement Inspector

cc: Merrill S. Seltzer, Chairman, Board of Appeals
Joseph E. Gray, Jr., Director, Planning & Urban Development
Alexander Jaegerman, Chief Planner
P. Samuel Holmes, Chief, Inspection Services
Hugh Irving, Code Enforcement Officer
Charles A. Lane, Assoc. Corporation Counsel

389 CONGRESS STREET
LAND MAINE 04101
TELEPHONE (207) 775-5451