109-125 BISHOP STREET



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Maine, the Portland Electrical Ordinance, the National LOCATION OF WORK: 119 Bishop Street OWNER'S NAME: Champion Bldg. Product	SUDBESS	eme	
OWNER'S NAME:	ADDITEDO.		FEES
OUTLETS:	3. 4. MO	m a T	
Receptacles Switches Plugmo	id it. 10	TAL	
FIXTURES: (number of) Incandescent Flourescent (no	t strin) TOTAL		
Strip Flourescent ft			
SERVICES			
Overhead Underground Temp	oraryTO	TAL amperes	
METERS: (number of)			
MOMOTIC: (
Fractional	• • • • • • • • • • • • • • • • • • • •	***************	
1 HP or over			
RESIDENTIAL HEATING:			
Oil or Gas (number of units) Electric (number of rooms)		***************************************	
COMMEDCIAL OF INDICADIAL HEADING.			
Oil on Con the a main hailar)			
Oil or Gog (by congrete units)			
Electric Under 20 kws Over 20 kw	/S		
APPLIANCES: (number of)			
Ranges	Water Heuters		
Cook Tops	Disposals	-	
Wall Ovens	Dishwashers		
Dryers	Compactors		
Fans	Others (denote)		•
MISCELLANEOUS: (number of)			
Branch Panels			
Transformers	.		
Air Conditioners Central Unit			
Separate Units (windows)			
Signs 20 sq. ft. and under			
Over 20 sq. ft			
Swimming Pools Above Ground	•• • • • • • • • • • • • • • • • • • • •		
In Ground	• • • • • • • • • • • • • • • • • • • •		
Fire/Burglar Alarms Residential Commercial XX	•• •• • • • • • • • • • • • • • • • • •		5.00
Heavy Duty Gutlets, 220 Volt (such as welder	s) 30 amps and u	inder	
	over 30 amps		
Circus, Fairs, etc.			
Alterations to wires			
Repairs after fire			
Emergency Lights, battery	** **********		
Emergency Generators	**************************************	r Amrost taga Talia.	
THE REPORT OF THE PARTY AND TH		LATION FEE DUE:	
FOR ADDITIONAL WORK NOT ON ORIGINAL PR	GRIVITT D	OOBLE FEE DOE.	
FOR REMOVAL OF A "STOP ORDER" (304-16.b) .	ፐ ርፐ	AL AMOUNT DUE:	5.00
	101.		
INSPECTION:			
Will be ready on . 19 :0	or Will Call XX	1-2-M	
Will be ready on CONTRACTOR'S NAME:	ties - Gera	id Munroe	
ADDRESS: 112 Midale Street	36		
TEL.: 7745819		on doving tamon	
MASTER LICENSE NO.: 4502	SIGNATURE	OF CONTRACTOR:	
LIMITED LICENSE NO.:	- Alland	W. HOYUNG	

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

T

1-2 INDUSTRIAL ZOME -



APPLICATION FOR PERMIT

Class of Building or Type of Structure

PERMIT ISSUED 1155 NOV 1 1968

	TAIL 98	Portland, Maine,	November 1, 19	08	My at propries
	To the INSPECTOR OF BUILDIN				
	The undersigned hereby applies in accordance with the Laws of the Ste specifications, if any, submitted herews	s for a permit to erect al ate of Maine, the Build ith and the following sp	ter repair demolish insta ing Code and Zoning O ecifications:	ordinance of the	City of Portland, plans and
	Owner's name and address U.S.	Plywood-Div. of	US Plywood-Cham	pion Papers	Inc. Telephone.
	Lessee's name and address				Tolophous
	Contractor's name and address	Gibler & Storer I	nc.74 Main St. 1a	rmouth Me.	Telephone 84695533
	Architect	Sne	cifications	Plane Yes	No of sheets 1
1	Proposed use of building	Plywood St	orage(Warehouse)	***************************	No. families
t t	Proposed use of building	, , , , , , , , , , , , , , , , , , , 	** 14	······	No. families
`	Material 3rd. cl. No. stories	1 Heat	Style of roof	-	Roofing
	Other buildings on same lot				
	Estimated cost \$ 2300.00				Fee \$ 7.00
		General Descrip	tion of New Wor	k	
٠.	-	* * * * * * * * * * * * * * * * * * * *		* , * ***	\$ -4
· 70 ·	To construct new roof		.0	ء. مدفع عمد ۱۸	
	to construct new roof of	over existing roo	of in office area	(Tolt side	or pullding) see plan
• •				-	, in
		*.	,		*****
				, ;	en e
		· ·	,	· : - `	, , , , , , , , , , , , , , , , , , , ,
			•		
	the name of the heating contractor. Ph	Details of	New Work	actor	
	Is connection to be made to public s	ewer?	If not what as prop	osed for several	iis work?
	Has septic tank notice been sent?		Form notice sent?	osca for schage	· · · · · · · · · · · · · · · · · · ·
	Height average grade to top of plate	Н	eight average grade to	highest point	of roof
	Size, frontdepth	No. stories	Shrel bella or bilos	mgnese pome	orth or roof-2
	Material of foundation	Thickness	ton hotton	n collo	Ear Cir Of TOCK!
	Kind of roofRi	se per foot	Roof covering		• HOLDSHIP HOLDSHIP HOLDSHIP HOLDS
1	No. of chimneys	rial of chimneys	of lining	Kind of hea	fund
4	Framing Lumber-Kind	Dressed or full size?.	Corner	Dosts	Sills
1, ,	Size Girder Column	ns under girders	Size		on centers
1.	Studs (outside walls and carrying pa	artitions) 2x4-16" O. C	. Bridging in every flo	oor and flat roo	f span over 8 feet.
•					, roof
· . ' '					, roof
	Maximum span: 1st fl	oor, 2r	id 3rc	1	, roof
	If one story building with masonry v	walls, thickness of wall	5?	1	height?
				1	
٠.	No cars now accommodated on com-		Garage		
	No. cars now accommodated on same Will automobile repairing be done of	her than minor repairs	to cars habitually sto	commercial cars	to be accommodated
APP	ROVED:			Miscellaneous	
(Will	,		no no no
	16 RCm. 11/1/68				rk a person competent to
, Perterminan	***************************************				ts pertaining thereto are

INSPECTION COPY

U.S. Plywood / Kibler/& Storer Inc.

Approval- 119 Bishop St.

Oct. 2, 1967

Kr. David Brooke U. S. Plywood Corp. 777 Third Avenue New York, N. Y.

cc: Kibler & Storer, 74 Hain St., Yarmouth cc: U. S. Plywood Corp., 119 Bishop St.

Dear Mr. Brooke:

This is to notify you that although we do not issue a certificate of occupancy for additions to existing buildings, we have found that your 62' x 152' sprinklered concrete block addition with wood roof meets our building Code and Zoning Ordinance requirements.

Very truly yours,

Gerald E. Payberry Director of Building & Inspection Services



APPLICATION FOR PERMIT

Installation

Class of Building or Type of Structure Portland, Maine,

January 9 1966

R PERMIT JAN 10 1967

CITY of PORTLAND

			-	
To the	INCRECTOR	OF BILL DINGS	DODTI AND	MATN

ocation 119 Bishop St.		
Owner's name and address United States Plywo	ood Corp. 119 Bishop St.	Telephone
Lessee's name and address		
Contractor's name and address Grinnell Company		
Architect	SpecificationsPlansys	No. of sheets 1
Proposed use of building Warehouse		No. families
Last use		
Material cem.blk. No. stories 1 Heat		
Other buildings on same lot		
Estimated cost \$		Fee \$ 5.00
General Desc	ription of New Work	
		•

It is understood that this permit does not include in he name of the heating contractor. PIRMIT TO	stallation of heating apparatus which is to be taken out separately by and in BE ISSUED TO contractor
D	etails of New Work
	Is any electrical work involved in this work?
Is connection to be made to public sewer?	If not, what is proposed for sewage?
Has septic tank notice been sent?	Form notice sent?
	Height average grade to highest point of roof
Size, frontdepth	iesearth or rock?
Material of foundation	Thickness, topbottomcellar
Kind of roofRise per foot	Roof covering
	neys of lining Kind of heat fuel
	full size? Sills
Size Girder Columns under gir	ders Size Max. on centers
Studs (outside walls and carrying partitions) 2x-	4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor	, 2nd, 3rd, roof
On centers: 1st floor	, 2nd, 2nd, 3rd, roof
Maximum span: 1st flcor	, 2nd, 3rd, roof
If one story building with masonry walls, thickn	ess of walls?height?height?
	If a Garage
	be accommodatednumber commercial cars to be accommodatednor repairs to cars habitually stored in the proposed building?
ROVED:	Miscellaneous
J. E. M.	Will work require disturbing of any tree on a public street?no
	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
	observed?V.E.S
	Grinnell Company Inc.
301	

INSPECTION COPY

Signature of owner by:

	PERM!	T TO I	NSTALL PLUMBING			4000
	Addre	ss 11	9 Bishop Street	PERMI	T NUM	BER 16528
Date Issued 8/26/66	Owne Owne	ation For	FI W Planted Compo	ration ration		
Portland Plumbing Inspector	Plumk	er: And	rew P. lverson	. D	ate: 👸	/26/66
By ERNOLD R. GOODWIN	NEW	REP'L.			ио.	FEE
App. First Insp.			SINKS LAVATORIES		-	
Date AUG-2-9-1966			TOILETS BATH TUBS		-	
CHIEF FLUMPING INSPECTOR			SHOWERS	SURFA	CE	
App. Final Insp. AUG 29 1966 Date AUG 29 1966	\	<u> </u>	DRAINS FLOOR HOT WATER TANKS		T_	
By ERNOLD R. GOODSTOR			TANKLESS WATER HEAT GARBAGE DISPOSALS	rers		
Type of Bldg.	1		SEPTIC TANKS HOUSE SEWERS			2.00
✓ Commercial☐ Residential			ROOF LEADERS			
Single			AUTOMATIC WAS HERS			
Multi Family		<u> </u>	DISHWASHERS			
New Construction☐ Remodeling			OTHER			
				T	OTAL	2.00
Building	and Inst	ection S	ervices Dept.; Plumbing Ins	spection		and the second

CITY OF PORTLAND, MAINE Application for Permit to Install Wires

Permit No
Issued
Portland, Maine Que 1966
To the City Electrician, Portland, Maine:
The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:
(This form must be completely filled out - Minimum Fee, \$1.00)
Owner's Name and Address Tel.
Contractor's Name and Address Teller Contractor's Name and Address
Location / 9 Beiley S. Use of Building
Number of Families Apartments Stores Number of Stories
Description of Wiring: New Work Additions Alterations
AND COLOR OF THE PROPERTY OF T
Pipe Cable Metal Molding BX Cable Plug Molding (No. of feet)
No. Light Outlets Plu3 Light Circuits Plug Circuits
FIXTURES: No Light Switches Fluor. or Strip Lighting (No. feet)
SERVICE: Pipe Cable Underground No. of Wires Size
METERS: Relocated
MOTORS: Number Phase H. P Amps Volts Starter
HEATING UNITS: Domestic (Oil) No. Motors Phase H.P
Commercial (Oil) No. Motors Phase H.P
Electric Heat (No. of Rooms)
APPLIANCES: No. Ranges Watts Brand Feeds (Size and No.)
Elec. Heaters Watts
Miscellaneous Watts Extra Cabinets or Panels
Transformers Signs (No. Units) Signs (No. Units)
Will commence
The Signed Signed
DO NOT WRITE BELOW THIS LINE
SERVICE METER GROUND
VISITS: 1 5 6
7
REMARKS:
INSPECTED BY The TOWER
(OVER)

CB 288

\$5-pd 4/12/66 66/36 Granted 4/28/66

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

MISCELLANEOUS APPEAL

United States Plywood Corp., owner of property at 107-119 shop Streew under the provisions of Section 24 of the Zoning Ordinance of the City of Portlant, hereby respectfully petitions the Board of Appeals to permit: construction of a cement block addition 82'x152' on right hand side of present building. This permit is presently not issuable under the Zoning Ordinance because: (1) The addition will be located only about four feet from the side lot line instead of the minimum side yard of 15 feet required as per Section 12-C-1 of the Ordinance applying to the I-2 Industrial Zone in which the property is located; (2) The rear wall of this addition will be located less than one foot from the rear lot line, which shuts the reilrose wight of way ingreed of the foot from the rear lot line, which abuts the railroad right of way, instead of the minimum rear yard of 17 feet being provided as required by Section 12-C-4 of the Ordinance; (3) There will be only 13 parking spaces provided instead of the 28 parking spaces required for a warehouse of this size.

LEGAL BASIS OF APPEAL: Such permit may be granted only if the Board of Appeals finds that enforcement of the terms of the Ordinance would result in undue hardship and desirable relief may be granted without substantially departing from the intent and purpose of the Ordinance.

By: Harele States Plywood Corp.

By: Harele Heggen

APPELLANT

DECISION

After public hearing held April 28, 1966 of the terms of the Ordinance would res the Board of Appeals finds that enforcement result in undue hardship and desirable relief be granted without substantially departing from the intent and purpose of the Ordinance.

It is, therefore, determined that such permit may be issued.

A.P.- 107-119 Bishop St.

April 6, 1966

United States Plywood Corp. % Harold Keegan, 119 Mishop 3%. cc to: Kibler & Storer ,Inc.,74 Hain St. Yarmouth ce to: Corporation Counsel

A building permit to construct a cement block addition 62'x152' on the right hand side of present building at the above named location is not issuable under the Zoning Ordinance for the following reasons:

- 1. The addition will be located only about four feet from the side lot line instead of the minimum side yard of 15 feet required for by Section 12-C-1 of the Ordinance applying to the I-2 Industrial Zono in which the property to located. is located.
- 2. The rear wall of this addition will be located less than one foot from the rear lot line, which alute the railroad right of way, instead of the minimum rear yard of 17 feet being provided as required by Section 12-C-4 of the Ordinance.
- 3. There will be only 13 parking spaces provided instead of the 28 parking spaces required for a warehouse of this size.

We understand that the owners of the proposed building would like to exercise their appeal rights concerning whese discrepancies. Accordingly an authorized representative should come to this office to file the appeal on forms which are available here.

Approval of the plumbing inspector will be needed for the new location of the septic tank disposal system.

Very truly yours,

Gerald E. Mayberry Building Inspection Director

G5M:m

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

April 25, 1966

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine on Thursday, April 25, 1966 at 4:00 p.m. to hear the appeal of United States Plywood requesting an exception to the Zoning Ordinance to construct a concrete block addition 82'x152' on right hand side of building at 107-119 Bishop Street.

This parmit is presently not issuable under the Ordinance because the addition will be located only about four feet from the olde lot line instead of the minimum side yard of 15 feet required by Section 12-C-1 of the Ordinance applying to the I-2 Industrial Zone in which the property is located; the rear well of this addition will be located less than one foot from the rear lot line, which abouts the railroad right of way, instead of the minimum rear yard of 17 feet being provided as required by Section 12-C-4 of the Ordinance.

All persons interested either for or against this appeal will be heard at the above time and place.

BOARD OF APPEALS

Franklin Gallinckley

h

Chairman

cc: Warren Bors. Road Co. of Mass. 38 Memorial Drive Cambridge, Mass.

Portland Terminal Co. 222 St. John Street

119 Bishop Street

Aug. 16, 1966

Mr. Leigh Dahlgren Kibler & Storer, Inc. 74 Main St., Yarmouth

Re: United States Plywood

Dear Mr. Dahlgren:

Thank you for the information booklet concerning the properties of Douglas Fir Plywood. Approval is given to use the inch thickness Douglas Fir, Western Larch, or Southern Pine plyscord for roof sheathing over roof timbers spaced at not over 30 inches on centers at the above project.

If any plans are made to change joint spacing other than a shown on original plans then these joints would need to be refigured.

· Very truly yours,

Gerald E. Mayberry Building Inspection Director

KIBLE® & STORER
INC.
ENGINEERS CONTRACTORS
74 MAIN STREET
YARMOUTH, MAINE 04096

Area Code 207 - 846-5533

August 12, 1963

Building Inspection Department City Hall Portland, Maine

ATTENTION: Mr. Gerald Mayberry

Re: United States Plywood

Gentlemen:

We are enclosing herewith a copy of U. S. Plywood Corporation bulletin 2b/AM, A.I.A. File No. 19-F for your information in relation to the

Very truly yours,

KIBLER & STORER, INC.

ges CC:f



BRIEF SPECIFICATIONS FOR U. S. PLYWOOD ADDITION

- 1. Excavation -- and granular fill for the entire project including removing the existing septic tank and leaching field and relocate to new location as shown,
- 2. Concrete—foundations and floor slat shall be of size and reinforced as chown on the drawings. Concrete will be 6 bag mix testing 3,000 per square inch in 28 days. We take included 6 mill polyethylene vapor barier under floor slab along with termits soil, poiscning, 5 year bond.
- 3. Masonry-block shell be concrete block as shown on the drawing and isid using teds practice and methods. Block reinforcing will be galvanized durawall standard duty, truss type.
- 4. Carpentry work--chall include all materials not furnished by the owner; namely, curbs, cants, blockings, nailers, bridging, sills, rough hardware, joist hangers. Material by the owner will be laminated beams, wood joist, boots for beams as exterior wall, skylights, and corregated plastic at the side wall.
- 5. Plumbing—shall include all necessary labor and materials to re-route sever line to opposite side of building and patch boiler room floor upon completion of work. Excavation by general contractor.
- 6. Flectrical--fixtures shall be equal in type and number to those a: existing was should and tied into existing service.
- 7. Painting-shall consist of 2 coats Hydrocide colorcost by Sanneborn on all exterior block. All new and exposed wood shall be given 1 prime coat of Woodlife and 2 finish coats exterior grade paint. New doors shall be painted on both sides with & coats exterior grade paint.
- C. Roofing-shall be John-Manville Aquaden Smooth Surface Roofing #153 or an equal.
- 9. Fire door-shall be double class "A". North American Roll op doors 12' x 12'.
- 10. Structural and Misc. Steel--shall be as shown on drawings namely; wide flange column column saddles, plywood bumpers, angles on corners of all door openings including floor, angles and tie straps at end walls and all miscellaneous bolts,
- 11. Overhead doors--shall be of size shown on drawings, Existing door(side) shall be relocated to rear of new addition. New 20' x lit door shall be high lift, chain operated commercial type, as by Overhead Door Company, rail and stile, LeBonite Ind. panel. I panel of wire glass.
- 12. Asphalt paving-shall be 2" hot mix asphalt even the entire ares in front of the building and a 3" trough for storm drainage at the side of the building.

Paving shall be over existing un-disturbed paving and the stell compacted of gravel base.

RECEIVED

JUN 2 O 1966

DAPT. OF BLCG. INSP.

ONLY OF PORTLAND

0

KIBLER & STORER

ENGINEERS CONTRACTORS 74 MAIN STREET YARMOUTH, MAINE 04096

Area Code 207 - 846-5533

August 31, 1966

Building İnspection Department City Hall Portland, Maine

ATTENTION: Mr. Gerald Mayberry

Re: U. S. Plywood Bishop Street Fortland, Maine

Gentlemen:

Enclosed please find two(2) original copies of the Certificate of Inspection for the Plywood roof decking for the above project.

Very truly yours,

KIBLER & STORER, INC.

Leland R. Dahlgren

ges Encl:

0 0



A.P.- 119 Bishop Street

June 16, 1966

Kibler & Storer, In-74 Main Street Tarmouth, Main

cc to: Harold Keegan United States Hywood Corp. 119 Hishop street

Gentlemen:

Permit to construct a one-story masonry and wood frame addition 82°x152° to existing storage warehouse is being issued subject to compliance with Suilding errequirements as follows:

- 1. The sprinkler system required for this addition under Section 702.4.b will need to be installed under a separate permit to be issued to the actual installing contractor.
- It is understood that the occupancy of this addition will not exceed 20 persons at any one time and therefore two means of egress from this addition will not be required. However, there will need to be one pass door as the large overhead doors do not qualify as a required means of egress. It is understood that this pass door will be installed in the wall facing bishop Street.
- It is further understood that this building is to be unheated. If heat is installed in the future it will need to be installed under a separate permit to be issued to the actual installing contractor.
- As per our discussion with kr. Dahlgren of Kibler & Storer Co. there is to be a roof scuttle constructed to comply with Section 402.9.
- 5. As per Section 801.1.b of this code the masonry separation wall between the existing warehouse and the addition is to extend at least 4 inches beyond the front and rear walls of the building.
- 6. Roof purlins on the front two lays of the building being 2x12 inch members spaced at 16 Inches on centers and spanning about 22 feet will need to be of lumber grade warked for not less than 1600 f. a. T. Albert than 1 than 1500 F.S.I. fiber stress.

Very truly yours,

Gerald E. Mayberry building Inspection Director

i.S.: Statements of dasign are to be provided for the structural steel, GEN: IA the reinforced concrete lintels, and laminated wood beams as well as the inspection certificate needed before shipment as stated in Sec. 1503.2.12.2.

-016-23-66

KIBLER & STORER

ENGINEERS CONTRACTORS
74 MAIN STREET
YARMOUTH, MAINE 04096

Area Code 207 - 846-5533

June 10, 1966

Building Inspector Town Hall City of Portland Portland, Maine

Gentlemen:

Re: U. S. Plywood

W are enclosing herewith one (1) copy of Am Fab bulletin #A. I. A. File No. 19-B-3 as you requested for your information.

Very truly yours,

KIBLER & STORER, INC.

Deland R. Dahlgren

LRD:ges Encl:

> 031/3340 031/3000 140

A.P.- 107-119 Bishop St.

April 6, 1966

United States Plywood Corp. & Harold Keegan, 119 Lishop St.

cc to: Kibler & Storer, Inc., 74 Main St.
Yarmouth
cc to: Corporation Counsel

Centlemon:

A building permit to construct a cement block addition 82*x152* on the right hand side of present building at the above named location is not issuable under the Coming Ordinance for the following reasons:

- 1. The addition will be located only about four feet from the side lot line instead of the minimum side yard of 15 feet required for by Section 12-C-1 of the Ordinance applying to the I-2 Industrial Zone in which the property is located.
- 2. The rear wall of this addition will be located less than one foot from the rear lot line, which abute the railroad being provided as required by Section 12-C-4 of the Ordinance.
- 3. There will be only 13 parking spaces provided instead of the 28 parking spaces required for a warehouse of this size.

to exercise their appeal rights concerning these discrepancies. Accordingly on forms which are available here.


Approval of the plumbing inspector will be needed for the new location of the septic tank disposal system.

Very truly yours,

OFH: IN

Gerald E. Payberry Building Inspection Director.

1



ENGINEERS CONTRACTORS
74 MAIN STREET
YAAMOUTH, MAINE 04096

Area Code 207 - 846-5533

August 23, 1966

Building Inspection Department City Hall Portland, Maine

ATTENTION: Mr. Gerald Mayberry

Gentlemen:

Re: U. S. Plywood

We are enclosing herewith Statement of Design by Texlam and list of Qualified Licensees for your information in relation to the above project.

Very truly yours,

KIBLER & STORER, INC.

Leland R. Dahlgren

LRD:ges CC:f Encl:

> ON JOB 30 1930 9961 VZ JAV RECEIVED



Portland, Maine Date

The structural units, consisting of laminated wood beams manufactured by TEX LAM, INC. for U. S. Plywood CorporationkPlywood Warehouse, 119 Bishop Street, Portland, Maine have been designed by the undersigned in accordance with AITC Timber Construction Design Manual, and to comply with the live and dead floor and roof loads and wind loads required by the Building Code of the City of Fortland, Maine.

R. W. Ezelle, Chief Engineer


AMERICAN INSTITUTE OF TIMBER CONSTRUCTION

700 K STREET, N. W., WASHINGTON, D. C. 2000



June 13, 1966

QUALIFIED LICENSEES



As of January 10, 1966, the following plants have been licensed to use the AITC Quality Mark and Certificate of Conformance to U. S. Commercial Standard CS 253-63 for Structural Glued Laminated Timber:

Firm and General Office	Licensed Plant Location	Plant Identification No .
Able Fabricators, Inc. P. O. Box 5274		
Spokane, Washington 99201	Spokane, Washington	163
American Fabricators Company P. O. Box 7		
Bellingham, Washington 98225	Bellingham, Washington	152
Anaconda Forest Products A Division of the Anaconda Company Drawer 5		
Missoula, Montana 59801	Missoula, Montana	133
Boise Cascade Corporation P. O. Box 200		
Boise, Idaho 83701	Emmett, Idaho	144
Ronald A. Cuco P. O. Box 3864 Scotlandville Branch Baton Rouge, Louisiana 70807	Baton Rouge, Louisiana	130
Dixie Laminated, Inc. Airport Industrial Park P. O. Box 742		
Waycross, Georgia 31501	Waycross, Georgia	160
		(continued)

Elimiand General Office Engineered Wood, Inc.	Licensed Plant Location	Plant Identification No.
P. O. Box 1164		•
El Dorado, Arkansas 71731	El Dorado, Arkansas	-161
Ericson Laminators, Inc. 13702 Eighth Avenue, East Sumner, Washington 98390	Sumner, Washington	
Fountain Lam Loc Company P. O. Box 71558 Los Angeles College (1987)		159
Los Angeles, California 90001 Intermountain Lumber Company P. O. Boy 1200	Los Angeles, California	137
Salmon, Idaho 83467	Salmon, Idaho	162
Potlatch Forests, Inc. Wood Products Division 320 Market Street San Francisco, California 94111		
Rosboro Lumber Company P. O. Box 1098	Lewiston, Idaho	154
Springfield, Oregon 97477 W. T. Smith Timber	Springfield, Oregon	157
Fabrications, Inc. P. O. Box 250 Greenville, Alabama 36037		
Standard Structures, Inc. 28 Francisco Boulevard	Greenville, Alabama	156
San Rafael, California 94901	Healdsburg, California	
Summerbell Structures A Division of Speedspace Corporation P. O. Box 590		131
Santa Rosa, California 95403	Santa Rosa, California	140

-2-

(continued)

-3-

(continued)

Plant Licensed Plant Identification Location No.

Woodlam, Inc. 1476 Thorne Road Tacoma, Washington 98422

Firm and General Office

Tecems, Washington

Wood-Span Products Company Division of Mid-West Lumber Company P. O. Box 1548 Lincoln, Nebraska 68501

0

Rapid City, South Dakota

Inquiries should be directed to the firm's general offices, not to the plant.

The plant identification number F-143 as assigned to AITC for promotional purposes rather than to any company. P-143 is used on literature and other promotional material and purposely was selected to avoid confusion with numbers assigned to any licensee's plant.

KIBLER & STORER

ENGINEERS CONTRACTORS 74 MAIN STREET YARMOUTH MAINE 04076

Arm Cata 207 -- 845-3353

Angust 10, 1946

City Hall Building Inspector Portland, Maine

ATTENTION: Mr. Gerald Mayberry

A.L. V. S. Flywood

Gentlemen:

We are enclosing herewith a copy of the DFPA Bulletin, which we hope will be adequate to give you the necessary information for using plywood on the roof at the above project.

Yery truly yours,

KIBLER & STORER, INC.

Xeland X. F Loling R. Dainleron

LRD:ges

RECEIVED AUG 1 1 1966 DEPT. OF BLOG. INSP.

12 Mydsiainu ZONA

PERMIT ISSUED JUN 16 1966

APPLICATION FOR PERMIT

Class of Building or Type of Structure 2nd class

CITY of PORTLAND

MATISPO	Dantland Mains	herch 29 1966	Mar of John Mills
" To the Inspector of Buildin	Fortigna, Maine,	Application complete 6-	10-166
TO the INSPECTOR OF BUILDIN	NGS, PORTLAND, MA	ANE COMPLETE	
In accordance with the Laws of the State of	ate of Maine, the Bu ith and the following	vilding Code and Zoning Ordina specifications:	-
Location 119 Bishop St.		Within Fire Lim	its? Dist. No
Owner's name and address The Lessee's name and address	ed States Plyn	vood Corp. 119 Bishop Si	Telephone
Lessee's name and address	r war klegan :		Telephone
Contractor's name and addressK	bler & Storer	Inc.74 Main St.Yarmouth	1 Me. Telephone 846-5533
Architect		Specifications Plans	yes No. of sheets 1
Proposed use of building	Warehouse		new plans filed today-6-10-
Last use	1)		No familias
Material Cameblke No. stories	1 Heat	Style of roof	Roofing
Other buildings on same lot	,) - ((1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
Estimated cost \$ 67,000			Fee \$ 134.00
		ription of New Work	-
•0			
			• • •
\$5 construct 12,464 eq.ft \$20 x 1,521 as	cement block per plans.	addition on right hand	side of building.
•			
		18 1 N	. 3 . 13
	- 0		
,		stained 4/28/66	. • ²
	CCDOM1 AG	918109	•
Permiderstood that this permit does the name of the begling contractor. Pl	ERMIT TO BE 1	SSUED TO contractor	s to be taken out separately by and in
Fany plumbing involved in this wor		of New Work	lood to alth on the
s d's connection to be made to public s	sever?	If not what is proposed f	er seringed
Has septic tank notice been sent?			
fleight average grade to top of plate			
Size, fronc depth	No stories	. Areight average grade to mgne	est point or root
Material of foundation	corres	solid or lilled landr	eartn or rockr
Kind of roofRi	ft	ress, top bottom	cellar
Ato of chimneys Make	se per 100t	Kooi covering	
Notes of chimneys	riai of chimneys	of lining	nd of heat fuel
Size Cirden Column	Diesseu or lun si	Zer Corner posts	Sills
Size Girder Column	s under girders	Size	Max. on centers
Studs (outside walls and carrying pa			
			, roof,
On centers! 1st fl	001	, 2nd, 3rd	roof
Maximum span: 1st fl	oor,	, 2nd 3rd	roof
If one story building with masonry v	walls, thickness of w	valls?valls?valls?	height?
	If	a Garage	•
No. cars now accommodated on same			rcial cars to be accommodated
Will automobile repairing be done of	her than minor ren	airs to cars habitually stored in	the provised building?
			· · · · · · · · · · · · · · · · · · ·
PROVED:		Misce	lianeous
91 8 0h W/ 0	Pt. W	ill work require disturbing of a	ny tree on a public street? NO

Will there be in charge of the above work a person competent to

United States Plywood Corp.

(MSPECTION, COPY:

Signature of owner by:

NOTES, Final Inspn. Staking Out Notice Form Check Notice Cert. of Occupancy issued Final Notif. Notif. closing-in nspn. closing-in Date of permit 8.12-66 Rear about complete Walls ready for boam. 12-6-66

T-2 INDUSTRIAL ZONE



PERMIT ISSUED

To the INSPECTOR OF BUILDINGS, rownthus, Manne The understand hereby applies for a permit to exit alter repair demotitish install the following building structure equiphement accordance with the Laws of the State of Meins, the Building Code and Zoning Ordinance of the City of Profland, plans and specifications, if any, substitute herewish and the following specifications: U. S. Plywood Copp., 111-122 Bishop St. Telephone. Telephon	Class of Builds	ng or Type of Structurs . Partland. Maine.	January 19, 1961	CITY of PORTLAND
in accordance with the Laws of the State of Meine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if you, submitted herestin and the following specifications; and you submitted herestin and the following specifications; and you will have been contractor's name and address	To the INSPECTOR OF BUI	3 3 50 4		The Control of the Co
Owner's name and address U. S. Flywood Corpl. 111-121 Elsehop St. Telephone. Lesse's name and address	The undersigned hereby a in accordance with the Laws of t specifications, if any, submitted	pplies for a permit to erect the State of Mcine, the Bui herewith and the following s	alter repair demolish install the folk Iding Code and Zoning Ordinance pecifications:	of the City of Portland, plans and
Lessée's name and address Kiblér & Storer, Inc., Yerwouth, haine Telephone No. families Telephone Telephone No. families No. of families No. cars now accommodated on same lot No. families No. of families	Location 111-121B1Snop	Street	Within Fire Limits	3? Dist. No
Contractor's name and address ** ** ** ** ** ** ** ** ** ** ** ** *	Owner's name and address	J. S. Plywood Corpl.	111-121 Elanop Dt.	Telephone
Architest Specifications Plans yes. No. of sheets Proposed use of building Viarehouse No. families No. stories Heat Style of roof Roofing Material No. stories Heat Style of roof Roofing Other buildings on same lot Estimated cost \$.800. Fee \$.4.00 Genetal Description of New Work To provide additional lie Heavy Vieight Lally column and 16" width flange 36 under canopy for strengthening It is understood that this permit does not include installation of heating epparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? Is any electrical work involved in this work? Is connection to be made to public sewer? If not, what if proposed for sewage? Has septic tank notice been sent? Form notice sent? Height average grade to top of plate Height average grade to top of plate Height average grade to bighest point of roof. Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness top bottom cellar Material of foundation Rise per foot Roof covering Kind of roof Rise per foot Roof covering Kind of roof Rise per foot Roof covering Kind of roof Rise per foot Roof covering Kind of heat fuel Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior wall? Stude (outside wills and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and ratters: Ist floor 2nd 3rd , roof Maximum span: Ist floor 2nd 3rd , roof Maximum span: Ist floor 2nd 3rd , roof Maximum span: Ist floor 2nd , 3rd , roof Maximum span: Ist floor 2nd , 3rd , roof Maximum span: Ist floor 2nd , 3rd , roof Maximum span: Ist floor 2nd , 3rd , roof Maximum span: Ist floor 2nd , 3rd , roof Maximum span:	Lessee's name and address			Telephone
Proposed use of building Warehouse No. families Last use No. Stories Heat Style of roof Roofing Other buildings on same lot Fee \$ 4.00 Estimated cost \$\$CQ. General Description of New Work To provide additional \$\mu_k^2\$* Heavy Weight Lally column and \$16^n\$ width flange \$36\$ under earopy for strengthening It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? Is any electrical work involved in this work? Is connection to be made to public sewer? If not, what is proposed for sewage? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories solid or filled land?	Contractor's name and address	, i Kibler & Store	er, Inc., Yarmouth, Maine	Telephone
Proposed use of building	Architect		pecifications Plans	yes No. of sheets
Material No. stories Heat Style of roof Roofing Other buildings on same lot Estimated cost \$.600. General Description of New Work To provide additional him Heavy Weight Lally column and 16" width flange 36 under canopy for strengthening It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is connection to be made to public sewer? His on, what is proposed for sewage? Has septic tank notice been sent? Height average grade to top of plate Height average grade to top of plate Material of foundation Thickness, top Material of funderpinning Material of maderpinning No. of chimneys Material of presend or full size? Corner posts Sills Size Grider Columns under girders Size Max. on centers Sills Size Grider Columns under girders Size Max. on centers Sills Situds (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joist and rafters: 1st floor And, 3rd, 7roof Maximum span: 1st floor And, 7roof Maximum span: 1st floor And, 7roof Maximum span: 1st floor	Proposed use of building	Warehouse	} 	
Other buildings on same lot Estimated cost \$\$CO. Genetal Description of New Work To provide additional \$\lap{\text{c}}^{\text{c}}\$ Heavy Weight Lally column and \$16^{\text{c}}\$ width flange \$36\$ under canopy for strengthening It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO \$B\$ ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? Is any electrical work involved in this work? Is onnection to be made to public sewer? If not, what is proposed for sewage? Form notice sent? Height average grade to top of plate Height average grade to top of plate Height average grade to top of plate Material of foundation Thickness, top Motival of underpinning Material of columns under griders No. of chimneys Material of columns under griders Sills Sills Sills Sills Sills Girder Columns under griders Sills Sills Sills Sills Girder Columns under griders Sills Last use	11	***************************************	No. families	
Fee \$ 4.00	MaterialNo. stor	ies Heat	Style of roof	Roofing
Fee \$ 4.00	Other buildings on same lot			
To provide additional Lit Heavy Weight Lally column and 16" width flange 36 under canopy for strengthening It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? If not, what is proposed for sewage? Height average grade to highest point of roof Size, front. depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Anterial of funderpinning Rie per foot Roof covering No. of chimneys Material of chimneys Act lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Stude (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Ist floor And 3rd 7roof On centers: 1st floor And 3rd 7roof Maximum span: Ist floor 3rd 7roof 1 one story building with masonry walls, thickness of walls? Will work require disturbing of any tree on a public street? No. Ser				Fee \$ 4.00
To provide additional Lit Heavy Weight Lally column and 16" width flange 36 under canopy for strengthening It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Kibler & Storer, Inc. Details of New Work Is any plumbing involved in this work? If not, what is proposed for sewage? Height average grade to highest point of roof Size, front. depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Anterial of funderpinning Rie per foot Roof covering No. of chimneys Material of chimneys Act lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Stude (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Ist floor And 3rd 7roof On centers: 1st floor And 3rd 7roof Maximum span: Ist floor 3rd 7roof 1 one story building with masonry walls, thickness of walls? Will work require disturbing of any tree on a public street? No. Ser		General Descr	iption of New Work	
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? If not, what is proposed for sewage? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories solid or filled land? earth or rock? material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Joists and rafters: 1st floor 2nd 3rd 7coof On centers: 1st floor 2nd 3rd 7coof Maximum span: If a Garage No. cars now accommodated on same lot No. cars now accommodated on same lot Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that the State and City requirements pertaining thereto are observed? Vest U. S. Plywood Corp,	To provide addition canopy for str	al 42" Heavy Weight engthening	Lally column and 16" wi	dth flange 36 under
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? If not, what is proposed for sewage? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories solid or filled land? earth or rock? material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Joists and rafters: 1st floor 2nd 3rd 7coof On centers: 1st floor 2nd 3rd 7coof Maximum span: If a Garage No. cars now accommodated on same lot No. cars now accommodated on same lot Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that the State and City requirements pertaining thereto are observed? Vest U. S. Plywood Corp,				-
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? If not, what is proposed for sewage? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories solid or filled land? earth or rock? material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Joists and rafters: 1st floor 2nd 3rd 7coof On centers: 1st floor 2nd 3rd 7coof Maximum span: If a Garage No. cars now accommodated on same lot No. cars now accommodated on same lot Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that the State and City requirements pertaining thereto are observed? Vest U. S. Plywood Corp,			1	
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? Is onnection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Height average grade to top of plate Height average grade to top of plate Height average grade to highest point of roof. Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Material of underpinning Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor On centers: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Meight? Height Thickness Mill automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that time State and City requirements pertaining thereto are observed? Yes U. S. Plywood Corp,	÷		1	
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? Is onnection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Height average grade to top of plate Height average grade to top of plate Height average grade to highest point of roof. Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Material of underpinning Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor On centers: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Meight? Height Thickness Mill automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that time State and City requirements pertaining thereto are observed? Yes U. S. Plywood Corp,		- • -		
Details of New Work Is any plumbing involved in this work? Is any plumbing involved in this work? Is any electrical work involved in this work? Is onnection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Height average grade to top of plate Height average grade to top of plate Height average grade to highest point of roof. Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Material of underpinning Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor On centers: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Maximum span: 1st floor 2nd 3rd roof Meight? Height Thickness Mill automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of any tree on a public street? no Will work require disturbing of the above work a person competent t see that time State and City requirements pertaining thereto are observed? Yes U. S. Plywood Corp,				
Is any plumbing involved in this work? Is connection to be made to public sewer? If not, what is proposed for sewage? Has septic tank notice been sent? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories Solid or filled land? Earth or rock? Material of foundation Thickness; top Bottom Ceilar Material of underpinning Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys Of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Max. on centers Kind and thickness of outside sheathing of exterior wals? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Ist floor On centers: Ist floor 2nd 3rd 7roof Maximum span: Ist a Garage No. cars now accommodated on same lot 7roof No. cars now accommodated on same lot Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. Will work require disturbing of any tree on a public street? No. S. Plywood Corp.	It is understood that this permitthe name of the heating contract	it does not include installate or. PERMIT TO BE I	ion of heating apparatus which is ISSURD TO Kibler & Sto	to be taken out separately by and in rer, Inc.
If not, what is proposed for sewage? Has septic tank notice been sent? Height average grade to top of plate Height average grade to highest point of roof. Size, front. depth No. stories Solid or filled land? Material of foundation Material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys Of lining Kind of heat Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: Ist floor On centers: 1st floor Aximum span: Will work require disturbing of any tree on a public street? No. Will there be in charge of the above work a person competent to see that tire State and City requirements pertaining thereto are observed? Yes U, S, Plywood Corp.				•
Height average grade to top of plate Height average grade to highest point of roof Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Thickness Material of underpinning Height Thickness Kind of roof Rise per foot Roof covering Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studis (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 2nd 3rd 7coof 7coo	Is any plumbing involved in t	his work?	Is any electrical work invol	ved in this work?
Height average grade to top of plate	Is connection to be made to p	oublic sewer?	If not, what is proposed fo	r sewage?
Size, front depth No. stories solid or filled land? earth or rock? Material of foundation Thickness, top bottom cellar Material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max, on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 2nd 3rd 7roof On centers: 1st floor 2nd 3rd 7roof Maximum span: 1st floor 2nd 3rd 7roof Maximum span: 1st floor 2nd 3rd 7roof Maximum span: 1st floor 2nd 3rd 7roof If one story building with masonry walls, thickness of walls? height? If a Garage No. cars now accommodated on same lot 4 to be accommodated 2number commercial cars to be accommodated 3number commercial	Has septic tank notice been s	sent?	Form notice sent?	
Material of foundation Thickness, top bottom cellar Material of underpinning Height Thickness Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max, on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 2nd 3rd 7roof 3rd 7roof 7roof 7roof 8rd 7roof 9rd 7roof 9	Height average grade to top	of plate	Height average grade to higher	st point of roof
Material of underpinning	Size, frontdepth	No. stories	solid or filled land?	earth or rock?
Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor , 2nd , 3rd , roof , roof , 2nd , 3rd , roof , roof , 2nd , 3rd , roof , roof , 2nd , 3rd , roof , enters: If one story building with masonry walls, thickness of walls? height?	Material of foundation	Thick	ness, top bottom	cellar
No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 2nd 3rd 7roof 7roo	Material of underpinning		Height	Thickness
No. of chimneys Material of chimneys of lining Kind of heat fuel Framing Lumber-Kind Dressed or full size? Corner posts Sills Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 2nd 3rd 7roof 7roo	Kind of roof	Rise per foot	Roof covering	
Size Girder Columns under girders Size Max. on centers Kind and thickness of outside sheathing of exterior walls? Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor 3rd 7rd 7roof	No. of chimneys	Material of chimneys	of lining Kir	id of heatfuel
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor	Framing Lumber-Kind.	Dressed or full s	ize? Corner posts	Silla
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor	Size Girder	Columns under girders	Size	Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor	Kind and thickness of outsi	de sheathing of exterior	walls?	
Joists and rafters: On centers: 1st floor	Studs (outside walls and carr	rying partitions) 2x4-16" (O. C. Bridging in every floor and	d flat roof span over 8 feet.
Maximum span: 1st floor		1st floor	, 2nd, 3rd	root
If a Garage No. cars now accommodated on same lot, to be accommodatednumber commercial cars to be accommodated Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? PROVED: Will work require disturbing of any tree on a public street?no Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?	On centers:			
If a Garage No. cars now accommodated on same lot, to be accommodatednumber commercial cars to be accommodated Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? PROVED: Will work require disturbing of any tree on a public street?no Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?				
No. cars now accommodated on same lot, to be accommodatednumber commercial cars to be accommodated	If one story building with ma	asonry walls, thickness of	walle?	height?
No. cars now accommodated on same lot, to be accommodatednumber commercial cars to be accommodated				
Will work require disturbing of any tree on a public street? no Will there be in charge of the above work a person competent t see that the State and City requirements pertaining thereto are observed? U. S. Plywood Corp.		on same lot, to be ac	commodatednumber comme	
Will work require disturbing of any tree on a public street? no Will there be in charge of the above work a person competent t see that the State and City requirements pertaining thereto are observed? Yes U. S. Plywood Corp.	Will automobile repairing be	done other than ininor re	•	
Will work require disturbing of any tree on a public street? no Will there be in charge of the above work a person competent t see that the State and City requirements pertaining thereto are observed? U. S. Plywood Corp.	PROVED:	ļ		•
see that the State and City requirements pertaining thereto are observed? U. S. Plywood Corp.			†	and the second s
202.11		L L	1	
	•		bserved?yes U.S.	Plywood Corp.
	, ya 2016a 16645) yi 1615 4 qoboby i 1616 6 1000 ya 1664 ya 168 <mark>0 ya 1</mark> 644 ya 1644 ha 2016 ya 2016 ya 1646		Kibler	& Storer, Inc.
Signature of owner on Leband R. Dockly cen				

INSPECTION COPY

A Commence of the Commence of

NOTES Lally ear ak.

Exize bearing plate

OK. Staking Out, Notice Form Check Notice Cert. of Occupancy issued ٠. $\mathbf{J}(t) =_{k=0}^{\infty}$ • 10 1. A. M. 18. in Laurail TOBERT WEST * r 1. to be next of the first of Contrate Continue of their of Allianist of the Tour lancors

You northway

FILL IN AND BIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED

MAY 3 1930

CITY OF PERTLAND.

Portland, Maine, May 2, 1960

To the INSPECTOR OF BUILDINGS, PORTLAND, MZ.
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
Location 111-121 Bishop St. Use of Building Warehouse No. Stories 1 New Building Existing " Name and address of owner of appliance United States Flywood Corp., 55 West 44th St. Name and address of owner of appliance United States Flywood Corp., 55 West 44th St. Installer's name and address Easternoil & Equipment Co., 27 Fortland St. Telephone 3-6495
General Description of Work
To install forced warm and air heating system and oil burning equipment
for heating of fice
IF HEATER, OR POWER BOILER
Location of appliance First floor Any burnable material in floor surface or beneath?
If so how protected?oil
and the state of the state of appliance or casing top of furnace
From sides or back of appliance
Size of chimney flue
If gas fired, how vented?
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?
IF OIL BURNER - Yes
Name and type of burner Hallmark Labelled by underwriters' laboratories?
Will operator be always in attendance?
Type of floor beneath burner concrete
Tour water shut off Make
Will all tanks be more than five feet from any flame?
Total capacity of any existing storage tanks for furnace burnersnone
IE COOKING APPLIANCE
the state of bounding
Height of Legs, if any
Skirting at bottom of appliance? Distance to combustione material from top of appliance?
From front of appliance From sides and back From top or smoke pre-
Size of chimney flue
Is hood to be provided?
the same of the sa
MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
Van Packer Prefab chimney to be installed by general contractor.
Van Packer Peras Cirmus, 35
Amount of fee enclosed?2.00(\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)
PROVED: Will there be in charge of the above work a person competent to
see that the State and City requirements pertaining thereto are
observed?yes
respectant a rittle and
B + Filest
cs 300 Signature of Installer By:

,

INSPECTION COPY

m

MEMORANDUM FROM DEPARTMENT OF BUILDING INSPECTION, PORTLAND, MAINE

Kay 3, 1960

Constitution of the second of

Location to HERE 111-121 Bishop St.

Before tank and piping is covered from view, installer is required to notify the Building Inspector's Dept. of readiness for inspection and to refrain from covering up until approved by the Building Inspection Dept.

This tank of 275 gallons capacity is required to be of steel or wrought iron no less in thickness than #14 gauge; and before installation is required to be protected against corresion, even though galvanized, by two coats of tar, asphaltum, or other suitable rust-resisting paint, and special protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and except fill lines and test wells, must be provided with double swing joints arranged to permit the tank to settle without impairing the efficiency of the pipe connections.

Owner and installer will have to bear the responsibility for the structural capacity of the tank to support loads from above such as heavy motor trucks.

If tank will be so located as to be subjected to the action of tide water or "ground" water, adequate anchorage or weighting must be provided to prevent "floating" when tank is empty or nearly so.

শ্ব মহন্ত্র

APPLICATION FOR PERMIT TERMIT ISSUED

Class of Building or Type of Structure Installation MAR 28 1950

TATIS PO	- (u 11 14)	# '	4.5	MAR 20 1000
To d. INCORPORA	Portland,	Meine,	March 25, 1960	TOTAL COOPTIANT
To the INSPECTOR OF	BUILDINGS, PORTI	LAND: MATN	F .	MII OI LOUTPUSTO
specifications, if any, subm	ritted hermuith and the	Callanut	Code and Zoning Orainane	llowing building structure equipment ce of the City of Portland, plans and
Location 111-121	Bishop St.			- 200
Owner's name and addre	ss United State	s Plyton	Within Fire Limi	ts? Dist. No
Lessee's name and addres	33		New York, N	Telephone Telephone Ves No. of sheets 1 No. families
Contractor's name and ac	idress Automatic	Smrt mlal a	C1-	Telephone
Architect	Box 263 H	ampden Hi	ghlands Maine	Telephone
Proposed use of building	Storage	arehouse	Plans	No. of sheets 1
Last use				No. families
Material wood Irameyo.	stories 1 Hand	6		No. families
Other buildings on same l	ot		:	Rooting
Estimated cost \$				7 - 2 00
	General	Descript	ion of New Work	Fee \$ 2.00
To install dry sp	prinkler system a	as per pl	en.	
		•		** *** **
		!		New way age
		-		
		-		•
		j		•
			•	
		- [
Is any plumbing involved i Is connection to be made to	n this work? o public &Jwer?	***************************************	New Work Is any electrical work involve If not, what is proposed for	ed in this work?
1		***************************************	FORM notice cont	
S S S S S S S C C CO	N OI DIMIC	LJ al	mla4 : : : : :	
	11 mmm	106	anlid C11. 11 12	
Material of foundation	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Thickness,	lopbottom	cellar
Material of underpinning	***************************************		eight	. cellar
Kind of roof	Rise per foot		Roof covering	Thickness
No. of chimneys	Material of chimn	eys	of lining Kind	of heatfuel
	. Somming attact Site	IC12	N174	17.
01 046	were sucutified of 6x16	rior walls?		•
ctads (odtside wans and ca	rrying partitions) 2x4.	·16" O. C. I	Bridging in avery floor and a	
_	45C 11001	, 2nd.,	3rd	roof
On centers:				
Maximum span:	19f 1100L	2nd	21	_
If one story building with m	asonry walls, thicknes	s of walls?		height?
		If a G		
No. cars now accommodated Will automobile repairing be	l on same lot, to b	e accommo	dated number as	cars to be accommodated
,	citan milk	J v∙reħartaiΩ		proposed building?
OVED:	0 8		Miscellan	
N-3/28/60-CL	49	Will wo	k require disturbing of any t	ree on a public street?
	1	Will∍the	ere be in charge of the above	e work a person competent to
). Open ned not regular to and son that a regular sense a new place of the find of the best and a service serv	U	see that	the State and City require	ements pertaining thereto are
	- 6- 6- 1-0- 1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0	observed	1/ / 08	
		nutor	atic Sprinkler System	of America
		'	Mar fulk Fin	17-

Signature of owner

NOTES Warehouse 3520 test langing 1. The CVO. But CV tol nous oo esmolute : da ? Jeen ber oms i is the collapse of the policy of the · _ . true > . Iding or slir a sel or non entropied भाग र लो प्रवास सम्भाष्ट्रभाग Phic way it me a of underplus, re 5 159 150 6 1 Material Land 20,413144 V. Pally D. To La J. H. 8 81 W 1.15 Contract to the property for more we continue more to a desired made been duly to a cold view or a . The I Death of the last and being the or to be Coil let `steka normit seller eres, and thre are limb arenoting the account of the contract of for the men and a gifter a or one of Seer inches organisms of Lane as a remain in Some is and problem one VI व्यापा १हा विकास र स्थान । अस्य वर्तन । स्थान । स्थान अस्य अस्य अस्य ।

COPY Show and

I-2 INDUSTRIAI ZONE



APPLICATION FOR PERMIT

Class of Building or Type of Structure 2nd class

00044 Jan 13 1980

Portland, Maine, OCLODER 9, 1929	- CTCV
To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE	CITY of PURTLAND
The undersigned hereby applies for a permit to erect alter repair demolish install the fin accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinan specifications, if any, submitted herewith and the following specifications:	nce of the City of Portland, plans and
Location 111-121 Bishop St. Within Fire Lim	
Owner's name and addressUnited_States Plywood_Corporation,55_West_You	A4th St. Telephone
Lessee's name and address Contractor's name and address Kibler & Storer, Yarmouth Kaine	Telephone
Architect Plans	
Proposed use of building <u>Storage Warehouse</u>	
Last use	
MaterialStyle of roof	
Other buildings on same lot	Fee \$ 80.00
Estimated cost \$ 80,000	ree \$
General Description of New Work	
To erect one story building approximately 110 feet by 150 fe	eet of masonry and
wood frame construction, as per plans.	
This application is preliminary to get settled the question	of zoning appeal.
In event the appeal is sustained the applicant will furnish	complete information.
19/0/50-Odisa so los with a out a motion	Sunt to Haulth Dans 11/21/19
and construction of foundation on said to-day - appendix Issued with Lettepo 21	Rec'd from He 'th Done /2/9/13
and anstruction of formander on	790/
usual to-day - Chamit I sound with Leteppeal	sustained 10/15/59
permit assess which	in to be taken out schandtale by and in
It is understood that this permit does not include installation of heating apparatus which the name of the heating contractor. PERMIT TO BE ISSUED TO contractor	is to be taken out separately by and sn
Details of New Work Is any plumbing involved in this work?	valuad in this work?
Is connection to be made to public sewer?	for sewage? sertic tank
Has septic tank notice been sent?Form notice sent?	
Height average grade to top of plate Height average grade to high	
Size, front	
Material of foundation	
Material of underpinning	
Kind of roofRise per foot Roof covering	
No. of chimneys	
Framing lumber—KindDressed or full size?	
Corner posts	
Girders Size Columns under girders Size	
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor a	
Joists and rafters: 1st floor, 2nd, 3rd	
On centers: 1st floor, 2nd, 3rd	
Maximum span: 1.t floor, 2nd, 3rd	
If one story building with masonry walls, thickness of walls?	
If a Garage No. cars now accommodated on same lot, to be accommodatednumber commodated	marrial core to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored	
•	
PROVED:	cellaneous
Will work require disturbing of	any tree on a public street?
	e above work a person competent to
	requirements pertaining thereto are
observed?	orporation
onited state riywood of	
- Of 11 1	
Signature of owner	SAME IN

INSPECTION COPY

NOTES Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Notes

No bridging & cross files to be nailed & bolfact Right side wall of Floor in rear borage Compacted For state Office & front Sim - N sider walls soing up मा बाराहर एवं इत्यानिक एवं इत्यान । वा toped nork ion .. (AD) 3/4 roel not adequate 2-10-60 Front well of truck bay Selis Office space ready for Floor slab. जारत समेर र जार प्राचारत है से हैं। the name of the heating conner The defendance of Office 13-60 conflicted Staterial of four dates Maleri da Cua lerpur 134°001 Bun 0.2,1 etaq 1 1 11 1 351 bré . hr t de canter : \$7 nam i i one story judden, with an Garage r :1 D. With Land recoloration integranded A.M. J. M. ILDOLING

1 20 C CC



CITY OF PORTLAND, MAINE Department of Building Inspection

Location Date of Issue

This is in reriffy that the building, premises, or part thereof, at the above location, built thereof at the above location at the above lo

Entire

Storage Warehouse

Limiting, Conditions:

This certificate superscion, certificate issued