ERMIT # CITY OF Portland BULLDING	PERMIT APPLICATION	MAP #	LOT#
ease fill out any part which applies to job. Proper plans must accompany form:	PERMIT APPLICATION For Offic Date Starch 22, 1989 Inside Fire Limits. Billy Code. Time Limit. Estim ted Cost. 45, 1110. Value Structure. For wings mings size plan	ial Use Only	
Andrew Dorles	- Nevel 22 1989	Suldivisien: Yes	No .
wner:	Inside Fire Limits	Los.	11 CMARKS C
ddress: 2 Fliatlock Land Falmouth 04105	- Blog Code	Block	
OCATION OF CONSTRUCTION Lot: 14 and 15 Avalon	Frim ted Cost 45 (110)	Ownershire -	Public
ONTRACTOR R Derice Buildiers SUBCONTRACTORS: 797-0713	Value/Structure	-44 ANDIOX / L	Private
ONTRACTOR A R DEALES ESTREET SUBCONTRACTORS	50.00 245.00 BUILDI	og permit	
DDRESS: Game		16 1.02 mar	_
et Construction Cost: 45 000 Type of Use: 2 family duples	1. Ceiling Joists Size:	0 - 1	008 .ED
The second of the second secon	2. Ceiling Strapping Size	- Spacing PERIV	11330000
ast Use:	2. Ceiling Strapping 0.22	Size	
wilding Dimensions L W Sq. Ft Stories: Lot Size:	5. Ceiling Height:		R 80 1 989 —
Ast Use: Suilding Dimensions L. W. Sq. Ft. # Stories: Lot Size: Soriosed Use: Seasonal Condominium Apartment	Roof:		
Conversion - Explain COMBETUCE new 2 family OMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE	1. Truss or Rafter Size	ScitaL	It Portland
Conversion - Explain	3. Roof Covering Type	- Ony	
OMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE			
cesidential Buildings Only: 6 Of New Dwelling Units 7 Of New Dwelling Units	Chimneys: Number 1	er of Fire Places	
Of Dwening Junes			
oundation:	Type of Heat		
1, Type of Soil:	Electrical: Service Eutrance Size:	Smoke Detector Rea	uired YesNo
O The still and Cinco			
1 Foundation Size:	Plumbing: 1. Approvat of soil test if required 2. No. of Tubs or Showers	00 <u>x</u> .გ.ლ	No
5. Other	2. No. of Tubs or Showers		
Ploot:	3. No. of Flushes	02	
Sille must be ont nored.		222.00	
2. Girder Size:	Swimming Pools:		
1. Silis Sizo: 2. Girder Sizo: 3. Lully Column Spacing: 4. Joists Size: 5. Bridging Type: 6. Floor Sheathing Type. Sizo: Sizo: Sizo: Sizo: Sizo: Sizo:	Swimining Pools:	Square Fo	otage
5. Bridging Type: Size:	3. Must conform to National Elect		
6. Floor Sheathing Type. Size:	Zoning: District Roll Street Frontag		Owner and the Control of the Control
7. Other Material:	District 18 1 Street Frontag	ge Keq.:,	Side Side
			7. 3. 3. 3. 3.
Exterior Walls:	Landy Romired:		The state of the state of
1 Studding Size Spacing	Zoning Board Approval: Yes	No	Dato:
1. Studding Size Spacing 2. No. windows	Lookhiw Required: Zoning Board Approval: Yes Planning Board Approval: Yes Vision	No	Date: Subdivision
1. Studding Size Spacing	District_N	No	Dato:
1. Studding Size Spacing 1. No. windows Standard Spacing Spacing 1. No. Doors Spacing Spacing 1. Sp	Lookhw Required: Zoning Board Approval: Yes	No	Dato: Dato: Subdivision
1. Studding Size Spacing 2. No. windows 3. No. Doors Spacing	Lookhiw Required: Zoning Board Approval: Yes Planning Board Approval: Yes Conditional Use: Shore and Floodplain Mgmu Other Other Date Approved	No	Date: Date: Suhdivision
1. Studding Size Spacing 1. No. windows Spacing Spacin	Lookhw Required: Zoning Board Approval: Yes Planning Board Approval: Yes Conditional Use: Shore and Floodplain Mgml Other Cexplain Date Approved	No	Date:Date:
1. Studding Size Spacing 1. No. windows Spacing Spacin	Zoathy Required: Zoathy Board Approval: Yes Planning Board Approval: Yes Conditional Use: Shore and Floodplain Mgmu Other Cexplain Date Approved Permit Received By Deborah Coo	7-3-	Dato:
1. Studding Size Spacing 2. No. windows Snan(a) Snan(a)	Zoathy Required: Zoathy Board Approval: Yes Planning Board Approval: Yes Conditional Use: Vari Shore and Floodplain Mgma Other CExplain) Date Approved Permit Received By Deborah Gro	3.	30-87
1. Studding Size Spacing 2. No. windows 3. No. Doors Span(a)	Permit Received By Deborah Goo	do Ulau	30-87
1. Studding Size Spacing 2. No. windows 3. No. Doors Span(a)	Zoaling Board Approval: Yes Planning Board Approval: Yes Planning Board Approval: Yos Conditional Use: Vari Shore and Floodplain Mgmt Other CExplain Date Approved Permit Received By Deporate Coo	do Ulau	30-87
1. Studding Size Spacing 2. Nc. windows 3. No. Doors 4. Header Sizes Span(s) 6. Bracing: Yes No. 6. Corner Posts Size 7. Insulation Type Size 8. Sheathing Type Size 9. Siding Type 10. Mayonry Materials 11. Metal Materials Interior Walls: 1. Studding Size Spacing	Zoaling Board Approval: Yes Planning Board Approval: Yos Planning Board Approval: Yos Conditional Use: Vari Shore and Floodplain Mgmi Other (Explain) Date Approved Permit Received By Deborah Goo Signature of CEO	do Ulau	30-87 · · · · · · · · · · · · · · · · · · ·
1. Studding Size	Zoating Board Approval: Yes Planning Board Approval: Yes Planning Board Approval: Yes Conditional Use: Shore and Floodplain Mgmu Other (Explain) Date Approved Permit Received By Deborah Coo Signature of CEO Inspection Dates	do Ulau	30-89 Data 3 22.89

i,--

	·
PLOT PLAN	N A
FEES (Breakdown From Front) Base Fee \$ 25.00	Inspection Record Type Date
Subdivision Fee \$	
COMMENTS 10-26-89 Horas - (to y in)	Jack CK 11/19/89 NOVE STOP order
1-4-90 OK fu Cof O	1. 29 - 1 (lef frame full

I

,

1



389 CONGRESS STREET PORTLAND, MAINE 04101 (207) 874-8300

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

P. SAMUEL HOFFSES, CHIEF INSPECTION SERVICES DIVISION

March 30, 1989

Mr. Andrew DeRice 2 Flinlock Land Falmouth, Maine 04105

Re; Lots 14 and 15 Avalon Road

Dear Sir:

Your application to construct a 2 family dwelling has been reviewed and a permit is herewith issued subject to the following requirements:

Site Plan Review Requirements

Inspection Services Public Works

Approved

W. Giroux S. Harris

March 30, 1989 March 28, 1989

Building Code Requirements

- 1.) Please read and implement items 1,2,6,7,9 and 10 of the attached Building Permit Report.
- Basement drainage shall be installed.
- A one hour fire rated wall shall be constructed between dwelling units. Sound transmission between dwelling unit shall be as per section 714 of the 4.) Building Code.
- 5.) In the future a cross section of the framing will be required.

If you have any questions regarding these requirements, please do not hesitate to contact this office.

BUILDING PERMIT REPORT

ADDRESS: LOT 149 S AUGLON R. DATE: 1899

REASON FOR PERMIT: TO CONSTRUCT A TWO

EUILDING OWNER: DO BIC P.

CONTRACTOR: (

PERMIT APPLICANT: 1

APPROVED: 2 6 7 9 10 DENTED:

CONDITION OF APPROVAL OR BENEAL:

- 1.) Before concrete for for idation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
 - 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
 - 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by placing over the boiler, two(2) residential sprinkler heads supplied from the domestic water.
- R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (502 mm).
- 7.) In addition to any automatic fire alarm system required by Sections 1018.3.5, a minimum of one single station smoke detector shall be installed in each guest room, suite of sleeping area in buildings of Use Groups R-1 and I-1 and in dwelling units in the immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1).

._

In buildings of Use Groups R-1 and R-2 which have basements, an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit, including basements.

In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed or both levels.

All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fireresistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.
- (9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 6 inches cannot pass through any opening.

10.) Section 25-135 of the Municipal Code for the City of Portland states:
"No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.

Chief of Inspection Services

/el 11/16/88

CITY OF PORTLAND, MAINE SITE PLAN REVIEW

Processing Form

Andrew DeRice Applicant	797-0					•							arch te		,_19	189
2 Flintlock Lane Falm Mailing Address				-				_and								. •
2 family duplex Proposed Use of Site			· · · · · · · · · · · · · · · · · · ·	-		29 Site	4-E- Ident	4-5 ifier(s) fro	m As	sesso	rs Ma	aps			
Acreage of Site Ground Flo	oor Cover	age					_	Propo								
Site Location Review (DEP) Rec			es ((No			Pr	npes	ed N	umbe	r of F	loors	: 2		
Board of Appeals Action Requir		() Y	es ·) No						Area_					
Planning Board Action Required	d: , (() Y	es	()) No								•	:		
Other Comments:													1 •			
Date Dept. Review Due:	,	;	,					1.				,			,	
					,			-	, —		-				-	- + -
	BU	ILDIN (Does n	G DEI ot incl	PAR' Jude	FME revie	NT S	SITE	PLA	N R	EVIE	W.		٠.			
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, ,,		, 0 , 10	Έ.		, 40.	cii pi	11137		٠.	,			
☐ Use does NOT comply with	Zoning O:	dinance			ing,					1.			, .			
Requires Board of Ap	peais Act	tion	,	1.		*.	` .			:,				2	,	
☐ Requires Planning Bo	ard/City	Council	Action	1 .			•		,	,				. 1.	, ,	· ^-
Explanation		,					<u> </u>						,			
Use complies with Zoning	Ordinanc	e St	aff Rev	view	Belo	w -						,		•	``.	
	: .					1						ı	15	1 .:	ŀ	
	z	×								_	5		-	PARKING		7
	CATIO	(SEC. 21)		SUS	Sa	ARDS	SNC			AREA	FAWI	ò	TAGE		BAYS	
Zoning, SPACE & BULK, as applicable	및 [등 중	ts!	SEWAGE DISPOSAL	REAR YARDS	SIDE YARDS	FRONT YARDS	PROJECTIONS	HEIGHT	AREA	BU!LDING	AREA PER FAWILY	15 OF	FRONTAGE	OFF-STREET	ADING I	
as applicable	8 ₹8	ARE, ARE	SEV	RE/	aıs	FR	PRO	138	101	80.5	ARE	WICLIS	1CT	OFF	¥.	,
COMPLIES																
 			-			<u> </u>						ļ		_		CONDITIONS
COMPLIES CONDITIONALLY	•] [,		:	٠.		CONDITIONS SPECIFIED BELOW
DOES NOT COMPLY							-									RCASONS SHECIFIED
<u> </u>			اجــــا			i		<u> </u>		L		<u> </u>		i	<u> </u>	BELOW
REASONS:			·			,								` '		·
·	:						·						<u> </u>			·
· · · · · · · · · · · · · · · · · · ·	·															
																
OK W. D. Fa	70	3-	30	-8	9			· · ·	*********							-
	/ BI	JILDING	ואבטי	ΛĐΤ¤	aconio	r 0		GNATI	JRE C	OF RE	VIEWI	NG S	TAFF/	DATE	-	Y

SITE PLAN REVIEW

Processing Form

Andrew Deltice		79	797	13			_						MATC!	22.	1949	<u>· · · · · · · · · · · · · · · · · · · </u>
Applicant						-		_ 4. 4.	التسميا	15 **	na tau	. [Date		•	
2 Flintlock La Mailing Address	ane Fal	nout	1 ()4	105		-	Add	dress (and of Prop	osed	Site					
2 family duple Proposed Use of Site	437					- .	Sit	29 5- e Iden	-4-5 tifier(s) from	Asse	ssors	Maps			
Proposed Use of Site) - Et -		10.						f Propo							
Acreage of Site	Giound I	Floor C	overa	ge				ning o						1		i
Site Location Review			d: (No		Pro	oposed	i Nun	ea_1	i Fioo 320.	rs <u></u> _		,
Board of Appeals Ac	tion Requ	uired:	(Yes	•	No		10	tai Fic	or Ar	ea				,
Planning Board Acti			(No									
Other Comments:																
Date Dept. Review [)ue:															
													<u> </u>			
				PUBL	.1C W	ORKS	DEP	ARTM	ENT I	REVIE	W		,			
		,	•	. 45.		. ,							,			٧٠ .
- ,								,		(Di	te Re	ceived)				
														• •	` .	1 1
	i	1			1	!	2		CITY PROJECT	1	1				Ì	
							MEN		PRO		Ì					•
	z			ï		rion	TURNING MOVEMENTS		CONFLICT WITH		χ			S	,	
	ATIO	,	CUTS	WIDT	S _C	LIZAI	NG.	NING	TRUC	IAGE	TYPES	SS.	ING	SIDEWALKS	25.4	•
	TRAFFIC	ACCESS	CURB CUTS	ROÀD WIDTH	PARKING	FIGNALIZATION	UEN	LIGHTING	CONF	DRAINAGE	SOIL	SEWERS	CURBING	SIDE	OTHER.	
	F5	¥			a.		ļ- <u>-</u> -	 								
APPROVED													-			CONDITIONS
AFPROVED CONDITIONAL																CONDITIONS SPECIFIED BELOW
CONDITIONAL	-LY						<u> </u>							ļ	├	1
DISAPPROVE	,						1		1					Ì		REASONS SPECIFIED BELOW
. DISAPPROVE	٠ L	<u> </u>	<u> </u>		<u>.</u>		<u> </u>		1			J	1	J	<u> </u>	.]022011
REASONS:																
_																•
<u> </u>															,	
	Attach Sepa	rate Cl	eet If	Necess	ary)											
(/	attacii sepi				•											. ,
										,			,			•
						, , _			//,	,	. ,	.//	/		,	,
								-	<i>f</i>	K	2	Lon	,	3	28	189
						1		-9	FALA.	ATUR	OF E	FVIEW	ING S	TAFF/	ATE	

PUBLIC WORKS DEPARTMENT COPY

Applicant: Andrew Derice

Date: 3-30-89

Address: 2 Flintlock lane

Assessors No.:

CHECK LIST JULIUST ZONTHG ORDTHANCE

Date - 3-30-89 Zone Location - R-5Interior or corner lot Use - dupley. Sewage Disposal - (III) 20' reg Rear Yards - 49' 70' reg, Side Yards - 22.5 . Front Yards - 25 Projections - frontateps
Height - 2 story Lot Area - 8000 41 Building Area - 910 # Area per Family - 9/0 \$ Width of Lot - 80' Lot Frontage - 80 ' Off-street Parking - DK 4 cans Loading Bays - N/A

Site Plan -

Shoreland Zoning -

Flood Plains -



389 CONGRESS STREET PORTLAND, MAINE 04101 (207) 874-8300

> P. SAMUEL HOFFSES, CHIEF INSPECTION SERVICES DIVISION

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

November 16,1989

RE: Lots 14 & 15 Avalon Road

Mr. Andrew DeRice 2 Flintlock Lane Falmouth, Maine 04105

Dear Mt. DeFice,

On November 16, 1989, a Work Stop Order was placed on your job for apparent violations of the following sections in the Land Use Code.

14.493 (subdivisions)

14.495 (subdivision approval)

16.117 la (single acc two family dwellings: except that development

14.495 (subdivision approval)
14.117.1a (single and two family dwellings; except that development
of two (2) or more two family dwellings on configuous lots within any
two year period, shall be subject to review as specified under the
provisions of 14-117(1) b.v. if such lots were under single ownership
at any time within the two year p riod immediately prior to
development of the first such lot.

Please contact me if you have any questions regarding this action.

Sincerely,

Chief of Inspection Services

/el

cc: Joseph E. Gray, Jr., Director of Planning and Urban Development Alexander Jaegerman, Chief Planner Natalie Burns, Associate Corporation Counsel William Giroux, Zoning Codes Enforcement Officer Werle Leary, Code Enforcement Officer



389 CONGRESS STREET PORTLAND, MAINE 041C1 (207) 874-8300

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

P. SAMUEL HOFFSES, CHIEF INSPECTION SERVICES DIVISION

November 20, 1989

Andrew and Julie DeRice 2 Flintlock Lane Falmouth, ME 04105

RE: AVALON ROAD DUPLEXES

Dear Mr. and Mr.s. DeRice:

This will confirm that the City has decided to lift the stop work orders placed upon the two duplexes currently under construction on Avalon Road. This action is being taken upon the advice of Corporation Counsel and is based solely upon the fact that you have commenced construction in reliance upon the building permits previously issued by this office. This action should not be viewed as a precedent for any future development. In addition, all future applications for building permits must include a street address for the property to be developed.

Himcerely)yours,

Chief of Building Inspections

PSH:lab

Joseph E. Gray, Director of Planning and Urban Development William Giroux, Zoning Enforcement Administrator David A. Lourie, Corporation Counsel Natalie L. Burns, Associate Corporation Counsel James Lemieux, Esq.

MAR 2 1 1989 DEPT. OF BUILDING INS-ECTIONS CITY OF PORTLAND Loti4+ Isavalon ` 80'± 49' 8,000 SQ.FT.± simer iosie 26 x 35 PROPOSED ASPHALT DRIVEWAY DRIVEWAY DUPLEX ASPHALT N57°E GEORGE WATER 25 AVALON ROAD PLAN. LAND IN PORTLAND, MAINE prepared by
Sawyer Engineering & Sawyer, Inc.
Bridgton, Maine made for A.R. DeRICE BUILDERS

CUTY OF PORT AND, MAINE Department of Building Inspection

3/24/84

Certificate of Occupancy

LOCATION Lots 14 & 15 Range Street

Issued to Ambrew DeRice

Date of Issue 5 January 1990

This is to certify that the building, premises, or part thereof, at the above location, built - altered - changed as to use under Building Permit No. 89/1839, has had final inspection, has been found to conform substantially to requirement of ? ming Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or occupancy or use, limited or occupancy or use, limited or occupancy or use, a indicated below.

PORTION OF BUILDING OR F.: "1725 Approved Occupancy

analutagis mayora manalutagis manalutagis manalutagis manalutagis (C.M.) manalutagis manalutagis manalutagis m

- ENTERE

2 Family Duplex

Limiting Conditions:

Exterio, site work and planting of the site be completed

v 15, 1990.

This certificate supersedes certificate assued

CITY OF PORTLAND, MAINE MEMORANDUM

TO:

Merl Leary

FROM:

Paul Niehoff

DATE:

January 8, 1990

SUBJECT: DeRice Duplex Located on Range Road

Merl, apparently the DeRice's do not need a certificate of occupancy as half of the building is already occupied. We cannot issue a certificate until they at least request a temporary in writing with a site plan completion date or they complete the site plan requirements; paving, cleanup, seeding, etc.

Paul Niehoff

PN/sjr

p.c. Bruce Ringrose, City Engineer Natalie Burns, Corporation Counsel Paul Niehoff, Materials Engineer

APPLICATION FOR AMENDMENT TO PERMIT

ERMIT ISSUED

Amendment No. ___1


ś€P 22 1989

ATIS P	Portland, Mai	ne, Septem	њег 18, 1989	Gry Or Portion	~el
To the INSPECTOR OF BU	ILDINGS, PORTLAND, MAINE		•	1. No. 11. 12. 15. 15.	
The undersigned hereby a in the original application i Portland, plans and specific	pplies for amendment to Permi n accordance with the Laws of th ations, if any, submitted herey	vith and the fo	ie, vie Buriaing Coa Hoving crocificatio	the building or structure compr e and Zoning Ordinance of the Cu	y of
Location Lot 14	and 15 Awalon Range	2	. Within Fire Limi	us? Dist. No	
Owner's name and address	S_MIGIEW DERICE			Telephone 757-0713	
Lessee's name and addres	s			Tolonhama	
Contractors name and ad	dress <u>A R DeRice Build</u>	ers		Tolonk 707 0712	
Architect			Plan	e filad No at a series	
rroposed use of building _	2 family duplex			Mr. Cometter	
Last use				No. familiesNo. families	
Increased cost of work	None			Additional fee	
	Description	of Propos	ed Work	ddivioliti Ice	
turning huildi	ng to face Range Stre	et			
as per plan					
А					
•			!		
	Details	of New W		4	
Is any plumbing involved in				lved in this work?	
Height average grade to to	p of plate	Height aver	ectical work live	st point of roof	_
Size, front depth	No. stories	eolid or f	illeg langs ike krade to tilkte	earth or rock?	
material of loungation	Thiolm:	occ ton	h - 44	••	
Material of underpinning_	THICKI	Hoight	bottom	cellar	
Kind of roof	Rise per foot	Doof and		Thickness	<u> </u>
No. of chimneys	Material of chimneys	11001 COV	ermg	of lining	-
Framing lumber - Kind _		Dragged o	- G.U -10	of lining	-
Corner posts	Sills Girt or lade	tor boards	r tun sizer	Size	
GirdersSize	Columns under di	rdoro	0'	Size Max. on centers	_
Studs (outside walls and ca	arrying partitions) 2x4-16" O	C Duideine i	Size	Max. on centers	
Joints and rafters:	1st floor	ନ୍ଦ୍ର Dridging I	n every Hoor and	lat roof span over 8 feet.	
On centers:	let floor	ond	, 3rd	, roof	
Maximum span:	1st floor	2na 2nd	, 3rd	, roof	HARP
Approved:	, ,	2110	, sra	, roof	_
wbhtosed:				1 12 10 1.	
		Signa	ture of Jumer	ale a Delhu	
		A .	H		
INSPECTION COPY WHIT	E FILE COPY — P	. Appro INK	oved:	Inspector of Buildin	_
APPLICANT'S COPY YELL	OW ASSESSOR'S CO	OPY GOLDI	in YI	morecor or muldin	33

89/1839 Permit 9-18-89 Dear Sam, Please extend our permit
to build a duply on the corner
of i'valor and kange St. It experes
The end of Sixt. and we have been
waiting for the sewer to be brought
down the street. That job is saledwaled
to start Sext. 25 cm. Its have also
applied to turn the building to
face Lange Rd. Thanks Jalie Delin P.S. Bill Boothby has reviewed the amended version of this plan. He need to have his good housels eaping seal of approval on the new revised plan. Warren - Sam raid - take care of this O. La For Godaya From 21/sepT/89

REP 1 9 1989

DEPT. OF BUILDING INSTITUTIONS CITY OF PORTLAND



prepared by
Suwyer Engineering & Surveying, Inc.
Bridgton, Maine

PLAN.
LAND IN PORTLAND, MAINE
made for
A.R. DeRICE BUILDERS

Bill: 9/19/89 4:30 PM
Bill Boothby called to say
that contract has been signed

for Range St., avalou, Tyler St.

area sewer and construction will start on Lapt 25th -

as reported by Julie De Rice

for Range At duples in \$52 one Bill approves sensed plot plan as

forwaided to him. Marrow !-

•



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

ELECTR	ICAL INSTALLATIONS	00
$ f_i - f_i$	DateNov. 29	. 19 89
	Date Receipt and Permit numbe	r 00922
		-0 0 1
to the CHIEF ELECTRICAL INSPECTOR, P	ortland, Maine:	he laws of
The sindersigned hereby applies for a perm	ortland, Maine: it to make electrical installations in accordance with t National Electrical Code and the following specificat	ions:
Maine the Portland Electrical Ordinance, the	it to make electrical installations in according to National Electrical Code and the following specificat 15 Avalon Street	
Maine, the Portland/Electrical Ordinance, the LOCATION OF WORK: Lot. XXXX	15 Avaion Street	ME
	ADDRESS: 2 Flintlock Lane, Fal.,	FEES
OUTLETS:	31–60 Plugmold ft. TOTAL75	5.00
Receptacles 50 Switches 45	_ Fluginoid	2 40
FIXTURES: (number of)	momat 1/4	J. 40
Incandescent 14 Flourescent 1	(not strip) TOTAL amperes 200	 ;
Strip Flourescent It.	200	3 00
SERVICES:	TemporaryTOTAL amperes _200	1 00
Overnead _x Onderground	TemporaryTOTAL amperes	
METERS: (number of)	The second secon	
Fractional		
1 HP or over		
RESIDENTIAL HEATING:		
Oil or Gas (number of units)		10.00
Tituatain (number of footies) 19_		
COMMENDATAT OF INDUSTRIAL BEAUTY	iu.	
Oil or Gas (by a main boiler)		
Oil or Gas (by separate unity)	ver 20 kws	
Electric Under 29 kws	ver zu kws	
APPLIANCES: (number of)		
Ranges	Disposals	
Cook Tops	Dishwashers 2	
Wall Ovens	Compactors	
		12.00
F/	Others (denote)	12.00
MISCELLANEOUS: (number of)		2.00
MISCELLANEOUS. (named 2 - 100 amp.	.ea	
Transformers	.ea	
Air Conditioners Central Unit	vindows)	
Separate Onto (v	VIIIQO11D)	
Signs 20 sq. ft. and under		
Over 20 sq. ft · · · · ·	*****	
Swimming Pools Above Ground _		
in Ground		
Fire/Burglar Alarms Residential	20 arms and under	
Commercial Commercial	14-m) 20 omns and nuder	
Heavy Duty Outlets, 220 Voit (such	over 30 amps	
m. The sho		
Circus, Fairs, etc.	***************************************	·
Alterations to wifes		
Emergency Lights, battery		
Emergency Generators	INSTALLATION FEE DUE:	
Differ Series Contestion 1	INSTALLATION FEE DUE:	
FOR ADDITIONAL WORK NOT ON OR	GINAL PERMIT DOUBLE FEE DUE:	
FOR REMOVAL OF A "STOP ORDER	(304-16.b) TOTAL AMOUNT DUE:	36.40
n at 46 po	S. a	
INSPECTION: P.M. 1f. por	esipte	
Will be ready on Dec. 1	, 19_89 or Will Call	
CONTRACTOR'S NAME: Frank B	reggia rest Ave., Portland, ME	
ADDDESS 1901 FO	rest Ave., Fortiann	

INSPECTOR'S COPY - WHITE OFFICE COPY -- CANARY CONTRACTOR'S COPY - GREEN

797-3888

TEL.:

MASTER LICENSE NO.: LIMITED LICENSE NO.:

INSPECTIONS: Service _ Service called in ____ _____ by _____ Closing-in __ PROGRESS INSPECTIONS: ____/___ DATE: REMARKS: Final Inspiration for All CIRCUITRY INDITEFICIO checker All Dovices, Runger Rofkicon GFF - OK / SB

最高的企业的企业工程的企业,在大学的企业的企业的企业的企业的企业,在这个企业的企业,但是不是一个企业的企业,不会是不是一个人,不会是不是是不是一个人,他们会会

THE CONTROL OF THE PARTY OF THE

22, 1989 45,000. inor site plan 245,00 Build Joists Size: Strapping Size sillings: on Type Height: r Rafter Size ing Type vering Type Num [cat: chtrance Size: val of soil test if require	cial Use On Subdivision: Permit Expl Ownership: Ing permit Spacing Si Spacing	Yes / No Market A Color Public Private No No No No No No No No No N
22, 1989 45,000. inor site plan 245,00 Build Joists Size: Strapping Size sillings: on Type Height: r Rafter Size ing Type vering Type Num [cat: chtrance Size: val of soil test if require	Subdivision: Subdivision: Permit Expl Ownership Ing permit Spacing Si Spacing	Yes / No Market A Color Public Private No No No No No No No No No N
45,000. Inor site plan 245.00 Build Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type Nur leat: intrance Size: ral of soil test if require	Permit Expl Ownership Ing permit Spacing Si Spacing	AAR 30 1389 City Of Portla s
Pinor site plan 245.00 Build 245.00 Build Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type vering Type Nu leat: chtrance Size: val of soil test if require	Spacing Spacing Signature Spacing Signature Spacing Signature Spacing Signature Spacing Spacin	PERMITISSU AAR 30 1989 Oan City Of Portla s Dector Required Yes Les No
Pinor site plan 245.00 Build 245.00 Build Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type vering Type Nu leat: chtrance Size: val of soil test if require	Spacing Spacing Signature Spacing Signature Spacing Signature Spacing Signature Spacing Spacin	PERMITISSU AAR 30 1989 Oan City Of Portla s Dector Required Yes Les No
Pinor site plan 245.00 Build 245.00 Build Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type vering Type Nu leat: chtrance Size: val of soil test if require	Spacing Spacing Signature Spacing Signature Spacing Signature Spacing Signature Spacing Spacin	PERMITISSU AAR 30 1989 Oan City Of Portla s Dector Required Yes Les No
Pinor site plan 245.00 Build 245.00 Build Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type vering Type Nu leat: chtrance Size: val of soil test if require	Spacing Spacing Signature Spacing Signature Spacing Signature Spacing Signature Spacing Spacin	PERMITISSU AAR 30 1989 Oan City Of Portla s Dector Required Yes Les No
Joists Size: Strapping Size sillings: Interpre Height: r Rafter Size sire Type Nuricat: r Rafter Size sire Type Nuricat: Intrance Size: Intra	Spacing Signature Signatur	AAR 30 1989 Oan City Of Portla s ector Required Yes es No
Joists Size: Strapping Size silings: ion Type Height: r Rafter Size ing Type vering Type Nulleat: chtrance Size: val of soil test if require	Spacing 3 Size Spacing	AAR 30 1989 Oan City Of Portla s ector Required Yes es No
Strapping Size	Spacing Si	AAR 30 1389 Oan City Of Portiz s ector Required Yes es No
ion Type Height: r Rafter Size ing Type vering Type Nul leat: Intrance Size: Int	Spoke Dete	AAR 30 1389 Oan City Of Portiz s ector Required Yes es No
ion Type Height: r Rafter Size ing Type vering Type Nul leat: Intrance Size: Int	Spoke Dete	AAR 30 1389 Oan City Of Portiz s ector Required Yes es No
r Rafter Size ing Type ivering Type Nu [cat: intrance Size: val of soil test if require	Special States of Single States of Single Si	MAR 30 1389 Oan City Of Portizes No
r Rafter Size	Specification of Street	cetor Required Yes No
ing Type Nulleat:	mber of Fire Place Smoke Dete	sesNo
vering Type Nulleat: Nul	mber of Fire Place Smoke Dete	sector Required YesesNo
icat:Nu	mber of Fire Place Smoke Dete	sector Required Yes es No
icat:Nui	mber of Fire Place Smoke Dete	sector Required Yes esNo
icat:intrance Size: val of soil test if require Tubs or Showers	Smoke Dete	esNo
icat:intrance Size: val of soil test if require Tubs or Showers	Smoke Dete	esNo
intrance Size: val of soil test if require Tubs or Showers	Smoke Dete	esNo
val of soil test if require	d Y	es No
val of soil test if require	d Y	es No
Tubs or Showers		
Tubs or Showers		
Flushes		
Lavatories Other Fixtures		
Utner Fixtures		
•		
ize: x_	s	quare Footage
conform to National Ele	ctrical Code and a	state Law.
Street Front	and Dogs	Provided
Street Front	Bnck	SideSide
	No	Date:
Board Approval: Yes_	No	Date:
Vi	171911CP E	31W F 1011
id Floodplain Mgmt	opecial Ex	wpotential and a second
(Expiain)		
hroseg		
_		
l By <u> </u>	oode	
On 1	Delle.	Data: 7.22
plicant ////	Najuce	
	KT	Dote
יח ווי	<u> </u>	
·		
· · · · · · · · · · · · · · · · · · ·		
white Tag -CEO		Copyright GPCOG
p	onal Use: Vind Floodplain Mgmt. (Explain) pproved Deborah Gepplicant Duty	es



389 CONGRESS STREET PORTLAND, MAINE 04101 (207)874-8300

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

P. SAMUEL HOFFSES, CHIEF INSPECTION SERVICES DIVISION

November 16,1989

RE: Lots 14 & 15 Avalon Road

Mr. Andrew DeRice 2 Flintlock Lane Falmouth, Maine 04105

Dear Mr. DeRice,

On November 16, 1989, a Work Stop Order was placed on your job for apparent violations of the following sections in the Land Use Code.

14.493 (subdivisions)
14.495 (subdivision approval)

14.117.la (single and two family dwellings; except that development of two (2) or more two family dwellings on contiguous lots within any two year period, shall be subject to review as specified under the provisions of 14-117(1) b.v. if such lots were under single ownership at any time within the two year period immediately prior to development of the first such lot.

Please contact me if you have any questions regarding this action.

P. Samuel Hoffses Chief of Inspection Services

/e1

Joseph E. Gray, Jr., Director of Planning and Urban Development Alexander Jaegerman, Chief Planner Natalie Burns, Associate Corporation Counsel William Giroux, Zoning Codes Enforcement Officer Merle Leary, Code Enforcement Officer

APPLICATION FOR AMENDMENT TO PERMIT

	Amend	lment No1			
TIS OF THE PARTY O	Portlan	d, Maine, Sept	ember 18, 1989		
To the INSPECTOR OF BU	ILDINGS, PORTLAND, MA	INE			
The undersigned hereby ap in the original application in Portland, plans and specific	oplies for amendment to accordance with the Lo ations, if any, submitte	Permit No. <u>1839</u> wws of the State of Med the	following modern	ode and Zoning Ordinan	ice of the City of
Location Lot 14 a	ind 15 Avalon		*****		M.
owner a name and address	8			m-1, 70	770713
ressees name and address	3			PA . t	
contractor a marine and ad-	dress <u>A K Dekice</u>	Builders		5) 1 . 70	
THOMICECT			101	long filed av	
Troposed use of pullcing -	Z ramily du	plex		AT. 6	
List use				No. Iamile	8
Increased cost of work	None				
		iption of Prop	nged Wark	Additional fee	
freezendin n. E., by 11			JOOU WOAR		
corning buildi	ng to face Range	Street			
as per plan					
				1	
	n	etails of New	Warls	,	
ls any plumbing involved in	this work?	Crams of Mah.	work		
ls any plumbing involved in Height average grade to tor	of plate	is any	electrical work in	volved in this work?_	
Height average grade to top Size, frontdepth	No stori	neight avo	erage grade to high	nest point of roof	
Materia of foundation	110. 50011	Enfolment to	r filled land?	earth or rock	?
Materia. of foundation Material of underpinning		rnickness, top	bottom	cellar	
Material of underpinning_ Khid of roof	Disa man fa at	Height		Thickness	 .
	reme her foor	KOOT C	Atarina		
No. of chimneys	- marenaror cumne	ys		of iining	
Framing lumber — Kind	Sille Ct +	Dressed	or full size?		
Corner postsS	Girt	or ledger board?		Size	
GirdersSize	— Coluinns ur	ider girders	Size	Max. on cente	ers
Studs (outside valls and ca Joints and rafters:	rrying partitions) 2x4	1-16" O.C. Bridging	g in every thoor an	d flat roof span over 8	feet.
	1st floor	, 2nd	, 3rd	, reof	
On centers:	1st floor	, 2nd	, 3rd	, roof	
laximum span:	1st floor	, 2nd	, 3rd	, roof	
approved:			1.	/1	
		Sim	nature of Owner	1.1.16 10.12	•
		Oigi	June 7	T.	<u></u>
NEDECTION COM		Apr	proved:	£)	
NSPECTION COPY — WHITE PPLICANT'S COPY — YELLA		PY — PINK DR'S COPY — GOLI		Inspector	r of Buildings