

APPLICATION FOR PERMIT

To the INSPECTOR OF BUILDINGS, PORTLAND, M	Portland, Maine,	7
The undersigned hereby applies for a permit	to e-ect after install the following Building Code of the City of P	ng building structure equipment in Portland, plans and specifications, if
my, submitted herewith and the following specifica	ations:	
Location 84 Bishop Street		imits?Dist. No
Owner's or Lessee's name and address. Annie At-		
Contractor's name and address Owner		Telephone
Architect's name and address.		
Proposed use of building Barn (1 cow, possib	ly 1 horse)	No. families
Other buildings on same lot 1 family dwelling	, I fear garage	
Plans filed as part of this application?	No. of shee	cts_1
Estimated cost \$ 200 a		Fee \$.75
Description of I	Present Building to be Alte	ered
Material No. stories Heat		
Last use		No. families
	escription of New Work	
To spect building 22' x 24'	escription of New Work	
	1	
	1	
		/
the distribution of that this permit does not include installation	of heating annaratus which is to be to	aken out separately by and in the name of
the heating contractor.		1
Det	tails of New Work	
	Height average grade	to top of plate 81
Sin 6 221 doub 241 No stor		to top of plate 8t
	ries Height average grade	to highest point of roof
To be erected on solid or filled land? solid	ries Height average grade	to highest point of roof
To be erected on solid or filled land? solid Material of foundation cedar posts	Height average grade earth or rock Thickness, top	to highest point of roof earth bottom
To be erected on solid or filled land? solid Material of foundation cedar posts Material of underpinning	Height average grade earth or rock Thickness, top Height	to highest point of roof earth bottom Thickness
To be erected on solid or filled land? solid Material of foundation cedar posts	Height average grade earth or rock Thickness, top Height Roof covering Asphal	to highest point of roof earth bottom Thickness t roofing Class C Und. Lab.
To be erected on solid or filled land? solid Material of foundation cedar posts Material of underpinning	Height average grade earth or rock Thickness, top Height Roof covering Asphal	to highest point of roof earth bottom Thickness
To be erected on solid or filled land? solid Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney	Height average grade earth or rock Thickness, top Height Roof covering Asphal	to highest point of roof earth bottom Thickness troofing Class C Und, Lab. of lining
To be erected on solid or filled land? solid Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys no Material of chimney Kind of heat no T	Thickness, top Height Roof covering Asphal Type of fuel	to highest point of roof earth bottom Thickness t roofing Class C Und. Lab.
To be erected on solid or filled land? Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat AO T Corner posts 4x4 Sills 6x8 Girt or	Thickness, top Height Thickness, top Height Roof covering Asphal Type of fuel I ledger board?	to highest point of roof earth bottom Thickness troofing class C and, Lab. of lining gas fitting involved? Size
Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys Material of chimney Kind of heat No. Of Sills 6x8 Girt or Material columns under girders.	Height average grade earth or rock Thickness, top Height Roof covering Asphal rs Type of fue! Is ledger board?	to highest point of roof certh bottom Thickness troofing Class C Und. Leb. of lining s gas fitting involved? Size Max. on centers
To be erected on solid or filled land? Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat AO T Corner posts 4x4 Sills 6x8 Girt or	Height average grade earth or rock Thickness, top Height Roof covering Asphal Size 16" C. Girders 6x8 or larger.	to highest point of roof certh bottom Thickness troofing Class C Und. Leb. of lining s gas fitting involved? Size Max. on centers
Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys Material of chimney Kind of heat No. Of Sills 6x8 Girt or Material columns under girders. S'ads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pic	Height average grade earth or rock Thickness, top Height Roof covering Asphal Size Size 16" O C. Girders 6x8 or larger, ece in coss section.	to highest point of roof certh bottom Thickness troofing Class C Und. Leb. of lining s gas fitting involved? Size Max. on centers
Material of foundation cedar posts Material of foundation cedar posts Material of underpinning Kind of Roof pitch Rise per foot. No. of chimneys Material of chimney Kind of heat No The Corner posts 4x4 Sills 6x6 Girt or Material columns under girders. S'ads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pictures in the picture of the pictur	Height average grade earth or rock Thickness, top Height Roof covering Asphal Section Size 16" C. Girders 6x8 or larger, ece in coss section. , 2nd , 3rd , 3rd , 3rd	to highest point of roof Perth bottom Thickness troofing Class C Und. Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat To Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. S'nds (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pic Joists and rafters: 1st floor 2x8 On centers: 4st floor 188	Height average grade earth or rock Thickness, top Height Roof covering Asphal Section Size 16" C. Girders 6x8 or larger, ece in coss section. , 2nd , 3rd , 3rd , 3rd	to highest point of roof perth bottom Thickness troofing Class C Und. Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof
Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys Material of chimney Kind of heat No. Of Sills 6x8 Girt or Material columns under girders. S'ads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pictions of conters: On centers: 1st floor 168 Maximum span: Ist floor	Thickness, top Height Thickness, top Height Roof covering Asphal Size 16" C. Girders 6x8 or larger, ece in coss section. , 2nd , 3rd , 3rd , 3rd	to highest point of roof earth bottom Thickness troofing class C Und. Lab. of lining s gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof roof
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat To Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. S'nds (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pic Joists and rafters: 1st floor 2x8 On centers: 4st floor 188	Height average grade earth or rock Thickness, top Height Roof covering Asphal Section Asphal Cys Cype of fuel ledger board? Size 16" O. C. Girders 6x8 or larger. ece in coss section. , 2nd , 3rd	to highest point of roof earth bottom Thickness troofing class C Und. Lab. of lining s gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof roof
Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys Material of chimney Kind of heat No. Of Sills 6x8 Girt or Material columns under girders. S'ads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pictions of conters: On centers: 1st floor 168 Maximum span: Ist floor	Height average grade earth or rock Thickness, top Height Roof covering Asphal Section Asphal Compared to the section and the section are se	to highest point of roof esrth bottom Thickness troofing Class C Und, Leb. of lining s gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof toof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys no Material of chimney Kind of heat To Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. S'nds (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pic Joists and rafters: 1st floor 2x8 On centers: 1st floor 16x Maximum span: 1st floor 16x Maximum span: 1st floor 16x No. cars now accommodated on same lot	Height average grade earth or rock Thickness, top Height The Roof covering Asphal Solve In the Roof covering Asphal Size 16" C. Girders 6x8 or larger. Size ece in coss section. , 2nd , 2nd , 3rd , 3rd , 3rd , 3rd , 3rd , 3rd , and , and , to be accomments.	to highest point of roof earth bottom Thickness troofing Thass C Und. Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys 20 Material of chimney Kind of heat 30 T Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. Stads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pictory for the pictory of the pictory	Thickness, top Height Thickness, top Height Thickness, top Height Thickness, top Asphal Type of fuel ledger board? Size 16" O. C. Girders 6x8 or larger, ecce in coss section. 2nd 3rd 3rd 3rd 3rd 4 of walls? If a Garage , to be accomm	to highest point of roof esrth bottom Thickness troofing Class C Und, Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys 20 Material of chimney Kind of heat 30 T Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. Stads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pictory for the pictory of the pictory	Thickness, top Height Thickness, top Height Thickness, top Height Thickness, top Asphal Type of fuel ledger board? Size 16" O. C. Girders 6x8 or larger, ecce in coss section. 2nd 3rd 3rd 3rd 3rd 4 of walls? If a Garage , to be accomm	to highest point of roof esrth bottom Thickness troofing Class C Und, Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of chimneys no Material of chimney Kind of heat To Corner posts 4x4 Sills 6x8 Girt or Material columns under girders. S'nds (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pic Joists and rafters: 1st floor 2x8 On centers: 1st floor 16x Maximum span: 1st floor 16x Maximum span: 1st floor 16x No. cars now accommodated on same lot	Thickness, top Height Thickness, top Height Thickness, top Height Thickness, top Asphal Type of fuel ledger board? Size 16" O. C. Girders 6x8 or larger, ecce in coss section. 2nd 3rd 3rd 3rd 3rd 4 of walls? If a Garage , to be accomm	to highest point of roof esrth bottom Thickness troofing Class C Und, Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat AO Torner posts 4x4 Sills 6x8 Girt or Material columns under girders. Stads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pie Joists and rafters: 1st floor 2x8 On centers: 1st floor 188 Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot Total number commercial cars to be accommodated Will automobile repairing be done other than minor	Thickness, top Height The Roof covering Asphal Roof covering Asphal Size 16" C. Girders 6x8 or larger, ecc in coss section. 2nd 3rd 3rd 3rd 3rd 3rd 4 of walls? If a Garage The repairs to cars habitually stored Miscellaneous	to highest point of roof bottom Thickness troofing Class C Und, Lab. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat Material of chimney Kind of heat Material columns under girders. Stads (outside walls and carrying partitions) 2x4-span over 8 feet. Sills and corner posts all one pictory for the pictory of the picto	Thickness, top Height Thickness, top Height Thickness, top Height Thickness, top Roof covering Asphal Type of fuel ledger board? Size 16" O C. Girders 6x8 or larger. ece in ross section. , 2nd , 3rd , 3rd , 3rd of walls? If a Garage Type of fuel Type	to highest point of roof eerth bottom Thickness troofing Class C Und, Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof height?
Material of foundation ceder posts Material of foundation ceder posts Material of underpinning Kind of Roof pitch Rise per foot No. of climneys Material of chimney Kind of heat AO Torner posts 4x4 Sills 6x8 Girt or Material columns under girders. Stads (outside walls and carrying partitions) 2x4- span over 8 feet. Sills and corner posts all one pie Joists and rafters: 1st floor 2x8 On centers: 1st floor 188 Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot Total number commercial cars to be accommodated Will automobile repairing be done other than minor	Thickness, top Height Thickness, top Height Thickness, top Height Thickness, top Roof covering Asphal Type of fuel ledger board? Size 16" O C. Girders 6x8 or larger. ece in ross section. , 2nd , 3rd , 3rd , 3rd of walls? If a Garage Type of fuel Type	to highest point of roof eerth bottom Thickness troofing Class C Und, Leb. of lining gas fitting involved? Size Max. on centers Bridging in every floor and flat roof roof roof roof height?

APPLICANT'S COPY

Permit No._



APPLICATION FOR PERMIT TO REPAIR BUILDING

Class Building

Portland, Maine, April 12, 1935 Portland, Maine, Portla Location 425 Warren Avenue Ward_ Telephone no Peter Professo, 410 Warren Ave. Owner's name and address ____ Telephone . not let Contractor's name and address_ dwelling h use 1 femily sq. it Style of roof_ Use of building_ No. stories 1 Height Type of present roof covering General Description of New Work

To Regair after Fire toforser condition. No alterations (Cause - around chimney, lat floor)

(To put in one new concrete pier in place of good post)

If Roof Covering is to be Repaired or Renewed

When last repaired?

Are repairs or renewal due to damage by fire?

Area of roof to be reprired now?

Type of roofing to be used

Trade name and grade of roof covering to be used

Estimated cost \$

Area then repaired

If so, what area damaged?

Sq. ft.

No. plies

Fee \$

Fee \$

Signature of owner_

(R) GENERAL RESIDENCE ZONEPERINT ISSUED



D. Him or ow Latter of the latter	Third Clair
Class of Building or Type of Structure	Maine, November 25, 1982
the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to erect alter install the cordance with the Laws of the State of Maine, the Building Code of the submitted herewith and the following specifications:	e following building structure equipment in City of Portland, plans and specifications, if
cordance with and the following streetheations:	
La la change	orth St. Telephone DO
wner's or Lessee's name and address orthor is a lessee of the	Telephone
ontractor's name and address	
rebitect's name and address	The second second second second
and the second s	1 2
ther buildings on san. Plans filed as part of this application? Yes see garage	No of sheets
	Fee \$_1.95
Description of Present Building to	
Stule of roo	
	No. families
ast use.	Work
	The state of the s
erect one family frame dwelling house	
TO _N	1 3 4 4
pally	9.3.7.7
he heating contractor. Details of New Work Height aver	rage grade to top of plate
Details of New Work Height aver	rage grade to top of platerage grade to highest point of roof
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d ear	rage grade to top of platerage grade to highest point of roofrage grade to highest point of roof
Size, front 24 No. stories 12 Height aver To be erected on solid or filled land? 2011d ear Material of foundation concrete ss, top 10	rage grade to top of plate rage grade to highest point of roof 18* rth or rock? bottom
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? Solid ear Material of foundation concrete Material of underpinning brick Height 30	rage grade to top of plate
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011 ear Material of foundation economic brick Height 30 No. stories 1 No. stories 1 Height 30 No. stories 1 No. stories 1 Height 30 No. stories 1 Height	rage grade to top of plate rage grade to highest point of roof 16! rth or rock?
Details of New Work Height aver Size, front 24* No. stories 1 Height aver To be erected on solid or filled land? 20110 - ear Material of foundation concrete Material of underpinning brick Height 39* Kind of Roof 14th Rise per foot 3* Roof covering No. of chimneys 1 Material of chimneys brick	rage grade to top of plate rage grade to highest point of roof 16! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 12 Height aver To be erected on solid or filled land? 2011d ear Material of foundation 2011d so, top 10 Material of underpinning 2011d Height 25 No. story 10 Material of underpinning 2011d Rise per foot 3 Roof covering No. of chimneys 1 Material of chimneys 2 Material of chimneys 2 No. of the place 2011 Type of fuel 2011	rage grade to top of plate rage grade to highest point of roof 18! rth or rock?
Height average of the state of	rage grade to top of plate rage grade to highest point of roof 18! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011 ear Material of foundation 2012 Height 30 No. stories 1 Height 30 No. stories 1 Height 30 No. stories 1 No. stories 1 No. stories 1 Height 30 No. stories 1 No. s	rage grade to top of plate rage grade to highest point of roof 16! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d 2011d 2011d Material of foundation 2011d 2011d 2011d Material of underpinning 2011d 2011d 2011d Material of underpinning 2011d 2011d Material of underpinning 2011d 2011d Material of dimensus 2011d 2011d Material of chimneys 2011d Material of chimneys 2011d Material of chimneys 2011d Material columns under girders 1700 columns 2011d Material columns under girders 1700 columns 2011d Size 501 Studs (outside walls and carrying partitions) 2x4-16 O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section.	rage grade to top of plate rage grade to highest point of roof 16! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011 Cear Material of foundation 2012 Height 35 No. of chimneys 2 No. of covering 2 No. of chimneys 2 No. of covering 2 No. of chimneys 2 No. of chimneys 2 No. of covering 2 No. of chimneys 2 No. of chimneys 2 No. of chimneys 2 No. of covering 2 No. of chimneys 2 No. of chi	rage grade to top of plate rage grade to highest point of roof. 18! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d 2011d Material of foundation 2011d 2011d Material of underpinning 2011d 2011d Material of underpinning 2011d 2011d Material of the 2011d 2011d Material of chimneys 2 Rise per foot 3 Roof covering No. of chimneys 1 Material of chimneys 2011d Material of heat 2012d Corner posts 26 Sills 48 Girt or ledger board? 31 Material columns under girders 1700 columns 2012d Size 5 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section.	rage grade to top of plate rage grade to highest point of roof 18.5 rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? Solid ear Material of foundation concrete Material of underpinning brick Height 39 Roof covering Kind of Roof 1 Material of chimneys brick Kind of heat New Mork Material of thinneys Height 39 Roof covering No. of chimneys Material of chimneys brick Kind of heat Type of fuel Concrete Corner posts 426 Sills 48 Girt or ledger board? Size Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 2x8 , 2nd 2x8	rage grade to top of plate rage grade to highest point of roof 18! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 12 Height aver To be erected on solid or filled land? colid car Material of foundation concrete Material of underpinning brick Height 39 Roof covering Kind of Roof 12 Roof covering No. of chimneys 1 Material of chimneys brick Kind of heat Type of fuel colid Corner posts 26 Sills 4×8 Girt or ledger board? gird Material columns under girders 170 columns Size 5 Studs (outside walls and carrying partitions) 2x4-16 O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 26 , 2nd 2x8 Maximum span: 1st floor 121 , 2nd 121	rage grade to top of plate rage grade to highest point of roof. 18! rth or rock?
Details of New Work Height aver To be erected on solid or filled land? Material of foundation concrete Material of underpinning brick Kind of Roof Pitch Rise per foot Roof covering No. of chinneys Material of chinneys brick Kind of heat Conserved Sills Girt or ledger board? gl Material columns under girders 1700 columns Size Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 2x6 , 2nd 2x8 Maximum span: 1st floor 121 , 2nd 121 If one story building with masonry walls, thickness of walls? If a Garage	rage grade to top of plate rage grade to highest point of roof 18! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d ear Material of foundation 2011d ear Material of underpinning 2011d Height 30 No. of chimneys 2011d Rise per foot 3 No. of chimneys 2011d	rage grade to top of plate rage grade to highest point of roof 18! rth or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d ear Material of foundation 2011d ear Material of underpinning 2011d Height 35 No. of chimneys 2011d Rise per foot 35 Roof covering No. of chimneys 2 Material of chimneys 2 No. C. Girders 6x8 span over 8 feet. Sills and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 2 No. on centers: 1st flo	rage grade to top of plate rage grade to highest point of roof 181 rth or rock? bottom Thickness Thickness Graphalt roofing Glass & Dace Isolate of lining Is gas fitting involved? Size Max. on centers or larger. Bridging in every floor and flat roof 3rd 2x4 ceiling, roof 3rd 18n roof height?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d ear Material of foundation 2011d ear Material of underpinning 2011d Height 35 No. of chimneys 2011d Rise per foot 3 No. of chimneys 2011d Roof covering No. of chimneys 2011d Rise per foot 3 No. of chimneys 2011d Roof covering No. o	rage grade to top of plate rage grade to highest point of roof 181 rth or rock? bottom Thickness Thickness Graphalt roofing Glass & Dace Isolate of lining Is gas fitting involved? Size Max. on centers or larger. Bridging in every floor and flat roof 3rd 2x4 ceiling, roof 3rd 18n roof height?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d ear Material of foundation 2011d ear Material of underpinning 2011d Height 35 No. of chimneys 2011d Rise per foot 35 Roof covering No. of chimneys 2 Material of chimneys 2 No. C. Girders 6x8 span over 8 feet. Sills and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 2 No. on centers: 1st flo	rage grade to top of plate rage grade to highest point of roof 181 rth or rock? bottom Thickness Thickness Graphalt roofing Glass & Dace Isolate of lining Is gas fitting involved? Size Max. on centers or larger. Bridging in every floor and flat roof 3rd 2x4 ceiling, roof 3rd 18n roof height?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 1 No. stories 1 Height aver Material of foundation 1 No. stories 1 No. of chimneys 2 No. care posts 2 No. Sills 3 No. care posts 2	rage grade to top of plate rage grade to highest point of roof the or rock?
Details of New Work Height aver Size, front 24 No. stories 1 Height aver To be erected on solid or filled land? 2011d 2011d 2011d Material of foundation 2011d 2011d 2011d Material of underpinning 2011d 2011d 2011d Material of underpinning 2011d 2011d Material of chimneys 3 Height 30 Roof covering 2011d No. of chimneys 1 Material of chimneys 2011d Material columns under girders 1700 columns 2011d Material columns under girders 1700 columns 2011d Size 50 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 span over 8 feet. Sills and corner posts all one piece in cross section. Joists and rafters: 1st floor 2x6 , 2nd 2x6 On centers: 1st floor 2x6 , 2nd 2x6 Maximum span: 1st floor 121 , 2nd 121 If one story building with masonry walls, thickness of walls? 1f a Garage No. cars now accommodated on same lot 7 total number commercial cars to be accommodated Will automobile repairing be done other than minor repairs to cars habitured. Miscellaneous	rage grade to top of plate rage grade to highest point of roof the or rock?

MECTION COPY



(R) GENERAL RESIDENCE ZONE PERMIT PERMIT PERMIT PERMIT No.

APPLICATION FOR PERMIT

NOV 28 1932

Class of Building or Type of Structure Third Class

To the INSPECTOR OF BUILDINGS, PORTLAND,	101	maine,	v control 2	5, 1932	_
The undersignd hereby applies for a permit	to erect alter ins	tall the follow	ing buildin	g strouven	
accordance with the Laws of the State of Maine, the any, submitted herewith and the following specifica	e Building Code ations:	of the City of	Portland, p	lans and spe	cifications, if
Location Lots 65 Aldworth Street	Ward 9	Within Fire I	imita 2	no n	
and address. At the line	ESDESANT NA UTI	TOWN AND TO CA			
Proposed use of building 1 car garage Other buildings on some lot				-	
Other buildings on some lot				_No. familie	es
Other buildings on same lot 1 family dwell: Plaus filed as part of this application? yes	ing house appl	ied for			
Estimated cost \$ 100.		No. of she	ets1		
				Fee \$.50
Description of Pr	esent Building	g to be Alte	ered		
No. storiesHeat	Style of	roof	Rc	oofing	
ast use				_No. familie	
General Des	scription of N	ATEL Worls			
c erect one car frame warage 12: x 18:	, 01 110			FORE LATERS	
				PORTLATING	
			N BY	LOK WYLA	m.
			ATTO ATTO	N'S WALL	1360
		NO.	no Lu	OF SHA	$U_{r_{-}}$
is understood that this pert to describe the state of the			TOTEX	SEMENT.	
e heating contractor.	neating apparatus wi	sich is to be take	n out Sela v	tely by and in	the name of
is understood that this pert t does not include installation of behaving contractor.	IS OF TAGM NA OF		in out Seam A	tely by and in	the name of
Detail	IS OF IMEM MAO	rik i	n out semm	tely by and in	the name of
ze, front. 12! depth 18! No etario	Height a	verage grade to	or out seran of	tely by and in	the name of
re, front. 12 depth 18 No. stories	Height a	verage grade to	top of pla	tely by and in	the name of
depth 18 No. stories by erected on solid or filled land? solid aterial of foundation coder posts	Height a	wrage grade to verage grade to arth or rock?	top of pla	tely by and in	the name of
depth 18 No. stories ob erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning	Height as 1 Height as ckness, top	verage grade to rerage grade to arth or rock?.	trop of pla	ety by and in	the name of
depth 18 No. stories be erected on solid or filled land? solid aterial of foundation 990ar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7	Height as 1. Height as ckness, top	verage grade to rerage grade to arth or rock?	a con of pla bigness pelo	ely by and in	the name of
depth 18 No. stories be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7	Height as 1. Height as ckness, top	verage grade to reck?.	to our plants begins policy of the street of	ely by and in	the name of
depth 18 No. stories be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning	Height as 1. Height as ckness, top	verage grade to reck?.	to our plants begins policy of the street of	ely by and in	the name of
depth 18 No. stories be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning	Height a Height a Roof covering of fuel	verage grade to reck harth or rock harth or	to of plants of interest strong income	ely by and in	the name of
depth 18 No. stories of be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 O. of chimneys Material of chimneys and of heat 7 Type rner posts 4x6 Sills 4x8 Girt or la lie aterial columns under girders.	Height a Roof covering of fuel board?	verage grade to verage grade to arth or rock? Is ga	to of plants bighest polymers and the second	ely by and in	the name of
depth 18 No. stories of be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 Do. of chimneys Material of chimneys Type Truer posts 4x6 Sills 4x6 Girt or laterial columns under girders.	Height a Height a Roof covering of fuel board? Size	verage grade to verage grade to arth or rock? Is ga	to of plants bighest polymers and the second	ely by and in	the name of
depth 18 No. stories of be erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 Do. of chimneys Material of chimneys Type are posts 4x6 Sills 4x6 Girt or laterial columns under girders aterial columns under girders. Thick descriptions and corner posts all one piece in the laterial columns and corner posts all one piece in the laterial columns.	Height as 1. Heigh	verage grade to reck has been arth or rock has been been been been been been been bee	The days and a strong of mains as fitting income and a strong in a	ery sloss the	the name of
depth 18 No. stories of be erected on solid or filled land? solid aterial of foundation Godar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 Do. of chimneys Material of chimneys Material of chimneys Type of the laterial columns under girders aterial columns under girders aterial columns under girders and course feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 226	Height as Height as Height as Height as Roof covering the bourd? Size D. C. Girders tix8 cross section.	verage grade to reck? Is ga or larger. Br , 3rd	of anna sales are on central idging in ev	ery door day	the name of
depth 18 No. stories of be erected on solid or filled land? Solid aterial of foundation Gedar posts Thick aterial of underpinning and of Roof patch Rise per foot 7 No. of chimneys Material of chimneys Type of the laterial columns under girders. It floor 16 No. of centers: 1st floor 18 No. of centers: 18 No. of centers: 18 No. of cent	Height as 1. Heigh	verage grade to reck?. arth or rock?. Is ga or larger, Br , 3rd , 3rd	of ining my Size ax, on center idging in ev	ely by and in	the name of
depth 18 No. stories ob erected on solid or filled land? solid aterial of foundation coder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys No. of chimne	Height as 1. Heigh	verage grade to reck?. arth or rock?. Is ga or larger. Br , 3rd , 3rd	The bank of lands of	ery slower due roof	the name of
depth 18 No. stories obe erected on solid or filled land? solid aterial of foundation cedar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys Type rner posts 4x6 Sills 4x8 Girt or laterial columns under girders. It dis (outside walls and carrying partitions) 2x4-16" On over 8 feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 16" Maximum span: 1st floor 16" Maximum span: 1st floor 16" Maximum span: 1st floor 16"	Height as Height as Height as Height as Roof covering fuel bourd? Size O. C. Girders 6x8 cross section. 2nd 2nd 2nd	verage grade to reck?. arth or rock?. Is ga or larger. Br , 3rd , 3rd	The bank of lands of	ery slower due roof	the name of
depth 18 No. stories obe erected on solid or filled land? solid aterial of foundation Godar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 No. of chimneys Material of chimneys Material columns under girders. Sills 426 Girt or la fee aterial columns under girders. Sills and corner posts all one piece in over 8 feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 16 No. on centers: 1st floor 16 No. one story building with masonry walls, thickness one story building with masonry walls, thickness one.	Height as Height as Height as Height as Height as Roof covering the bound? Size D. C. Girders tix8 cross section. 2nd 2nd 2nd alis? a Garage	verage grade to reck?. Is ga or larger. Br , 3rd , 3rd , 3rd	The days of the service of the servi	ery slower due roof	the name of
depth 18 No. stories ob erected on solid or filled land? Solid aterial of foundation Gedar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 Type riser posts 426 Sills 428 Girt or label aterial columns under girders and solid (outside walls and carrying partitions) 2x4-16" On centers: 1st floor 16" On centers: 1st floor 16" Maximum span: 1st floor 16" one story building with masonry walls, thickness o	Height as Height as Height as Height as Height as Roof covering the bound? Size D. C. Girders tix8 cross section. 2nd 2nd 2nd alis? a Garage	verage grade to reck?. Is ga or larger. Br , 3rd , 3rd , 3rd	The days of the service of the servi	ery slower due roof	the name of
depth 18 No. stories of be erected on solid or filled land? Solid aterial of foundation Goder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 Type riser posts 426 Sills 428 Girt or laterial columns under girders ates (outside walls and carrying partitions) 2x4-16" On over 8 feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 16" Maximum span: 1st floor 16" one story building with masonry walls, thickness on a lift cars now accommodated on same lot 16" all number commercial cars to be accommodated	Height as I. Heigh	verage grade to reck to arth or rock to arth or rock to arth or rock to arth or rock to arth or larger. Br J. S. Galler, 3rd, 3rd, 3rd, 3rd, 3rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5	The direct polyments of annual straight of annual straight of annual straight on center idging in every height of annual straight of annual straight on center idging in every height of annual straight on center idging in every height of annual straight of annu	roof low roof ght?	the name of
depth 18 No. stories of be erected on solid or filled land? Solid aterial of foundation Geder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 Type are posts 426 Sills 428 Girt or laterial columns under girders and course posts all one piece in over 8 feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 16 Maximum span: 1st floor 16 Maximum span: 1st floor 17 Naximum span: 1st floor 18 Na	Height as I. Heigh	verage grade to reck to arth or rock to arth or rock to arth or rock to arth or rock to arth or larger. Br J. S. Galler, 3rd, 3rd, 3rd, 3rd, 3rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5rd, 5	The direct polyments of annual straight of annual straight of annual straight on center idging in every height of annual straight of annual straight on center idging in every height of annual straight on center idging in every height of annual straight of annu	roof low roof ght?	the name of
depth 18 No. stories observed on solid or filled land? Solid aterial of foundation Gedar posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 No. of chimneys Material of chimneys Material columns under girders and course posts 426 Sills 428 Girt or le le deterial columns under girders. Ist floor 16 No. of centers: 1st floor 16 No. on centers: 1st floor 16 No. on centers: 1st floor 17 No. one story building with masonry walls, thickness on 16 No. one story building with masonry	Height as I. Heigh	verage grade to reck had been served and be be accommoduly stored in the	of lating in every height of the lated height of lating in every height of lating in every height of lated hei	roof low roof ght?	the name of
depth 18 No. stories of be erected on solid or filled land? Solid aterial of foundation Geder posts Thick aterial of underpinning and of Roof pitch Rise per foot 7 No. of chimneys Material of chimneys Material of chimneys and of heat 7 Type are posts 426 Sills 428 Girt or laterial columns under girders and course posts all one piece in over 8 feet. Sills and corner posts all one piece in Joists and rafters: 1st floor 16 Maximum span: 1st floor 16 Maximum span: 1st floor 17 Naximum span: 1st floor 18 Na	Height as Height as Height as Height as Height as Roof covering of fuel bound? Size D. C. Girders 6x8 cross section. 2nd 2nd 2nd 2nd adis? a Garage irs to cars habituate cellaneous	verage grade to reck to arth or rock to arth o	The beautiful in every height of	roof 100 pullding?	the name of



A STANKE STANK COLUMN TO PART OF THE PART OF

Notif. closing-in Inspr. closing-in Final Notif. Cert. cf Occupancy issued



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR G. COOKING OR POWER EQUIPMENT

PERMIT ISSUED CITY of PORTLAND

STANE!	REATING, COOKING ON
TATU	Portland, Maine, June 10 11
	WE WE

TOTAL STATE OF	DTI AND. ME.	ament in accord-
the INSPECTOR OF BUILDINGS, F	permit to install the following heating, cooking or poor of the City of Portland, and the following specified of the City of Portland, and the following specified the City of Portland the City of Portl	fications:
The undersigned hereby applies for	permit to install the following heating, cooking or produce of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland, and the following specified of the City of Portland of the City of th	New Building
e centra the Lows	1 272 Ma Stor	ies Existing "
cation 39 Aldworth St.	Levis M Dyer, 39 Aldw rth St.	
ame and address of owner of appliance	Use of Building dwelling No. 36. Levds M Dyer, 39 Aldw rth St. all & McAllister 84 Commercial St. Te	lephone
staller's name and address	all a contain	
	General Description of Work water heat (replacement) in place of o	coal-fired gravity
Oil-"ired gravity hot	water heat (replacement)	
bot water heat.		
The masses	F HEATER, OR POWER BOILER Any burnable material in floor surface or beneath? Kind of fuel?	none
	Any burnable material in floor surface or beneath?	oil.
ocation of appliance Basement	Kind of fuel?	4
so, how protected?	Any burnable material in floor surface or beneath? Kind of fuel? com top of appliance or casing top of furnace but from front of appliance OVER 4. From sides or ba	varover 31
linimum distance to burnable material,	rom top of appliance or casing top of furnace om front of appliance OVER 4! From sides or baser connections to same flue	ck of appliance
From top of smoke pipe	on connections to same flue	
Size of chimney flue	om front of appliance OVER 4. From sides or bather connections to same flue Rated maximum dema	and per nour
If gas fired, how vented?	Rated maximum dema	
Will sufficient fresh air be supplied to the	app.	
Name and type of burner That cher	TOIL BURNER Labelled by underwright to the control of the control	tom of tank?
Name and type	Does oil supply line feed from top or bot rote Size of vent pipe Number and capacity tanks	14
The of floor beneath burner con	rote Size of vent pipe	275 891.
Type of noor beattern	omert. Number and capacity	No
* of oil storage	- Children	
Location of oil storage Low water shut off	Instaliation For:	ermit Number 1 7803
Low water shut off	PERMIT TO INSTALL PLUMBING Address 3 Adorch Street Pl Instaliation For: Delling Owner of Bldg: Long M. Ryer	11/9/out 100
Low water shut off	PERMIT TO INSTALL PLUMBING Address 3 Adorch Street Plumber	ERMIT NUMBER 1 7803 Date: 11/8/67
Date Issued 11/8/67 Portland Plumbing Inspector	PERMIT TO INSTALL PLUMBING Address 9 Moorth Street Pl Instaliation For: Owner of Bldg: Owner's Address: Plumber: NEW REPL.	ERMIT NUMBER 17803
Date Issued 11/6/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN	PERMIT TO INSTALL PLUMBING Address 3 Adorch Street Plumber: Owner of Bldg: Owner's Address: Plumber: NEW RIPL SINKS	ERMIT NUMBER 1 7803 Date: 11/8/67
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp.	PERMIT TO INSTALL PLUMBING Address Address Plumbing Owner of Bldg: Owner's Address: Plumber: NEW RIPL SINKS LAVATORIES TOILETS	ERMIT NUMBER 1 7803 Date: 11/8/67
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R GOODWIN App. First Insp. Date	PERMIT TO INSTALL PLUMBING Address 3 Advorth Street Plumbing Owner of Bldg: Owner's Address: Plumber: NEW RIPL SINKS LAVATORIES TOILETS BATH TUBS	ERMIT NUMBER 1 7803 Date: 11/8/67
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN	PERMIT TO INSTALL PLUMBING Address Plumber: NEW RIPL SINKS LAVATORIES TOILETS BATH TUBS SHOWERS	ERMIT NUMBER 1 7803 Date: 11/8/67
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHILL FLUMBING INSPECTOR App. Final Insp.	PERMIT TO INSTALL PLUMBING Address Plumber Pl	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By EENOLD R. COODWIN CHIEF FLUMLING INSPLETOR App. Final Insp. Date	PERMIT TO INSTALL PLUMBING Address Plustalication For: Owner of Bldg: Owner's Address: Plumber: NEW RIP'L SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMLING INSPECTOR App. Final, Insp. Date By LENGLD R. GOODWIN CHIEF FLUMLING INSPECTOR App. Final, Insp.	PERMIT TO INSTALL PLUMBING Address 9	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date Ey ERNOLD R. COODWIN CHIEF PLUMBING INSPECTOR App. Final Insp. Date By LENGLE R. GOODWIN CHIEF PLUMBING INSPECTOR Type of Bldg.	PERMIT TO INSTALL PLUMBING Address Plumber: Owner of Bldg: Owner's Address: Plumber: NEW RIPL SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS GARBAGE DISPOSALS SEPTIC TANKS HOUSE SEWERS	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By LENGLD R. GOODWIN CHIEF FLUMBING INSPECTOR	PERMIT TO INSTALL PLUMBING Address Plumber: NEW REPL SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS GARBAGE DISPOSALS SEPTIC TANKS HOUSE SEWERS ROOF LEADERS	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date Ey ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final, Insp. Date By COODWIN Type of Bldg. Commercial Residential Single	PERMIT TO INSTALL PLUMBING Address Plumber: Owner of Bldg: Owner's Address: Plumber: NEW REPL SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS GARBAGE DISPOSALS SEPTIC TANKS HOUSE SEWERS ROOF LEADERS AUTOMATIC WAS HERS	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHILL FLUMBING INSPECTOR App. Final Insp. Date By Type of Bldg. Commercial Residential Single Multi Family	PERMIT TO INSTALL PLUMBING Address Plumber: NEW REPL SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS GARBAGE DISPOSALS SEPTIC TANKS HOUSE SEWERS ROOF LEADERS	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By Type of Bldg. Commercial Residential Single Multi Family New Construction	PERMIT TO INSTALL PLUMBING Address Plumber Pl	Date: 11/6/67 NO. FEE URFACE 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHILL FLUMBING INSPECTOR App. Final Insp. Date By Type of Bldg. Commercial Residential Single Multi Family	PERMIT TO INSTALL PLUMBING Address Plumber Pl	Date: 11/6/67 NO. FEE JRFACE S 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF PLUMBING INSPECTOR App. Final Insp. Date By Type of Bldg. Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address Plumbing Plumber Plumbing Plum	Date: 11/6/67 NO. FEE URFACE 2.00 TOTAL 1 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address	Date: 11/6/67 NO. FEE JURFACE TOTAL 1 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHILL FLUMBING INSPECTOR App. Final Insp. Date By Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address Plumbing Plumber: Owner of Bldg: Owner's Address: Plumber: NEW RIP'L SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAINS FLOOR SU HOT WATER TANKS TANKLESS WATER HEATERS GARBAGE DISPOSALS SEPTIC TANKS HOUSE SEWERS ROOF LEADERS AUTOMATIC WAS HERS DISHWASHERS CTHER and Inspection Services Dept.; Plumbing Inspection see that the State and City	Date: 11/6/67 NO. FEE JURFACE TOTAL 1 2.00
Date Issued 11/2/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By COODWIN Type of Bidg. Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address Plumber Plumbing Plumbin	Date: 11/6/67 NO. FEE URFACE 2.00 TOTAL 1 2.00
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address	Date: 11/8/67 NO. FEE URFACE 2.00 TOTAL 1 2.00 requirements pertaining therete
Date Issued 11/8/67 Portland Plumbing Inspector By ERNOLD R. GOODWIN App. First Insp. Date By ERNOLD R. COODWIN CHIEF FLUMBING INSPECTOR App. Final Insp. Date By Commercial Residential Single Multi Family New Construction Remodeling	PERMIT TO INSTALL PLUMBING Address Plumber Plumbing Plumbin	Date: 11/6/67 NO. FEE URFACE TOTAL 1 2.00 requirements pertaining thereto

