CITY OF PORTLAND, MAINE

SURE IN COLUMN TO THE PARTY OF THE PARTY OF

389 CONGRESS STREET PORTLAND ! JAINE 04101 {207}874-8300

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

P. SAMUEL HOFFSES, CHIEF INSPECTION SERVICES DIVISION

Date: April 27, 1990

Barbara Foyle 90 Bailey Avenue Portland, ME 04103

Re: 90 Bailey Ave.

Dear Sir:

An Inspection has been made of the above referenced property. Trash, garbage, junked furniture, etc. provide rodent attraction/harborage, and is a serious violation of the City of Portland Municipal Codes, and must be removed from front, side, and rear areas of the above referenced property and properly disposed of on or before

Trash for collection is not to be placed curbside prior to 6 p.m. on day proceding scheduled pick up. Tenants are to be instructed in this requirement.


Code Enforcement Officer

Merlin Leary (4)

/ei 4/17/90

imr

.



CITY OF PORTLAND, MAINE Application for Permit to Install Wires Portland, Maine The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, (This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address CHarloft Bailey ave Tel. and the following specifications: Tel. 7672411. Contractor's Name and Address 727 5707 Elect
Location 50 mE (BALLEY) Use of 5. ding Number of Stories Apartments Number of Families I Alterations Additions Description of Wiring: New Work Plug Molding (No. of feet) BX Cable Metal Molding Plug Circuits Cable Pipe Light Circuits Plugs Fluor, or Strip Lighting (No. feet) No. Light Outlets No. of Wires 3 Size 7 .8 FIXTURES: No. Underground SERVICE: Pipe Cable Total No. Meters Added METERS: Relocated Starter Volts Amps H. P. ACOTORS: Number Phase H.P. Phase HEATING UNITS: Domestic (Oil) No. Motors H.P. ... Phase No. Motors Commercial (Oil) Electric Heat (No. of Rooms) Brand Feeds (Size and No.) Watts APPLIANCES: No. Ranges Watts Elec. Heaters Extra Cabinets or Panels Signs (No. Units) Ralf Watts Miscellaneous Air Conditioners (No. Units) Transformers 19... Ready to cover in Will commence Mery hi arora Amount of Fec \$ GROUND METER . 5 SERVICE 11 VISITS: 1

REMARKS:

INSPECTED BY

AI RESIDENCE ZONE



APPLICATION FOR PERMIT

HERMIT FATE AUE 21 1959 MITTE OF PORTLAND

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and in accordance with the Laws of the State of Maine, the Building Specifications:

specifications, if any, submitted herewith and the following specifications: To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

in accordance with the Laws of the State of	and the following specifications:	Thus I imits?	Dist. No
specifications, if any, submitted herewith	W	ithin Pile Dillice	Telephone
in accordance with the Laws of the State of specifications, if any, submitted herewith a Location 102 Bailey Avenue Owner's name and address Henry Lessee's name and address	ry C. Blais, 102 Bailey J	We.	Telephone
and address		****** ********* * ** 140	Talachone
Is nome and addition	1		Ma of sheets
C -t-setor's name and address	Specifications		Ma families
A ashi act	Dwelling	***************************************	No families
Archicat Proposed use of building Last use Material frame No. stories	11		Roofing
Material frame No. stories Other buildings on same lot	garage	and the second s	Fee \$ 2.00
Out buildings on same lot	1		
Estimated cost \$	General Description of I	ASIA MOTO	. 11hand

General Description of New Work

To construct auxoxoroof over existing rear platform 6' x 16' and bulkhead and to enclose same

35' to side line and appror. 100' to rear line

Permi's Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Owner

Details of New Work

he name of the heating contractor.	Details of New Work	ed in this work?
Has septic tank notice been sent? Height average grade to top of plate Size, front depth Material of foundation Material of underpinning Kind of roof hip Rise	Details of New Work Is any electrical work involved. If not, what is proposed for Form notice sent? Height average grade to highes solid or filled land? Thickness, top bottom. Height Per foot 6!! Roof covering asphalt all of chimneys of lining asphalt all of chimneys of lining. Keep to grade to highes Size solid or full size? dressed Corner post and of chimneys of lining size. Size thing of exterior walls?	cellar
Size Girder	Dressed of full of the state of walls? Size	nd flat roof span over 8 feet. , roof
If one story building with masonly	If a Garage	marcial cars to be accommodated

No. cars now accommodated on same lot......, to be accommodated.....number commercial cars to be accommodated..... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?yes

Signature of owner

Glass & Blass

inspection copy

APPROVED: 881/54

AP-102 Bailey Avenue, Construction of new foundations for existing rear platform and enclosure of the platform for and by Mr. Henry C. Blais.

August 31, 1959

Mr. Henry G. Blais 102 Bailey Avenue

Dear Mr. Blais:

As per our telephone conversation on Friday, you may ignore our letter of August 27, and the permit for the above work is issued to you, herewith, subject to the following:

The new enclosurs is to be about 6 feet by 16 feet and is to include the former cellarway bulkhead. The foundation of the bulkhead is to form a part of the foundation for the enclosure, and the balance of the foundation is to consist of two 9-inch diameter piers, one at the outer corner at opposite and from bulkhead, and the other 6-feet from that corner piers.

The sills of the platform have been recently replaced and they are into with the 6-inch dimension upright, running under the end opposite the bulkhead as well as under the face of the porch.

Humerous windows are to be introduced into the exterior walls, but as far as possible the balance of the walls is to be framed with 2x4 uprights no more than 16 inches from center to center, the corner posts are to be no less than doubled 2xly.

It is understood that you have used a triple 2x4 plate for the roof joists, and that this plate is to be supported by the upright stude and corner posts extending up under that he have will at no point be on a span of more than 4 feet.

Under a minumderstanding you have carried out quite a lot of this work before this issuance of the permit. However before any finish is applied on the inside of the walls or under the roof (you said you were to use plywood) you are required to notify this of under the roof (you said you were to use plywood) you are required to notify this office of readiness for inspection, and not to cover up any of this framing until our inspector has left at the job his green tag of approval.

Very truly yours,

Encl. Permit cand and copy of application.

Warren McDonald Acting Doputy Inspr. of Blage,

AP-100 Bailey Avenue
To construct roof over existing rear platform for and by Henry C. Blais

August 27, 1959

Mr. Henry C. Blais 102 Balley Avenue

Dear Mr. Blais:

We are unable to issue the permit of the above work because you have me are unable to issue the permit of the above work because you sawn not furnished information enough to show compliance with Building Code requirements, and we are required to have that information before we may lawfully

It is necessary either that you have prepared a clear plan which will show the details of construction not only of the work proposed but of the present platform as far as it and its foundation will support the reof. Since the 2x6 you will support the outer ends of these roof joints are indicated to run the 6 foot way, it is natural to suppose that you will support the outer ends of these roof joints on posts and beams. We have to know the size, number and location of the posts and the size of the beam that you plan to run between them.

If the platform does not have a foundation now extending no less than 4 feet below the curface of the ground, it would appear necessary to provide one either by way of posts or piers while you are constructing the roof, and this work should be covered and explained in your application for the permit.


Very truly yours,

WHOD/Jg

Warren Hollonald Acting Deputy Inspr. of Bldgs.



	Alabria	
	Class of Building or Type of Street	FOR DD- Permit No.
m	Class of Building or Type of Structur OF BUILDINGS, PORTLAND, ME. Portla	OK PERMIT
To the INSPECTOR	- J Uli uctu.	ra 18
The undersigned accordance mit signed	d hereby and Portland, ME.	and, Maine, Horn 7 14 1935
any, submitted herewit	ans of the State of Mail	14,1937
Location 9 Walley	he following specifications: after most	the following build:
Cowner's or Leuca's nam	(S and all	the City of Portland, plans and special price
Contractor's name and ac	OF BUILDINGS, PORTLAND, ME. d hereby applies for a permit to erect alter moved away of the State of Maine, the Building Code of the hand he following specifications: Ward 9 Ward 9 Ward of Wards Owner Dugas, 8 Baile	ithin Fire Limite?
Pro-		V Lvenus Dist. No.
Proposed use of building- Other buildings on same to		Telephone 2-154
Plane C.	Drazz	Telephone
Estimate i	plication?Ro	TelephoneNo. families
- standard cost \$	100	No. families
Material	140	0.6
Last useNo. sto	ries	T.
	Description of Present Building to b	e Altered Fee \$.50
To domes a	Description of Present Building to b	Roosing
neworthy will story	General Description of New Wo frene hallding 12'x18' - no sever co	No family
Do you agree to thekar	were the second	No. families
and to the always from	and palmalantly olong	nneckion.
	construent celipothes seaders or	Ann.
It is understood that a	Details of New Work No. stories	Lighed connecting with public
the heating contractor.	ot include installed	rordand, ves vicion
•	**************************************	
Sizo, front	Details of New Work Height average grade No. stories Height average grade Thickness, top	taken or separately by and in a
to be erected on solid or filled to a	No. stories Height average grade	at the name of
and foundation	tHnight average grade	to top of plate
naterial of underpinning	No. stories Hright average grade Thickness, top	?
Kind of Roof No. of chimneys Mater	No. stories Height average grade Thickness, top Height Rise per foot Roof events Height Roof events Height Roof events Height Roof events Height Roof events Roof events Height Roof events Roof events	bottoni
Kind act	icise per foot	Thick.
Corner	at of chimneys	- Intelless
Material Sills	Rise per foot Roof covering Is go it or ledger board? Size Size Max all one piece in cross section	Thickness
Stude (Cately)	Type of fuel	15 fitting in
span over 8 feet. Sills and carrying part	iria Size	—Size
Ou centers:	m cross section. Or larger, Brid	dging in every a
Maximum span :	s all one piece in cross section. Property of the control of the	o citify noor and flat roof
11 one story building with mean	thickness of walls? If a Garage	, roof
Ma	thickness of walle? -, 3rd	, roof
Total	If a Gara	, roof
West number commercial cars to be	Marage	—height?
Total number commercial care to be accomm Will automobile repairing be done of ar that	If a Garage Odated , to be accommodated in minor repairs to curs habitually stored.	
Win	n minor repairs to any	
Will above work require removal and	Miscellanes habitually stored in the pro-	Dosed Language
are of the observed of the observed or disturbing	Miscellaneous go f any shade tree on a public street? person competent to see that the State and City required to water. If owner June 1.	osed building?
	retaun comment	
IMSPECTION COPY Signature	of owner Ours Ocary	
Secretary grants	Towner 1228. A.	mements pertaining thereto
•	xiary 1	CL2 0
		1



Location, ownership and detail must be correct, complete and legible. Separate re rapplication required for every building. Plans must be filed with this application. with the law, while it you know the requireme ... or not. This Application and (as glass Bull Ding) Get All Questions Settled (an CLASS BUILDING) Portland, Me., April 29, 1925 BEFORE Commencing Work.

Failure To Do So

FO THE - May Pro INSPECTOR OF BUILDINGS The undersigned hereby applies for a permit to build, according to the following Specifications:-____Fire Limits?_no 8 Bailey Avenue (/62) Ward Address 8 Bailey Ave Location_ Oscar F Dodd Name of owner is?_ owner _Address_ Name of mechanic is?_ _Address___ Name of architect is?_ Proposed occupancy of building (purpose)? hen house If a dwelling or tenenient Louse, for how many families?_____ Are there to be stores in the lower story?_____ Size of lot, No. of feet front?_____; No. of feet deep?____; No. of feet deep?____ Size of building, No. of feet front? 812ft; No. of feet rear? 812ft; No. of feet deep? No. of stories, front? 1 ; rear?____; No. of feet in height from the mean grade of street to the highest part of the roof? 6ft Distance from lot lines, front? ____feet; side? ____feet; side? ____feet: rear?.___ Firestop to be used?___yes____ Will the building be erected on solid or filled land? Will the foundation be laid on earth, rock or piles?_____ If on piles, No. of rows? ______ distance on centers? ______ length of? ______ diameter, bottom of? ______ Size of posts, 4x6 Studding 2x4 16 O. C. Sills 4x8 Roof Rafters 2x6 24 O. C. Girders 6x8 Size of girts 4x4 Size of floor timbers? 1st floor_____, 2d_____, 3d______, 4th_ Will the building be properly braced?_____ Building, how framed?_____ Material of foundation? thickness of? laid with mortar?

Underpinning, material of? pasts height of? thickness of? asphalt

Will the roof be flat, pitch, mansard or hip? pitch Material of rooting? Will the building be heated by steam, furnaces, stoves or grates?_____ Will the flues be lined?____ Will the building conform to the requirements of the law?__yes_____ Means of egress?_ If the building is to be occupied as a Tenement House, give the following particulars What is the height of cellar or basement?____ _____second?____ What will be the clear height of first story?__ State what means of egress is to be provided_ Scuttle and stepladder to roof?___ Estimated Cost, Signature of owner or authorized representative, Address, Received by?. Plans submitted?__



Location, Ownership and detail must be correct, complete and legible. Separate application required for every building.

Plans must be filed with this application.

Application for Permit for Alterations, etc. Porlland, No., Sept 29,1924 .. 19

Description of Present Bldg.	The undersigned applies for a permit to alter the following described building: The undersigned applies for a permit to alter the following described building: Name of Owner or Lessee. Name of Owne
. !	Size of Extension., No. of feet long?; No. of feet wide?; No. of feet high above sidewalk?



OFFICE HOURS 10 TO 12 M.

City of Portland.

OFFICE OF INSPECTOR OF BUILDINGS

T_{0} μ . •	BUILDINGS	
To the Inspector of Buildings of I		
The unique	the City of Portland: ally makes application for a permit to erect enlarge a building of the street, at number. to be feet long.	
Bailed respectfi	ally makes application for a permit to erect enlarge a building of street, at number. to be feet long, eighteen	101
Two & 1 Lve (10.2)	makes application for a popular	1131
feet wide stories high m	ally makes application for a permit to erect enlarge a building of the street, at number. The six feet long, eighteen feet wide, and to be used as a Dwelling of the street.	
feet I selso an addition to 1	feet wide, and to be used as a Dwelling of the wide of Fosts)n
reet long, to he	feet long, pint	
***	feet wide stories high	•
CELLAR WATE	ed of Fosts to be used as a Dwelling inches with	
WALL-To be construct	Dwelling	•
VILLET to	ed of Posts	
UNDERPINNING—To be	u rop.	
sill	Will On Post	Otto and t
EXTERNO.	Height of underpinning from top of cellar wall to be inches to be inches in thickness. ucted of Wood If of Brick, Stone, etc. Total Height of ywalls. If of reinforced concrete states.	on and
TATIERIOR WALLS—To bu	menes to be from top of cellar net	
(t	ucted of war a menes in thickness.	tors of
5th in	ches. Thirt If of Brick Stand	
to be used stor	inches in thickness. ucted of Wood If of Brick, Stone, etc. Total Height of Wolds. If of Brick, Stone, etc. Total Height of Wolds. If of reinforced concrete state mix and reinforcing symples. Girders 6, 5	
If wood count	y walls. If of reinforced concrete state mix and reinforcing sy 6 Girders 6.6 Floor Timbers 2.6 4 The purposes of Dwelling in to be spaced 1.6 on cente state number of families accommodated and multipurposes state characters.	of wall
D. sills to be	concrete state mix and	
Posts 4-6"	6 and reinforcing s	/Stem
This building Girts. 4	Girders 6.6 Floor Timbers 2-8 the purposes of	17.47
tenements, or other to used for	the pure Stude 2-du Floor Timbers 2	· /
reight manufacturing or	state number of Dwerland Dwerland	¥2 (
Number to be carried by the	tile purposes standles accommend	.7.8
m of families on the noc	r.) state character of business and number on apartment	nts, (
Number of families on floor Total number of families.	ousiness and amount of each flo	or,
Manufacturing (Λ·	ted
Estimated 1 State character	.)	
Mercantile business (state characters) If building is used for the	. One	
business (state characteristics)	ft.	
If have a	ter and load per sa c.	
vision of the vi	ther and load per sq. ft.) souse or lamily use and more than one family, the following pro- ding dividing partitions shall be adhered to (Q-tote Lawre, this). tions will have firestops cut in the state of the st	
visions of the Building I am	ouse or lamily	
FID For	ding dividing partitions shall be adhered to (Quote Lawre, this). tions will have firestops cut in tight on top of each partition cap they dis, of same size as wall study. Also wherever	
All bearing	partitions shall be added the following	
and between each and center parti	tions with a state of the Lawrence of the Lawr	•
Built against boltom of Hoor timbe	rs will have firestone out	
STAIDTHAN STAID	ds, of same a boards are much on top of each	
No. in building	as wall stude. At the shall be firestern cap	
with	tions will have firestops cut in tight on top of each partition cap ds, of same size as wall stude. Also wherever the Inspector of	
ROOF-in Walls to be 1-	10cation 1 rection	
to be constructed of Wrong	Rafters to be 2-6 inches to be spaced 24 Cornices to be made of to be covered with to be covered of the covered with to be covered with to be covered with the	
Oinches on	Raftana . lathing.	
Gurters to be made of Ro	Rafters to be 2-6 inches to be spaced 24 Cornices to be made of to be covered with the cove	
Bay windows to be made of Dormer windows to be made of Chimneys, Smoke flues to be lined with Flue an inside collar to go the flue with Flue	Shines to be spaced 24	
Dormer winds made of	Cornices to be	
Chimneys G be made of	to be covered ande of	
Smoke flues to be the	" to be some	
Metimus - 144 to po to it	/. 1/1714 Ac. "" " m	
INCOME. Cost of Building de l'inside of the	te flue	
Estimated Cost of Building \$1000 inside of the Inside of the Inspection—The Inspection	Cornices to be made of to be covered with to be covered with to be covered with to be covered with a 10-inch outside collar and the flue.	
least 24 hours before of Buildings in	the collar and	1
ne Building is Owner the lathing is bear	to be notified when be the	{
he Architect is by the day	n, building is ready for the	
The Building is Owner by the day the Architect is Geo. A Transcription of Building is beguing the Owner is Geo.	to be notified when building is ready for lathing and at	
o Deviation Geo. A. For	Address	
Ruital be made from a	Address	
le above negle:	ation -tu	
petition was granted the	Address Add	
6th	permission from the Income	
The same of the sa	and any of June	,
	Address 411 Cumb. Ave. ation without written permission from the Inspector of day of June 191 4.	
and designation of the second		•
	The state of the s	
20	cant to sign here. Learsh a. Ray	
(App)i	cant to sign hare	
	TROSSE CO	
	27 mg	
•		