930970	
Permit # City of Port! and BUILDING PERMIT APPL	ICATION Fee_320 ZoneMap #Lot#
Please fill out any part which applies to je Prope, plans must accompany form.	50 - MMSP
Owner: Custom Built Home /ME Phone # 892-3149	For Official Use Only
Address: 27 Main St - Windham, ME U4087 LOCATION OF CONSTRUCTION Traintree St. Contractor: Owner Sub.:	
LOCATION OF CONSTRUCTION 45	Bide Cole
Contractor: Owner Y Sub.:	Time Limit Private
Address: Phone #	Time Limit Estimated Cost 60,000
Est. Construction Cost; 60,000 Proposed Use: 1-fam dwlg	Zoning:
Past Use: vacant lot	Zoning: Street Frontage Provided: Provided Setbacks: Front Back 25 / Side Side Side
# of Existing Res. Units # of New Res. Units	Review Required:
Building Diracensions L 40 W 26 Total Sq. Ft.	Zoning Beard Approval: Yes No Date:
# Stories: 2	Veriance Site Plan a Subulvision 1
	Showland Zoning Vos No Floodplaid Yes No 1
Is Proposed Use: Seasonal Condominium Conversion	Special Exception Other (Explain)
Explain Conversion construct 1-fam dwlg	
	Ceiling: 1. Ceiling Joists Size:
Foundation: M M S P	2. Ceiling Strapping Size Spacing
1, Type of Soil:	3. Type Ceilings: Size
3. Footings Size:	4. Insulation Type Size 5. Ceiling Height:
3. Footings Size: 4. Faundation Size:	* -
5. Other	Roof: 1. Truss or Rafter Size
Floor:	2. Sheatning type 3. Roof Covering Type HISTORIC PRESERVATION
1. Sills Size: Sills must be anchored.	Chimneys: HTSTORIC PRESSURE VALUE OF THE PROPERTY OF THE PROPE
2. Girder Size: 3. Lally Column Sparing: Size: 4. Joists Size: Spacing 16" O.C.	Type: The both the bot
4. Joists Size: Spacing 16" O.C.	Chimneys: HISTORIC PRINCE Recasinary. Type: Number polifice Recasinary. Heating: Does not require review. Type of Heat: Requires Review.
4. Joists Size: Spacing 16" O.C. 5. Bridging Type: Size: 6. Floor Sheathing Type: Size:	Electrical: Requires Review.
7. Other Material:	Electrical: Service Entrance Size: No. of Tubs or Showers Service Entrance Size: No. of Tubs or Showers Service Entrance Size: No. of Flushes
	1. Approval of soil test in fedured Approved Approved No
Exterior Walls: 1. Studding Size Spacing	2. No. of Tube or Showers 3. No. of Flushes 4. No. of Layatories Bates Storaghyo
2. No. windows	X //
3. No. Doors Span(s)	5. No. of Cher Fixtures ignature
3. No. Doors 4. Header Sizes Span(s) 5. Bracing: Yes No	Swimming Pools:
6. Corner Posts Size	1. Type: 2. Pool Size: x Square Footage
7. Insulation Type Size Size	2. Pool Size : 8. Mast conform to National Electrical Code and State Law.
5. Bracing: Yes No. 6. Corner Posts Size 7. Insulation Type Size 8. Sheathing Type Size 9. Siding Type Weather Exposure 10. Masonry Materials	T Restricted By Louise E. Chase
11. Metal Materials Interior Walls: 1. Studding Size Spacing	Date Of Applican: Date
Interior Walls: 1. Studding Size Spacing Spacing	Dwane K. Christian
2. Header Sizes Span(s)	CEU's I hstrict
3, Wall Covering Type	CONTINUED TO REVERSE SIDE TTO MA COMMENT
5. Other Materials	COMMITTED TO THE CONTROL OF THE CONT
White - Tay Assessor	Ivory Tag - CEO

Agrange, Antonian

931091

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERLET ISSUED NOV 2 2 1993 1.000

	Portland, Maine, 11/19/93
	To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
	The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
	Location 145 Braintree St Use of Building 1-fam No. Stories New Building Name and address of owner of appliance Custom Built Homes of ME Existing "
	Installer's name and agrees Caron & Waltz 799-2228 Telephone 321 Lincoln St. South Ptld, ME 04106 Grieral Description of Work
	To install forced hot water eating system
	IF HEATER, OR POWER BOILER
	Location of appliance basement Any burnable material in floor surface or beneath? / no
	If so, how protected? Kind of fuel? Kind of fuel? Minimum distance to burnable material, from top of appliance or casing top of furnace 3 ft
,	From top of smoke pipe 2 ft From front of appliance 12 ft From sides or back of appliance 12 ft Size of chimney flue 7 inch Other connections to same flue 10
1	If gas fired, how vented?
	IF OIL BURNER
	Name and type of burner Bekkett Labelled by underwriters' laboratories?
	Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner CONCRETE Size of vent pipe 6 inch
	Location of oil storage basement Number and capacity of tanks one- 2756gln Low water shut off Yes Make MacDonald-Millar No.
	Will all tanks be more than five feet from any flame? Yes. How many tanks enclosed? none
	Total capacity of any existing storage tanks for furnace burners none
	IF COOKING APPLIANCE
	Location of appliance Any burnable material in floor surface or beneath?
	If so, how protected?
	From front of appliance From sides and back From top of smokepipe From top of smokepipe
	Size of chimney flue
	Is hood to be provided? If so, how vented? Forced or gravity?
	If gas fired, how vented? Rated maximum demand per hour
	MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
)
	cost of work: \$2800 Caron & Waltz MS 20005019 master oil burner license
	The state of the s
	Amount of fee enclosed? ** 35.
	· '
APPI	ROVED:
	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
	observed? yes
••••••	
C5 3	Signature of Installer CACUALIZ
INSF	ECTION FILE APPLICANTS ASSESSOR'S COPY PLESTIVINT
	[7 Mg Joiday.



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:	Date 11/17/93 Receipt and Permit number 4229
Maine, the Portland Electrical Ordinance, the National III	allations in accordance with
OWNER'S NAME: Custom Built Homes/ME ADDRESS: OUTLETS:	
OUTLETS:	
Receptacles 40 Switches 25	FEES
Incandescent 10 Flourescent	-03
SERVICES: ft	10 2,00
Overhead Underground X Temporary TOM METERS: (number of) 1 MOTORS: (number of) Fractional 1	DAY
MOTORS: (number of)	TAL amperes 100 ·· 15 00
Fractional	1 00
RESIDENTIAL HEATING:	
Oil or Gas (number of units) Electric (number of rooms) COMMERCIAL OR INDUSTRIAL HEATING.	
Electric (number of units) Electric (number of rooms) COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler)	******
Oil or God there is a second of the control of the	
Electric Under 20 kws Over 20 kws APPLIANCES: (number of) Ranges 1	• • • • • • • • • • • • • • • • • • • •
APPLIANCES: (number of) Over 20 kws	
- Manges	
Cook Tops Water Heaters	
Wall Ovens Disposals	1
Dryers 1 Dishwashers Fans Compactors	1
TOTAL 5 Others (denote)	
Fans 1 Compactors TOTAL 5 1 Others (denote) MISCELLANEOUS: (number of) Branch Panels	
Branch Panels Transformers Air Conditioners Control V	10.00
Lighsiormere	
Separate Units (windows) Signs 20 sq. ft. and under Over 20 sq. ft.	
Signs 20 sq. ft. and under	
Signs 20 sq. ft. and under Over 20 sq. ft. Swimming Pools Above Creent	
Swimming Pools Above Ground In Ground Fire/Burglar Alarms Residential Commercial	
- Table 1	
Fire/Burglar Alarms Residential Commercial Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under over 30 amps	
(butti as welders) 30 amns and under	
Circus, Fairs, etc. over 30 amps Alterations to wires Repairs after fire	
Atterations to winer	
Alterations to wires Repairs after fire Emergency Lights, battery	
Repairs after fire Emergency Lights, battery Emergency Generators	***************************************

FOR ADDITIONAL TOTAL	******************
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT FOR REMOVAL OF A "STOP ORDER" (304-16.b) TOTAL AM	N FEE DUE:
INSPECTION: TOTAL AM	
INSPECTION:	
Will be ready on 11/19 - pm , 19 ; or Will Call	<i>€</i> &
CONTRACTOR'S NAME: Jeffrey S , 19 ; or Will Call	
ANA 1/ Racine Avo. Deal	
MASTER LICENSE NO.: #14229 SIGNATURE OF COM-	TD A CITICO
HM. I & J. APR	TRACTOR:
latal Hart na	***************************************
INSPECT Y 1 WHITE	
OFFICE :ANARY	
CONTRACTOR . JPY - GREEN	Ä
GREEN	¥

200 mg 12 12 12 12 12 12 12 12 12 12 12 12 12	Service called in: 16.30 Am Closing-in 11-19 43 by M3 INSPECTIONS. / / / / / / / / / / / / / / / / / / /	Einal Inspection 11-17-43 Final Inspection 11-17-43 By Inspector Script 2 Permit Application Register Page No. Competer	Permit Number 42.39 Position 145 Dichintrese Owner OSto M. Bullt
DATE:	REMARKS:	<u> </u>	
	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1		
			- 1 - 1 - 2 - 1
			,
	*,/		
		1	
			1:4
			1,
	,		1,
	,		
			· · · · · · · · · · · · · · · · · · ·

OR E. MOVE C. A. SHALL COUNTY ROLL OF

Part of Trains



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

Issued to Russell & Churie Brink

LOCATION 145 Braintree St (Lot #127) 333-H-009

Date of Issue 30 June 1994

This is to certify that the building, premises, or part thereof, at the above location, built — altered - changed as to use under Building Permit No. 930970, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

Single Family Dwelling

Limiting Conditions:

This certificate supersedes certificate issued

CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION 145 Braintree St.

Issued to Custom Built Homes of Maine

This is to certify that the building, premises, or part thereof, at the above location, built - altered — changed as to use under Building Permit No.93/0970, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is rereby approved for occupancy or use, limited or otherwise, as indicated below.

POWTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

entire

one-family dwelling

Limiting Conditions:

The stabilization and landscaping to be completed by 6/1/94.

The stabilization and landscaping to be completed by 6/1/94.

The stabilization and landscaping to be completed by 6/1/94.

This certificate supersedes

Please fill out any part which applies to job. Proper plans must accompany form.	50 - MMSP
Owner: Custom Built Homes/ME Phone # 397-3149	DEDINIT IONIES
Address: 27 Main St - Windham, 4E 04062	For Official Use Only PERMIT ISSUED
tate Graintree St.	Date
Contractor: Owner Sub.:	Inside Fire Limits ot OCT 20 1000
Contractor: OWNER Sub.:	Bldg Code Ownership Public Company
Address;Phone #	Estimated Cost 60,000 CIVOS PORTI AM
Est. Construction Cost: 50,000 Proposed Use: 1-fam dwlg	, ON I BIN
	Street Fr. ntage Provided: Provided Setbacks: Frant Back 25 Side Side
Past Use: vacant lot	Provided Setbacks: Front / Back 5 Side Side
of Existing Res. Units# of New Res. Units	Review Required: Zoning Board Approval: Yes No Date:
Building Dimensions L 40 W 25 Total Sq. Ft.	Planning Roard Anninval: Ve. No. Date:
Stories: 2 # Bedrooms Lot Size:	Conditional Use: Variance Site Plan Subdivision
s Proposed Use: Seasonal Condominium Conversica	Shoreland Zoning Yes No Floodplain Yes No
Explain Canversion Construct 1-fam dwlg	Special Exception Other (Exp
paylian Conversion	
M M C D	Ceiling:
	1. Ceiling Joists Size: 2. Ceiling Strapping Size Spacing
1. Type of Soil: 2. Set Backs - Front Rear Side(s)	3. Type Ceilings:
3. Footings Size: 4. Foundation Size:	4. Insulation Type Size
4. Foundation Size:	5. Ceiling Height:
5. Other	1 Truce or Refter Size Span
Moor:	
1. Sills Size: Sills must be anchored.	3. Roof Covering Type Chimneys:
2. Girder Size: 3. Lally Column Spacing: Size:	Type: Number of Fire Places
2. Girder Size: 3. Lally Column Spacing: 4 Joists Size: Spacing 16" O.C.	Heating:
4 Joists Size: Spacing 16" O.C. 5. Bridging Type: Size: 6. Floor Sheathing Type: Size:	Type of Heat:
6. Floor Sheathing Type: Size: 7. Other Material:	Service Entrance Size Smoke Detector Required Yes No
(, 00,01 20001401	Plumbing:
Exterior Walls:	Plumbing: 1. Approval of soil test if required 2. No. of Tubs or Showers HISTORIC PRESERVATION
1. Studding Size Spacing 2. No. windows	3. No. of Flushes
3. No. Doors	3. No. of Flushes Notin District nor Landmark.
3. No. Doors	5. No. of Other Fixtures Does not require review. Swimming Pools:
5. Bracing: Yes No.	Swimming Pools: 1. Type: Require Review.
6. Corner Posts Size 7. Insulation Type Size	1. Type: Require Review. 2. Pool Size: x ***********************************
8. Sheathing Type ize	3. Must conform to Mational Electronic Codepnosate Law.
9. Siding Type Weather Exposure 10. Masonry Materials	2. Post star pational Electronic Code process to Law. Approved with Conditions.
11. Metal Materials	WITH LETTER DAD
nterior Walls:	
1. St idding Size Spacing 2. Header Sizes Span(s)	The Sware Kalantastian / Since
3. Wall Covering Type	CEO's District
4. Fire Wall if required	
5. Other Materials	CONTINUED TO REVERSE SIDE I MA CONTINUED

The state of the s

	PLOT PLAN	N
100		
	FEES (Breakdown From Front) Base Fee \$ 32 (Peakdown From Front) Base Fee \$ 32 (Peakdown From Front) Subdivision Fee \$ (Peak Subdivision Fee \$ 30 (Peak Su	Date 2 7 9.3
	CERTIFICA ON	
app	ereby certify that I am the owner of recor I of the named property, or that the proposed work is authorized by the owner of record and that I mer to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a pen plication is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas co asonable hour to enforce the provisions of the code(s) applicable to such permit.	mit for work described in this
SIG	HATURE OF APPLICANT ADDRESS PHONE NO	. 8
RES	SPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE NO	



CITY OF PORTLAND Planning and Urban Development Department

MEMORANDUM

TO:

Dave Jordan, Building Inspector

FROM:

Craig R. Carrigan, P.E., Development Review Coordinator

DATE:

December 15, 1993


SUBJECT:

145 Braintree Street

Dave -

I have reviewed the aforementioned site and have no objection to issuance of a Cartificate of accupancy with the following conditions:

- That the site be stabilized and all landscaping be completed by June 1, 1994.
- That grading be completed on site to insure positive drainage away from foundation walls.



Inspection Services Samuel P. Hoffses Chief



Planning and Urban Development Joseph E Gray Jr. Director

CITY OF PORTLAND

October 20, 1993

RE: 145 Braintree St.

Custom Built Homes of Maine 27 Main Street Windham, ME 04062

Dear Sir:

Your application to construct a single family dwelling has been reviewed and a permit is herewith issued subject to the following requirements:

No Certificate of Occupancy can be issued until all requirements of this letter are met.

Site Plan Review Requirements
Inspections Service Approved William Giroux
Public Works Approved with Conditions(attached) C. Carriyan

Building Code Requirements

1. Please read and implement itemns 1, 6, 7, 9, 12, 13, and 14 of the attached building permit report.

If you have any questions regarding these requirements, please do not hesitate to contact this office.

Sincerely,

P. Sal

Chief ... nspection Services

/el

cc: William D. Giroux, Zoning Administrator Craig Carrigan, PE, Develorment Review Coordinator

389 Congress Street · Fordand, Maine 04101 · (207) 874-8704

BUILDING PERMIT REPORT

- 2.) Precaution must be taken to protect concrete from freezing.
- All vartical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
- 4.) Each apartment sha' have access to two(2) separate, remote and approved means of a ress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessable location between the sprinkler and the connection to the domescic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear opening of 5.7 square feet (0.53m). The minimum net clear opening height dimension shall be 24 inches (616 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm)
- 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 101 Chapter 18 & 19.

over

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have wals, partitions, floor, and ceilings separating the garage space from the adjacent interior spaces conprivate garages shall be completely separated from the adjacent interior spaces and the atticated terior spaces and the atticate by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door renings less than 4 inches (102 mm) above the garage floor. The door opening equivalent.
- 9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening. Handrails on stairs shall be no less than 34 inches nor more be less than 30 inches nor more than 38 inches. Handrails within individual dwelling units shall not guards & handrails see Article 8 section 824.0 and 825.0 of the BOCA National Building Code.
 - 10.) Section 25-135 of the Municipal Code for the City of Portland states:
 "No person or utility shall be granted a permit to excavate or open
 any street or sidewalk from the time of November 15 of each year to
 - 11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a cerrification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- Stair construction in Use Group R-3, R-4, is a minimum of 9" tread and 8-1/4" maximum rise.
- 13.) Headroom in habitable spaces is a minimum of 7.6".
- 14.) The minimum headroom in all parts of a stairway shall not be less than 6 feet 8 inches.
 - 15.) All construction and demolition debris must be disposed at the RWS by a lice sed carrier or solid waste at the City's authorized must be furnished to the office of Inspection Services before final certificate or occupancy is issued or demolition permit is granted.

P. Samuel Hoffses Chief of Thispection Services

/e1

11/16/88-11/27/90-8/14/91-9/2/92-10/14/92

CITY OF PORTLAND, MAINE SITE PLAN REVIEW Processing Form

	Applicant Applicant 100
	27 Main St- Windham MF 04060
	Const 1-fam dwlq Proposed Use of Site Address of Proposed Site
	AN 17 AN 2 OF THE 26 LAND
	Toning of December 1997
107270	St. One-Location Review (DFP) Penulred
1	Board of Appeals Action Required: () Yes () No Proposed Number of Figure Planning Board Action Required: () Yes () No Total Floor Area
4	N Othor Calculation
	Other Comments: contact person: Scott ? 892-3149
	Market and the second of the s
	Minor-Minor Site plan review
	BUILDING DEPARTMENT SITE PLAN REVIEW
	(Does not include review of construction plans)
	□ Use does NOT comply with Zoning Out
	☐ Use does NOT comply with Zoning Ordinance ☐ Requires Board of Appeals Action
i i	Requires Planning Board/City Council Action
	Explanation
R	(i) Use complies with Zoning Ordinance — Staff Review Below
	\$ \\ \text{8} \\ \text{9} \\ \
*	AREA AREA AREA AREA AREA AREA AREA AREA
	SMACE & BULK
100	COMPLIES
1	COMPUES
4	COMPLIES CONDITIONALLY DOES NOT
	DOES NOT COMPLY
ļ, '	REASONS SPECIFIED BELOW
Mo	REASONS
	120/92
14	
5)	
1	
J- ;	SIGNATURE OF DISHESSOR
	SIGNATURE OF REVIEWING STAFF/DATE

Plenning - A Joegerman CITY OF PORTLAND, MAINE SITE PLAN REVIEW **Processing Form** Approximate Annual Approximation of the Approximation of the Acreage of Site / Ground Floor Coverage Address of Proposed Site Site Identifier(s) from Assessors Maps Zoning of Proposed Site Site Location Review (DEP) Required: () Yes () No Board of Appeals Action Required: Proposed Number of Floors. () Yes (-) No Total Floor Area_ Planning Board Action Required: (-) Yes - (--) No contact person: Scott? Other Comments:_ Date Dept. Review Due: Minor-Minor Site plan review PUBLIC WORKS DEPARTMENT REVIEW APPROVZD APPROVED CONDITIONALLY CONDITIONS SPECIFIED BELOW DISAPPROVED REASONS: (Attach Separate Shear in incessary) SIGNATURE OF BEVIEWING STAFF DATE PUBLIC WORKS DEPARTMENT COPY

CITY OF PORTLAND, MAINE SITE PLAN REVIEW (ADDENDUM) CONDITIONS OF APPROVAL

APPLICANT! CLESTON BUILT HOMES
ADDRESS: 27 MANU ST - WINDHAM ME 04062
SITE ADDRESS/LOCATION: BRAINTES ST -LOT 127
DATE: 15 OCTORGO 1993
Review by the Development Review Coordinator is for General Conformance with ordinances and standards only and does not relieve the applicant, his contractors or agents from the responsibility to provide a completely finished site, including but not limited to not increasing or concentrating of all surface ranoff onto adjacent or downstream properties issues regarding vehicle sight distance, location of public utilities and foundation elevations.
CONDITIONS CHECKED OFF BELOW ARE IN FORCE FOR YOUR SITE PLAN
All damage to sidewalk, curb, street, or public utilities shall be repaired prior to issuance of a Certificate of Occupancy.
Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
Your new street address is now 145 BRAUTEE , the number must be displayed on the street frontage of your house prior to issuance of a Certificate of Occupancy.
The Development Review Coordinator (874-8300, ext. 8722) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closings with these requirements in mind.
A sewer permit is required for your project. Please notify Paul Niehoff at 874-8300 ext 8838. The Sewer Division of Parks and Public Works (Jackie Wurslin at 797-5302) inspector for your site.
As-built record information for sewer and storm service connections must be submitted to Parks & Public Works Engineering Division (55 Portland St.) and approved prior to issuance of a Certificate of Occupancy.
A street opening permit(s) is required for your site. Please contact Carol Poliskey at 874-8300, ex. 8822. (Only excavators licensed by the City of Portland are eligible).
POSITIVE DELICATED TO BE SET DO MAN
AND BENERY.
cc: P. Nienofs
one 1' samestata