- It was the second and the second se

51-53 NEWTON STREET

it is

1 see .

CITY OF PORTLAND, MAINE BOARD OF APPEALS

SPACE AND BUL! VARIANCE APPEAL

Findings of Fact	
A. Applicant Alan Wolfe	
B. Property Location 51-53 Newton St.	
C. Applicant's Interest in Property:	
() Owner () Tenant () Other	
D. Property Owner <u>rame</u>	
E. Owner's Address 270 Summit St.	
F. Zone (Circle One):	
R-1 R-2 R-3 R-5 R-6 R-4	
R-P B-1 B-2 B-3 A-B	
I-P I-I I-2 Y-2b I-3 I-3b I-4	
RPZ W-1	
G. Site Plan Approval required	
H. Present "se of Property vacant	
I. Section(s) to Which Variance Related 602.24.C	
J. Reasons Why Permit Cannot be Issued Area of lot is about 6000'	rather
than 6500' required (min. size) Width of lot is 60' rather than 65'	
K. Requested Variance Would Permit construction of dwelling	
L. Notice Lent to Adjacent Property Owners	

4

postaleg t

II.	Appea	arances
		Phose Advocating Variance B. Those Opposing Variance ROGER GENDRON LIMEN WARD
	•	
		(Attachments, As Necessary)
III.	Exhi	bits (Any documents, photos, plans, further findings of fact, etc. presented to the Board as part of its records)
IV.	Rea	sons for Decisions - Undue Hardship (The following checklist relates with the Board of Appeals hardship definitions for Space and Bulk variances as contained in Section 602.24C 3.b.(1) (a) through (e)
	Α.	The parcel is exceptional due to physical characteristics or topographic features which amount to more than a mere inconvenience
		$\delta(\lambda')$ Yes/Agreement with statement
	·	() No/Disagreement with statement
		Reasons SMALL COI UNDRASIZED
	в.	If yes, the unique physical conditions: (Check One) Sec. 602.24C 3.b.(1) (b)
		Existed at the time of the enactment of the provision from which a variance is sought; or
		() Were caused by natural forces; or
		() Were the result of governmental action

c.	Pertinent ordinance provision deprives owner of substantial use or enjoyment of property in the manner commonly enjoyed by owners of property subject to the same provisions (Sec. 602.24C 3.b. (1) (c)
	(Yes/Agreement with statement
	() No/Disagreement with statement
	Reasons HUOSES IN ARIEA ON LAME SIZE
	201.
D.	As evidenced by affirmative answers to either IV. A. or IV C. above, the variance will not create a special privilege for the applicant. Sec. 602.24C 3.b. (1) (d)
	(b) Yes/Agreement with statement
	() No/Disagreement with statement
	Reasons SAME AS ABOVE
E.	The variance will not adversely affect neighborhood property in the same zone and will not be detrimental to the general public health and safety Sec.602.24C 3.b. (1) (e)
	(6) Yes/Agreement with statement
	() No/Disagreement with statement
	Reasons
. Spe	cific Relief Granted
Aft fin	er a public hearing held on, the Board of Appeals ds that: (Check One)
(6)	Approval - All of the conditions required by Sec. 602.24C 3.b.(1) exist with respect to this property, as evidenced by affirmative responses to all statements set forth in IV. A. through IV. E above, and that a space and bulk variance be granted in this case.
6	Conditions of Approval (If any) ON Fic NG THE 201
	THE RIGHT SIDE SET BACK BE 16 FEET
	THE HEFT SIDE SET BACK BE 12 FEET

1,50

() <u>Disapproval</u> - All conditions required by Sec.602.24C 3.b. (1) do not exist with respect to this property, as evidenced by <u>one or more</u> negative responses to statements set forth in IV. A. through IV. E. above, and that a space and bulk variance should not be granted in this case.

JI.	Signatures of	Board	
	,	Chie W. Zayac	~ }
	FOR	Chil W. Coff	_Chairman
	·	Mishael & Water	_
		Envere Whaten	_
		Maril & Sether	
•		Jan Ro Roaker	
		Monin Mighter	_
			<u></u>

51-53 Newton St.

Mr. Alan Wolfe 270 Summit St. Portland, Me. 04103 c.c. Roger J. Gendron Gendron Realty 181 State St.

Building permit and certificate of occupancy to const. At a 24°x40° dwelling at the above named location are not issuable under the ordinance for the following reasons.

- The area of the lot is only about 6000 sq. ft. rather than the 6500 sq. ft. minimum required by Sec. 602.4.B.7
- 2. The width of the lot is only about 60 ft. rather than the 65 ft. min. required by Sec. 602.4.8.9 of the Ordinance applying to the N=3 Residence Zone in which this property is located.

We understand that you would like to exercise your appeal rights in this matter. Accordingly, you or your authorized representative should come to this office, Room 317, City Hall, Portland to file the appeal on forms which are available here. A fee of \$25. for a Space and Bulk Appeal shall be paid at this office at the time the appeal is filed. If fee has been paid and appeal filed prior to this letter, then please consider this letter as a matter of formality. Sec. 602.24.C.b.l

Sircem /

Warren J. Turner Woning Specialist

WT:k

CITY OF PORTLAND, MAINE

ZONING BOARD OF APPEALS



GAIL D. ZAYAC Chairperson

ALICHAEL E. WESTORT

JACQUELINE COHEN TIMOTHY E. FLAHERTY EUGENE S. MARTIN THOMAS J. MURPHY MERRILL S. SELTZER

All persons interested either for or against this Space & Bulk Variance Appeal will be heard at a public hearing in Room 209, City Hall, Portland, Maine on Thursday, December 3, 1981 at 3:30 p.m. This notice of required public hearing has been sent to the owners of property directly abutting, and directly across a street or alley from the property as required by Ordinance.

Mr. Alan Wolfe, owner of the property at 51-53 Newton Street under the provisions of Section 602.24.C of the Zoning Ordinance of the City of Portland, Maine hereby respectfully petitions the Board of Appeals to permit the construction of a 24'x40' dwelling at the above ramed location, not issuable under the Zoning Ordinance for the following reasons.

- The area of the lot is only about 6000 sq. ft. rather than the 6500 sq. ft. minimum required by Sec. 602.4.B.7
- The width of the lot is only about 60 ft. rather than the 65 ft. minimum required by Sec. 602.4.B.9 of the Ordinance applying to the R-3 Residence Zone in which this property is located.

LEGAL BASIS OF APPEAL: Such permit may be granted only if the Board of Appeals finds that the conditions imposed by Section 602.24.C(3)(b)(1) of the Zoning Ordinance have been met.

Michael E. Westort Secretary

338-H-2 Alan E. Wolfe - 25 Longwood Terrace 04102

338-H-5 Eileen Ward - 45 Newton St.

338-H-27,28 Edna M Sharp - c/o Leroy E. Applebee - 52 Summit St.

337-C-50 Philip C & Doreen L. Poland -52 Newton St.

337-C-51 Peter O Merril) - 46 Newton St.

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

SPACE AND BULK VARIANCE (OTHER THAN FOR DWELLING UNIT CONVERSIONS)

Alan Wolfe	, oi	wner of proper	cty at51-5	3 Newton St.	
under the provisions of Section 602.24 C of the Zoning Ordinance of the City of Portland, hereby respectfully petitions the Board of Appeals to permit: construction of a 24'x40' dwelling which is not issuable under the Zoning Ordinance				he City	
construction	of a 24'x40' dwellir	ng which is not :	issuable under	the Zoning Ordi	inance
for the follo	wing reasons.	-1 C000 ag - fi	t rather than	the 6500 sq. fi	t.
 The area 	of the lot is only a	about anno sd. r	E. Lauler dimi	TIC 0200 DAT -	
minimum r	equired by Sec. 602. lot is only about 60. .B.9 of the Ordinano	.4.B.7 O ft. rather tha	n the 65 ft. mi	inimum required	by

LEGAL BASIS OF APPEAL: Such permit may be granted only if the Board of Appeals finds that the conditions imposed by Section 602.24 C(3)(b)(1) of the Zoning Ordinance have been met. (See reverse side hereof for said conditions.)

this property is Located.

Site Plan approval (is/is not) required by the Site Plan Ordinance. If Site Plan approval is required, a preliminary or final site plan is attached hereto as Exhibit A.

+ alan halfe

602.24 C(3)(b)(1) Space and Bulk Variances other than for Dwelling Unit Conversions:

- (a) The subject lot or parcel is exceptional as compared to other lots or parcels subject to the same provisior by reason of unique physical condition, including irregularity, narrowness, shallowness, or substandard or marginal size; exceptional topographical features; and other extraordinary physical conditions peculiar to and inherent in the lot or parcel in question, which amount to more than a mere inconvenience to the owner.
- (b) The aforesaid unique physical condition existed at the time of the enactment of the provision from which a variance is sought or were created by natural forces or were the result of governmental action.
- (c) The carrying out of the strict letter of the provision from which a variance is sought would deprive the comer of the lot or parcel in question of substantial use and enjoyment of this property in the manner commonly enjoyed by owners of other lots or parcels subject to the same provision.
- (d) The hardship is not merely the inability of the owner or occupant to enjoy some special privilege or additional right not available to owners or occupants of other lots or parcels subject to the same provision.
- (e) Property in the same zone or neighborhood will not be adversely affected by the granting of the variance and the granting of the variance will not create conditions which would be detrimental to the public health or safety.

51-53 Newton St.

December 4, 1981

Mr. Alan Wolfe 270 Summit St. Portland, Me. 04103 C.C. Roger J. Gendron Gendron Realty Co. 181 State St. Portland, Me. 04102

Dear Mr. Wolfe:

At the December 3rd meeting of the Board of Appeals, the Board voted unanimously to grant approval of your application for a Space and Bulk Variance to allow construction of a single family dwelling 24°x32° in size on the lot at the above named location, having a total area of only 6,000 sq. ft. instead of the minimum required by the Zoning Ordinance for the R-3 Residence Zone (6,500 sq. ft.) subject to the following conditions.

- a. The sixe of the single family dwelling will be 24'x32' instead of 24'x40' originally requested.
- b. The width of the lot is 60' instead of the minimum width of 65' as required by the 20ming Ordinance.
- c. On facing the lot, the right side setback (adjacent to \$45 Newton St.) will be 16 ft. instead of 8° required by the Zoning Ordinance for 1½ story structures, as stipulated by the unanimous vote of the Foard of appeals.
- d. The left side setback will be 12 ft. instead of 8' required by the Zoning Ordinance for 1's story structures, as unanimously voted by the Board of Appeals.

Based on the foregoing conditions, a building permit and certificate of occupancy may now be issued by the Building Inspector for consumution of a single family dwelling in the R-3 Residence Zone on this undersized lot (which is only 6,000 sq. ft. in area).

Sincerely,

Warren J. Turner Zoning Specialist

C.C. Sam Hoffses, Chief Bldg. Insp.

PARTEIN 12/ Board of set Neutra Stut RECEIVED NOV16 1981 DEPT. OF BLDG. IMSP. CITY OF PORTLAND

i.

51 -53 NEWTON ST.

•		
B.O.C.A. USE GROUP	N FOR PERMIT	PERMIT ISSUE
B.O.C.A. TSE GROUP B.O.C.A. TYPE OF CONSTRUCTIO		APR 21 1984
ZONING LOCATION		
ZONING LOCATION F	ORTLAND, MAINE3/22/	4 Parv of honor ass
The undersigned hereby applies for a permit to see	the state of the s	
equipment or change use in accordance on the Laws of Ordinance of the City of Portland with plans and specific	the State of Maine, the Partland D.	the following building, structure,
LOCATION \$2x 51-53 Aceton Street	sections, y any, submitted herewith	and the following specifications:
Owner's name and address		Fire District #1 [], #2 []
ontractor's name and address	At manage: #01 04002.	retephone
Proposed use of building Single family maid	**************	No of sheets
Last use	THE PROPERTY OF THE PARTY OF TH	···· No families
Material No stories Heat		· · · No iamilies .
Other buildings on same lot	or atyle of roof	Roofing
	A	
FIELD INSPECTOR—Mr	· · Base F	20100
@ 775-5451		180*00
Erection of single family residence as a plans	hour on TOTA	• • • • • • • • • • • • • • • • • • • •
Space a Bulk Appeal - side yard surback		r 2 thistoi '
area Aven gold Aven goldsick	St	amp of Special Conditions
		-
Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Size, front depth No stories Material of foundation Thickness	Form notice sent?	ount of roof
Kind of roof Rise per foot	Danfarra CE	Har,,
No. of chimneys Framing I umber - Kind Dressed or full size	of lining , Kind of	at hear
Framing I umber - Kind Dressed or full size Size Girder Columns under girders	Corner posts	Sills
Size Girder Columns under girders Studs (outside walls and carrying partitions) 2x4-16* O C	· · · · · · · · Size · · · · · · · M	ax on centers
Table 1	MINERIE III CACLA HOOL BUG LUI FUI	of engr cares O face
	2nd 3rd 2nd 3rd	
Max num span. 1st floor	2nd 3rd	roof
If e - ery building with masonry walls, thickness of walls	?	height?
No cars now accommodated on same lot , to be accomm Will automobile repairing be done other than minor repair.	iodated homber commercial c	ars to be accommodated
APPROVAIS OV	to cars habitually stored in the pro	prosed building?
BUILDING INSPECTIONPLAN EXAMINER	MISCELLA	NEOUS
LUNING	Will work require disturbing of an	y tree on a public street?
BUILDING CODE	Will there or in charge of the auc	We work a nemen -
Fire Dep:	to see that the State and City req	uirements person conspetent
Health Dept. Gthers.	are observed?	- L-manning mereta
Brown	la inc.	
Signature of Applicant /	spend Collins	Phone #
Type Name of above NOTH:	3021 NOT 1711	· · · · 10 20 30 40
1	Other	
₩	and Address	

FIELD IMSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE CUPY

and Address

PLUMBING APPLICATION Department of Human Services Division of Heath Engineering (207) 288-3828 Subdivision Lot a ENS NAME AND PLAN THE PROPERTY OF **PORTLAND** PERMIT # TOWN COPY Raffing Address of mer/Appfcant Owner/Applicant Statement Ceution: inspection Required extended is correct to the best of my it any labelication is reason for the Local e inspected the installation authorized above and found it in he in tince with the Marie Physiotry III de-MAY 30 1984 Date Approved INFORMATION SOME STREET, STREE This Application is for Type Of Structure To Be Served: Plumbing To Be installed By: 1. ET NEW PLUMBING 1 DENGLE PANELY DWELLING 1 CHRASTERPLUMBER 2. [] RELOCATED 2 OLBURNERMAN 2. [] MODULARORMOBILEHOME APR 18 1984 3. MFGTD. HOUSING DEALERANECHANIC S. MULTIPLE FAMILY DWZLLING 4. | PUBLICUTILITY EMPLOYEE MAY 17 1984 4. [] OTHER - SPECIFY: & PROPERTY OWNER LICENSE # [] . J. G. X. S Catus...2 Hook-Upe And Piping Relocation Humber Type of Fixture Nutrine Type Of Fixture HOOK-UP: to public senser in Hosebibb / Sillcock Bathtub (and Shower) where the connection to negulated and inspecied by the local Sentary District. Floor Drain Shower (Separate) Urinal Slok HOOK-UP: to an existing subsurface Drinking Fountain Wesh Basin water disposal system. Indirect Waste Water Closet (Tollet) Water Treatment Schoner, Filter, etc. Clothes Washer PIPING RELOCATION: of sanitary Grease/Oil Separator Dish Washer is, drains, and piping without Court State areas Dental Cuspirior Garbage Disposal **Bidet** Laundry Tub Hook-Ups (Subtotal) Water Heater Hook-Up Fee Fixtures (Subtotal) Pixtures (Bubectal) Column 2 Pirtures (Robietal)
Column 2 K SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE Pagé Laf i ME - 211 Rev. 463 **TOWN COPY**

Appeal oustained 4.17

CITY OF PORTLAND, MAINE

ZONING BOARD OF APPEALS



EUGENE S. MARTIN

MERRILL S. SELTZER Secretary

JACQUELINE COHEN TIMOTHY E FLAHERTY THOMAS J. MURPHY PAULETTE P. PARKER MICHAEL E. WESTON

RE: 51-53 Newton Street

April 13, 1984'

Mr. Normand Collin Collin Bros., Inc. 52 Mountain Road RR #4 Biddeford, ME 04005

Dear Mr. Collin:

As you know, the Board of Appeals voted unanimously on April 12th to grant your space and bulk variances for the lot at 51-53 Newton Street.

The subject lot is 60 feet in width instead of the 65 feet required in the R-3 Residence Zone; and the lot is only 6,000 sq. Teet in area instead of the 6,300 sq. feet required for the I in mum sized lot by Section 14-88(8) of the Zoning Ordinance.

A building permit can now be issued for the 20 ft. by 30 ft. single family dwelling which you plan to build on the subject parcel.

Sincerely,

Warren Liner

Warren J. Turner Zoning Specialist

WJT/kat

CC: Joseph E. Gray, Jr., Director, Planning/Urban Development Alexander Jaegerman, Chief Planner P. Samuel Hoffses, Chief of Inspection Services Fred Lucci, Assessor



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Date Sept 26, 1989 Receipt and Permit number 00 To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF-WORK: 51 Sewton Street

OWNER'S NAME: Charles Cain ADDRESS: same OWNER'S NAMÉ:_ FEES OUTLETS: Receptacles 5 Switches 4 Plugmold ft TOTAL 9 3.00 FIXTURES: (number of) Flourescent ____ (not strip) TOTAL _3 ____ ft Incandescent _3 Strip Flourescent ___ SERVICES: _____ Underground ______ Temporary _____ TOTAL amperes ____ ... Overhead _ METERS: (number of) __ MOTORS: (number of) Fractional ____ 1 HP or over_ RESIDENTIAL HEATING: Oil or Gas (number of units) _____.... Electric (number of rooms) ____......
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler)_____.... Oil or Gas (by separate units) _____ Over 20 kws _____ Over 20 kws _____ APPLIANCES: (number of) Water Heaters Ranges Disposals Cook Tops Dishwashers Wall Ovens Compactors Dryers Others (denote) Fans MISCELLANEOUS: (number of) Branch Panels _____ Transformers _______ Air Conditioners Central Unit ______ Separate Units (windows) ______
Signs 20 sq. ft. and under ____ Over 20 sq. ft. ___ Swimm'ag Pools Above Ground _______ Fire/Burglar Alarm Residential _____ Commercial _____ Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____.... over 30 amps _____.... Circus, Fairs, etc.

INSPECTION:

Will be ready on Oct 2 PM , 19 ; or Will Call

CONTRACTOR'S NAME: Charles Cain

ALDRESS: 51 Newton Street

TEL: 797-4361

MASTER LICENSE NO.: SIGNATURE OF CONTRACTOR:
LIMITED LICENSE NO.:

Repairs after fire _______
Emergency Lights, battery ______
Emergency Generators ______

Alterations to wires

INSPECTOR'S COPY - WHITE

INSTALLATION FEE DUE:

6.00

OFFICE COPY -- CANARY

CONTRACTOR'S COPY --- GREEN

PROGRESS INS	Service called in	by		Permit Number Of The Continue of Permit Application Register Page No.
DATE:	REMARKS:			1./1 1 1 1 1 1/2
				· <u>V</u>
				88
•		···		
				% , ((X)
		··· <u> </u>	·	1
		<u> </u>		
				.44

CODE COMPLIANCE COMPLETED

. 1012 - Galawyc 1014 Military yd ddyllf

> T 14.5% T 14.5%

	The state of the s
	N TO SE
LOT PLAN	·
	The second secon
· · · · · · · · · · · · · · · · · · ·	
, ;	1.0
	3 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
	Inspection Record Date
	Type Date
. IEES (Breakdown From Front)	1 1 1 4 4 4
Base Fee \$ 25.00 Subdivision Fee \$ Site Plan Review Fee \$	
Other rees \$	
(Explain)	2 11363
· · · · · · · · · · · · · · · · · · ·	at to to be found not band
COMMENTS F-11-59. The work well + 7	the Chapter.
G-22-69 Frotten. Kan liver built it	1 12.19. Fg That is all tomples!
9-7-79 Thanks to partialle Corylete	
11	# C 3
	fund in
	ac.
0.	I for mone Dato 8/4/89
Signature of Applicant Mounts Kee has and	Company of the state of the sta
and the same of th	The second se
HERE THE THE PROPERTY OF THE PARTY OF THE PA	

ú

BUILDING PERMIT REPORT

ADDRESS: 5/ NIWTON ST.	DATE: 8/1944/8-9
REASON FOR PERMIT: TO CONSTRET A	16 × 16 1 Achtion
· · · · · · · · · · · · · · · · · · ·	
BUILDING WINER: Charles Cara	
CONTRACTOR: BucherT's Carpen	7-,
PERMIT APPLICANT: .! (

DENLED:

CONDITION OF APPROVAL OR DENIAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
 - 2.) Precaution must be taken to protect concrete from freezing.
 - 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
 - 4.) Each apartment shall have access to two(2) separate, renote and approved means of egress. A single exit is acceptable when it exits: directly from the apartment to the building exterior with no communications to other apartment units.
 - 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by placing over the boiler, two(2) residential sprinkler heads supplied from the domestic water.
- A 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-i shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
 - 7.) In addition to any automatic fire alarm system required by Sections 1018.3.5, a minimum of one single station smoke detector shall be installed in each guest room, suite of sleeping area in buildings of Use Groups R-l and I-l and in dwelling units in the immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1).

In buildings of Use Groups R-1 and R-2 which have basements, an additional smoke detector shall be installed in the basement. In story of the dwelling unit, including basements.

In dwelling units with split levels, a smoke detector installed on the specific specific specific for the adjacent lower level provided the there is an intervening door between the adjacent level. If detector shall be installed on both levels.

All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces private garages shall be completely separated from the adjacent interior spaces and the attic area by means of /2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be door opening protectives shall be 1 3/4-inch solid core wood doors or
- 9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such opening.
- 10.) Section 25-135 of the Municipal Code for the City of Portland states:
 "No person or utility shall be granted a permit to excavate or open any street or sider from the time of November 15 of each year to
- II.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Submit the certification to the Division of Inspection Services.

P. Samuel Horises Chief of Inspection Services

/e1 11/_{16/88}

The state of the s

ERMIT # CITY OF Portland BUILDING case fill out any part which applies to job Proper plans must accompany form.	FOR Official Use	LOT#
		Burision: Yes / No
	- Usia	Name
dress: 51 Newton St., Portland	Inside Fire Limits	Lot 3/
CATION OF CONSTRUCTION 51 Newton 5t.	Time Limit Pero Pero Own	ili Expiration: 3 300 63 92
NTRACTOR: Reichert"s Carpent SUBCONTRACTORS 773-9806	ValueStructurg	ershipt Public Private
DRESS: 52 Carlyle Rd, Portland	Fee_\$25	
Construction Cost: \$1,000 Type of Use: single family	Cellings	
	1. Ceiling Joints Size. 2. Ceiling Strapping Size	
· J88:	3. Type Ceilings:	8
lding Dimensions LWSq Ft # StoriesLot Size	4 Idsulation Lypo	· Shirt ISSUED
roposed Use: Scasona Condominium Apartment	Roof	
Conversion - Explain to construct 16'x16' addition. 1 comp	lete set 1 Trussor Rafter Size	SpanAUG 8 1989
MPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE Of plans su	bmitted. 2 Sheathing Type	Size
idential dobatigs Only:	4. Other	Of Portland
Dwelling Units # Of New Dwelling Units	Chimnoys: Type: Number of Eire	
ndation:	Heating	
1. Type of Soil- 2 Set Backs - Front Rear Side(s)	Type of Heat:	
2 Set Backs - Front Rear Side(s)	Electrical: Service Entrance Size: Smoks	Datastan Remained Vos. No.
3 Feetings Gue: 4. Foundation Size:	Plumbing:	December 101 101 100
5 Other	1 Approval of soft test if required	Yes No
	2. No. of Tubs or Showers 3 No of Flushes	
1 Sills Size: Sills must be anchored.	4 No of Levatorics 5 No of Other Vixtures	
3 Lally Column Spacing: Size	5 No of Other Vixtures Swimming Pools:	
1 Sills Size: Sills must be anchored. 2 Girder Size: Size 3 Lally Column Spacing: Size 4 Joists Size: Spacing 16 O C 5 Bridging Type: Size 6 Floor Sheathing Type. Size.	1. Type	
5 Bridging Type: Size	1. Type. 2. Pool Size: 3. Must conform to National Electrical Code a	Square rootage
7 Other Material	3. Must mainth to National Electrical Code a Zoning:	nd State Law.
· · · · · · · · · · · · · · · · · · ·	DistrictStreet Frontage Req : Required Setbacks: Front Back	Provided
nrior Wells: 1. Studenng Stre Speng	Required Setbacks: Front Back _ Review Required:	
2 No windowe	7-1-27-14-15-1-15-1-15-1-15-1-15-1-15-1-15-1-	Dele:
3 No. Doors 4 Hoader Sizes Span(s) 5. Bracing: Yes No. Span(s) 6 Corner Posts Size	Planning Board Approval: Yes No	Delet
5 Bracing: Vos No	Conditional Use: Variance Shore and Floodplain Mgmt Special Other Explain	_ Site PlanSubdivision
6 Corner Posts Size 7. Insulation Type Size 8. Sheathing Type Size	Other (Explain)	Exception
7. Insulation TypeSize	Date Approved	<u> </u>
Sheathing Type Size Weather Exposure	-	* <i>F</i>
IV DIASONY MINISIS	Permit Received By Nancy XX Grossman	
11. Metai Materiali	11 6.) //	. di la
1. Studding Sizo Spacing	Signature of Applicant Jacque Signature of CEO	Date <u>8/4/89</u>
2. Header Sizes Span(s)	Signature of CEO	D-4
3. Wall Covering Type		Dats
4. Fire Wall if required. 5. Other Materials.	Inspection Dates	
	llow-GPCOG White Tag -CEO	

のでは、一般のないでは、これのでは、

Parmit #	City of	Portland	RITI DING DEPMIT ADDITION For \$30,00 Zone	Mon #	1
	`	-	•	ı	

ž.

Permit # City of Portla Please fill out any part which applies to job			Map #	Lot#
OwnerCharles Cain				
Address: 51 Newton St. Port1		ror	Official Use Only	
OCATION OF CONSTRUCTION		Date Ounce Joy 1995	 .	
ontructor Self		Bldg Code	Ownership	Public
ddress:		I Tuna Limit		
Set. Construction Cost \$ 1500 - 00	Proposed Use single house	with todaying 10 3		
DE COMMITTE DESIGNATION OF THE PROPERTY OF THE	Post ties single house	with tooloning: \$\frac{3}{\text{Street Frontage Provided.}}\$ Provided Setbacks. Front.		
of Existing Res. Units # of New	Res. Units	Raview Recuired		
Building Dimensions LW		Zoning Board Approval: Yes	NoDoc	
Stories: # Bedrooms	Lot Size:	Conditional Use	Vanance	Subdivision
s Proposed Use. Seasonal Condom		Shoreland Zoning Yes	No Floodplain 1.	No
Explain Conversion to construct too		Other(Explain)		
separation —			No Floodplain \	TOTODIC DESCRIPTION
oundations		remrß:		
		2. Ceiling Strapping Size_	Spacing	Does not require serie
1. Type of Soil: 2. Set Backs - Front	RearSide(s)	3 Type Ceilings.	Size Size	a Requires Reylew.
3. Footings Size.	 	5. Ceiling Height:	Size	***********
3. Pootings Size. 4. Foundation Size: 5. Other	1()	'''''		
		1 Truss of Rafter Size 2 Shearling Type 5 Roof Covering Type Chimneys:		APPROVAL THE
Toor: 1 Sills Size:	Sills must be anchored.	J Roof Covering Type	Date Date	1/1/1/1
1. Stills Size: 2. Girder Size: 3. Lally Column Spacing: 4. Joists Size:	oms most be ancipied	Chimneys:	Sig	natural A AFRIA.
S. Lally Column Spacing:	Size:	Heating:	Number of Fire Places	1 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4. Joists Size: 5. Bridging Type:	Spacing 16" O.C.	Type of Heat:		
6 Floor Shouthing Type:	Size:	Flatrical		-/
6. Floor Shouthing Type: 7. Other Material:	0 1 1 M	Service Entrance Size	Smoke Detector R	equired YesNo
у.—		Plumbing:	uniani Van	N.
Exterior Walle: 1. Studding Sizo	0-11/10	2. No. of Tube or Showers	quired Yas	10
2. No. windows	Spaulig	3. No of Flushes		
3 Na Doors	<i>'</i>	4. No. of Lavatories		
4. Header Sizes	Span(s)	5. No. of Other Fuxtures		
5. Bracing: Yes	No. Span(s)	Swimming Pools:		
6. Corner Posts Sizo		1. Type:		0
7. Insulation Type	gize	Z Pool Size	x Square I I Electrical Code and State L	r ocrage
8. Sheathing Typo	Size Wash as Parasis	o Must contour to Nationa	i Piccuscat com sua State P	¢.₩
8. Sheathing Type 9. Siding Type 10. Masonry Materials	weather exposure	Permit Received By Latin	.	
11. Metal Materials	· · · · · · · · · · · · · · · · · · ·		7777	
nterior wells:		Signature of Applicant Cha - 1	als (a)	-Date 6/30/93
1. Studding Size	Spacing	Cha-1	es Cain	
2 Header Sizes	Spacing Span(s)	Signature of CEO		Date
2 Vall Consider Time		Orginature of Oc.		
4 Fire Wall if required				
5. Other Materials		Inspection Daw		



Inspection Services Samuel P. Hoftses Chief

Planning and Urban Development Joseph E. Gray Jr. Director

CITY OF PORTLAND

July 7, 1993

RE: 51 Newton St.

Mr. Charles Cain 51 Newton St. Portland, Maine 04103

Dear Mr. Cain:

This letter is in reference to your application to construct a tool shed at 51 Newton Street in Portland. The setback requirements for this structure are 8° on the side, 25° rear, and 25° front. It is necessary that you submit an ammended plan indicating that these setbacks will be met. Please call if there are any questions.

Sincerely,

William D. Giroux Zening Administrator

/el

cc: P. Samuel Hoffses, Chief of Inspection Services Kevin Carroll, Code Enforcement Officer