161-169 BROADWAY ST.

440/m		A CONTRACTOR	A STATE OF THE STA	A STREET, ST	2822		
ATH Awer has Hospitals		が変数の					
Expectine 3:							
					7.00 X 37	不多	
Yandidan //	第2000					T.	
Spr.—Automatic Spr. p. Lers etc.		A STATE OF THE PARTY OF THE PAR				変を変	
*** (i) — Expression and American	が変数を						
KD—Kei üleriilion	於						
The lower appliance of							
in Infilingammable liquids							
HAT HOL WARE REALIST THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO SERVICE AND A		はないので					
The Heating appliance							
CL—Cooling appliance							
Type of Installatin: Permit 4.	多数的多数						
H—Repair roof covering the							
His—Repair after fire 2.22				2000			
Mf—Repair after fire							
N—New Bldg for Structure							
M—Moving	がある。						
Cu—Change of use							
A—Alteration							
Type of Work Under Permit	が記述を						
Learning (2		22.00		
L'inquir's at the state of the					が、東京	なる。	
Da C W Applications	では、一般など						
C-Complaint : L					が記述	が変	
Ap—Appeal	がを	生物の変化			が開発		
	が変						
A STABOLS TO SECTION AND A STABOLS TO SECTION ASSESSMENT OF THE SECTIO	DOC NO. THE		TATION LATER	and:	NO SE DATE	MO. 35	
DULE/	SCHEDU	POSTING SCHE	POS				
		A CONTRACTOR OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN					
		Ų.			ION	LOCATION	
DEBOLION	BUILDING II	Z Ç	3	UEPA BAHU			
LANU	TO REL		K	0 1 1			
		1				X	
A STATE OF THE PROPERTY OF THE PARTY OF THE			THE PERSON NAMED IN	THE PERSON NAMED IN	THE REAL PROPERTY.	100 July 100	

-		Addre	lation Fo	-171 Broadway Fingle family	P£RMI'	NUMBER	<u>45</u>
Date Issued		Owne	r of Bldg	ringle tamily	gwerr rud-		
		Owne	rs Addu				
Portland	Plumbing Inspector	Plumi	oer	- A-CHIII)	Do	alea	
By ERNC	LE R GOODWAY	NEW	PEP L		·	NOADELL	itte i
	pp. First busp.	·	$\overline{}$	SINKS		4 1	
		7		LAVATOMPR 27 10	79 ander 34		PizeU
Date	(11911)	7		TOILETS	1	2	2.0
By	111111111111111111111111111111111111111	γ <u> </u>		BATH TUBS			4.0
7.	OF IT! IT!			SHOWERS	V 30 4070		2.0
	<u> </u>		Τ.	PRAINS FLOUR	78 SUS76	E -	2.0
Date E	RNOLD R. GOODWIN			HOT WATER TANKS			
Ву	CHIEF PLUMBING INSPEC OR			TANKLESS WATER H			·
•	Type of Bldg.			GARBAGE DISPOSAL			
	•-			SEPTIC TANKS	<u>JU</u> i	22 1971	
_	ommercial		<u> </u>	HOUSE SEWERS		20 (3)	<u> </u>
	esidential		<u> </u>	ROOF LEADERS			
	ingle		<u> </u>	AUTOMATIC WASHE			
	lulti Family		<u> </u>	DISHV'ASHERS	AUG Z	1976	
	ew Construction	·	<u> </u>	OTHER			
□ R	emodeling	- !	 	BASE PEP			3.0
		-			1 10	TAL	15.0

1 38

S. Carlotte



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Date July 20, 1976 19 Receipt and Permit number A 1774

To the CHIEF ELECTRICAL INSPECTOR, Portland The undersigned hereby applies for a permit to n the Portland Electrical Ordinance, the National Electric	nake electrical installations in accordance with the laws of Maine.
	y-St.
OWNER'S NAME: Ben Nappi	ADDRESS:
OUTLETS: (number of) Lights 12	• t
Receptacles 40	, '₄fĕesî
Switches (number of feet)	-···•
	<u>5.00</u>
FIXTURES: (number of)	
Incandescent	
Fluorescent (Do not include stri	
SERVICES:	
Permanent, total amperes 200	3.00
METERS: (number of) 1	. 50
MOTORS: (number of)	· · · · · · · · · · · · · · · · · · ·
1 HP or over	
RESIDENTIAL HEATING:	
Oil or Gas (number of unit, Electric (number of rooms)	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler)	
Electric (total number of kws)	
APPLIANCES: (number of)	
Ranges	Water Heaters
Cook Tups	Disposals 1
Wall Ovens Dryers	Dishwashers
Fans 1	Compactors Others (denote)
TOTAL	7.50
MISCELLANEOUS: (number of)	
41.45 113	
Fire/Burglar Alarms	***************************************
Circus, Fairs, etc.	***** ******* * * * * * * * * * * * * *

Emergency Lights, battery	***************************************
Emergency Generators	INCTALL ATION TO DAMP.
FO. DITIONAL WORK NOT ON ORIGINAL P	INSTALLATION FEE DUE:
FO. DDITIONAL WORK NOT ON ORIGINAL P FOR REMOVAL OF A "STOP ORDER" (304-16.b)	EKMIT DOUBLE FEE DUE:
FOR PERFORMING WORK WITHOUT A PERMIT	TOTAL AMOUNT DUE: 16.00
INSPECTION:	- Committee Comm
Will be ready on, 19; or '	Will Call _xx
CONTRACTOR'S NAME:Pavid-DeConter	
ADDRESS: —Werth-Windahu—	
TFL;	
MASTER LICENSE NO: 1689	SIGNATURE OF CONTRACTOR ()
LIMITED LICENSE NO.:	-turch -theolin

INSPECTOR'S COPY

	Date Issued	Owner of Bidg Sangle family dwelling	T NUMBER 4495
	Portland Plumbing Inspector	Owner's Address. 173 Broadway	alek
	By ERNOLD R. GOODWIN	NEW REPL	aleMarch 26, 19
•	App. First Insp.	SINKS BLOWNING	
- th-	App. First Insp. Date By	LAVATORIES MAR 29 1976	
pa ^r no.	Date No State	IOILEIS	
971	Date By Grant By	BATH TUBS	
,	Alan, Final Trism.	SHOWERS	
* 	S. S. S.	DRAINS FLOOR SURFAC	E
	Date No.	HOT WATER TANKS	
ž	By of st	TANKLESS WATER HEATERS	
1 to 1	Type of Bidg.	GARBAGE DISPOSALS	3
٠.	[7] Commercial	SEPTIC TANKS	
Table 1	Residential	HÖUSE SEWERS	2 00
42.7	☐ Single	POOF LEADERS	7 47.100
1	☐ Multi Femily	AUTOMATIC WASHERS	
	☐ New Construction	DISHWASHERS	
	☐ Remodeling	OTHER	
i de	Li	BASE FEE	3.00
		l TO	TAL \$5.00



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION 169 Broadway

Issued to Ben J. Nappi

Date of Issue Oct. 21, 1976

Chis is in certify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 76-18B, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire Limiting Conditions:

Single family dwelling with 2 car garage

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

Notice: This certificate identifies lawful use of building or premises, and ought to be tra-owner to owner when property changes hands. Copy will be furnished to owner or lessee

March 25, 1976

161 - 169 Broadway St.

Mr. Ben J. Nappi 173 Broadway Portland, Maine

Dear Mr. Nappi:

A permit to construct dwelling with an attached two car garage 30' x 67' as per plans is being issued herewith to the following building code requirements.

If the stairs from the garage leading to the basement are still to be constructed, it is necessary that a 6 inch curb be provided around the stairwell opening.

If the above area is to be enclosed, it is necessary that you provide an 1-3/4 solid wood core fire door in the opening between the garage and the inner bulkhead.

It is the understanding of this office that your are not going to construct a deck as shown on the plans but are mercly going will do to put in a set of steps which will lead to a stone patio below. (If this is not correct, please contact this office and let us know what other alternative you may have in mind.)

Before construction is started, please provide this office with a signed statement of design for the steel girder that you plan to use instead of the 6 x 12 laminated girder as shown on the plans.

used 4 bean - see
Amendment's Cold, Very truly yours,

Earle S. Smith Plan Examiner

ESS:k



APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. . QNE

Portland, Misine, March 30, 1976

HERMIT	ISSUED
--------	--------

MAR 31 1975

ITY of PORTLAN.

To the IMCDECTOR OF THE		1	IN A OF P PRITERIOR
To the INSPECTOR OF BUILDIN	GS, portland, maine		
in the original application in accordant the City of Portland, plans and specific	r amendment to Permit No ce with the Laws of the s cations, if any, submitted	o. 76/0188 Fertaining to the build State of Maine, the Building Cod herewith, and the following speci	ling or structure comprised c and Zoning Ordinance of
Owner's name and address Ben J.	,	Within Fire Limits? Broadway	Dist. No. Telephone 797-6209
Lessee's name and address		_	•
Contractor's name and address	wner	•	Telephone
Ambitan	Muret		Telephone
Proposed use of building dwelling	•	Plans filed	No. of sheets
Last use			No. families
	•		No. families
Increased cost of work 12,000	• •	hbA	tional fee 48.00
	Description of Pro	posed Work	
	Increased cost Changing column one post	fo work as under girder from	3 to

Details of New Work

Ta		rests Of MGM	77 OIK			
Is any plumbing involved in this work?			s any electrical work involved in this work?			
Height average grade to top o	f plate	. Height ave	rage grade to high	or ed in this work?		
Size, front depth	No. stor		rage grade to nign r filled land?	earth or rock?	••	
Material of foundation .		Thickness, top	bottom	cellar	***	
Material of underpinning .		Height	oottom	Thickness		
Kind of roof	Rise per foot	Roof co	vering	410441633	•	
No. of chimneys	Material of chimne	ys		of that i		
Framing lumber-Kind	••	-	6.01 .1 .5	of lining		
C.,			or full size?			
	- 411	t or ledger board?		Size		
Girders Size	Columns u	nder girders	Size	Max. on centers		
Stude (outside walls and carry	ying partitions) 2x4	-16" O. C. Bridging	in every floor and	d flat roof span one 0 feet		
Toists and rafters:	1st floor	, 2nd	, 3rd			
On centers:	1st floor	, 2nd		, roof .		
Maximum span:	1st floor		, 3rd	roof		
A		, 2nd	, 3rd	, roof		
Approved.	3/30/76	. Sign	ature of Owner	Ben J. Nappi Db		
INSPECTION COPY	•	Appr	roved:	Inspector of Buildi	ings	

Σ.

These plans (sheets) and the specifications accompanying the same, covering construction work on one wiz 40 Step Bern For Residential Flack Load, Blog. 42'x30', beam maximum span of 21' For BI. Nappt AT 173 Browning Portland, 717-620

have been designed and drawn up by the undersigned according to the latest rules of engineering practice and to comply with the allowable working stresses floor loads, etc. in accordance with Sec. 113.7 & 702.1 of the lamendments to the Portland B.O.C.A. Building

(Signature) Al Configue

BY: BANCENT & MARIEN, TWO

This statement is to be signed by the individual qualified and responsible for the design, and he should indicate in the blank provided the particular work to which the statement applies.

<u>Section 113.7</u> (ENGINEERING DETAILS) is amended by adding at the end thereof the following new sentence:

"Where structural analysis is required, a certificate of design shall be afforded the Director of Building Inspections and it shall be signed by the person qualified for such design."

Section 702.1 (STRUCTURAL ANALYSIS) is amended by adding at the end thereof the following new sentence:

"All structural design computations and all stress diagrams for trusses shall be filed with the Inspector, if he deems it necessary, upon application for a building permit."

APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF_CONSTRUCTION

MAR 26 1976 0188 CTTY of PORTLAN

ZONING LOCATION A PORTLAND, MAINE, March . 24, . 1976 CITY of PORTLAND To the DIRECTOR OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifica-I. Owner's name and address .. Ben .J. .. Nappi... 173. Broadway...... Telephone .797-6209. 2. Lessee's name and adddress Telephone Telephone 4. Architect No. of sheets Material No. stories Heat Style of roof Roofing Other buildings on same lot Estimated contractural cost \$.12,000 Fee \$...48..00..... FIELD INSPECTOR—Mr. GENERAL DESCRIPTION To construct dwelling with attached two This application is for: @ 775-5451 car garage 30'x67' as per plans Dwelling Ext. 234 Garage Masonry Blig PERMIT ISSUED Stamp of Special Conditions Alterations WITH LETTER Demolitions Change of TJse Other NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals. PERMIT IS TO BE ISSUED TO 1 XX 2 3 3 4 Other: ... DETAILS OF NEW WORK Is any plumbing involved in this work? . yes...... Is any electrical work involved in this work? . . yes...... Is connection to be made to public sewer? ... yes If not, what is proposed for sewage? Has septic tank notice been sent? Form notice sent? Material of foundation . concrete...... Thickness, top .10. bottom cellar Kind of roof pitch...... Rise per foot .5/12.... Roof covering . Asphalt.shingle..... No. of chimneys Material of chimneys of lining Kind of heat FHW fuel Framing Lumber—Kind spruce. Dressed or full size?.. dressed Corner posts 4x64..... Sills. box.2x6. Size Girder42.6x12. ... Columns under girders ... Size .42.ft. ofmaten lenters Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor ... 2x8......, 2nd, 3rd, roof On centers: Maximum span: IF A GARAGE No. cars now accommodated on same lot, to be accommodated ... number commercial cars to be accommodated ... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? **MISCELLANEOUS** APPROVALS BY: DATE BUILDING INSPECTION—PLAN EXAMINER ZONING: OK M4CO: 3/24/16 Will work require disturbing of any tree on a public street? . . BUILDING CODE Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto Fire Dept.: arc observed? .yes ... Signature of Applicant Confidence Angres Comments of Applicant Confidence Angres Comments of the Comments of t

FIELD INSPECTOR'S COPY

and Address

Type Name of above Ben J. Nappi 1 2 3 4 1

White a give NOTES Approved 67x 30' dws 201 mg ٠. ::122