

R3 RESIDENCE ZONF

PERMIT 1880 100 no. huc

APPLICATION FOR PERMIT

Class of Building or Type of Structure June 28, 1971 CITY of DURITARIO

BUILDINGS, FORTLAND, MAINE

'eby applies for a permit to erect alter repair demolish install the following building structure equipment

so of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

TATIS	DINGS, I	mact alter	epan and Zoning	,014	are Nous	
··	OR OF BUILDING	permit to ercon	g Code and	,	L)ISL. 1,79	7-6180
INSPECT	Lereby applies Jor a	Maine, the Ditte	ifications:	Fire I imits!	Tolophone	
o the manders	igned hereof the State of	the following spec	Within	[[[[]	I Gichard	*********
The tenouith	the Laws of herewith ar	and	***************************************	anti 1968 - 7 174 494 494 494 494 494 494 494 494 494 4	Telephone	
in accordance with	ny submitted acreet	POL CTO	on		m-lanhone	
-becifications, 1)	arthur Strong	John A.	11144444	Auburn	Jelebue	ets "
Specon 3.	Mrs.		Co. I	UC •)	No. 01 St.	1
Location	or of buildings, is igned hereby applies for a the Laws of the State o		step Co.	Plana	amilies	
Owner's name	11-055	ne Shawnec				
Owner ome 6	and address Mal		pecifications	***************************************	No. families)
Lessee's Harris	and address Mai and address Mai ane and address of building dwellir		***************************************	**********		******* *******************************
Contractor's n	allic o	***************************************		***********	Rooms	
Coller	dwellir	<u></u>	*************************		*****	2 00
Architect	t building		Style of To		Can S	3.00
proposed use	OI Duran	TIoat	***************************************	*****************************	1.60 0	
Liobo		I neat	********** * * ************************			
Last use	No. stories		,			6211.
* * - torial	and address Mainane Address Ma	***************************************	. N	ew Work	antil Pr	0]=02
Materia	on same local		intion OL L'	-	11+=222	

Other buildings on same lot 256.00

FRONT Shawnee step 51 wide, 3 risers, 42" platform. Ht=22½", Proj=62". To replace old word step approximate same size.

To replace old word step approximate irons.

Foundation - concrete pads and angle irons.

Foundation to standard Shawnee plan.

According to standard filed in the building department 8/15/57.

Structional Engineer filed in the building department.

Launal mas	
tructional mis	and bi
	separately by and
in to be taken out	3070
paratus which as to	
of healing apparatractor	
include installation to TO Gotton	A TO A STATE OF THE PARTY OF TH
arganit does not more TO BE 1550000	ork?
tructioner It is unacrstood that this permit does not include installation of heating apparatus which is to be taken out TO BE ISSUED TO Contractor Details of New Work Is any electrical work involved in this w Is any electrical work involved for sewage? If not, what is proposed for sewage?	ALLEGATION OF SEPARATE AND ASSESSED TO
Details of Leave electrical worked for sewager	The same of the same same same same same same same sam
the name of the real what is proposed	*******************
. ilaie WUII th	:00f
Form nout.	th or rocki
is any plumbing to made to public to the made to public to the average kraue to	THE CO
It is understood that this permit does not include installation of heating apparatus permit does not include installation of heating apparatus. **PERMIT TO BE ISSUED TO Contractor** Details of New Work Is any plumbing involved in this work? If not, what is proposed for sewage? If n	***************************************
tic rank notice that a platesolid of the	
Has separe to top of pressure No. stories	fuel
Height average grad depth	T
Details of the heating confractor. The name of	Suis
Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Size, front Material of foundation Rise per foot Material of chinneys No. of chimneys No. of chimneys No. of chimneys Thickness, top Roof covering Kind of roof Material of chinneys No. of chimneys No. of chimneys Size Columns under girders Size Girder Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size Size	-n centers
Material of Tourist and of chiraleys	over 8 feet
wind of roof	ool span over
Kind of roof Material of chiraleys Size Max Dressed or full size? Size	rool
Framing Land	C
Gize Girder 2nd carrying partition	tool
Journal and Jat floor	height?
Material of fo:indation Rise per foot Of Iming Corner posts Kind of roof Material of chiraneys Size Max. No. of chimneys Dressed or full size? Size Girder Columns under girders Size Girder Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat results floor Size Girder Si	***************************************
No. of chimneys Dressed of	1 - tod
+ors: 4-+ 400[modated

.....number commercial cars to be accommodated..... If one story building with masonry walls, thickness of walls?.... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... Will work require disturbing of any tree on a public street?.... Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are

Signature of owner INSPECTION COPY

1022 INNOT AVENUE AUBURN, MAINE 04210

-	• *	
است	SURGA	2
11/2		\mathcal{L}
· lil		
· 12	6.00	W
	1721 E 8	

1: - 1:			
	ES ES	된	LESSIET ISSIED
APPLICA	TION FOR	PERMIT ***	03451
Class of Building or Type of	Structure Thir	d Class	NOV 4 1959
	d Maine Novem	ber 3, 1959	LETY of PORTLAND
I've undersioned hereby about a	*		,
The undersigned hereby applies for a per in accordance with the Laws of the State of Ma specifications, if any, submitted herewith and the Location32 Enthur Street.	e following specification	ns:	ne City of Portland, plans and
Location 33 Erthur Street Owners name and address John Ol Lessee's name and address	lson, 33 Arthur	Within Fire Limits?	Dist. No.
Lessee's name and address			Telephone
Contractor's name and address owner Architect	***************************************		Telephone
M'CHITECT		***************************************	i elephone
Proposed use of buildingDwellin Last useDw	g and garage	I lalisy.	No. of sheets1
Last use Dwarf Material frame No. stories He	relling		No. families
Other building	atStyle	of roof	Poofin
Estimated cost & same lot	P.	14 1 h 3 X 3 2-1.26	1/2-2/60-
Material frame No. stories He Other buildings on same lot Estimated cost \$ 5,00 500 6		my internal	Feb. S 2.00
Genera	il Description of.	Mew Works T. 14	the committee of
To construct 1-car frame garage 1	516" x 221 attac	fied the dwall-back	The second second
•	Y	the distriction of	186'3' 12. 27
The inside of the garage will be wallboard - solid core wood	Overed when we		
wallboard - solid core wood	door 1 3/4" thic	quired by law with k - self-closing.	1/2" thick gypsum
		•	
	÷ -	Permit Issued	
It is understood that this permit does not include i the name of the heating contractor. PERMIT TO	•	O.17.01	
Is any plumbing involved in this work? Is connection to be made to public sewer?	Details of New W	ork	
Is connection to be made to public sewer? Has septic tank notice been sent?	If not, w	hat is proposed for some	his work?
rias septic tank notice been sent?		and to brobower for servag	e/
Height average grade to top of plate 8! Size, front 15'6" depth 22' No. stor	Height avera	ge grade to highest	-6 - 6 - 701
Size, front 15'6" depth 22' No stor Material of foundation 9" Sonotubes at 19; Kind of roof pitch Rise per foot No. of chimneys	ies 1 solid or fil	led land? solid	01 root
Kind of roof sit also 7' OC	Thickness, top	ue bottomella	r Car off
Kind of roof pitch Rise per foot No. of chimneys Material of chimneys	5" Roof cove	ring asphalt roofing	Class C Und Lab
Framing Lumber—Kind her lock Dressed or Size Girder Columns under gird	full size? aressed	Corner posts4x6.	Sills 6x6
Size Girder Columns under gird Studs (outside walls and carrying partitions) 2x4-	ers	Size Max.	Oil centers
Studs (outside walls and carrying partitions) 2x4- Joir *s and rafters: 1st floor concret	10" U. C. Bridging in	n every floor and flat roo	f span over 8 feet.
O=	The state of the s	1rd	4 2340
Maximum span: 1st floor	ZIIO	, 3rd	, roof20"
If one story building with masonry walls, thicknes	unf walls?	, 3rd	, roof
- The state of the	3 Of Wallst	***************************************	height?
No. cars now accommodated on same lot	e accommodated 1	number commercial cars	o be accommodatedO
Will automobile repairing be done other than mino	r repairs to cars habit	tually stored in the propo	sed building?no
AT TAOVED!		Miscellaneous	
	Will work require	isturbu: of any tree on	a public street?
	there be in (the above work	a nerson compatent to
-	see that the State	y requirements	pertaining thereto an
	observed?yes	•	enerous dir
CS 301			
INSPECTION COPY Signature of owner	lo-ha c	Cross	

Final Notif. Staking Out Notice Cert. of Occupancy issued NOTES Form Chack Notice Inspn. closing-in 1/14/59 . 11/17/34 intro the I've to see the 6/21/60- wal • : Charles to get a ery or early grants 3. 317 · 753 re a mile, ha a reason has perhaps been de-1111 Transport of the second 3 m.

AP- 33 Arthur St.

Nov. 4, 1959

Mr. John A. Olson 33 Arthur Street

Dear Mr. Olson:

Building permit for construction of a single car garage 15½ feet by 22 feet on side of dwalling at the above named location is issued herewith subject to the following conditions:

- V1. Header over large garage door opening is to be 4x8 or double 2x8 instead of 4x6 indicated.
- 2. The bottoms of the 6x6 sills are to be kept' at least 6 inches above the ground beneath them. This space teneath sills between piers is to be kept open with neither the concrete of floor or fill outside the building extending into it.
- 3. Sills are to be anchored to concrete piers and provision is to be made to isolate concrete slab when poured from sides of concrete piers.

Very truly yours,

Albert J. Sears Inspector of Euildings

£J3+m

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

	for 1 car garage Date 11/3/59 at 33 Arthur St.
	at 33 Arthur St. John Olson
	In whose name is the title of the property now recorded:
	are the boundaries of the property in the vicinity of the ground, and how?
•	Is the outline of the proposed work now staked out upon the ground? yes If not, will you notify the Inspection Office when the work is staked cut and before any of the work is commenced?
	that to to be maximum projection or overhang of enves or drip?
•	Do you assume full responsibility for the correctness of the location plan or ctatement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bny windows porches and other projections?
5.	Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building?
7	Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes
	ere made?

.

. -



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED SEP 16 193

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. Perland, Maine, Sey suber 12, 1957 The undersigned hereby applies for a permit to install the following heating, cocking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: CITY of PORTLAND Location 33 Arthur Street Name and address of owner of appliance John Olson, 33 Arthur St. Installer's name and address A. Lourie & Sons, 81 Vesper St.

Telephone 1-8898 To install forced hot water heating system and oil burning equipment Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Minimum distance to burnable material, from top of appliance or casing top of furnace 21x 31 From top of smoke pipe 2! From front of appliance Over 4! From sides or back of appliance Over 3! Size of chinney flue8x12 Other connections to same fluenone If gas fired, how vented? Rated maximum demand per hour Name and type of burner Argo, Flame...... IF OIL BURNER Location of oil storage basement Number and capacity of tanks 1-275 gal. Low water shut off Will all tanks be more than five feet from any flame? ___yes ___How many tanks enclosed? _____ If so, how protected? Height of Legs, if any From front of appliance From sides and back From top of smokepipe Is so, how vented? Forced or gravity? MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION Amount of fee enclosed? 2,00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same APPROVED: 0.15. 888. 9/12/57 Will there be in charge of the above work a person competent to see that the State and Cit, requirements pertaining thereto are MAINE PRINTING CO. A. Lourie & Sons INSPECTION COPY Signature of I staller By:

(PC) PESIDENCE ZONE - C

00664



APPLICATION FOR PERMIT Class of Building or Type of Structure Third Class

	Portland, Maine,	May 15, 1957	
OF PHILI			
to the INSPECTOR OF BUIL The undersigned hereby a	pplies for a permit in erse.	alter-repair demolish in the Building Code and Z	stall the following building structure coning Ordinance of the City of Port:
authment in accordance with	hwitted hereunth and th	ie following specification	
acation 31-35 Arthurov	.t	S+.	Telephone
and address			Telephone
			Telephone
Contractor's name and address .	owner	oifications P	lansyes. No. of sheets 4.
Architect	natur house	cincations	No. families
Proposed use of building dwe	illing "		No. families
Last use	TT	Style of roof	No. families No. families No. families
Material No. storie	s Heat		
Other building on same lot			Fee \$ 10.000
Estimated cost \$ 10,000	General Descr	iption of New Worl	\$
To construct lists	ory frame dwelling ho	use .26' x 40'	(still and 2x6 floor joists
	t torra on Danotube	COURT COO Press	x6 sills, and 2x6 floor joists
Entrance platform 16" o.c. supporte	d on 2x3 nailing stri		
		Permit lasuo	with Meno.0
		Permit Ishno	A William
		•	
		of heating apparatus wh	ich is to be taken out separately by and in
It is understood that this form	it does not include installation	SSUED TO owner	
the name of the heating control	20,07.	4 37 - 38%-a-le	
			k involved in this work? Y.S.
Is any plumbing involved in t	nis work?yes	f met what is proposed fo	r sewage?
Is connection to be made to I	oublic sewer:		
Has septic tank notice been s	ent?		highest point of roof18!
and to top	of plateLui		solid or rock?
	1 COLUMN NO SUPPLET	Wglegge.	12h yes
Material of foundation	ncrete Thick	mess, top botton	Thickness sphalt Class C Und.Lab.
Material of underpinning	concrete to sill	Height As	aphait Class O offer
TOTOGH	Kise per roos	1:10	4 f1 1100 Word 11161
No of chimneys	Rise per foot	dressed Corn	er posts 4 x 6 Sills 2 x 8
- t t hon Kind	hemlock Dressed or full	31	er posts 4 x 6 Sills 2 x 8 Max. on centers 8 feet
cian Circler 6 X 10	" Columns ander 8		
Kind and thickness of out			
Studs (outside walls and o			
Joists and rafters:	150 11001		- 4 FOOT
On centers:	191	9 m d	014
Maximum span:	1st floor	vita	height?
If one story building with	1st floore masonry walls, thickness of	waust	
		If a Garage	and the accommodated
N our accommoda	ted on same lot, to be a	accommodated numb	er commercial cars to be recommodated. stored in the proposed bailding?
No. cars now accommodize	be done other than minor	repairs to cars habitually	
			TITIO CONTRACTOR OF THE
APPROVED:	-00	Will work require distu	urbing of any tree on a public stree;? no
(C) 5/21/57-0	a Jo. 1	1 1	of the above work a person competent
0/6-3/8-10	Las	see that the State at	nd City requirements pertaining thereto a
APPROVED: 0.12-5/21/57-1	J	observed? yes	
***************************************	- V	John A Olson	
			0.
	Signature of owner by:	John a C	lson
INSPECTION COPY	And the second s	0	And the second s
			•

(COPY)



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy LOCATION 31-35 Arthur Street

John A. Olsen

This is in the restifu that the building, premises, or part thereof, at the above location, built accept children under Building Pernit No. 57/664 substantially to requirements of Zoning Ordinance and occupancy or use, limited or otherwise, as indicated below PORTION OF BUILDING OR PREMISES

, has had final inspection, has been found to conform , has nag must inspection, has been found to comount idding Code of the City, and is hereby approved for

K- ... Limiting Conditions:

APPROVED OCCUPANCY 1-family desolling

This certificate supersedes certificate issued

Approved:

(Date)

Impettor of Buildings

Notice: Tils certificate identifies lawful use of building or premises, and ought to be transferred from

Owner to owner when property changes hands. Copy will be furnished to owner or lessee for one sollar.

Memorandum from Department of Building Inspection, Portland, Maine

31-35 Arthur St., corner of Homestead Ave.—Building permit for construction of new dwelling for and by John A. Clean—5/21/57

Building permit for construction of a single family dwelling at the above named location is issued herewith subject to the condition Arthur Street. As you named location is to be set back at least 16½ feet from Arthur Street. As of the building is to be set back at least 16½ feet from Arthur Street. As of the building is to be set back at least 16½ feet from Arthur Street. As you can be subject to be set back at least 16½ feet from the set of the dwelling send of the building is to be set back at least 16½ feet from the ordinance is to become effective on June 6, of the building is to be set back at least 16½ feet from the ordinance is to become effective on June 6, ordinance is to become effective

(Signed) Warren McDonald Inspector of Buildings

ajs/G

cs-27

7

EEF 20, 1957 AF-31-35 Arthur St., corner of Homesterd Ave., Copy to Mr. Fred S. Huston 35 Pennell Ave. Mr. John A. Olsen Format for construction of plans filed with your application for plans filed with your application for a single family dwelling at the above named location discloses the following questions or to compliance with Zoning 24 Lvy Street permit for construction of a single family dwelling at the above named location discloses the following questions as to compliance with Zoming Ordinance and Building Code requirements: Dear Mr. Olson: 1. According to Assessors' records this corner lot has much less frontage than the 55 feet you have indicated. Here you purchased enough land off the adjoining lot to make up this additions? much less frontage than the 55 feet you have indicated. lieve you pur chased enough land off the adjoining lok to make up this additional chased enough land off the adjoining lok to make up this additional chased enough land off the adjoining lok to make up this additional chased enough land of the proposed dwelling from Arthur frontage?

2. The set back of the proposed dwelling from Arthur 2. The set back of the proposed dwelling from Arthur 2. The set back of the proposed dwelling from Arthur St. Presents a problem. There is apparently a vacant lot between your lot and the arthur st. although it is a making dwelling on Arthur St. although it is a making dwelling on Arthur St. St. Tresents a problem. There is apparently a vacant lot between your although it is probably although it is seen some ownership as the dwelling. If we count this &s a line ownership as the back for your dwelling is 15 feet. Is separate lot, the required act back for your dwelling is to be three feet. Is the overnance of eaves on front of the building is to be three feet. soparate lot, the required act back for your dwelling is to be three feet, 18 the overnang of caves on front of the building is to be three feet, 18 trapes in access of the wardness allowable projection of caves (rite and inches in access of the wardness allowable projection of caves (rite and inches in access of the wardness allowable projection) of caves (rite and inches in access of the wardness allowable projection) of caves (rite and inches in access of the wardness allowable projection). the overnang of eaves on front of the military is to be three feet, is inches in excess of the maximum allowable projection of caves into any more land ward, the front will be that the finite the finite will need to be set back inches in excess of the maximum allowable projection of caves into any required yard, the front will of the tailding will need to be set back from the street line an additional 18 inches or 16% feet from the street. required yard, the front will of the tuilding will need to be set back from the street from the street line an additional 18 inches or 162 feet from the street line an additional and that on which the existing dwell-From the street line an additional is inches or 10% lest from the street.

The If we count the vacant lot and that on which the existing dwell—

Inc. If we count the vacant lot and that on which the existing dwell line. If we count the vacant lot and that on which the existing dwelling is located as one, then the proposed dwelling can be located no closur
ing is located as one, then the proposed dwelling can be glassed in porch,
to Arthur St. then the front well, not the front of the glassed in porch,
lo Arthur St. then the front well, not the front of the showing compliance
of the existing dwelling.

The proposed furnish revised plan showing compliance
with Building Code requirements. 3. What is framing and foundations for from and side antrance platforms to be? The to be? 4. What size header is in be used over triple mallion wladov chening in rear wall? The 2x6 rafters on a Worl wontal again of 13 feet and a pitch of only six inches in 12 inches will need to be spaced It inches on a portant to color to the spaced on the color to the spaced of the s pinen or only six incres in it inches will need to be spaced it inches on center in order to figure out. If desired, 2x2 upaced 24 inches on centers maybe made. centers maybe used. naputy Inspector of Duildings Albert J. Sears AJS/B




APPLICATION FOR PERMIT DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	DateApril 4, 1989, 19
	Receipt and Permit number (2/2/9)
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:	
The undersigned hereby applies for a permit to make electrical in the	llations in accordance with the laws of
Maine, the Portland Electrical Ordinance, the National Electrical Code	and 'he following specifications:
LOCATION OF WORK: 33 Arthur Street 04103 OWNER'S NAME: Paul Dayis ADDRESS	
OWNER'S NAME: Paul Davis ADDRESS:	
OUTLETS:	FEES
Receptacles Switches Plugmold ft. IO	ጥል1.
Incandescent Flourescent (no: strip) TOTAL Strip Flourescent ft	
Overhead XX Underground Temporary TO	TAL amperes 100 . 3.00
MOTORS: (number of)	
Fractional	, +
I HF OF OVER	
TERRITAL HEALING:	•
Oil or Gas (number of units)	••••••
Electric (number of rooms)	
The state of the s	
Oil or Gas (by a main boiler) Oil or Gas (by separate units)	
Oil or Gas (by separate units) Electric Under 20 kws Over 20 kws	
APPLIANCES: (number of)	
Ranges ——— Water Heaters	•
Cook Tops Disposals	
Wall Ovens Dishwashers	
Dryers Compactors Fans	
TOTAI, Others (denote)	
MDCBDDAMECOD; (Number of)	
Branch Panels	
omationers Central Unit	
Separate Units (windows) Signs 20 sq. ft. and under	
Over 20 sq. ft.	
a Ground	
To Ground Fire/Burglar Alarms Residential	
. G	
Commercial Heavy Duty Outlets, 220 Volt (such as wald as), 20	3
as weigers) 30 amps and une	der

Emergency Lights batter	
Repairs after fire Emergency Lights, battery Emergency Generators	
See the Self-Color William Color of the Colo	TION FEE DUE:
OR REMOVAL OF A "STOP ORDER" (304-16.b)	IDLE FEE DUE:
TOTAL	AMOUNI DUE: 5.00 min
NSI ECTION:	J. J
Will be ready on, 19_; or Will Call XX ONTRACTOR'S NAME: Scott Feero	
ADDRESSERV #1 Box 550 Harrison Ma 0/0/0	
TEL: IASTER LICENSE NO. 01.082 IMITED LICENSE NO.: Signature of the state of the	
IASTER LICENSE NO.0/982 SIGNATURE OF	CONTRACTOR:
IMITED LICENSE NO.: Signature of	
V. The	

INSPECTOR'S COPY --- WHITE CFFICE COPY - CANARY CONTRACTOR'S COPY --- GREEN



PROGRESS II	Service called in	nf by // 189 by	/ www	Permit Number — 2019 S Permit Number — 2019 S Location — 3 Ulffan III Date of Permit — 14 Ulfan III Final Inspection — 14 Ulfan III By Inspector — 14 Ulfan III Permit Application Register Page No. 6 Ulfan III Permit Application Register Pa
DATE:	REMARKS:			
				1
				7
				•
4				
				, '
				,

CODE
COMPLIANCE
COMPLETED
DATE: 418/99

propheron (1944) College of the coll YIG

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

Denise and James Shea 33 Arthur Street Portland, Maine 04103 September 20, 1996

RE: 33 Arthur Street

Dear Denise and James,

I have enclosed copies of information for your appeal for the fence. As explained to you previously, the Land Use Ordinance (section 14-426) requires that fences in residential zone that are within 25 feet of a street line shall not be more than four (4) feet in height. Presently, your fence has been measured to be 6 feet in height.

If you choose to appeal this requirement, it will be necessary to respond within 30 days of the receipt of this letter as outlined on the enclosed information. If you have any questions regarding this matter, please do not hesitate to contact me at 874-8300 ext 8695.

Sincerely,

Marge Schmuckal Zoning Administrator Asst. Chief of Insp. Services

cc to: Kevin Carroll, Code Enforcement Officer
P. Samuel Hoffses, Chief of Inspection Services
Joseph Gray, Jr., Dir. of Planning & Urban Dev.

33 Arthur Screet, Portland 04103				1	
JJ. ALCHUL BLIEEL, 102 DEGREE - 1-1-1	James & Denise Shea Leasee/Buyer's Name:	Phone:	878-3362 BusinessName:		
wner Address:	Leasee/Buyer's Name.	i none.	Duginessi (iiii)		
ontractor Name:	Address:	Phone:		Permit Issued:	
ing.		COST OF WORK:	PERMIT FEE:		
ast Use:	Proposed Use:	\$	\$**		
		FIRE DEPT. Ap			
		□ De	,		
				Zone: CBL: 340-M-20	
1,		Signature:	Signature:	Zoning Approval:	
roposed Project Description:		1	TWITIES DISTRICT (P.U.D.)	Charles Zano or Povious:	
Wines 31 Annual		Action: Ap	provou	☐ Special Zone or Reviews:☐ ☐ Shoreland	
Miscellaneous Appeal				☐ Wetland	
Ŋ				☐ Flood Zone	
		Signature:	Date:	□ Subdivision □ Site Plan maj □ minor □ mm	
ermit Taken By:	Date Applied For:			Li One Fran majir minor Li min	
Vicki Dover	11/25/96			Zoning Appeal	
. This permit application doesn't preclude the A	Applicant(s) from meeting applicable State	te and Federal rules.		☐ Variance ☐ Miscellaneous	
. Building permits do not include plumbing, se				☐ Conditional Use	
Building permits are void if work is not started	d within six (6) months of the date of issu	ance. False informa-		☐ Interpretation	
tion may invalidate a building permit and sto	☐ Approved☐ Denied				
•					
**Fee waived as per Mr. Ga	nlev			Historic Preservation Not in District or Landmar	
""Fee waived as per mr. oa	Does Not Require Review				
		AF PEAL DENIED	1/9/97	☐ Requires Review	
				Actions	
<i>"</i>				Action:	
	☐ Appoved				
I hereby certify that I am the owner of record of the	e named property, or that the proposed wo	ork is authorized by the	owner of record and that I have be	een	
	as his authorized agent and I agree to cot	itorm to all applicable	aws of this jurisuiction, in additi	U11, · · · ·	
if a permit for work described in the application areas covered by such permit at any reasonable h	issued. I certify that the code official's at	ithorized representative	snall have the authority to eliter	Date:	
areas covered by such permit at any reasonable h	our to emolee the provisions of the code	(a) ablurance an enem b			
Derise M. Shea		.1	11/25/06		
110/1000 111. 51000	33 Arthur Street, Por	tland, ME 04103 DATE:	3 11/25/96 PHONE:		
CICNIATIDE OF ADDITION TO DANGE CH					
SIGNATURE OF APPLICANT Denise St	tea ADDRESS.			rit-	
SIGNATUXE OF APPLICANT Denise SH			PHONE:	CEO DISTRICT #1	

r'la

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development

Joseph E. Gray Jr.

Director

CITY OF PORTLAND

Denise and James Shea 33 Arthur Street Portland, ME 04103 November 8, 1996

RE: 33 Arthur Street

Dear Denise and James,

On September 20, 1996 I sent you information regarding appealing the height of your fonce which is higher than what the Land Use Ordinance allows. I have also talked with you on the phone as to how to put together your appeal packet. You were notified in that original letter from me that you had 30 days in which to apply for that appeal. I can understand how you missed the first 30 days deadline since that was around the time of 125 year floods that we experienced. However, as I have told you since, you must act immediately in order to preserve your appeal rights.

As of this date, yet another appeal date deadline has passed and again you have not responded. I can only summize that you do not wish to exercise your right to appeal. As I told you previously on the phone, you can not sit on this situation forever without taking any action. Therefore, it will be necessary to turn this matter over to our Corporation Counsel so that the City may pursue legal action against you in order to correct the Land Use violation of your fence height.

Very Truly Yours,

Marge Schmuckal Zoning Administrator

Asst. Chief of Insp. Services

cc to: Joseph Gray, Jr., Dir. of Planning & Urban Dev.
P. Samuel Hoffses, Chief of Inspection Services
Kevin Carroll, Code Enforcement Officer