

9-11 BROADWAY  
Floor 89  
Room 2300



First cut # 920A - Half cut # 920B - Third cut # 920C - Fifth cut # 920D



**APPLICATION FOR PERMIT**  
 DEPARTMENT OF BUILDING INSPECTIONS SERVICES  
 ELECTRICAL INSTALLATIONS

Date July 25, 19 77  
 Receipt and Permit number A10218

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine  
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine,  
 the Portland Electrical Ordinance, the National Electrical Code and the following specifications

LOCATION OF WORK 89 Broadway Street  
 OWNER'S NAME Albert A. Sampson ADDRESS same

OUTLETS (number of)  
 Lights \_\_\_\_\_  
 Receptacles \_\_\_\_\_  
 Switches \_\_\_\_\_ FEES  
 Plugmold \_\_\_\_\_ (number of feet)  
 TOTAL \_\_\_\_\_

FIXTURES (number of)  
 Incandescent \_\_\_\_\_  
 Fluorescent \_\_\_\_\_ (Do not include strip fluorescent)  
 TOTAL \_\_\_\_\_  
 Strip Fluorescent, in feet \_\_\_\_\_

SERVICES:  
 Permanent, total amperes 100 \_\_\_\_\_  
 Temporary \_\_\_\_\_ FEES 3.00

MFERS (number of) 1 \_\_\_\_\_ FEES .50

MOTORS (number of)  
 Fractional \_\_\_\_\_  
 1 HP or over \_\_\_\_\_

RESIDENTIAL HEATING  
 Oil or Gas (number of units) \_\_\_\_\_  
 Electric (number of rooms) \_\_\_\_\_

COMMERCIAL OR INDUSTRIAL HEATING  
 Oil or Gas (by a main boiler) \_\_\_\_\_  
 Oil or Gas (by separate units) \_\_\_\_\_  
 Electric (total number of kws) \_\_\_\_\_

APPLIANCES (number of)  
 Ranges \_\_\_\_\_  
 Cook Tops \_\_\_\_\_  
 Wall Ovens \_\_\_\_\_  
 Dryers \_\_\_\_\_  
 Fans \_\_\_\_\_  
 Water Heaters \_\_\_\_\_  
 Disposals \_\_\_\_\_  
 Dishwashers \_\_\_\_\_  
 Compactors \_\_\_\_\_  
 Others (denote) \_\_\_\_\_  
 TOTAL \_\_\_\_\_

MISCELLANEOUS (number of)  
 Branch Panels \_\_\_\_\_  
 Transformers \_\_\_\_\_  
 Air Conditioners \_\_\_\_\_  
 Signs \_\_\_\_\_  
 Fire/Burglar Alarms \_\_\_\_\_  
 Circus, Fairs, etc. \_\_\_\_\_  
 Alterations to wires \_\_\_\_\_  
 Repairs after fire \_\_\_\_\_  
 Heavy Duty, 220v outlets \_\_\_\_\_  
 Emergency Lights, battery \_\_\_\_\_  
 Emergency Generators \_\_\_\_\_

INSTALLATION FEE DUE: \_\_\_\_\_  
 DOUBLE FEE DUE \_\_\_\_\_  
 TOTAL AMOUNT DUE: 3.50

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT  
 FOR REMOVAL OF A "STOP ORDER" (304-15 b)  
 FOR PERFORMING WORK WITHOUT A PERMIT (304-9)

INSPECTION  
 Will be ready on \_\_\_\_\_, 19\_\_\_\_, or Will Call

CONTRACTOR'S NAME Alfred J. Sampson  
 ADDRESS: Gorham, New Gorham, Road  
 TEL.: 854-8379

MASTER LICENSE NO. 1585  
 LIMITED LICENSE NO. \_\_\_\_\_

SIGNATURE OF CONTRACTOR:

INSPECTOR'S COPY



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 14, 1955

PERMIT ISSUED 00394 JUN 14 1955 CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

This undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 9 Broadway Use of Building Dwelling No. Stories New Building Existing Name and address of owner of appliance Robert Lyons, 9 Broadway Installer's name and address Peterson Oil Co., 377 Cumberland Ave. Telephone

General Description of Work

To install warm air heating boiler and oil burning equipment (replacement)

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace 30" From top of smoke pipe 4' From front of appliance Over 4' From sides or back of appliance Over 3' Size of chimney flue 8x8 Other connections to same flue none If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner oil-o-matic Labelled by underwriters' laboratories? yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/2" Location of oil storage existing Number and capacity of tanks existing Low water shut off Make No Will all tanks be more than five feet from any flame? yes How many tanks enclosed? Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Blank lines for miscellaneous information

Amount of fee enclosed? \$2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED OR 6.14.55 [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? YES

Peterson Oil Co.

By: [Signature] Signature of Installer

INSPECTION COPY

C17-25-1M MARKS

TH



(RC) RESIDENCE ZONE - C



APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, May 3, 1955

PERMIT ISSUED  
00741

MAY 2 1955

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ alter ~~rebuild~~ ~~construct~~ the following building ~~structure~~ ~~equipment~~ in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 2169 9 Broadway Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's name and address Robert G. Lyons, 9 Broadway Telephone \_\_\_\_\_  
Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Contractor's name and address Fred Kelley, So. Windham Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets \_\_\_\_\_  
Proposed use of building dwelling house No. families 1  
Last use \_\_\_\_\_ " " \_\_\_\_\_ No. families 1  
Material wood No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Other buildings on same lot \_\_\_\_\_  
Estimated cost \$ ~~6000~~ 1,350. Fee \$ ~~5.00~~ 5.00

General Description of New Work

To construct new stairway from first to second floor as per plan.  
To construct 13' 6" dormer on left hand side of dwelling as per plan.

PERMIT SECTION NOT COMPLETED  
Permit Issued with Letter 9/29/55

CERTIFICATE OF CITY FINANCY  
REQUIREMENT IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any lumbering involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewage? \_\_\_\_\_  
Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering Asphalt, Class C, Und. Lab  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
Framing lumber -- Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

APPROVED:  
with letter by AGS

Miscellaneous

Will work require disturbing of any tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner

Robert G Lyons

NOTES


5/11/55 - 2x6 floor timbers  
on a 12' span on edge up  
2nd floor joists  
6" to side but base

E. S. S.  
6/13/55 - No work  
started E. S. S.

6/16/55 - Checked  
strengthening of 2nd  
floor joists E. S. S.

6/30/55 - Left C.T.  
to close in with  
no to no wiring  
to be covered with  
insult approval.

E. S. S.  
9/14/55 - No one home  
E. S. S.



6/18/55  
6/19/55  
Permit No. 55/1741  
Location 91 Broadway  
Owner Robert E. Johnson  
Date of permit 5/23/55  
Notif closing in 6/19/55  
Inspr. closing in  
Final Notif.  
Final Inspr.  
Cert. of Occupancy issued  
Saking Out Notice  
Form Check Notice

INSPECTION NOT COMPLETED  
9/29/55

AP - 9 Boardway

May 23, 1955

Mr. Robert G. Lyons,  
9 Boardway  
Fred Kelley,  
South Windham, Maine

Gentlemen:

Building permit for construction of a shed roof dormer 13 feet six inches long on left hand side of dwelling at the above location, to re-locate stairway from first to second floors, and to make other alterations in second story is issued herewith based on plans as revised, but subject to the following conditions:

1. The second floor joists in that area covered by the new dormer window are to be reinforced by additional 2x6 joists installed between or adjacent to the existing ones.
2. Ceiling timbers of new dormer are to be 2x8's spaced 16 inches on centers and ends of existing rafters where cut off for new dormer window opening are to be supported on a short 2x4 partition resting on top of these ceiling timbers.
3. Notification is to be given this office for an inspection before any lath or wallboard is applied to walls, partitions, or ceiling of new dormer.

Very truly yours,

Warren McDonald  
Inspector of Buildings

AJS/H

*RLS*

**ROBERT G. LYONS**

CONTRACT CARRIER  
9 BROADWAY, PORTLAND, MAINE  
TELEPHONE 3-5467

May 23, 1955

Mr. Albert J. Sears  
Deputy Inspector of Buildings

Dear Sir;

In regards to your letter to Mr. Fred Kelly of South Windham. Regarding construction which he will be doing for me. My copy of this letter I am inclosing.

After talking with him about this matter. We both agree to provide the construction as required by the Building Code.

Where we are willing to meet the requirements Will you issue the permit, for the proposed construction.

Sincerely Yours;

*Robert G. Lyons*





McDONALD  
BUILDINGS

CITY OF PORTLAND, MAINE  
Department of Building Inspection

May 20, 1955

AP--9 Broadway

Mr. Fred Kelley  
South Windham, Maine

Copy to Mr. Robert G. Lyons  
9 Broadway

Dear Mr. Kelley:

Your revised plan for support of roof of dormer window to be constructed at the above location will meet Building Code requirements if the following construction is provided:

1. Double up or put additional 2x6 floor timbers between the existing ones running from outside wall to carrying partition in second floor framing over area of new dormer window.

2. Make ceiling timbers of new dormer 2x8's spaced 16 inches on centers, and provide short partition of 2x4 studs on top of ceiling timbers up to double header where existing rafters are to be cut off for new dormer.

If you are willing to provide this construction and will let us know that you will do so, we shall be able to issue a permit for construction of the proposed dormer.

Very truly yours,

Albert J. Sears,  
Deputy Inspector of Buildings

WMcD/B

COPY

RECEIVED  
MAY 23 1955  
DEPT. OF BLDG. INSP.  
CITY OF PORTLAND

May 20, 1955

AP--9 Broadway

Mr. Fred Kelley  
South Windham, Maine

Copy to Mr. Robert G. Lyons  
9 Broadway

Dear Mr. Kelley:

Your revised plan for support of roof of dormer window to be constructed at the above location will meet Building Code requirements if the following construction is provided:

1. Double up or put additional 2x6 floor timbers between the existing ones running from outside wall to carrying partition in second floor framing over area of new dormer window.
2. Make ceiling timbers of new dormer 2x8's spaced 16 inches on centers and provide short partition of 2x4 studs on top of ceiling timbers up to double header where existing rafters are to be cut off for new dormer.

If you are willing to provide this construction and will let us know that you will do so, we shall be able to issue a permit for construction of the proposed dormer.

Very truly yours,

Albert J. Sears  
Deputy Inspector of Buildings

WHC/D

RECEIVED  
MAY 23 1955  
DEPARTMENT OF BUILDINGS  
TOWN OF BOWDOIN

AP - 9 Broadway

May 11, 1955

Owner - Robert G. Lyons  
9 Broadway

Contractor - Fred Kelley  
So. Windham

We are unable to issue a permit for construction of a shed roof dormer window about 13 feet long on the left hand side of the dwelling at the above location because the method proposed for framing and support of new dormer roof does not figure out strong enough.

Investigation indicates that the existing second floor timbers are only 2x6 spaced 16 inches on centers on a span of about 12 feet. Under the proposed method of roof framing about three-quarters of the load from roof would be supported on a new partition which in turn would be carried at about the center of the span of the existing floor joists. Even if each of the existing 2x6 timbers was to be reinforced by an additional 2x6, should that be feasible, such construction would have only about half of the strength required to adequately support the loads involved.

It is therefore clear that some satisfactory method of framing and supporting the new roof must be worked out and presented for checking before a permit can be issued.

Very truly yours,

Albert J. Sears  
Deputy Inspector of Buildings

AJL/S



FILL IN AND SIGN WITH INK  
**APPLICATION FOR PERMIT FOR  
 HEATING, COOKING OR POWER EQUIPMENT**

**PERMIT 1381**  
**00153**  
**JAN. 25 1947**

Portland, Maine, **January 21, 1947**

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location **9 Broadway** Use of Building **Dwelling** No. Stories **1** New Building  Existing   
 Name and address of owner of appliance **Franklin S. Allen, Jr., 9 Broadway**  
 Installer's name and address **Johnson Automatic Heat, 15 Brackett St.** Telephone **3-2662**

**General Description of Work**

To install **oil burning equipment in existing warm air furnace.**

**IF HEATER, OR POWER BOILER**

Location of appliance or source of heat \_\_\_\_\_ Type of floor beneath appliance \_\_\_\_\_  
 If wood, how protected? \_\_\_\_\_ Kind of fuel \_\_\_\_\_  
 Minimum distance to wood or combustible material, from top of appliance or casing top of furnace \_\_\_\_\_  
 From top of smoke pipe \_\_\_\_\_ From front of appliance \_\_\_\_\_ From sides or back of appliance \_\_\_\_\_  
 Size of chimney flue \_\_\_\_\_ Other connections to same flue \_\_\_\_\_  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_

**IF OIL BURNER**

Name and type of burner **H.C. Little Conversion Burner** Labeled by underwriters' laboratories? **Yes**  
 Will operator be always in attendance? **No** Does oil supply line feed from top or bottom of tank? **bottom**  
 Type of floor beneath burner **concrete**  
 Location of oil storage **basement** Number and capacity of tanks **1 - 275 gal.**  
 If two 275-gallon tanks, will three-way valve be provided? \_\_\_\_\_  
 Will all tanks be more than five feet from any flame? **yes** How many tanks fire proofed? \_\_\_\_\_  
 Total capacity of any existing storage tanks for furnace burners? **None.**

**IF COOKING APPLIANCE**

Location of appliance \_\_\_\_\_ Kind of fuel \_\_\_\_\_ Type of floor beneath appliance \_\_\_\_\_  
 If wood, how protected? \_\_\_\_\_  
 Minimum distance to wood or combustible material from top of appliance \_\_\_\_\_  
 From front of appliance \_\_\_\_\_ From sides and back \_\_\_\_\_ From top of smokepipe \_\_\_\_\_  
 Size of chimney flue \_\_\_\_\_ Other connections to same flue \_\_\_\_\_  
 Is hood to be provided? \_\_\_\_\_ If so, how vented? \_\_\_\_\_  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_

**MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION**

Amount of fee enclosed? **\$1.00.** (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in a building at same time.)

APPROVED  
*OK 1-24-47 [Signature]*

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? **Yes**

INSPECTION COPY

Signature of Installer *Johnson Automatic Heat for H.S. Lewis*



# APPLICATION FOR PERMIT

Class of Building or Type of Structure **Third Class**

SEP 4 1924

Portland, Maine, ~~date~~ **September 1, 1923**

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect ~~and install~~ the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 9 Broadway Ward 9 Within Fire Limits? No Dist No. \_\_\_\_\_  
 Owner's or Lessee's name and address. Maurice A. Dowers, 9 Broadway Telephone P 2124  
 Contractor's name and address. Owner Telephone \_\_\_\_\_  
 Architect's name and address. \_\_\_\_\_  
 Proposed use of building 1 car garage No families \_\_\_\_\_  
 Other buildings on same lot Dwelling house 1 family

### Description of Present Building to be Altered

Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_

### General Description of New Work

To erect 1 car frame garage

### Details of New Work

Size, front 12' depth 20' No. stories 1 Height grade to top of plate 7'9"  
 Height average grade to highest point of roof 11'2"  
 To be erected on solid or filled land? solid earth or rock? earth  
 Material of foundation cedar posts <sup>Not over 6'0" Centers</sup> Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof Hip Roof covering Asphalt shingles Class 2 Und. Lab.  
 No. of chimneys no Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
 Kind of heat no Type of fuel \_\_\_\_\_ Distance, heater to chimney \_\_\_\_\_  
 If oil burner, name and model \_\_\_\_\_  
 Capacity and location of oil tanks \_\_\_\_\_  
 Is gas fitting involved? no Size of service \_\_\_\_\_  
 Corner posts 4x4 Sills 4x6 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger Bridging in \_\_\_\_\_ floor and flat roof span over 8 feet Sills and corner posts all one piece in cross section  
 Joists and rafters 1st floor Cinder 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof 2x4  
 On centers 1st floor \_\_\_\_\_ 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof 2'  
 Maximum span: 1st floor \_\_\_\_\_ 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot no to be accommodated 1  
 Total number commercial cars to be accommodated none  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
 Plans filed as part of this application? yes No. sheets 1  
 Estimated cost \$ 200. Fee \$ .75

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSPECTION COPY yes Signature of owner Maurice A. Dowers  
Oliver P. Scarborough

EM OF PERMITS

7395



# APPLICATION FOR PERMIT

Permit No. 0168  
**PERMIT ISSUED**  
FEB 15 1928

Class of Building or Type of Structure Third Class

Portland, Maine, February 13, 1928

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter ~~install~~ the following building structure-equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 9 Broadway Ward 9 Within Fire Limits? No Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address M. A. Bonora, 9 Broadway Telephone 29005  
Contractor's name and address Owner Telephone \_\_\_\_\_  
Architect's name and address \_\_\_\_\_  
Prop. A use of building Poultry House No. families \_\_\_\_\_  
Other buildings on same lot Dwelling house

### Description of Present Building to be Altered

Material Wood No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use Poultry house No. families \_\_\_\_\_

### General Description of New Work

To demolish poultry house 8 x 12

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Distance, heater to chimney \_\_\_\_\_  
If oil burner, name and model \_\_\_\_\_  
Capacity and location of oil tanks \_\_\_\_\_  
Is gas fitting involved? \_\_\_\_\_ Size of service \_\_\_\_\_  
Corner posts \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every fl. and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Plans filed as part of this application? no No. sheets \_\_\_\_\_  
Estimated cost \$ \_\_\_\_\_ Fee \$ .50  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner M. A. Bonora

INSPECTION COPY

5-7-34



# APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, January 30, 1928

PERMIT ISSUED  
Permit No. 6116  
JAN 30 1928

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 15 Broadway Ward 9 Within Fire Limits? No Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address J. A. Byers, 15 Broadway Telephone \_\_\_\_\_  
Contractor's name and address Halyerson Bros., 200 Federal St. Telephone 2008  
Architect's name and address \_\_\_\_\_  
Proposed use of building Dwelling house No. families 1  
Other buildings on same lot none

### Description of Present Building to be Altered

Material Wood No. stories 2 1/2 Heat Stove Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use Dwelling house No. families 1

### General Description of New Work

To install ~~warm~~ air furnace (second hand)

*Keep smoke pipe safe lawful distance from woodwork.*

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys no Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat gas air Type of fuel Coal Distance, heater to chimney 8'  
If oil burner, name and model \_\_\_\_\_  
Capacity and location of oil tanks \_\_\_\_\_  
Is gas fitting involved? \_\_\_\_\_ Size of service \_\_\_\_\_  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Plans filed as part of this application? no No. sheets \_\_\_\_\_  
Estimated cost 300. Fee \$ 4.50  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

INSPECTION COPY

Signature of owner A. A. Byers  
Halyerson Bros.  
By R.T. Weston

5699



Location, Ownership and detail must be correct, complete and legible.  
 Separate application required for every building.  
 Plans must be filed with this application.

# Application for Permit for Alterations, etc.

Portland, Me., 11/5/24 . 19

To the  
 INSPECTOR OF BUILDINGS:

The undersigned applies for a permit to alter the following described building:—

Location (9-11) 14 Broadway St. Ward 9. in fire-limits? No.  
 Name of Owner or Lessee, Mrs Doris H. Foster. Address 14 Broadway.  
 " " Contractor, owner " "  
 " " Architect, " " "  
 Material of Building is Wood. Style of Roof, gatch. Material of Roofing, wood  
 Size of Building is feet long; feet wide. No. of Stories, "  
 Cellar Wall is constructed of concrete inches wide on bottom and batters to inches on top.  
 Underpinning is brick is inches thick; is feet in height.  
 Height of Building 20 ft. Wall, if Brick; 1st, 2d, 3d, 4th, 5th, "  
 What was Building last used for? dwelling. No. of Families? 1.  
 What will Building now be used for? dwelling 1 family

Descrip-  
 tion of  
 Present  
 Bldg.

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

### Detail of Proposed Work

Relocate stairway and build three rooms in attic  
 all to comply with the building ordinance  
 Estimated Cost \$ 100.

### If Extended On Any Side

Size of Extension, No. of feet long?; No. of feet wide?; No. of feet high above sidewalk?  
 No. of Stories high?; Style of Roof?; Material of Roofing?  
 Of what material will the Extension be built? Foundation?  
 If of Brick, what will be the thickness of External Walls? inches; and Party Walls inches.  
 How will the extension be occupied? How connected with Main Building?

### When Moved, Raised or Built Upon

No. of Stories in height when Moved, Raised, or Built upon? Proposed Foundations?  
 No. of feet high from level of ground to highest part of Roof to be?  
 How many feet will the External Walls be increased in height? Party Walls

### If Any Portion of the External or Party Walls Are Removed

Will an opening be made in the Party or External Walls? in Story.  
 Size of the opening? How protected?  
 How will the remaining portion of the wall be supported?

Signature of Owner or Authorized Representative: Doris H. Foster  
 Address: 14 Broadway St. Woodbury Me





Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application

# APPLICATION FOR PERMIT TO BUILD

(3d CLASS BUILDING)

Portland, Me. April 28, 1924 -19

To THE  
INSPECTOR OF BUILDINGS

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand.

Location (9-11) 14 Broadway St, Central Park Wd. 9

Name of owner is? Mrs Fred W Foster Address 14 Broadway St

Name of mechanic is? F W Foster " " "

Name of architect is? \_\_\_\_\_

Proposed occupancy of building (purpose)? ten house

If a dwelling or tenement house, for how many families? \_\_\_\_\_

Are there to be stores in lower story? \_\_\_\_\_

Size of lot, No. of feet front? \_\_\_\_\_; No. of feet rear? \_\_\_\_\_; No. of feet \_\_\_\_\_

Size of building, No. of feet front? 10ft; No. of feet rear? 10ft; No. of feet \_\_\_\_\_

No. of stories, front? 1; rear? \_\_\_\_\_

No. of feet in height from the mean grade of street to the highest part of the roof? 10ft

Distance from lot lines, front? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; rear? \_\_\_\_\_

Firestop to be used? YES

Will the building be erected on solid or filled land? \_\_\_\_\_

Will the foundation be laid on earth, rock or piles? posts

If on piles, No. of rows? \_\_\_\_\_ distance on centres? \_\_\_\_\_ length of \_\_\_\_\_

Diameter, top of? \_\_\_\_\_ diameter, bottom of? \_\_\_\_\_

Size of posts? \_\_\_\_\_

" girts? \_\_\_\_\_

" floor timbers? 1st floor \_\_\_\_\_, 2d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_

O. C. " " " " " " " " " " " "

Span " " " " " " " " " " " "

Braces, how put in? \_\_\_\_\_

Building, how framed? posts

Material of foundation? \_\_\_\_\_ thickness of? \_\_\_\_\_ laid with mortar? \_\_\_\_\_

Underpinning, material of? \_\_\_\_\_ height of? \_\_\_\_\_ thickness of? \_\_\_\_\_

Will the roof be flat, pitch, mansard, or hip? pitch Material of roofing? asphalt

Will the building be heated by steam, furnaces, stoves, or grates? \_\_\_\_\_ Will the flues be lined? \_\_\_\_\_

Will the building conform to the requirements of the law? YES

No. of brick walls? \_\_\_\_\_ and where placed? \_\_\_\_\_

Means of egress? \_\_\_\_\_

PERMIT MUST BE RECEIVED BEFORE BEGINNING WORK.

**If the building is to be occupied as a Tenement House, give the following particulars**

What is the height of cellar or basement? \_\_\_\_\_

What will be the clear height of first story? \_\_\_\_\_ second? \_\_\_\_\_ third? \_\_\_\_\_

State what means of egress to be provided? \_\_\_\_\_

\_\_\_\_\_ Scuttle and stepladder to roof? \_\_\_\_\_

Estimated Cost,  
\$ 50.

Signature of owner or authorized representative, Fred W. Foster

Address, 14 Broadway St. Woodfords Me.

Plans submitted? \_\_\_\_\_ Received by? \_\_\_\_\_

3975 R



OFFICE HOURS  
10 TO 12 M.  
4 TO 5 P. M.

# City of Portland.

## OFFICE OF INSPECTOR OF BUILDINGS

9-16-14 191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a perm. to erect enlarge a building on Sixth Ave street, at number \_\_\_\_\_ to be \_\_\_\_\_  
One stories high. Twenty-eight feet long. Twenty-five  
feet wide; also an addition to be \_\_\_\_\_ stories high,  
feet long, \_\_\_\_\_ feet wide, and to be used as a Dwelling.

CELLAR WALL—To be constructed of Concrete to be 12 inches wide on bottom and  
batter to 10 inch. on top.

UNDERPINNING—To be Brick. Height of underpinning from top of cellar wall to bottom of  
sill \_\_\_\_\_ ft. \_\_\_\_\_ inches to be \_\_\_\_\_ 8. inches in thickness.

EXTERIOR WALLS—To be constructed of Wood. If of Brick, Stone, etc. Total Height of wall  
\_\_\_\_\_ ft. \_\_\_\_\_ inches. Thickness of 1st \_\_\_\_\_ 2d \_\_\_\_\_ 3d \_\_\_\_\_ 4th \_\_\_\_\_  
5th \_\_\_\_\_ 6th \_\_\_\_\_ story walls. If of reinforced concrete state mix and reinforcing system  
to be used.

If wood construction, sills to be 4x8 Girders 4-8 Floor Timbers 2-8  
Posts 4-6 Girts 4-4 Studs 2-4 to be spaced 16" on centers

This building will be used for the purposes of Dwelling (If for apartments,  
tenements, or other family uses state number of families accommodated and number on each floor.  
If for manufacturing or mercantile purposes state character of business and amount of estimated  
weight to be carried by the floor.)

Number of families on floor \_\_\_\_\_ One \_\_\_\_\_

Total number of families \_\_\_\_\_ One \_\_\_\_\_

Manufacturing (state character) \_\_\_\_\_

Estimated load on floors per sq. ft. \_\_\_\_\_

Mercantile business (state character and load per sq. ft.) \_\_\_\_\_

If building is used for tenement house or family use and more than one family, the following pro-  
visions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap  
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in  
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of  
Buildings may consider necessary.

STAIRWAYS—No. in building \_\_\_\_\_ location \_\_\_\_\_ to be enclosed  
with \_\_\_\_\_ walls to be lathed with \_\_\_\_\_ lathing.

ROOF—To be constructed of Wood. Rafters to be 2-5-6 inches to be spaced 20  
\_\_\_\_\_ inches on centers. Roof to be covered with Shingled

Gutters to be made of \_\_\_\_\_ Cornices to be made of \_\_\_\_\_

Bay windows to be made of \_\_\_\_\_ to be covered with \_\_\_\_\_

Dormer windows to be made of \_\_\_\_\_ to be covered \_\_\_\_\_

Chimneys, Smoke flues to be lined with Flue Lining and provided with a 10-inch outside collar and  
an inside collar to go to the inside of the flue.

Estimated Cost of Building \$1000

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at  
least 24 hours before the lathing is begun.

The Building is Robbins and Osgood Address 55 Alba St

The Architect is \_\_\_\_\_ Address \_\_\_\_\_

The Owner is L. F. Titcomb Address 7 Veranda St

No Deviation will be made from the above application without written permission from the Inspector of  
Buildings.

The above petition was granted the 16 day of Sept 191 4

(Applicant to sign here)

A. R. Osgood