



**APPLICATION FOR PERMIT**  
**DEPARTMENT OF BUILDING INSPECTIONS SERVICES**  
**ELECTRICAL INSTALLATIONS**

Date 7/13/90, 19  
 Receipt and Permit number 01434

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: Lot 20; Bramblewood Dr.

OWNER'S NAME: Kasprzak ADDRESS: Waterboro

	FEES
<b>OUTLETS:</b>	
Receptacles <u>x</u> Switches <u>x</u> Plugmold _____ ft. TOTAL <u>31-60</u> .....	5.00
<b>FIXTURES: (number of)</b>	
Incandescent _____ Fluorescent _____ (not strip) TOTAL <u>1-10</u> .....	3.00
Strip Fluorescent _____ ft. ....	
<b>SERVICES:</b>	
Overhead _____ Underground <u>x</u> Temporary _____ TOTAL amperes <u>100</u> ..	3.00
METERS: (number of) <u>1</u> .....	.50
<b>MOTORS: (number of)</b>	
Fractional _____	
1 HP or over _____	
<b>RESIDENTIAL HEATING:</b>	
Oil or Gas (number of units) <u>1</u> .....	3.00
Electric (number of rooms) _____	
<b>COMMERCIAL OR INDUSTRIAL HEATING:</b>	
Oil or Gas (by a mal. boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
<b>APPLIANCES: (number of)</b>	
Ranges <u>1</u> _____ Water Heaters _____	
Cook Tops _____ Disposals _____	
Wall Ovens _____ Dishwashers <u>1</u> _____	
Dryers <u>1</u> _____ Compactors _____	
Fans <u>1</u> _____ Others (denote) _____	
TOTAL <u>4</u> .....	6.00
<b>MISCELLANEOUS: (number of)</b>	
Branch Panels _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	
	INSTALLATION FEE DUE: _____
	FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT ..... DOUBLE FEE DUE: _____
	FOR REMOVAL OF A "STOP ORDER" (304-16.b) .. .. . _____
	TOTAL AMOUNT DUE: <u>20.50</u>

INSPECTION: service ready now  
 Will be ready on \_\_\_\_\_, 19\_\_\_\_; or Will Call for rest  
 CONTRACTOR'S NAME: Bill Cudworth  
 ADDRESS: Box 46; Springvale, ME  
 TEL.: 490-1604  
 MASTER LICENSE NO.: #03685 SIGNATURE OF CONTRACTOR: Bill Cudworth  
 LIMITED LICENSE NO.: \_\_\_\_\_

INSPECTOR'S COPY -- WHITE  
 OFFICE COPY -- CANARY  
 CONTRACTOR'S COPY -- GREEN



301444

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, 8/10/90

PERMIT ISSUED AUG 18 1990 City Of Portland

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Lot 20, Bramblewood Use of Building 19 family No. Stories New Building Existing " Name and address of owner of appliance KASARZAK, IRA J. WATERBURY Installer Name and address Eastern Mechanical Inc. Telephone 232-7327 P O Box 513, Alfred Rd. Ind. Pk; Biddeford, ME 04005 General Description of Work

To install new oil-fired heating system

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? NO If so, how protected? Kind of fuel? kerosene Minimum distance to burnable material, from top of appliance or casing top of furnace 15 ft From top of smoke pipe 3 ft From front of appliance 20 ft From sides or back of appliance 6 ft Size of chimney flue 7 in Other connections to same flue none If gas fired, how vented? Rated maximum demand per hour 1 gallon Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? YES

IF OIL BURNER

Name and type of burner Beckett 3450 Labeled by underwriters' laboratories? YES Will operator be always in attendance? NO Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 & 1/4 in Location of oil storage basement Number and capacity of tanks one 27-gallon tank Low water shut off YES Make Safeguard OEM No. OEM Will all tanks be more than five feet from any flame? YES How many tanks enclosed? 1 Total capacity of any existing storage tanks for furnace burners 27.5 gal

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION


estimated cost of work = \$4500. XXXXXXXXXXXXXXXXXXXX Eastern Mechanical Inc. License oil burner # - 00883 Don Dube, Pres.

Amount of fee enclosed? APPROVED

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? YES

Signature of Installer Ronald Dube

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY



MA Lear

**PLUMBING APPLICATION**

Department of Human Services  
Division of Health Engineering  
(207) 289-3026

**PROPERTY ADDRESS**

Town Or Plantation: Portland

Street Subdivision Lot #: 120 Bramblewood

**PROPERTY OWNERS NAME**

Last: Kacprzak, Inc First:

Applicant Name: EASTERN MECHANICAL, INC.

Mailing Address of Owner/Applicant (If Different): P.O. Box 518 Biddeford ME. 04005

PORTLAND Permit Required 3925 TOWN COPY

APR 21 1991 \$ 34.00 FEE  Double Fee Charged

Local Plumbing Inspector Signature L.P.I. # 011231

**Owner/Applicant Statement**

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is cause for the Local Plumbing Inspector to deny a permit.

[Signature] 7/22/91

Signature of Owner/Applicant Date

**Caution: Inspection Required**

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules

AUG 22 1990

[Signature] Local Plumbing Inspector Signature Date Approved

**PERMIT INFORMATION**

<b>This Application is for</b>	<b>Type Of Structure To Be Served:</b>	<b>Plumbing To Be Installed By:</b>
1. <input checked="" type="checkbox"/> NEW PLUMBING	1. <input checked="" type="checkbox"/> SINGLE FAMILY DWELLING	1. <input checked="" type="checkbox"/> MASTER PLUMBER
2. <input type="checkbox"/> RELOCATED PLUMBING	2. <input type="checkbox"/> MODULAR OR MOBILE HOME	2. <input type="checkbox"/> OIL BURNERMAN
<b>LOW VOLUME FIXTURES</b>	3. <input type="checkbox"/> MULTIPLE FAMILY DWELLING	3. <input type="checkbox"/> MFG'D. HOUSING DEALER/MECHANIC
	4. <input type="checkbox"/> OTHER - SPECIFY _____	4. <input type="checkbox"/> PUBLIC UTILITY EMPLOYEE
		5. <input type="checkbox"/> PROPERTY OWNER
		LICENSE # <u>03241</u>

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture
HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.	2	Hosebibb / Sillcock	2	Bathtub (and Shower)
		Floor Drain		Shower (Separate)
		Urinal	1	Sink
<b>OR</b> HOOK-UP: to an existing subsurface wastewater disposal system.		Drinking Fountain	2	Wash Basin
		Indirect Waste	2	Water Closet (Toilet)
		Water Treatment Softener, Filter, etc.	1	Clothes Washer
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Grease/Oil Separator	1	Dish Washer
		Dental Cuspidor		Garbage Disposal
		Bidet		Laundry Tub
Number of Hook-Ups & Relocations	1	Other: <u>TANKLESS</u>		Water heater
\$ Hook-Up & Relocation Fee	3	Fixtures (Subtotal) Column 2	9	Fixtures (Subtotal) Column 1
<b>SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE</b>				
			3	Fixtures (Subtotal) Column 2
			12	Fixtures (Subtotal) Column 1
			\$ 34.	Fixture Fee
			\$	Hook-Up & Relocation Fee
			\$ 34.	Permit Fee (Total)

10 @ 3 = 30  
2 @ 2 = 4  
34

901444

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, 8/10/90

PERMIT ISSUED AUG 19 1990 City Of Portland

To the INSPECTOR OF BUILDINGS, PORTLAND, ME

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Lot 20, Bramblewood Use of Building 1-family No. Stories New Building Existing Name and address of owner of appliance Kasprzak, Inc.; No. Waterboro. Installer Eastern Mechanical, Inc. P O Box 518, Alfred Rd., Ind. Pk; Biddeford, ME 04005 Telephone 282-7387 General Description of Work

To install new oil-fired heating system

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? kerosene Minimum distance to burnable material, from top of appliance or casing top of furnace 1.5 ft. From top of smoke pipe 5 ft. From front of appliance 20 ft. From sides or back of appliance 6 ft. Size of chimney flue 7 in. Other connections to same flue no If gas fired, how vented? Rated maximum demand per hour 1 gallon Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Beckett 3450 Labelled by underwriters' laboratories? yes Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 & 1/4 in. Location of oil storage basement Number and capacity of tanks 1. 91 1/2 gallon tank Low water shut off yes Make Safeguard OEM 2. 1 1/4 VENT PIPE Will all tanks be more than five feet from any flame? yes How many tanks enclosed? 3. Kind of heat 4. Burner rigidity & support Total capacity of any existing storage tanks for furnace burners 275 gal. 5. Name & Label

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of hood From front of appliance From sides and back From top of smoke pipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced draft? If gas fired, how vented? Rated maximum demand

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

estimated cost of work = \$4500.

XXXXXXXXXXXXXXXXXXXX Eastern Mechanical Inc. License oil burner # - 00883 Don Dube, Pres.

Amount of fee enclosed?

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

PERMIT ISSUED WITH LETTER

CS 30P

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY

MR Leary

Don Dube, Pres. W.C.D.

NOTES

8-22 Furnace wall inspected

Blank lined area for notes.

Permit No. \_\_\_\_\_  
 Location \_\_\_\_\_  
 Owner \_\_\_\_\_  
 Date of permit \_\_\_\_\_  
 Approved \_\_\_\_\_

1/2 FILL PIPE	
1/4 VENT PIPE	
Kind of heat	
Burner rigidity & support	
Name & Label	
Remote control	
High limit control	
Main cutoff switch	
Low water cutoff	
High limit control	
Piping support & protection	
Valves in supply line	
Capacity of tanks	
Tank rigidity & support	
Oil gauge	
Instruction card	
Oil leaks	
Adequate ventilation	
Smokepipe to combustible	
Thermal control switch	

923769

Permit # 923769 City of Portland BUILDING PERMIT APPLICATION Fee 335. Zone \_\_\_\_\_ Map # \_\_\_\_\_ Lot# \_\_\_\_\_

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Robert Pineau Phone # 378-3650  
 Address: 6 Bramblewood Dr- Ptd, ME 04103  
 LOCATION OF CONSTRUCTION 6 Bramblewood Dr.  
 Contractor: RPM Const. Sub: 767-4137  
 Address: 27 Dayton St- So Ptd Phone # ME 04106  
 Est. Construction Cost: 2500 Proposed Use: 1-fam w deck  
 Past Use: 1-fam  
 # of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
 # Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion: Construct deck - 16' x 27'

**For Official Use Only**

Date 6/9/92 Subdivision \_\_\_\_\_  
 Inside Fire Limits \_\_\_\_\_ Name \_\_\_\_\_  
 Bldg Code \_\_\_\_\_ Lot \_\_\_\_\_  
 Time Limit \_\_\_\_\_ Ownership: \_\_\_\_\_ Public \_\_\_\_\_  
 Estimated Cost 2500

**PERMIT ISSUED**  
**JUN 12 1992**  
**CITY OF PORTLAND**

Zoning: \_\_\_\_\_  
 Street Frontage Provided: \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required: \_\_\_\_\_  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception \_\_\_\_\_  
 Other (Explain) WASH 6-11-92

**Foundation:**  
 1. Type of Soil: \_\_\_\_\_  
 2. Set Backs: Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_  
 3. Footings Size: \_\_\_\_\_  
 4. Foundation Size: \_\_\_\_\_  
 5. Other \_\_\_\_\_

**Floor:**  
 1. Sills Size: \_\_\_\_\_ Sills must be anchored.  
 2. Girder Size: \_\_\_\_\_  
 3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_  
 4. Joists Size: \_\_\_\_\_ Spacing 16" O.C.  
 5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

**Exterior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. windows \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_  
 4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
 6. Corner Posts Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_

**Interior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Header Sizes FEIN Span(s) \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

**Ceiling:**  
 1. Ceiling Joists Size: \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_ Not in District nor loadbearing.  
 3. Type Ceilings: \_\_\_\_\_ Does not require review.  
 4. Insulation Type: \_\_\_\_\_ Size \_\_\_\_\_ Requires review.  
 5. Ceiling Height: \_\_\_\_\_

**Roof:**  
 1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_ Action: APPROVED  
 2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_ Approved with Conditions  
 3. Roof Covering Type \_\_\_\_\_ Decided

**Chimneys:**  
 Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_ Date: 6/9/92

**Heating:**  
 Type of Heat: \_\_\_\_\_

**Electrical:**  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

**Plumbing:**  
 1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_

**Swimming Pools:**  
 1. Type: \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_  
 3. Must conform to National Electrical Code \_\_\_\_\_

**PERMIT ISSUED WITH REQUIREMENTS**

Permit Received By Louise E. Chase  
 Signature of Applicant Robert Pineau Date 6/9/92  
 CEO's District Raymond J. Miller  
 CONTINUED TO REVERSE SIDE  
 Ivory Tag - CEO W.A. Miller

White - Tax Assessor

PLOT PLAN



**FEES (Breakdown From Front)**

Base Fee \$ 55

Subdivision Fee \$ \_\_\_\_\_

Site Plan Review Fee \$ \_\_\_\_\_

Other Fees \$ \_\_\_\_\_

(Explain) \_\_\_\_\_

Late Fee \$ \_\_\_\_\_

Inspection Record	
Type	Date
Placement	6/15/92
FINAL	7/1/92
_____	____/____/____
_____	____/____/____
_____	____/____/____

COMMENTS 7-1-92 Done

---



---

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

Raymond Ponzella 767-4137

SIGNATURE OF APPLICANT ADDRESS PHONE NO.

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE NO.



BUILDING PERMIT REPORT

ADDRESS: 6 Bramblewood DR DATE: 12 June/92  
REASON FOR PERMIT: To Construct a 16'x27' deck

BUILDING OWNER: Robert Pineau

CONTRACTOR: RPM Const.

PERMIT APPLICANT: 'i

APPROVED: \*1 \*9

CONDITION OF APPROVAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
- 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-closers.
- 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 74).


8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fire-resistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.

9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening. Handrails on stairs shall be no less than 34 inches nor more than 38 inches. Handrails within individual dwelling units shall not be less than 30 inches nor more than 36 inches.

10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year."

11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Sincerely,



P. Samuel Hoffes  
Chief of Inspection Services

/el  
11/16/88  
11/27/90  
8/14/91