

FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT Portland, Maine,August 10, 1956......

TIME TOTAL	
NO DE COME	٠,
CITY C. STEEL MIN)
NESS	

	APPLIC	Portland, Maine,	August 10, 1956	W-	E 30
		Port		cooking or power equipments:	pment or
	PITTLDING	S, PORTLAND, ME.	he following keaming, Portland, and the fo	llowing specific	New Building Existing."
o the INSPECT	OR OF Borney applies	for a permit to install to ding Code of the City of the Lity of the City of the City of the City of the Carleton. When the Carleton with the Carleton with the Carleton of the	Dwelling	No. Stories	3-2260
The under	us of Maine, the	for a Policy of the City of ding Code of the City of t	ing, 13 Lloyd A	Telephone	The second second
notion	Bartley Ave	Carleton W iance Carleton W n.Rich, 205 Ludlow General Desc ther heating system	St		
Name and addr	ess of ownerAla	n.Rich,Zor	ription of Work	g.equipment	******
Installer's nam	e, and	heating system	a.and.ol.	***************************************	· · · · · · · · · · · · · · · · · · ·
4	a-med hot wa	19C	ROII	ER	no


ame and address	General Descrip	-17 burning. Manua	***************************************	Ŷ.
To install	erstem.and.	oil burning square		, ,
	heating Symun	***************************************	***************************************	Ŷ.
and hot water	***************************************	POILER		
forgover	OR PO	WER Bozza or beneath!	***************************************	
To instan	TE HEATER, OIL	ial in floor surface		
	hair hurnable mater	Kind of fuel! 21	3	
Location of appliance	Any Da	of furnace	of appliance	_
tionce bassment	stance (reasing top of Turner or casing top or back of the case of the cas		
Togation of appliance	top of appliance	me flue		
how protected?hle ma	terial, from of appliance	none	nd per hour	
If so, now restance to burnatic	From from sales to sa	me flue and maximum deman		
Minimum distant	Other connections	Rated		
From top of smoke per ax12		and safe combustion		
s chimney flue	to insure P	tofer and	horatories?Vo.	
Size of Charles yented?	to the appliance to me	TIRNERderwi	iters' laborate hot tom	•••
If gas fired, no.	if OIL	Labelled by under	stom of tank!	
Tarif cufficient fresh an		from top or bu	312000	
AAm	-mooflame	a capply line reed	ore gal.	••••
aat	Does o	gire of vent pipe	ks	
type of burner	tendance?	Size of and capacity of tan	No	,,,,,,,,
Nume and the always in at	concrete	BURNER Labelled by underwr il supply line feed from top or bo Size of vent pipe Number and capacity of tan How many tanks enclose burners KING APPLIANCE Any burnable material in floor su Height of Leg	***************************************	
Will operator burner	noment	ter enclose	d?	,
Type of floor beneath	Make	How many tanks car		
tion of oil storage	a-ma?	38		
Location abut off	test from any flather.	burners KING APPLIANCE Any burnable material in floor su Height of Leg ance to combustible material from es and back		
Low water since more than	five ites	TANCE	face or beneath?	
varil all tanks be more	ting storage ranne	KING APPELLED in floor st	Maco	
conacity of any exis	IF CO	A my burnable material to of Leg	s, if any	,,,,,,,,
Total Capa		Any but Height of	top of appliance.	
			top of smokepipe	
e appliance		KING APPLIANCE Any burnable material in floor surface to combustible material from es and back tions to same flue The same fl	m top or	
Location of app	Dist	s back	management of references	
te so, how protected	onliance? From sid	es and back	Forced or gravity.	,,,,,,,,,
at bottom of a	reason and the second	tions to same no	tomand per hour	
Skirting and appliance	other connec	how vented?	mum demand	
From front of age	If	Any burnable material Reight of Leg Height of Leg ance to combustible material from es and back tions to same flue so, how vented? Rated max QUIPMENT OR SPECIAL 1	PORMATION	
Size of chimney mus	42	apecial 1	Whoreare	
a treed to be provided	4%	TOMENT OR SPECIAL		,,,,,,,,,,
Is how ver	ited F	QUITME	144 T	
If gas fired, now	MISCELLANE			,
and the second of the second o	TAY WAS A	***************************************	***************************************	********

APPROVED: 8/10/56-00

Amount of fee enclosed?2,00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.) Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?¥08.....

Man BRich Signature of Installer

INSPECTION COPY



Memorandum from Department of Building Inspection, Portland, Maine Lot 17 Bartley Avenue—Building Permit for construction of dwelling and garage for and by Martin Bartley ... 4/13/56 Building permit for construction of single family dwelling and attached straight family dwelling and attached straight family dwelling and attached straight for construction of single family dwelling and attached straight family dwelling attached straight fami 1. The forlo girder running parallel to front and rear walls is to be full size, not dressed, if spruces or hemlock lumber is used. 2. Ceiling timbers of master bedroom are to be hung at the center to the ridge of the roof. (Signed) Warren McDonald Inspector of Buildings NJS/G



APPLICATION FOR PERMIT

004224

Portland Maine ADI		
the state of the s	ril 10, 1956	en la la
To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE		And the second lives and reference of the second
The undersigned hereby applies for a permit to erect atterned in accordance with the Laws of the State of Maine, the Building Capecifications, if any, subn'tted herewith and the following specifications.	Code and Zoning Ordinance of ations:	the City of Portland, plans and
Location (JT=G1) Bartley Ave. Lot 17		
Owner's name and addressMartin_Bartlept, 5_Bartle		
Lessee's name and address		
Contractor's name and addressowner		
Architect Specifica	ations	resNo. of sheets _5
Proposed use of buildingdwelling house & ?		
Last use		
Material No. stories Heat	Style of roof	Roofing
Other buildings on same lot	derryloryaelisvenityry b dicara abstract adaptiliserrylogitatistystysys	ne ta prantal purpose polació comenta contra compositorea accordigamentes
Estimated cost \$ 19,000.		Fee \$ 19.00
General Description	of New Work	•
To construct 2-story frame dwelling house 2 and attached garage 22' x 22'.		
	banes, indicated	Milly Microso
It is understood that this permit does not include installation of he he name of the heating contractor. PERMIT TO BE ISSUED Details of No.	O TO owner	
		in this work? Yes
s any plumbing involved in this work?	any electrical work involved	in this work?yes
s any plumbing involved in this work?	any electrical work involved not, what is proposed for sev	vage?
s any plumbing involved in this work? yes Is s connection to be made to public sewer? yes Is Has septic tank notice been sent? For Height average grade to top of plate \$\frac{324}{24}\$ \$\frac{16}{10}\$. Height	any electrical work involved inot, what is proposed for severm notice sent?	vage?gar
s any plumbing involved in this work? yes Is s connection to be made to public sewer? yes Is Has septic tank notice been sent? For Height average grade to top of plate \$\frac{324}{24}\$ \$\frac{16}{10}\$. Height	any electrical work involved inot, what is proposed for severm notice sent?	vage?gar
is any plumbing involved in this work? yes Is somection to be made to public sewer? yes Is Has septic tank notice been sent? For Height average grade to top of plate \$\frac{224}{24}\$ 16. Height average grade to top of plate \$\frac{224}{24}\$ 16.	any electrical work involved inot, what is proposed for severm notice sent?	vage?gar
is any plumbing involved in this work? yes Is somection to be made to public sewer? yes Is Has septic tank notice been sent? For Height average grade to top of plate \$\frac{224}{24}\$ 16. Height average grade to top of plate \$\frac{224}{24}\$ 16.	any electrical work involved inot, what is proposed for severm notice sent?	vage?gar
s any plumbing involved in this work? yes Is connection to be made to public scwer? yes If as septic tank notice been sent? For the septic tank no	any electrical work involved in not, what is proposed for sever montice sent? t average grade to highest polid or filled land? Solid ade 12" bootom 12" control of covering Asphalt Cla	int of roof 21: Th: earth or rock? earth eilar yes nio hickness ss C Und Lab
s any plumbing involved in this work? yes Is connection to be made to public scwer? yes If Is Is septic tank notice been sent? For Is Is Is septic tank notice been sent? For Is	any electrical work involved in not, what is proposed for sever motive sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" of the Toof covering Asphalt Clalining 1112 Kind of	int of roof 21: Thi earth or rock? earth cellar Yes hickness ss C Und Lab heat hot waterucl oi
s any plumbing involved in this work? yes Is connection to be made to public sewer? yes If Is as septic tank notice been sent? For It is a septic tank notice been sent? For It is a septic tank notice been sent? Solve It is a septic tank notice been sent? It is a septic tank notice been sent? Solve It is a septic tank notice been sent? It is a septic tank notice been sent? Solve It is a septic tank notice tank n	any electrical work involved in not, what is proposed for sever montice sent? It average grade to highest polid or filled land? Solid ade 12" bostom 12" of covering Asphalt Clalining tile Kind of ressed or full size? dressed	int of roof 21: 14: earth or rock? earth cellar yes no hickness ss C Und Lab heat hot wateruel oil
s any plumbing involved in this work? yes Is connection to be made to public scwer? yes If as septic tank notice been sent? For It is leight average grade to top of plate 21 16 10! Heightize, front 32! depth 25! No. stories 2 solution of foundation concrete 1 least 4 is plow graderial of foundation concrete 1 least 4 is plow graderial of underpinning 1 to sill 2 range arage Kind of roof pitch—gable Rise per foot 7½! 72 Row No. of chimneys 1 Material of chimneys brick of Framing lumber—Kind hemlock Drowner posts 4x6 Sills 4x6 Girt or ledger boar	any electrical work involved in not, what is proposed for sever motive sent? t average grade to highest polid or filled land? Solid ade 12" bootom 12" to for covering Asphalt Clalining 1118 Kind of ressed or full size? dressed rd?	int of roof 21: 14: earth or rock? earth cellar yes hickness ss C Und Lab heat hot wateriel oil Size
s any plumbing involved in this work? yes Is sometion to be made to public sewer? yes If says septic tank notice been sent? For It is septic tank notice been sent? Septic tank notice been sent? For It is septic to It is se	any electrical work involved in not, what is proposed for sever motice sent? It average grade to highest politid or filled land? Solid ade 12" bootom 12" of covering Asphalt Clalining tile Kind of ressed or full size? dressed or full size?	int of roof 21: Th: earth or rock? earth reilar Yes hickness ss C Und Lab heat hot watefuel oil Size Max. on centers 7!
s any plumbing involved in this work? yes Is a connection to be made to public scwer? yes If Is a connection to be made to public scwer? yes If Is a septic tank notice been sent? For Is a septic tank notice been sent? For Is a septic tank notice been sent? For Is a septic tank notice been sent? Sat Is a septic been sent sent sent sent sent sent sent s	any electrical work involved in not, what is proposed for sever motice sent? It average grade to highest politid or filled land? Solid ade 12" bootom 12" of covering Asphalt Clalining tile Kind of ressed or full size? dressed or full size?	int of roof 21: Th: earth or rock? earth reilar Yes hickness ss C Und Lab heat hot watefuel oil Size Max. on centers 7!
Is any plumbing involved in this work? yes Is a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If yelds septic tank notice been sent? For the series Is as septic tank notice been sent? For the series Is as septic tank notice been sent? In the series Is as It is a series Is as It is a series	any electrical work involved inot, what is proposed for severity notice sent? It average grade to highest polition filled land? Solid and 12" book to 10" of the 10" of covering Asphalt Claining tile Kind of cessed or full size? dressed of full size? dressed of 12" linging in every floce and flat 2x10 , 3rd	int of roof 21: 14: earth or rock? earth earth or rock? earth earth or rock? earth sellar yes no hickness as C Und Lab heat hot wateruel oil d Size Max. on centers 7! roof span over 8 feet. George
sany plumbing involved in this work? yes Is a connection to be made to public scwer? yes If Is a septic tank notice been sent? For Is Is Is septic tank notice been sent? For Is	any electrical work involved in not, what is proposed for sever motive sent? t average grade to highest polid ade 12" bootom 12" to pof covering Asphalt Clalining tile Kind of ressed or full size? dressed or full size? dressed or full size? and flat 2x10 3rd 3rd 3rd 3rd	int of roof 21' 14' earth or rock? earth earth or rock? earth earth or rock? earth bellar Yes no hickness as C Und Lab heat hot wateruel oi. d Size Max. on centers 7' roof span over 8 feet. general yes roof 28 Fir 2' roof 24" 21
s any plumbing involved in this work? yes Is a connection to be made to public scwer? yes If Is a connection to be made to public scwer? yes If Is Is septic tank notice been sent? For Is Is septic tank notice been sent? For Is Is Is Is Is Is Is Is It Is It Is Is Is Is It Is Is Is Is It Is Is It Is Is Is Is Is It Is	any electrical work involved in not, what is proposed for sever motice sent? It average grade to highest polition filled land? Solid ade 12" bootom 12" of covering Asphalt Clalining tile Kind of ressed or full size? dressed rd? Size 32" idging in every floc: and flat 2x10 , 3rd 16" , 3rd 12'6" , 3rd	int of roof 21: 14: earth or rock? earth ealar Yes no hickness so Und Lab heat hot wateriel oi. Size Max. on centers 7: roof span over 8 feet. Grant of 24: 24: 24: 24: 24: 24: 24: 24: 24: 24:
sany plumbing involved in this work? yes Is a connection to be made to public scwer? yes If Is a connection to be made to public scwer? yes If Is a septic tank notice been sent? For Is a septic tank notice been sent? For Is a septic tank notice been sent? For Is a septic tank notice been sent? Search Is and carrying partitions and search Is and carrying partitions and search Is and carrying partitions and search Is and	any electrical work involved in not, what is proposed for sever motice sent? It average grade to highest polition of filled land? Solid ade 12" bootom 12" to for covering Asphalt Clalining tile Kind of ressed or full size? dressed of full size? dressed of full size? and flat 2x10 , 3rd 16" , 3rd 12'6" , 3rd	int of roof 21: 14: earth or rock? earth ceilar yes no hickness so Und Lab heat hot wateriel oi Size 7: Max. on centers 7: roof span over 8 feet. roof 2x8 Fir 2: , roof 24: 24: 24: 24: 24: 24: 24: 24: 24: 24:
s any plumbing involved in this work? yes Is a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to public work as a connection of the second second to the sec	any electrical work involved in not, what is proposed for sever motive sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" or for covering Asphalt Clalining tile Kind of ressed or full size? dressed and? Lally Size 32" idging in every flow and flat 2x10 3rd 12'6" 3rd 12'6" 3rd	int of roof 21: 14: earth or rock? earth ceilar Yes no hickness sc Und Lab heat hot wateriel oi: Size 7: 70 yes no centers 7: 7: 7: 7: 7: 7: 7: 7: 7: 7: 7: 7: 7:
s any plumbing involved in this work? yes Is a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to be made to public scwer? yes If a connection to the public scwer? yes Is a connection to the public scwer? yes Is and yes Is	any electrical work involved not, what is proposed for several notice sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" or for covering Asphalt Clalining tile Kind of ressed or full size? dressed and late 12" of the solid and late 12" of the solid lining 12" of the solid late 13" of the solid late 13" of the solid late 13" of the solid late 14" of the solid late	int of roof 21: 11, i earth or rock? earth rellar Yes FIG hickness as C Und Lab heat hot watefuel oil Size Max. on centers 7! roof span over 8 feet. , roof 2x8 Fir 2: cars to be accommodated 0
s any plumbing involved in this work? s connection to be made to public sewer? s connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 21 16 10! Height size, front 32! depth 25! No. stories 2 sol Material of foundation concrete. Material of foundation concrete. Material of underpinning not a sill garage Height size of the property of the server	any electrical work involved not, what is proposed for several notice sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" or for covering Asphalt Clalining tile Kind of ressed or full size? dressed and late 12" of the solid and late 12" of the solid lining 12" of the solid late 13" of the solid late 13" of the solid late 13" of the solid late 14" of the solid late	int of roof 21: Thi earth or rock? earth ealar Yes no hickness as C Und Lab heat hot wateruel oil Size 7! Max. on centers 7! roof span over 8 feet. yes no 24" 21. height? 22. cars to be accommodated 0 proposed building? no
is any plumbing involved in this work? Is a connection to be made to public sewer? It is connection to be made to public sewer? It is septic tank notice been sent? Height average grade to top of plate 21 10! Height is ize, front 32! depth 25! No. stories 2 sol Material of foundation concrete 12 least 4! gellow gradies I leas	any electrical work involved not, what is proposed for several notice sent? It average grade to highest polition filled land? Solid ade 12" bootom 12" of the 10" of covering Asphalt Clalining 119 Kind of ressed or full size? dressed and 12" of the 12" of the 12" of the 12" of the 13" of the 14" of the 14" of the 15"	int of roof 21: Thi earth or rock? earth ealar yes no hickness as C Und Lab heat hot wateruel oil Size Max. on centers 7! roof span over 8 feet. roof 224 21 roof 24 21 height? cars to be accommodated O proposed building?
is any plumbing involved in this work? Is a connection to be made to public sewer? Is a connection to be made to public sewer? It as septic tank notice been sent? It as septic tank notice t	any electrical work involved not, what is proposed for several notice sent? It average grade to highest polition filled land? Solid ade 12" bootom 12" of covering Asphalt Clalining 1119 Kind of ressed or full size? dressed and late 12" of covering and flat 2x10 3rd 16" 3rd 12'6" 3rd 1	int of roof 21: 1h; earth or rock? earth incomplete or rock or rock see C Und Lab heat hot wateruel oil Size Max. on centers 7! roof span over 8 feet. George of 24 Fir 29 roof 24 Fir 20 height? cars to be accommodated or rooposed building? no our ee on a public street? no
Is any plumbing involved in this work? Is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is connection to be made to public sewer? It is floor loss to the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It a Gar the sewer for the public sewer? It is floor loss to the sewer for the public sewer? It a Gar the sewer for the public sewer? It a Gar the sewer for the public sewer? It a Gar the sewer for the public sewer? It a Gar the sewer for the public sewer? It a Gar the sewer for the public sewer? It a Gar the sewer for the public sewer for t	any electrical work involved inot, what is proposed for severm notice sent? It average grade to highest polition of filled land? Solid and 12" book tom 12" of the Toole covering Asphalt Clalining tile Kind of cessed or full size? dressed of full size? dressed or	int of roof 21: 14: earth or rock? earth earth or rock? Max. on centers 7! roof span over 8 feet. Gar., roof 2x8 Fir 23 -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 2000 ears to be accommodated 0 earth or rock? earth
s any plumbing involved in this work? s connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 21 10! Heightize, front 32! depth 25! No. stories 2 sol Material of foundation concrete 1 10! Heightize, front 32! depth 25! No. stories 2 sol Material of underpinning 1 to sill garage Height Girch gable Rise per foot 7½! 7½ Rollon of coincide garage Kind of roof pitch—gable Rise per foot 7½! 7½ Rollon of chimneys 1 Material of chimneys brick of Framing lumber—Kind hemlock Dr. Corner posts 4x6 Sills 4x6 Girt or ledger boar Girders 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	any electrical work involved inot, what is proposed for severm notice sent? It average grade to highest polition of filled land? Solid and 12" book tom 12" of the Toole covering Asphalt Clalining tile Kind of cessed or full size? dressed of full size? dressed or	int of roof 21' 14' earth or rock? earth earth or wateries ss C Und Lab heat hot wateries oi. d Size Max. on centers 7' roof span over 8 feet. 7' roof 28 Fir 2' - roof 24" 2/ - roof 24" 2/ - roof 24" 2/ - roof 2000 ears to be accommodated 0 proposed building? no ouw ee on a public street? no work a person competent to
s any plumbing involved in this work? s connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 21 16 10! Heightize, front 32! depth 25! No. stories 2 solutions at least 4! sellow gradies at least 4! sellow gradies at least 4! sellow gradies are least 4! sellow gradies and for soft pitch—gable Rise per foot 7½! 7½ Rolo. of chimneys 1 Material of chimneys brick of Framing lumber—Kind hemlock Dr. Corner posts 4x6 Sills 4x6 Girt or ledger boar directs was Size 6x10 Columns under girders was Size 6x10 Columns under girders 1 1st floor 2x10 cong 2nd 1 one story building with masonry walls, thickness of waiss? If a Gail one story building with masonry walls, thickness of waiss? Will work Will ther see that	any electrical work involved inot, what is proposed for sever motive sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" confirmed to the sent of the 12" boot covering Asphalt Clause lining 119 Kind of the 12" confirmed to full size? dressed or full size? dressed and? Lally Size 32" idging in every floc: and flat 2x10 3rd 16" 3rd 12'6" 3rd 12'6" 3rd 12'6" 3rd 12'6" are shabitually stored in the part of the state and City require the State and City require	int of roof 21: 14: earth or rock? earth earth or rock? Max. on centers 7! roof span over 8 feet. Gar., roof 2x8 Fir 23 -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 2000 ears to be accommodated 0 earth or rock? earth
s any plumbing involved in this work? s connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate 21 16 10! Heightize, front 32! depth 25! No. stories 2 solutions at least 4! sellow gradies at least 4! sellow gradies at least 4! sellow gradies are least 4! sellow gradies and for soft pitch—gable Rise per foot 7½! 7½ Rolo. of chimneys 1 Material of chimneys brick of Framing lumber—Kind hemlock Dr. Corner posts 4x6 Sills 4x6 Girt or ledger boar directs was Size 6x10 Columns under girders was Size 6x10 Columns under girders 1 1st floor 2x10 cong 2nd 1 one story building with masonry walls, thickness of waiss? If a Gail one story building with masonry walls, thickness of waiss? Will work Will ther see that	any electrical work involved inot, what is proposed for sever motive sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" confirmed to the sent of the 12" boot covering Asphalt Clause lining 119 Kind of the 12" confirmed to full size? dressed or full size? dressed and? Lally Size 32" idging in every floc: and flat 2x10 3rd 16" 3rd 12'6" 3rd 12'6" 3rd 12'6" 3rd 12'6" are shabitually stored in the part of the state and City require the State and City require	int of roof 21: 14: earth or rock? earth earth or rock? Max. on centers 7! roof span over 8 feet. Gar., roof 2x8 Fir 23 -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 24" 2/ -, roof 2000 ears to be accommodated 0 earth or rock? earth
s any plumbing involved in this work? Is a connection to be made to public sewer? It is septic tank notice been sent? It is septic tank notice ta	any electrical work involved inot, what is proposed for sever motive sent? It average grade to highest polid or filled land? Solid ade 12" bootom 12" confirmed to the sent of the 12" boot covering Asphalt Clause lining 119 Kind of the 12" confirmed to full size? dressed or full size? dressed and? Lally Size 32" idging in every floc: and flat 2x10 3rd 16" 3rd 12'6" 3rd 12'6" 3rd 12'6" 3rd 12'6" are shabitually stored in the part of the state and City require the State and City require	int of roof 21: Thi earth or rock? earth earth or rock? earth earth or rock? earth bickness ss C Und Lab heat hot watefuel oil Size Max. on centers 7! roof span over 8 feet. roof 2x8 Fir 20 roof height? cars to be accommodated 0 proposed building? no

INSPECTIONS: PROGRESS INS	Service called in 127/5/	ELECTRICAL INSTALLATIONS— Permit Number State Commercial
DATE:	REMARKS:	

8-123/58



APPLICATION FOR PERMIT DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

		Date	August 23.	·	, 19 _ 8
To the CHIEF ELECTRICAL INSPECTOR, Portland,		Receipt	and Permit n	nmper 🗀	29
The understand horsely and the fortund,	Maine:				
The undersigned hereby applies for a permit to mal Maine, the Portland Electrical Ordinance the National	ce electrical instal	lations in	accordance u	ith the I	ashir a
Maine, the Portland Electrical Ordinance, the National LOCATION OF WORK: 59 Bartley Ave.	l Electrical Code	and the f	ollowing speci	ficatione	इपिए हर
OWNERIC MANCE. 155 BALLLEY AVE.				Journal of the second	
LOCATION OF WORK: 59 Bartley Ave. OWNER'S NAME: Leon Ranger	ADDRESS:	same	152 1 1 1 20	रेहर स्ट्रेंट	197 3
OUTLETS:			A STATE OF THE STA		1276
December 1			7730.4	γ. ε. β. Ω. γ. ε. ξωτέ πεν	2003 (1833)
Receptacies Switches Plugmo. FIXTURES: (number of)	ld ft. TOT	AL		44	14.
FIXTURES: (number of)					 -,
Strin Warner Flor rescent (not	strip) TOTAL				£3 .
Incandescent Flourescent (not Strip Flourescent ft. SERVICES:	*************		******		
Original as as a			************	 :	
Overhead X Underground Tempo METERS: (number of)	raryTOT.	AL amper	es 100	2 00	
METERS: (number of) Temp3 MOTORS: (number of)				اللعائد.	
Wolons: (number of)			***********		
Fractional 1 HP or over	*************				
1 HP or overRESIDENTIAL, HEATING:					
OF THE TIME!					
Cil or Gas (number of units) Electric (number of rooms)					
Electric (number of rooms) COMMERCIAL OR INDUSTRIAL HEATING:	***********	• • • • • • • • •		*	
COMMERCIAL OR INDUSTRIAL HEATING:			• • • • • • • • • • • • • • • • • • • •		
Oil or Gas (by a main boiler) Oil or Gas (by sevarate units)					
Oil or Gas (by sevarate units) Electric Under 20 kws	************		• • • • • • • • • • • • •		
Electric Under 20 kws			•••••		
			• • • • • • • • • • • • • • • • • • • •		
Ranges	Water Heaters				
Cook rops	Disposals				
Wall Ovens	Dishwashers				
Dryers	Compactors				
l'ans .					
101AL					
MISCELLANEOUS: (number or)			**********		
Branci: Panels Transformers	*****				
	*** ***	• • • • • • • •	••••••		
Signs 20 sq. ft. and under					
a - and a control distant	*****	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • •		
In Ground		• • • • • • • • • • • • • • • • • • • •			
Commercia!		•••••			
Heavy Duty Outlets, 220 Volt (such as welders) 3	S amps and under	· · · · · · · · · · · · · · · · · · ·			
a. –	over 30 anips	 ·	*****		
——————————————————————————————————————					
					_
Emergency Generators					
TAR ARREST	INSTALLATIO	י שמש מר	תודים.		
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT					
FOR REMOVAL OF A "STOP ORDER" (304-16.b)			70 B.		
	TOTAL A	MOHN	erne.		
NOTEGRACE			DOE.	5.00 1	un.
INSPECTION:					
Will be ready on 1-23, 1988, or W	ill Call				
- CHCHOIL HAREIN			-		
ADDRESS: 179 Sheridan St., Portla	and				
1ELL: 774-5825					
	GNATURE OF CO	מידעו	CD .		
IMITED LICENSE NO.:		1111111	The state of the s	•	
	The state of the s	111-1	come.	~	
INSPECTOR'S	Marco Carlo				
OFFICE COP.	. ANARY				

ONTRACTOR'S COPY -- GREEN