ocation of Construction: 18 Autumn La	Owner: Goodine,		Phone:	Pencit 95 04 4 5
wner Address:	Leasee, Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUET
ontractor Name: Dartloy Construction II	Address: Address: Phone: 797-0304			
ast Use:	Proposed Use:	COST OF WORK: \$ 3,100.00	PERMIT FEE: \$ 45.00	MAY 1 2 1995
1-fam	Sano	FIRE DEPT.   Ap		CITY OF PORTLA
	w/Enclosed Porch	Signature:	Signature:	Zone: CBL: 379-D-032
Proposed Project Description:  Construct Addition (New Porch) as per plan		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) Action: Approved		Zoning Approval:
				☐ Wetland ☐ Flood Zone ☐ Subdivision
ermit Taken By: Har J Greeik	Date Applied For:	02 May 1995		☐ Site Plan maj☐ minor ☐ m  Zoning Appeal
This permit application doesn't preclud     Building permits do not include plumb     Building permits are void if work is not tion may invalidate a building permit a  No debria removal necessary	☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied			
•		No Zan	41.00.6	Historic Preservation  Not in 'District or Landrna Does Not Require Reviev Requires Review
	Action:			
authorized by the owner to make this applic	CERTIFICATION  I of the named property, or that the proposed ation as his authorized agent and I agree to ation issued, I certify that the code official's	conform to all applicable la	iws of this jurisdiction. In addition	n. Deulea
areas covered by such permit at any reasons	able hour to enforce the provisions of the co	de(s) applicable to such pe	mii.	Date
		Cz hay 1995		
IGNATURE OF APPLICANT Gree A	. Bartley ADDRESS	DATE:	PHONE:	

COMMENTS	•
5-26-95-8" Sons / in place prior to These Rollers 2X8 2'00 Kear Corry Healts: 2(2x125)	
Set back opposes OK  Set back opposes OK  G-76-95- Completed / pen Porch sprens OK	
Inspection Record Type  Foundation: Framing:	Da'e
Plumbing:	

12'x24' ADDITION 1/ 8" SONATUBOS ZX3 FLOOR JUST 16" on ¢ ht 2x 6 RASTHES (HIP ROOF) 16" on ¢ SLIDIAG GLASS BOR ALL AROUND New APPETEON ZX8 HIGDERES 7 RUST LINE WELL BE SAME AS GARRIGE MAIN HUSE GARAGE BREEZEWAS Section changed in 1980 That Allowed The GAVAGE to be closer to The bit Time 18 AUTUMN LN PORTLAND ME

They was his historian exercise

Management and control of the control of

Inspection Services P. Samuel Hoffses Chief



Planning and Urban Development Joseph E. Gray Jr. Director

## CITY OF PORTLAND

May 12, 1995

Bartley Construction II 257 Auburn Street Portland, ME 04103

P.e: 18 Autumn Tane

Dear Mr. Bartley,

Your application to construct an addition (porch) has been reviewed and a permit is herewith issued subject to the following requirements: This permit does not excuse the applicant from meeting applicable State and

No Certificate of Occupancy will be issued until all requirements of this letter are met.

- 1. It is required that the side yard setback shall be twelve feet (12 )  $\ensuremath{\mathfrak{ss}}$ discussed.
- This porch addition shall not be used for a permanent sleeping area. All the conditioned items on the attached building permit report shall be met.
- 4. Any projections such as stairs or porches shall meet the required rear and side setbacks.

If you have any questions regarding these requirements , please do not hesitate to contact this office.

Sincerely,

Asst. Chief of Inspection Services

ec: Mr. Goodine, 18 Autumn Lane, Portland, ME 04103

389 Congress Street • Pordand, Maine 04101 • (207) 874-8704 • FAX 874-8716 • TTY 874-8936

BUILDING PERMIT REPORT	
DATE: 5/11/95 ADDRESS: 18 Autum 31/ And	
REASON FOR PERMIT: Construct New Dorch Add Im	
BUILDING OWNER: GOODING	
CONTRACTOR: BALLey Construct Construction approved: 4) The condition	
PERMIT APPLICANT: Greg BArtley DENIED: 137 11, 13, 1	ベチ
	,
CONCITION OF APPROVAL OR PENTAL	
1.) Before concrets for foundation in a	
Before concrete for foundation is placed, approvals from rublic Works-	
and Inspection Services must be obtained. (A 24 hour actice is required prior to inspection)	
2. Precaution must be taken to mentant	
2. Precaution must be taken to protect concrete from freezing.  3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete in the strong s	
foundation forms before concrete is placed. This is lone to verify	
** All Vertical openings shal' e enclosed with many	
The state of the s	
approved means of egress.	
whe police shall be protected by and anima with	
sprinklers may be connected to a domestic water supply having a	
of floor throughout the entire area. An INDICATING shut-off valve	
the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a	
residential sprinkler is 144 sg foot an audition coverage area of a	
" The state of the same state	
The state of the s	
s. A portable fire extinguisher shall be located as per NFPA 110. They shall bear the label of an approved agency and be of an approved type.	
All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the content of the con	
City's building code Chapter 9, section 19, 919.3.2(BOCA National	
shall be installed and maintained at the following locations:	

over ?

- 1. In the immediate vicinity of bedrooms
- 2. In all bedrooms

3. In each story within a dwelling unit, including banements In addition to the required AC primary power source required anoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.

- 10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or X-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCK/1993)
- side. (Chapter & section 407.0 of the BoCh/1993)

  Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open par ing structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)

  Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum
  - Headroom in habitabl, space is a minimum of 7.6.

    The minimum headroom in all parts of a stairway shall not be less than 80 inches.
  - All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- 17. Section 25-135 of the Municipal Code for the City of Fortland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 18. The builder of a facility to which section 4594-C of the Maine State Jamman Rights Act. Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the intandards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 19. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

P. Samuel Noffses, Chief of Inspection services

/el 3/16/95

Date: \$/2/95 Applicant: Greg A. BArtley Adress: 18 Autumn Lane Assessors No.: 379-1-37 CHECK LIST AGAINST SONING PROTNANCE Date - original house buil in 1954 Some Location - 12-2-Interior or corner lot ose- New Add dron 12/24 for porch Sewage Disposal -Side Yards - 12/ VCg - 10 Shourn - he SAID he would be. She that the 12' would be not even if he had to modern it Projections -Height - 15474 lot Area -Building Area - (5,070 Area per Family -Width of Lot -Lot Frontage -Off-street Parking -Loading Bays -

NOT 70 F USED for Sleeping or other habitalis. - Forch only-

Shoreland Zoning - U

Flood Plains -

coation of Construction:	Owner Goodine.	Phon	e:	Permit Wis 0145
18 Autumn Ln Owner Address:	Leasee/Buyer's Name	Thone Busn	essName	Succession of the contract of
Owner Andress:	Leave Duyer s Name	T (f ) iic	2331141114	PERMIT ISSUED 1
Contractor Name:	Address:	Phone.		Pernit Issued:
Baryley Construction Il	257 Auburn St Pt1d, M	E 04100 797-03		SW 121937
Past Use.	Proposed Use:	COST OF WORK:	PERMIT FEE:	# ### 5 1257,
		\$ 5,100.00	\$ 45.00	
1-fam	me	FIRE DEPA. El Approve		LCITY OF PURTLAND L
	1	☐ Denied	Use Group: Type:	Zone: CBL:
	w/Enclosed Porch	6:	 	Zone: CBL: 379-D-032
roposed Project Description:	!	Signatu.c		Zoning Approval then The
Toposed Frojone Denotipitoni		Action: Approve	•	Of Special Zone of Boulows:
· · · · · · · · · · · · · · · · · · ·			•	Special Zone of Reviews:
Construct Addition (New Porch)	as ber brar	Denied		□ □ Welland
				☐ Fluod Zonc
		Signature	Date:	☐ Subdivision ☐ ☐ Site Plan ma ☐ m.nor ☐ mm ☐
Permit Taken By:	Date Applied For.	00 24 (00)		O Sterial majoration of mine
Mary Gresik		02 May 199'		Zoning Appeal
This permit application do un't preclude	the Applicant(s) from neeting applicable	State and Federal is		☐ Variance
2. Building 2- mits do not include plumbin	☐ Missellancous ☐ Conditional Use			
	tarted within six (6) months of the date of the	scuan e Falce informa-		☐ Interpretation
<ol> <li>Building permits are void if work is not st tion may invalidate a building permit are</li> </ol>	d ston all work.	Saudice. I disc into ma-		CJ Approved
tion may awantance a ownting permit and	a stop air werk.			Denied
No debris removal necessary				Historic Presurvation
		A STATE AND THE COMMENSATIONS AND A TOTAL AND THE	10 1 CHEST OF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	₩ Not in Distri · · · Landmark
		Principal Control	27)	☐ Does Not Require Review
		WITH TEAT	178	[7] Requires Review
		· cl. all balls of the commentations	White formaction	Action:
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	CERTIFICATION			☐ Appoved
I hereby certify that I am the owner of record	ent Denied /			
authorized by the owner to make this applica	tion as his authorized agent and I agree to	cori m to all applicable laws	of this jurisdiction. In additi-	011,
if a pe mit for work described in the applicat	ion issued. I certify that the code official's	s and orized representative shall	have the authority to enter	
areas covered by such permit at any remonal	he hour to enforce the provisions of the co	ode s) applicable to such permit		/ ;
				A A A
Libria- Brutte		02 May 1995		- 1) thursday
SIGNATURE OF MPFCICANT Greg A.	Bartley ADDRESS:	DATE:	PHONE:	1)
				1 13 1
RESPONSIBLE PERSON IN CHARGE OF V	VORK, TITLE		PHONE:	CEC DISTRICT
RESPONSIBLE PERSON IN CHARGE OF V	WORK, TITLE			CEC DISTRICT