

	· · · · · · · · · · · · · · · · · · ·							
	PERMIT TO INSTALL	PLUMB	!NG	, *		,	1342) A C
	4 - 4 m	Addres		341 Auburn Street			10年と RMIT N	
\cdot	Date 30 00 50	Installe	ation Fo	r: Ronald Chase				
, -	Issued 10-22-63	Owner	of Bld	g. Ronald Chase				
	PORTLAND PLUMBING INSPECTOR	Owner	's Addr					
	By J. P. Walch	Plumbe		Richard P. Waltz.	Date:	10.	22-63	
		NEW	REP'L	PROPOSED INSTALLATIONS		NUMBER	FEE	~
Ė	APPROVED FIRST INSPECTION			SINKS				
1	(D = 20 1010			LAVATORIES				
	Dale Oct. 22, 1963		L	TOILETS				
	ROSERI' D MAR			BATH TUBS				
;	BY MOSEPH P. WEICH			SHOWERS				
1	APPROVED FINAL INSPECTION	1		DRAINS (cellar)		1	\$ 2.00	5
	6.			HOT WATER TANKS				
	Date (Oct 22, 1963)			TANKLESS WATER HEATERS				
•	Managa.			GARBAGE GRINDERS				–
	By TYPE OF BUILDING			SEPTIC TANKS				- 3
	TYPE OF BUILDING			HOUSE SEWERS				_
	RESIDENTIAL			ROOF LEADERS (Conn. to house drain)				_
	SINGLE	7		Set Tub				
-()	MULTI FAMILY					<u>L</u> -	2.0	<u>. </u>
~	☐ NEW CONSTRUCTION							_
	REMODELING		ł	<u> </u>		L		
		חמב וי	HEART	H DEPT. PLUMBING INSPECTION	TOTA	IL 🔊	\$ 4.0)
	1 4/1	277110		TO DELLE LEGITION MASKECHON F			<u> </u>	

A							
14 C	ALC: TOTAL FOR						
3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PERMIT TO INSTALL	PLUMP	ING	The state of the s			
	Date Issued 10-22-63 PORTLAND PLUMBING INSPECTOR	Addre Installa Owner	ss ation F of Blo	g. Ronald Chase	Р	1342 ERMIT NUI	2 MBER
· .	By J. P. Welch	Plumbe		Pichaud B			-
	APPPOVED FIRST INSPECTION	NEW	REP'L	PROPOSED INSTALLATIONS	T NUMBER	22_63 FEE	
) }	Date Oct 22,1963			SINKS LAVATORIES			•
1.	JOSEPH P. WELCH			TOILETS BATH TUBS			
,	APPROVED FINAL INSPECTION			SHOWERS DRAINS			
٠.	Dote Oct. 22, 1963			HOT WATER TANKS			
	JOSEPH P. WELLH			TANKLESS WATER HEATERS GARBAGE GRINDERS			
	COMMERCIAL	1		SEPTIC TANKS HOUSE SEWERS			3
	☐ RESIDENTIAL ☐ SINGLE		-	ROOF LEADERS (Conn. to house drain)	7	\$ 2.00	
\cup	MULTI FAMILY NEW CONSTRUCTION		-				
	REMODELING PORTL	AND H	EALT	DEPT. PLUMBING INSPECTION TOTAL	L D	\$ 2.00	

PERMIT TO INSTALL	PLUMB	ING		, A	1054	n
Date Date		ation Fo		P	PERMIT NU	MBER
Issued 8.15.51 PORTLAND PLUMBING INSPECTOR	Owner	's Add	g. M. Bartley ess. 75 Bartley Avenue	\$ ¥,		-
By J. P. Welch	NEW	Br: A	rnold Jonson Dat		15.61	_
APPROVED FIRST INSPECTION		727.5	SINKS	136MUR4	FEE	:
Date 3-16-61			LAVATORIES			
Date 0-16-6			TOILETS			•
1 PND -			BATH TUBS	-	 	-
By. John Mary			.SHOWERS		 	
APPROVED FINAL INSKECTION			DRAINS			
Date 8-16-61			HOT VITER TANKS		 	•
Date 0 10 01			TANKLESS WATER HEATERS		 	
BY DOSEPH P. WELCH			GARBAGE GRINDERS		 	
TYPE OF BUILDING		i	SEPTIC TANKS		 	. 3
COMMERCIAL	1		HOUSE SEWERS		6 2 00	. •
RESIDENTIAL			ROOF LEADERS (Conn. to house drain)		\$ 2.00	-
☐ SINGLE			3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			
MULTI FAMILY					 	
☐ NEW CONSTRUCTION						
REMODEUNG						
PORT	LAND	HEALT	H DEPT. PLUMBING INSPECTION TO	TAL D	\$ 2.00	



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT June 15, 1959

PERMIT ISSUE!

Portlan	d, Maine,
To the INSPECTOR OF BUILDINGS, PORTLAND	1.1
The undersigned hereby applies for a permit ance with the Laws of Maine, the Building Code of t	to install the following heating, cooking or power equipment in accord- he City of Portland, and the following specifications:
Location 3/1 Auburn St.	Building Dwelling No. Stories 12 New-Building Existing "
Name and address of owner of appliance	arold 3 Schumacher, 3/1 Avourn St.
	pui pment Co.27 Portland St. Telephone 3-6/495
	Description of Work
To install Forced warm air heating syst	em in place of gravity warm air heat.
	<i>y</i> ,
	ER, OR POWER BOILER
Location of appliance	rnable material in floor surface or beneath? none
it so, how protected?	Kind of tigl? oil
Minimum distance to burnable material, from top of	appliance or casing top of furnace
From top of smoke pipe3! From front of	applianceover 41. From sides or back of applianceover 31
Size of chimney flue8X8 Other connection	ons to same flue force
If gas fired, how vented?	Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to	insure proper and safe combustion?
ı	F OIL BURNER
Name and type of burner Hallmark-guntype	
Will operator be always in attendance?	Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete	Size of vent pipe 12;"
Location of oil storage basement	Number and capacity of tanks1-275. gal
Low water shut off Mak	e
Will all tanks be more than five feet from any flame?	Yes How many tanks enclosed?
Total capacity of any existing storage tacks for furna	ce burners 1-110 gal. outside tank to be removed
the company of any desting storage tarks for furna	ce burners = 222
	OKING APPLIANCE
Location of appliance	. Any burnable material in floor surface or beneath?
If so, how protected?	Height of Legs, if any
Skirting at bottom of appliance? Dista	nce to combustible material from top of appliance?
From front of appliance From sides	and back From top of smokepipe
Size of chimney flue Other connection	ons to same flue
Is hood to be provided? If so,	how veuted? Forced or gravity?
If gas fired, how vented?	Rated maximum demand per hour
MISCELLANEOUS EQUI	IPMENT OR SPECIAL INFORMATION
Amount of fee enclosed?(\$2.00 for one houlding at same time.)	eater, etc., 50 cents additional for each additional heater, etc., in same
WED: 1 15 CO	
(6:10:07 NAM!	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
	observed?
	Easternoil & Equipment Co.
	Easternoil & Equipment Co.

Signature of Installer by: D. T. t-client

+ m

INSPECTION COPY



APPLICATION FOR PERMIT PERMIT ISSUED

Class of Building or Type of Str	ructureThird_Class	// 15 195 5
Portland, 1	Maine, June 13, 1955	CITY of PORTLAN
To the INSPECTOR OF BUILDINGS, PORTLA	The state of the s	CITY of PORTLAN
The undersigned hereby applies for a permit in accordance with the Laws of the State of Maine, specifications, if any, submitted herewith and the fo	to erect atterremiedemakshinstalkhe followi the Building Code and Zoning Ordinance of llowing specifications:	the City of Portland, plans and
Location 3/11 Auburn St.		no Dist. No.
Cwher's name and address Farl D. Rine	s, 341 Auburn St.	Telephone
Lessee's name and address		Telephone
Contractor's name and addressErwin_L.	Woodward, R. F. D. #1, Cumberlar	1d Telephone 9-3392
Architect	Specifications	yes No. of sheets 1
Proposed use of buildingl-car_g	arage	No. families
Last use	***************************************	No. families
MaterialNo. stories Heat	Style of roof	Roofing
Other buildings on same lotdwellinghou	se	······································
Estimated cost \$1,500.	,	Fee \$ 5.00
General	Description of New Work	
To construct 1-car frame garage 1	4' x 22'.	
	cermit frager with	Memo
	CE R	ATTRICATE OF OCCUPANTAL REQUIREMENT IS WILL LE
D Is any plumbing involved in this work?	etails of New Work	n chis work? NO
Height average grade to top of plate		ut of roof 161 7
Size, frontdepthNo. stor	ies1solid or filled land?	earth or rook?
Material of foundationconcrete_slab	Thickness top bottom o	allor
Material of underpinning	Height Tr	interior
Kind of roofpitch=gableRise per foot	ροί sovering Applicate Class	ACKIRSS
No. of chimneys Material of chimn	eve of lining Pin 1-1	Land Control of the C
Framing lumber—Kindhemlock	December full start dre	neat 1991
Corner posts 3-2x4 Sills 4x4 Girt	on lode a financial	(1) 50Q
Girders	or ledg, Coardr	Size
Stude (outside walls and coming positions) 2	A. Y.O. S. P. 11	Max. on centers
Studs (outside walls and carrying partitions) 2x4 Joists and rafters: 1st floorconcre		
	te, 2nd, 3rd	
	, 2nd, 3rd	
Maximum span: 1st floor	, 2nd , 3rd , 3rd , 3rd	, roof
If one story building with masonry walls, thickne	ss of walls?	height?
	If a Garage	
No. cars now accommodated on same lotO, to l Will automobile repairing be done other than min	oe accommodatedlnumber commercial coor repairs to cars habitually stored in the p	roposed building?ro
ROVED:	Miscellaneo	ous
with memory aff	Will work require disturbing of any tre	e on a public street?no
	Will there be in charge of the above	
- V	see that the State and City requiren	
	observed?yes	1
	Earl D Rives	•
	a cent D. Cines	

INSPECTION COPY

Signature of owner by:

Memorandum from Department of Building Inspection, Portland, Maine

341 Auburn St.- To construct 1-car frame garage for Earl D. Rines by Erwin L. Woodward-June 15, 1955

Building permit for construction of a one car garage 14 feet by 22 feet is issued herewith subject to the condition that the heights of the plate and the ridge above the grade will be such that a point half way between the plate and the ridge will be not more than 12 feet above the grade at the front of the building.

AJS/B

CC Mr. Earl D. Rines 341 Auburn Street

(Signed) Warren McDonald
Inspector of Buildings

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

	for parase
	7/11 Augurn St. Date 6/13/55
L.	In whose name is the title of the property now recorded? Earl D. Rines
2.	shown clearly on the ground, and how?
	Is the outline of the proposed work now staked out upon the ground? <u>yes</u> If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced?
•	What is to be maximum projection or overhang of eaves or drip? 6"
•	Do you assume full responsibility for a correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections?
•	Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building?
rk d es	Do you understand that in case changes are proposed in the location of the or in any of the details specified in the application that a revised plan application must be submitted to this office before the changes are made?
	Envin L. Muselwand



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 13, 1989.


PERMIT ISSUED

CITY of PORTLAND

Location	341-34	3 Auburr	1 Stree	tUs	e of Bui	lding <u>d</u>	relliṅg	house	No. Sto	ries	New E	Buildi
Name a	341-34 nd address o	l owner of	applian	ce Pl	iiio	seelyn	- · · ·	D. #25	ed rorti	and ·	MCXDEK	MK.
Installer	's name and	l address !	ortla	nd Sel	ago I	ce Co.,	302 co	mercial	St. Teler	hone3=	2911	}
										4	1	1
١,			,			Descript			:	. :	,	;
To insta	u oil b	uming.	floor	furna	ce (gr	avity w	arm air	heat)				
*******************	···		· •••••••••	, , , , , , , , , , , , , , , , , , ,			······			to fire Dep od from Fire	6/13	149
	;	£ .	:	IF H	EATE	R, OR P	OWER	BOILER	j seni	d from Bira	Davi 6	44
Location	of appliance	e or sourc	e of hea						oor beneath	appliance	concr	ete
If wood	. how protec	cted?	••••••			*************************		************		Kind of fue	oil_	
Minimu	m distance t	to wood or	combus	tible m	aterial,	from top	of applia	nce or casin	g top of fur	nace regi	ster	(****************************
From to	p of smoke	with pipe10!!	shield Fr	omition	it of ap	oliance <u>o</u>	ver 41	From side	s or back of	appliance	over	3 i
Size of o	himney flue	<u>8x8</u>	<u>.</u>	ther co	onnectio	ns to sam	e flue	none	, 			
	ed, how ven											
Ü	, , ,					OIL BU			; '			
				Calom						, , , , , , , , , , , , , , , , , , ,	, ,	res
	nd type of b											
-	erator be alv									n of tank?	000000	7111
Type of	floor beneat of oil store	th burner .		concr	ere		* 4			1.110 @		
		-,										
	75-gallon ta											
Will all		ara than fi	ve feet	rom a	iy flame	yes yes	How	many tank	s hre proole	d/		
	tanks be mo	ore than h				•				•		
Total ca	tanks be mo	ny existing	storage	tanks	for furn	ace burne	ersnı	one	: 	······································		<u> </u>
Total ca	pacity of au	ny existing	storage	tanks J	for furn	iace burno OKING	ersnı APPLIA	one NCE		;	1 1	
Total ca	pacity of au	ny existing	storage	tanks J	for furn	iace burno OKING	ersnı APPLIA	one NCE		;	1 1	
Total ca	pacity of an	ry existing	storage	tanks	for furn IF COC ind of fu	OKING	APPLIA	NCE Type of fl	oor beneath	appliance	1 1	
Total ca	tanks be monapacity of an of appliance how protect m distance t	ry existing	storage	tanks	for furn IF COC ind of fu	OKING	APPLIA	NCE Type of fl	oor beneath	appliance	1 1	
Location If wood, Minimu From fr	n of appliance the distance to the of appliance to the of appliance to the office of a the office of the office	ceted?o wood or	combus	tanks I K Lible	for furnification for furnific	DKINGrom top o	APPLIA	NCE Type of fl	oor beneath	appliance		
Location If wood, Minimu From fr	n of appliance to one of appliance to one of appli	ted?	combus	tanks K tible	for furnition furnition for furnition for furnition for furnition furnition for furnition furnition for furnition furnition for furnition fu	DKING iel rom top o nd back ns to sam	APPLIA f appliance flue	NCE Type of fl	oor beneath	appliance		i i
Location If wood, Minimu From fr Size of c	n of appliant how protec m distance t ont of appli himney flue to be provide	ted?	combus	tanks K tible Fre Other on	for furn	occe burned burned burned back	APPLIA f appliance flue	NCE Type of fl	oor beneath	appliance	; ; ;	1
Location If wood, Minimu From fr Size of c	n of appliance how protec m distance t ont of appli himney flue to be provice red, how ve	ted?	combus	tanks K tible Fre Other co	for furnities fo	occe burned burned back	APPLIA f appliance flue	NCE Type of fl	oor beneath	smokepipe		i i
Location If wood, Minimu From fr Size of c	n of appliance how protec m distance t ont of appli himney flue to be provice red, how ve	ted?	combus	tanks K tible Fre Other co	for furnities fo	occe burned burned back	APPLIA f appliance flue	NCE Type of fl	oor beneath	smokepipe		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		j
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		· · · · · · · · · · · · · · · · · · ·
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		j
Location If wood, Minimu From fr Size of c	n of appliance to be provided to be	ted?	combus	tanks K tible Fre Other cy	for furnition furn	per le	APPLIA f appliance flue Ra OR SPI	NCE Type of fl	oor beneath	smokepipe per hour		j
Total call Location If wood, Minimu From fr Size of calls hood If gas fi	n of appliant how protect m distance to the provide to be provided	ted? nted? MISCE	combus	tanks K tible Fre Other co	for furnition of furnition of furnition ow vent	rom top ond back ns to samed? PMENT rete pic	APPLIA f appliance flue Ra OR SPI rs at	nce Type of fl ted maximu	oor beneath	appliance smokepipe per hour		
Location If wood, Minimu From fr Size of c Is hood If gas fi	n of appliance how protect m distance to ont of applichimney flue to be provided and application of fee enclosed and application of fee enclosed application of fee enclos	ted? ted? nted? MISCE	combus	tanks K tible Fre Other co	for furnition of furnition of furnition ow vent	rom top ond back ns to samed? PMENT rete pic	APPLIA f appliance flue Ra OR SPI rs at	nce Type of fl ted maximu	oor beneath	appliance smokepipe per hour		
Location If wood, Minimu From fr Size of c Is hood If gas fi	n of appliant how protect m distance to the provide to be provided	ted? ted? nted? MISCE	combus	tanks K tible Fre Other co	for furnition of furnition of furnition ow vent	rom top ond back ns to samed? PMENT rete pic	APPLIA f appliance flue Ra OR SPI rs at	nce Type of fl ted maximu	oor beneath	appliance smokepipe per hour		
Total call Location If wood, Minimu From from It shood If gas fill a shoot If gas fill	n of appliance to be provided to be	ted? ted? nted? MISCE	combus	tanks K tible Fre Other co	for furnition of furnition of furnition ow vent	rom top ond back ns to samed? PMENT rete pic	APPLIA f appliance flue Ra OR SPI rs at	nce Type of fl ted maximu	oor beneath	appliance smokepipe per hour		
Total call to Location If wood, Minimu From fr Size of call Is hood If gas fi	n of appliance to be provided to be	ted? ted? nted? MISCE t.i on for	combus Combus LLANE tank	tanks K tible Fre Other co	for furnition of furnition of furnition ow vent	rom top o nd back ns to sam ed? PMENT rete pic	APPLIA f appliance flue Ra OR SPI RS at	nce Type of fl ted maximu ecial in least 41	oor beneath	appliance smokepipe per hour TON adé.	ter, etc.,	in sa

INSPECTION COPY

Signature of Installer by:





APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class - CITY of PORTLAND

Portland, Ma	aine, March 23, 1949
To the INSPECTOR OF BUILDIT, GS, PORTLAND	D, MAINE
The undersigned hereby applies for a permit to	erect strengeprindentalizations to title following building structure reproported
in accordance with the Laws of the State of Maine, the specifications, if any, submitted herewith and the following the state of the st	he Building Code and Zoning Ordinance of the City of Portland, plans and -
Location 341-343 Auburn Street	Within Fire Limits? no Dist. No.
Owner's name and address Philip Asselyn,	RFD #2, So. Portland Telephone none
Lessee's name and address	Telephone
Contractor's name and address Owner	Telephone
Architect	Specifications Plans yes No. of sheets 3
Proposed use of building Dwelling	house No. families 1
Last use	No. families
Material No. stories Heat	Style of roofRoofing
Other buildings on same lot	reconstruction of a commentation and a commentation of the comment
Estimated cost \$ 5,000	Fee \$ 5. CQ
General I	Description of New Work
To construct l2-story frame dwelling	
Administration of the second	
A. was a second of the second	
	and the grant of the control of the
	والمساورة والمناوية وأسار الشبيعة والمحاف المحادي
	in the state of the
	Permit Issued w in Letter
This and sented that this bounds down that the	
the name of the heating contractor. PERMIT TO	tallation of heating apparatus which is to be taken out separately by and in
	- Common
. Dc	tails of New Work
	Is any electrical work involved in this work?yes
Height average grade to top of plate7!7"	Height average grade to highest point of roof. 16'
	s 12 solid or filled land?earth or rock?
	'hickness, top bottom cellar
	Height Thickness
Kind of roof Pitch Rise per foot 8	Roof covering Asphalt Class C Und Lab
	ysbrick of lining tile Kind of heatwarm air fuel oil
	Dressed or full size? dressed
	or ledger board? Size
Girders yex Size 6x8 Columns und	der girders iron post Size 4" Max. on centers 6! 8"
	16" O. C. Bridging in every floor and flat roof span over 3 feet.
Joists and rafters: 1st floor 2x8	2nd 2x4 , 3rd , roof 2x6
On centers: 1st floor. 16"	, 2nd
Maximum span: 1st floor 121	, 2nd 12', 3rd roof ±5' 12'
	s of walls?neight?
	If a Garage
	e accommodatednumber commerciaì cars to be accommodated
will automobile repairing be done other than mino	or repairs to cars habitually stored in the proposed building?
PROVED:	Miscellaneous
outh Other By all	Will work require disturbing of any tree on a public street?no
J. J	Will there be in charge of the above work a person competent to
)	see that the State and City requirements pertaining thereto are
	observed? <u>ves</u>
	.

INSPECTION COPY

NOTES NOTES	
3/09/19. Ground La TIMBERYSTON V	
They are the second of the second of the second	
3/30/4) 9 - Houndation . stappens	Employed in the Contract of th
and another to being elight	The state of the s
man all of the state	a to the second second
Transfer and the Argentine and A	
4/7/19 10 on We for and I for an	- Land Land MAN Lorenthia di Nakari Manada La
× don comeny Timber to be	10 10 10 10 10 10 10 10 10 10 10 10 10 1
double 2 ansund Chumming in and	e A Application of the state of
Sant Poor. Tambers to be	Proposition as the Collection of the Collection
doubled around second with	na stanwell
spendet menters of box de	de to be locked and roll
af end Tuhne the	Notin paralista to
107 flor juit 10 1 Euslis	Clancial V
4/9/4/9- above deferencies	in framing being
Corrected, E. d. d.	,
1/2 23/49- Micorly Joddy for	y Clastery day . 703
5/8/11 2- Gare 18 milet	entuctions Deminion
Trueston mil sand Velu	1 lo la fallawany
Couble uprisal mantin	of dear of the
The run hardell to	Could and
peter stant and and	ming control 20 Diplom when the
5/10/49- above Clarker will	and which year of the say Continue
wis of New Viol.	
3-118/4902 - G- del Con Tillo Clo	is a second of the Sol said and paned
6/14/49 - Certificate to be	also to the state of the state
not a market and the second	
. Height on the control of the contr	Material of underpirerung
	7 Kind of roof 150 Else per fax No. of chimnes Mineral of chimn
The second secon	Free day, lander What . Ling . Comments
- Little 1位 control to mate . "并 如果人类对 included at	Conservation 10 City CO City
end Committee and the control of the second control of the	
22 (10)	jeists and ratters: let have and
18 1 total live live live live live live live liv	18.7 mail to respond to Mineral State (18.1)
	If one story I adding with massons, within this is
. F s Gorage	
n necessarial lefters — . (1) filter contracts (1) was to be seemin need and .) 21 respects to the first talks . (2)	
lviscellancous	APP(0.5) E.0):
25 - 1 - 25 - 25 - 25 - 25 - 25 - 25 - 2	with William (1965)
no tracks - the second of the second of the same of the second of the se	A second second
objected?	

I Sulfy auch

INSPECTION COPY

11



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

Issued to Philip J. Ascolyn

June 15, 1949 Date of Issue

This is to certify that the building, premises, or part thereof, indicated below, and built—attacke charged national at 31.1-31.1 Auburn 3tract under Building Permit No. 49/33t, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire Building

One-Parily Duelling House

Limiting Conditions:

This certificate supersedes certificate issued

Inspector of Buildings

AP 3/1-343 Aubirn Street-I

Br. Philip Ja Asselyn R. F. D. #2 South Portland, Maine

Subject: Permit for construction of dwelling 24' x 28' at 341-343 Auburn Street .

Dear Sir:

The permit for the above work is issued herewith based on plans filed with application and subject to the following:

- 1. It is understood that the garage and breezeway shown on plane are not to be built at this time and are therefore not included in this permit.
- 2. If there is a possibility that you may desire to finish off rooms in the attic at some future date, we suggest that 2x8's 16" on centers be provided for attic floor joists instead of the 2x6's.
- 3. We are not aware how familiar you may be with the requirements of the Building Code relating to the construction of a building such as you plan. Of course all such details are not shown on the plans, but nevertheless must be provided in compliance with Code requirements even though not shown. Therefore in case of doubt it would be well to make sure of requirements before going ahead.
- 4. During the course of the work there are two times when notice foreinspection must be given thin office. The first occurs when framing and firestopping has been completed, electric wiring and plumbing has been installed and approved by the proper inspectors and before any lath or wallboard is applied to walls, partitions or ceilings. If everything is found in order at this time, authorization to "closein the building will be given on a green tag. After all essential work on the building has been completed and before it is used for living quarters, you are required to notify this department for a final inspection, when, if everything is found in compliance with law, the certificate of occupancy, without which use of the building is unlawful, will be issued.
- 5. A separate permit, issuable only to the installer, is required for the installation of the heating plant.

Very truly yours,

Inspector of Buildings

(PA) REFIDENCE TONE - A ...



APPLICATION FOR PERMIT

Class of Building or Type of Structure Foundation

00.274 AR 12. 1949

CITY of PORTLAND

TATIS PO	Portlan.i, Maine,	March 11, 1949		title or LOM
To the INSPECTOR OF BUILDIN	NGS, portland, main	Æ	•	-
The undersigned hereby applie in accordance with the Laws of the Sl specifications, if any submitted herew	s for a permit to erect of ate of Maine, the Build ith and the following sp	Horvefale demakrikkestok ling Code and Zoning Or ecifications	dinance of the	City of Portland, plans
Jocation 341-343 Auburn St Owner's name and address Philip	reet	Within Fire	Limits?no	Dist. No
Owner's name and address Philip	Assclyn %kl+%k%	XXXXXXXRFD #2, 50.	Portland	Telephone none
Lessee's name and address	***************************************			Telephone
Contractor's name and address	Owner			Telephone
Architect	Sp	ecifications 1	Plans yes	No. of sheets
Proposed use of building	Dwelling house			No. families 1
Last use	***************************************			No. families
Material No. stories	Heat	Style of roof	***************************************	Roofing
Other buildings on same lot	***************************************			
Estimated cost \$				Fee \$ 1.00
To excavate and constructi	on foundation on	±y 101 ±2−50019 11	ane dwell	mg 24° X 20°
		Fermit Issued	Lwith F	
			Tielli	=1
It is understood that this beautiful.	anat include in at all ation			
It is understood that this permit does the name of the heating contractor. Pi	not include installation ERMIT TO BE ISS	of heating apparatus wh		
It is understood that this permit does the name of the heating contractor. PA	ERMIT TO BE ISS	of heating apparatus wh SUED TO Owner		
ne name of the heating contractor.	ERMIT TO BE ISS Details o	of heating apparatus wh SUED TO Owner f New Work	ich is to be tak	een out separately by an
Is any plumbing involved in this wor	Details o	of heating apparatus when the summer of New Work work work any electrical work	ich is to be tak	een out separately by an
Is any plumbing involved in this work Height average grade to top of plate	Details o	of heating apparatus where the control of the contr	ich is to be tak involved in th	een out separately by and his work?
Is any plumbing involved in this work Height average grade to top of plate	Details o	of heating apparatus where the control of the contr	ich is to be tak involved in th	een out separately by and his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk?	f New Work Is any electrical work Height a rerage grade to low grade; filled land?	ich is to be tak involved in thighest point	his work?of rook?earth or rock?
Is any plumbing involved in this won Height average grade to top of plate Size, front	Details o rk? at No. stories belo Thicknes to sill	f New Work Light a rerage grade to low grade; filled land? s, top	involved in thighest point 1.2" cella	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? at least to sill se per foot	f New Work Is any electrical work Height a rerage grade to be so	involved in this highest point 12" cella	this work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? at No. stories tello Thicknes to sill se per foot erial of chimneys	f New Work Is any electrical work Height a rerage grade to law solid of filled land? Height LO!! bottom. Height	involved in thighest point 12" cella Thick	his work?
Is any plumbing involved in this won Height average grade to top of plate Size, front depth Material of foundation concrete Material of underpinning "Kind of roof Richards Material of Concrete Material of Material of Material of Material of Concrete Material of Material of Concrete Material of Material of Concrete Material Office Material Of	Details o rk? B. No. stories belo at least 4 belo Thicknes to sill se per foot rial of chimneys	f New Work Is any electrical work Height a rerage grade to log filled land? Is top 10" bottom Height 10" bottom Roof covering 10" of lining 10" Dressed or full size?	involved in thighest point 12" cella	his work? of roof earth or rock? tryes ttesstfuel
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? at least 4 belo to sill se per foot crial of chimneys	f New Work Is any electrical work Height a rerage grade to be grade to be grade. If filled land? Roof covering of lining Dressed or full size?	involved in the highest point to the L2" cella thick	his work? of roof ryes cnesst fuel
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? e	f New Work Is any electrical work Height a rerage grade to be served by the served b	involved in the highest point to the L2" cella thick Kind of hea	t fuel
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? at No. stories Thicknes to sill se per foot crial of chimneys Girt or ledger Columns under girde artitions) 2x4-16" O. C	f New Work Is any electrical work Height a rerage grade to law solid of filled land? Roof covering of lining Dressed or full size? board? Ending in every floo	involved in thighest point 12" cella Thick Kind of hea	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? Brian No. stories of to sill se per foot Girt or ledger Columns under girde artitions) 2x4-16" O. Cooc, 2	f New Work Is any electrical work Height a rage grade to law stop 100 bottom Height 100 bottom Roof covering 100 flining 100 board? Dressed or full size? Board? Size 100 bottom Bridging in every floo	involved in this highest point 12" cella Thick Kind of hea	his work?
Is any plumbing involved in this work Height average grade to top of riate Size, front depth Material of foundation concrete Material of underpinning " Kind of roof Rie No. of chimneys Mate Framing lumber—Kind Corner posts Sills Girders Size Studs (outside walls and carrying pa	Details of the property of the	f New Work Is any electrical work Height a erage grade to be grade to be grade. If filled land? Roof covering	involved in this highest point 12" cella Thick Kind of hea	his work? of roof earth or rock? trues ttuel Size Max. on centers of span over 8 feet, roof, roof, roof,
Is any plumbing involved in this work Height average grade to top of plate Size, front depth depth Material of foundation concrete Material of underpinning " Kind of roof Rie No. of chimneys Mate Framing lumber—Kind Corner posts Sills Girders Size Studs (outside walls and carrying pa Joists and rafters: 1st fl On centers: 1st fl Maximum span: 1st fle	Details o rk? e	f New Work Is any electrical work Height a erage grade to law sold of filled land? Roof covering	involved in the highest point the last color with the last point. 1.2" cella thick the last color with the last point. Kind of heat color and flat roc	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details o rk? e	f New Work Is any electrical work Height a erage grade to law sold of filled land? Roof covering	involved in the highest point the last color with the last point. 1.2" cella thick the last color with the last point. Kind of heat color and flat roc	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details of the property of the	f New Work Is any electrical work Height a erage grade to law solid of filled land? Roof covering	involved in this highest point 1.2" cella Thick Kind of hea	his work?
Is any plumbing involved in this work Height average grade to top of riate Size, front	Details of the property of the	f New Work Is any electrical work Height a erage grade to law solid of filled land? Roof covering	involved in this highest point 1.2" cella Thick Kind of hea	his work?
Is any plumbing involved in this work Height average grade to top of riate Size, front depth Material of foundation concrete Material of underpinning " Kind of roof Rie No. of chimneys Mate Framing lumber—Kind Corner posts Sills Girders Size Studs (outside walls and carrying pa	Details of the property of the	f New Work Is any electrical work Height a erage grade to law solid of filled land? Roof covering Of lining Dressed or full size? Board? Bridging in every floo and A grad A grad Grage Is any electrical work Is	involved in this highest point 1.2" cella Thick Kind of hea	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details of the property of the	f New Work Is any electrical work Height a erage grade to be grade to lead to be grade. Roof covering for filled land? Broof covering for filling	involved in the highest point and flat room iscellaneous	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details on the property of the	f New Work Is any electrical work Height a rerage grade to law grade; filled land? Strong LO" bottom. Height Roof covering of lining Dressed or full size? board? Bridging in every floor and 3rd and 3rd strong Garage modated mumber cost to cars habitually store M work require disturbing	involved in the highest point. 12" cella Thick Kind of hea S war and flat room mmercial carsed in the proping iscellaneous of any tree or	his work?
Is any plumbing involved in this work Height average grade to top of plate Size, front	Details of the property of the	f New Work Is any electrical work Height a erage grade to be grade to lead to be grade. Roof covering for filled land? Broof covering for filling	involved in this highest point 12" cella	his work?

Signature of owner

Thisip Doub,

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

	for <u>dwelling house</u> at <u>3/1-3/3 Auburn Street</u> Date 3/11/49
1.	In whose name is the title of the property now recorded? Philip Asselyn
2.	Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, andhow?stakes
3.	Is the outline of the proposed work now staked out upon the ground? yes If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced?
4.	What is to be maximum projection or overhang of eaves or drip/
5.	Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the propsed work on the ground, including bay windows, porches and other projections?
6.	Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building?
7.	Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?
	Drily 1 and

Thilip | anelyn

WARNING !!!

THIS BUILDING PERMIT IS ISSUED SUBJECT TO SPECIAL CONDITION:

THAT NO CONCRETE SHALL BE POURED IN FOUNDATION FORMS AND NO LAYING OF UNIT MASONRY IN FOUNDATION WALLS SHALL BE STARTED UNTIL NOTICE HAS BEEN GIVEN AT THE DEPARTMENT OF BUILDING INSPECTION OF READINESS TO START ACTUAL MASONRY WORK, AND UNTIL RE-CHECK OF LOCATION HAS BEEN MADE BY INSPECTOR.

Original markings of corners of lot and especially stakes on street line set by Dept. of Public Works must be kept intact and easily accessible for re-check--not covered by excavated earth or building materials. Otherwise the "go-ahead" cannot be given. Dept. of Public Works cannot re-set their stakes.

* * *

Obtiously the notice for re-check must be given at such a time as to allow reasonable opportunity to make re-check.

Warren McDonald Inspector of Buildings

341-343 Auburn Street-I

Mr. Philip Asselyn R. F. D. #2 South Portland, Maine

Subject: Permit for excavation and con-struction of foundation only for new dwelling at 341-343 Auburn Street


Dear Sir:


The permit for the above work is issued herewith. Since the location plan filed with application for permit indicates no projections on the building such as porches, overhanging second stories, outside fireplace chimneys and the like, we presume that there are to be none. If this, however, is not the case, it would be well to check to make sure before work is started that the location of the building as proposed will allow the addition of such projections and still maintain the yard distances set by the Zoning Ordinance.

Very truly yours,

Inspector of Buildings

MS/G





4=1

PORTLAND

341 ALBURN ST

MP.				- F.3
	APPLICATION FO	R PERMIT	PF	rmit issued
B.O.C.A. USE	GROUP	·····nn1·2·····		JAN 6 1984
B.O.C.A. TYP	E OF CONSTRUCTION			
ONING LOCATION .		and, maine Jan.	.3,. <u>1</u> 984. ე	TY of PORTLAND
The undersigned hereby app quipment or change use in accordinance of the City of Portland OCATION341 Aubur Owner's name and address Lessee's name and address Contractor's name and address	G & INSPECTION SERVICES, lies for a permit to erect, alter, reprordance with the Laws of the State and with plans and specifications on Street. George Odencrantz - Dan Robie Ir. Dembre	nair, demolish, move or in the of Maine, the Portland is, if any, submitted here wille Corner Rd.,	B.O.C.A. Bui with and the form. Fire I AUDULTA Tele Tele Tele	Iding Code and Zoning billowing specifications: District #1 \(\pi \), #2 \(\pi \) phone
Proposed use of huilding	walling with general but	siness office · · · ·	N	lo. lamilies
ast use	ies Heat	Style of roof	Roof	ing
Other buildings on same lot.				
Estimated contractural cost \$.		A	appeal Fees	\$
FIELD INSPECTOR—Mr.				25.00
	@ 775-5451	_	ate Fee	
dwelling to as generalx	se from dwelling - single single family with home www.www.weffice, no alte estate office	occupation.		\$25,00 Special Conditions
sena permit	to # 2 04103			
	DETAILS OF	NEW WORK		
Is connection to be made to Has septic tank notice been s Height average grade to top Size front	this work? no. Is public sewer? If tent? Fo of piate H th No. stories Thickness, t Rise per foot Material of chimneys Dressed or full size? Columns under girders rying partitions) 2x4-16" O. C. B 1st floor 1st floor 2r 1st floor 2r asonry walls, thickness of walls?	any electrical work involute in the content of the	ighest point o	f roof
·	IF A G	ARAGE	!=1 **	. ha naaammadatad
No. cars now accommodated	on same lot, to be accommo e done other than minor repairs	to cars habitually stored	in the propos	ed building?
APPROVALS BY: BUILDING INSPECTION ZONING: O	DATE -PLAN EXAMINER	Mill work require dist at Will there be in charge	rbing of any tre of the above and City require	
Others:	Signature of Applicant G.C.	Piny DY		lane# same
	Type Name of above Rol	pie I Dambrosio	mutiliste _e l'	1□ 2½k 3□ 4□

MA IRVING,

FIELD INSPECTOR'S COPY

APPLICANT'S COPY OFFICE FILE COPY

ege.

Dover Lange Odenor my
Date of permit | 2 - ay

Approved | 5 - 8 y

Dwelling hange was a

Alteration

.

•