

404-408 AUBURN STREET

SHAW-WALKER

100% COTTON 40/20 15 Third cut # 92027 - Finish # 82007



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Oct. 15, 1974

PERMIT ISSUED

OCT 15 1974

0992 CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 406 Auburn Street Use of Building dwelling No. Stories 1 Existing 8305-8000 Existing
Name and address of owner of appliance Kenneth R. Russell, same
Installer's name and address Dixon Bros., 230 Main St. Gorham Telephone 839-3311

General Description of Work

To install forced hot water boiler and oil burner (replacement)

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 2'
From top of smoke pipe 2' From front of appliance over 4' From sides or back of appliance over 4'
Size of chimney flue 8x8 Other connections to same flue no
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?

IF OIL BURNER

Name and type of burner Del Ray Labelled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete Size of vent pipe 1 1/2" Existing
Location of oil storage basement Number and capacity of tanks 1 - 220
Low water shut off Make No.
Will all tanks be more than five feet from any flame? How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smoke pipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
Is gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? \$5.

APPROVED:

OK -10-15-74 MFC

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Dixon Brothers

Signature of Installer By M. L. Montrop

CS 300

INSPECTION COPY

Lic # 356

CITY OF PORTLAND, MAINE  
Application for Permit to Install Wires

Permit No. 2062

Issued 10-18-24

Portland, Maine

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address Kenneth Russell 408 Auburn St. Portland

Contractor's Name and Address Dixon Bros 230 Main St. Portland Tel. 839-3311

Location 408 Auburn St. Use of Building Dwelling

Number of Families / Apartments Stores Number of Stories 1

Description of Wiring: New Work Additions Alterations

Pipe	Cable	Metal Molding	BX Cable	Plug Molding (No. of feet)	
No. Light Outlets		Plugs	Light Circuits	Plug Circuits	
FIXTURES: No.			Fluor. or Strip Lighting (No. feet)		
SERVICE: Pipe	Cable	Underground	No. of Wires	Size	
METERS: Relocated		Added	Total No. Meters		
MOTORS: Number	Phase	H. P.	Amps	Volts	Starter
HEATING UNITS: Domestic (Oil)		No. Motors		Phase	H.P.
Commercial (Oil)		No. Motors		Phase	H.P.
Electric Heat (No. of Rooms)					
APPLIANCES: No. Ranges		Watts	Brand Feeds (Size and No.)		
Elec. Heaters		Watts			
Miscellaneous		Watts	Extra Cabinets or Panels		
Transformers		Air Conditioners (No. Units)	Signs (No. Units)		
Will commence	19	Ready to cover in	19	Inspection	19
Amount of Fee \$					

Signed Dixon Bros. By W. L. Mathias

DO NOT WRITE BELOW THIS LINE

SERVICE	METER	GROUND
VISITS: 1/1-15-24	1/1-15-24	4
7	8	10
		11
		12

REMARKS: Not Home

INSPECTED BY

Lalby (OVER)

PERMIT TO INSTALL PLUMBING

PERMIT NUMBER **3877**

Date issued **10-15-74**  
 Portland Plumbing Inspector  
 By **ERNOLD R. GODWIN**

App. First Insp.  
 Date  
 By  
 App. Final Insp.  
 Date  
 By

- Type of Bldg.
- Commercial
  - Residential
  - Single
  - Multi Family
  - New Construction
  - Remodeling

Address <b>408 Auburn St.</b>		PERMIT NUMBER <b>3877</b>	
Installation For <b>one fam.</b>			
Owner of Bldg. <b>Kenneth Russell</b>			
Owner's Address <b>same</b>		Date <b>10-15-74</b>	
Plumber: <b>Dixon Brothers</b>		NO.	FEE
NEW	REPL	<b>230 Main St. Gorham,</b>	
		SINKS	
		LAVATORIES	
		TOILETS	
		BATH TUBS	
		SHOWERS	
		DRAINS FLOOR SURFACE	
		HOT WATER TANKS	
	<b>1</b>	TANKLESS WATER HEATERS	<b>1 2.00</b>
		GARBAGE DISPOSALS	
		SEPTIC TANKS	
		HOUSE SEWERS	
		ROOF LEADERS	
		AUTOMATIC WASHERS	
		DISHWASHERS	
		OTHER	
		<b>Base fee</b>	<b>3.00</b>
TOTAL			<b>5.00</b>

Building and Inspection Services Dept. Plumbing Inspection

PERMIT TO INSTALL PLUMBING

Date Issued **10-11-71**  
 Portland Plumbing Inspector  
 By **ERNOLD R. GOODWIN**

App. First Insp.  
 Date **10/12/71**  
 By **WALTER E. WALLACE**

App. Final Insp.  
 Date **10/15/71**  
 By **WALTER E. WALLACE**

- Type of Bldg.
- Commercial
  - Residential
  - Single
  - Multi Family
  - New Construction
  - Remodeling

Address **408 Auburn St.** PERMIT NUMBER **911**  
 Installation For: **Single**  
 Owner of Bldg.: **Kenneth E. Russell**  
 Owner's Address: **Same**  
 Plumber: **ESMY Richard Walte** Date: **10-11-71**  
 NEW REPL. **536 Auburn St.** NO. FEE

		SINKS		
		LAVATORIES		
		TOILETS		
		BATH TUBS		
	<b>1</b>	SHOWERS		
		DRAINS FLOOR SURFACE		<b>2.00</b>
		HOT WATER TANKS		
		TANKLESS WATER HEATERS		
		GARBAGE DISPOSALS		
		SEPTIC TANKS		
	<b>1</b>	HOUSE SEWERS		
		ROOF LEADERS		<b>2.00</b>
		AUTOMATIC WASHERS		
		DISHWASHERS		
		OTHER		
			TOTAL	<b>4.00</b>

Building and Inspection Services Dept.; Plumbing Inspection



RS RESIDENCE ZONE

# APPLICATION FOR PERMIT

Class of Building or Type of Structure

Portland, Maine, June 23, 1971

PERMIT ~~ISSUED~~

JUN 23 1971

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 408 Auburn Street, Portland Within Fire Limits? \_\_\_\_\_ Dist. No. \_\_\_\_\_  
 Owner's name and address Kenneth Russell Telephone 797-4113  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address Maine Shawnee Step Co., Inc., Auburn Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans \_\_\_\_\_ No. of sheets \_\_\_\_\_  
 Proposed use of building Dwelling No. families 1  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_  
 Material \_\_\_\_\_ No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_  
 Estimated cost \$ 350.00 Fee \$ 3.00

### General Description of New Work

REAR Shawnee step 4' wide, 3 risers, 72" platform (sideways) Ht-22 1/2", Proj=48"

To replace old woode step approximate same size.  
Foundation - concrete pads and angle irons.

DISTANCE FROM HOUSE TO REAR LOT LINE 125 feet.

According to standard Shawsee plan. Approved by R. I. Peery,  
Structrional Engineer filed in the building department 8/15/57.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO Contractor**

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewage? \_\_\_\_\_  
 Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Framing Lumber-Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_ Corner posts \_\_\_\_\_ Sills \_\_\_\_\_  
 Size Girder \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof spar. over 3 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

APPROVED:

RLS

### Miscellaneous

Will work require disturbing of any tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

CS 301

INSPECTION COPY

Signature of owner

Richard L. Snow

Kenneth Russell

MAINE SHAWNEE STEP CO., INC.  
 1022 MINOT AVENUE  
 AUBURN, MAINE 04210

R.L.



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, April 29, 1948

PERMIT ISSUED

00618 APR 30 1948

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 408 Auburn Street Use of Building Dwelling house No. Stories New Building Existing " Name and address of owner of appliance Kenneth Russell, 408 Auburn Street Installer's name and address Randall & McAllister, 84 Commercial St. Telephone 5-2941

General Description of Work

To install oil burning equipment in connection with existing forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Type of floor beneath appliance If wood, how protected? Kind of fuel Minimum distance to wood or combustible material, from top of appliance or casing top of furnace From top of smoke pipe From front of appliance From sides or back of appliance Size of chimney flue Other connections to same flue If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Timken Labelled by underwriter's laboratories? Yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Location of oil storage cellar Number and capacity of tanks 1-275 gal. If two 275-gallon tanks, will three-way valve be provided? Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed? Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Permit Issued with Letter (extra request)

Location of appliance Kind of fuel Type of floor beneath appliance If wood, how protected? Minimum distance to wood or combustible material from top of appliance From front of appliance From side and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

Signature of Inspector

Permit Issued with Letter (extra request)

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Randall & McAllister

Signature of Installer

Signature of Installer by: Arthur Kelly

INSPECTION COPY



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Dec. 15, 1947

65304  
DEC 16 1947

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 408 Auburn Street Use of Building Dwelling No. Stories 1  
Name and address of owner of appliance Kenneth E. Russell, 408 Auburn Street  
Installer's name and address Hillman A. Williams, Co., 330 Forest Ave. Telephone 3-4817

General Description of Work

To install Oil burning equipment and forced hot water heating system in place of hot air furnace

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Cellar Type of floor beneath appliance Concrete  
If wood, how protected? Kind of fuel Oil  
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 2' with asbestos  
From top of smoke pipe 2' From front of appliance over 4' From sides or back of appliance 8" millboard  
Size of chimney flue 8x12 Other connections to same flue None  
If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Timken Labeled by underwriter's laboratories? Yes  
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? Bottom  
Type of floor beneath burner Concrete  
Location of oil storage Cellar Number and capacity of tanks 2-105 Gal.  
If two 275-gallon tanks, will three-way valve be provided?  
Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed?  
Total capacity of any existing storage tanks for furnace burners None

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance  
If wood, how protected?  
Minimum distance to wood or combustible material from top of appliance  
From front of appliance From sides and back From top of smokepipe  
Size of chimney flue Other connections to same flue  
Is hood to be provided? If so, how vented?  
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Permit Issued with Letter (extra aquastat)

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Hillman A. Williams Co.

INSPECTION COPY

Signature of Installer By:

Hillman A. Williams  
Gen Mgr



STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for one car garage  
at 408 Auburn Street Date 12/11/12

1. In whose name is the title of the property now recorded? Barth Russell
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? Yes
3. Is the outline of the proposed work now staked out upon the ground? Yes If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? \_\_\_\_\_
4. What is to be the projection or overhang of eaves or drip? 0"
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? Yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? Yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? \_\_\_\_\_

H. G. Robinson



# APPLICATION FOR PERMIT

Permit No. 1236

Class of Building or Type of Structure Third Class

Portland, Maine, December 14, 1913

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect ~~alter~~ install the following building structure—equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 10<sup>th</sup> Auburn Street Within Fire Limits? no Dist. No. \_\_\_\_\_

Owner's or Lessee's name and address Kenneth Russell, 10<sup>th</sup> Auburn St. Telephone \_\_\_\_\_

Contractor's name and address R. S. Robinson, 1932 Forest Avenue Telephone \_\_\_\_\_

Architect \_\_\_\_\_ Plans filed yes No. of sheets 1

Proposed use of building 1 car garage No. families \_\_\_\_\_

Other buildings on same lot dwelling house

Estimated cost \$ 750. Fee \$ 1.00

### Description of Present Building to be Altered

Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_

Last use \_\_\_\_\_ No. families \_\_\_\_\_

### General Description of New Work

To erect one car frame garage 12' x 20'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. OK'd agg

### Details of New Work

Is any plumbing work involved in this work? \_\_\_\_\_

Is any electrical work involved in this work? \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_ ft

Size, front 12' depth 20' No. stories 1 Height average grade to highest point of roof 12'

To be erected on solid or filled land? existing earth or rock? \_\_\_\_\_

Material of foundation existing concrete thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_

Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_

Kind of roof pitch Rise per foot 7" Roof covering Asphalt roofing Class C Und. Lth.

No. of chimneys no Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_

Kind of heat no Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_

Framing lumber—Kind hemlock bolted to concrete Dressed or full size? Cressed

Corner posts 4x4 Sills 2x4 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_

Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor concrete, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x4

On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x4"

Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot none, to be accommodated 1

Total number commercial cars to be accommodated none

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner By Kenneth Russell R. S. Robinson 135D

INSPECTION COPY

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for One family dwelling  
at 106 Auburn St Date Aug 29, 1941

1. In whose name is the title of the property now recorded? Everett R. Scribner
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and now? by wood stakes
3. Is the outline of the proposed work now staked out upon the ground? Yes  
If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? \_\_\_\_\_
4. What is to be maximum projection or overhang of eaves or drip? 9"
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? Yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? Yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? Yes Sidney M. Hamilton

Everett R. Scribner

Sidney M. Hamilton

Memorandum from Department of Building Inspection, Portland, Maine  
406 Auburn St.---Dwelling and Garage for Everett R. Scribner by Sidney M. Hamilton-  
9/2/41

To Owner and Builders:

If there is to be a ceiling ~~construction~~ of either plaster or plaster board in the cellar under these 2x10 joists on the 15-foot span, the joists should be spaced not more than 12 inches from center to center.

It is assumed that there will be no loads on the 2x6 rafters other than the roof loads. If such other loads are intended it may be that the rafters will not satisfy the Bldg. Code. See Section 311-c-3.9.

CC Mr. Everett R. Scribner,  
Gray, Maine

(Signed) Warren McDonald  
Inspector of Buildings



(R) GENERAL APPLICATION FOR PERMIT

PERMIT ISSUED 262

Class of Building or Type of Structure dwelling

Permit No. SEP 2 1941

Portland, Maine, Aug. 29, 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect ~~alter~~ erect ~~and~~ the following building ~~with~~ equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 105 Auburn St. Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address Everett R. Suridner Gray St. Telephone \_\_\_\_\_  
Contractor's name and address Sidney M. Hamilton 111 Elm St. Telephone 3-6756  
Architect \_\_\_\_\_ Plans filed yes No. of sheets 2  
Proposed use of building dwelling No. families 1  
Other buildings on same lot no  
Estimated cost \$ 4000 Fee \$ 2.00

Description of Present Building to be Altered

Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use \_\_\_\_\_ No. families \_\_\_\_\_

General Description of New Work

To build one story frame dwelling house 26' x 34' 2x10 over 15' span girders 8x11  
15' x 11' x 5' 3 1/2' 10' 0  
11' x 10' x 5' 3 1/2' 7 1/2'  
glue-lamin ceiling

INSPECTION NOT COMPLETED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? yes  
Is any electrical work involved in this work? yes Height average grade to top of plate 10'-6"  
Size, front 26' depth 34' No. stories 1 Height average grade to highest point of roof 19'  
To be erected on solid or filled land? solid earth or rock? earth  
Material of foundation concrete to sill thickness, top 10" bottom 12" cellar yes  
Material of underpinning concrete sill at least 6" above grade and 4' below Height depth thickness roofing  
Kind of roof pitch Rise per foot 7'-5" Roof covering Class C under, lab.  
No. of chimneys 1 Material of chimneys brick of lining tile  
Kind of heat Hot Air Type of fuel coal Is gas fitting involved? no  
Framing lumber—Kind Hemlock Dressed or full size? dressed  
Corner posts 4x6 Sills 4x6 Girt or ledger board? girt Size 2-2x4  
Material columns under girders iron columns Size 4" Max. on centers 8'  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor 2x8 2x10, 2nd 2x6 ceiling only, roof 2x6  
On centers: 1st floor 16" 18", 2nd 16" no stairway, 3rd \_\_\_\_\_, roof 26"  
Maximum span: 1st floor 15', 2nd 15', 3rd \_\_\_\_\_, roof \_\_\_\_\_

If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Everett R. Suridner

INSPECTION COPY

151

Permit No. 411263

Location: 406 Auburn Street

Owner: Everett R. Scribner

Date of permit: 9/2/41

Notif. closing in: 7/20/41

Inspn. closing in: 7/20/41

Final Inspn.:

Final Notif.:

Permit of Occupancy issued:

Notes:

8/29/41 - Location staked

8/30/41 - Work done on lot

8/31/41 - Lot set off from

9/1/41 - Larger area of property

9/2/41 - Work done on

9/3/41 - Determining lot corners

9/4/41 - All other work

9/5/41 - This is a standard

9/6/41 - Council passed

9/7/41 - Not a standard

9/8/41 - Ref from changed

9/9/41 - 208

9/10/41 - Columns in

9/11/41 - in place

9/12/41 - marked

9/13/41 - 12 salt in tangle

9/14/41 - 12 salt in tangle

9/15/41 - 12 salt in tangle

9/16/41 - 12 salt in tangle

9/17/41 - 12 salt in tangle

9/18/41 - 12 salt in tangle

9/19/41 - 12 salt in tangle

9/20/41 - 12 salt in tangle

9/21/41 - 12 salt in tangle

9/22/41 - 12 salt in tangle

9/23/41 - 12 salt in tangle

9/24/41 - 12 salt in tangle

9/25/41 - 12 salt in tangle

9/26/41 - 12 salt in tangle

9/27/41 - 12 salt in tangle

9/28/41 - 12 salt in tangle

9/29/41 - 12 salt in tangle

9/30/41 - 12 salt in tangle

10/1/41 - 12 salt in tangle

10/2/41 - 12 salt in tangle

10/3/41 - 12 salt in tangle

10/4/41 - 12 salt in tangle

10/5/41 - 12 salt in tangle

10/6/41 - 12 salt in tangle

10/7/41 - 12 salt in tangle

10/8/41 - 12 salt in tangle

10/9/41 - 12 salt in tangle

10/10/41 - 12 salt in tangle

10/11/41 - 12 salt in tangle

10/12/41 - 12 salt in tangle

10/13/41 - 12 salt in tangle

10/14/41 - 12 salt in tangle

10/15/41 - 12 salt in tangle

10/16/41 - 12 salt in tangle

10/17/41 - 12 salt in tangle

10/18/41 - 12 salt in tangle

10/19/41 - 12 salt in tangle

10/20/41 - 12 salt in tangle

10/21/41 - 12 salt in tangle

10/22/41 - 12 salt in tangle

10/23/41 - 12 salt in tangle

10/24/41 - 12 salt in tangle

10/25/41 - 12 salt in tangle

10/26/41 - 12 salt in tangle

10/27/41 - 12 salt in tangle

10/28/41 - 12 salt in tangle

10/29/41 - 12 salt in tangle

10/30/41 - 12 salt in tangle

10/31/41 - 12 salt in tangle

11/1/41 - 12 salt in tangle

11/2/41 - 12 salt in tangle

11/3/41 - 12 salt in tangle

11/4/41 - 12 salt in tangle

11/5/41 - 12 salt in tangle

11/6/41 - 12 salt in tangle

11/7/41 - 12 salt in tangle

11/8/41 - 12 salt in tangle

11/9/41 - 12 salt in tangle

11/10/41 - 12 salt in tangle

11/11/41 - 12 salt in tangle

11/12/41 - 12 salt in tangle

11/13/41 - 12 salt in tangle

11/14/41 - 12 salt in tangle

11/15/41 - 12 salt in tangle

11/16/41 - 12 salt in tangle

11/17/41 - 12 salt in tangle

11/18/41 - 12 salt in tangle

11/19/41 - 12 salt in tangle

11/20/41 - 12 salt in tangle

11/21/41 - 12 salt in tangle

11/22/41 - 12 salt in tangle

11/23/41 - 12 salt in tangle

11/24/41 - 12 salt in tangle

11/25/41 - 12 salt in tangle

11/26/41 - 12 salt in tangle

11/27/41 - 12 salt in tangle

11/28/41 - 12 salt in tangle

11/29/41 - 12 salt in tangle

11/30/41 - 12 salt in tangle

12/1/41 - 12 salt in tangle

12/2/41 - 12 salt in tangle

12/3/41 - 12 salt in tangle

12/4/41 - 12 salt in tangle

12/5/41 - 12 salt in tangle

12/6/41 - 12 salt in tangle

12/7/41 - 12 salt in tangle

12/8/41 - 12 salt in tangle

12/9/41 - 12 salt in tangle

12/10/41 - 12 salt in tangle

12/11/41 - 12 salt in tangle

12/12/41 - 12 salt in tangle

12/13/41 - 12 salt in tangle

12/14/41 - 12 salt in tangle

12/15/41 - 12 salt in tangle

12/16/41 - 12 salt in tangle

12/17/41 - 12 salt in tangle

12/18/41 - 12 salt in tangle

12/19/41 - 12 salt in tangle

12/20/41 - 12 salt in tangle

12/21/41 - 12 salt in tangle

12/22/41 - 12 salt in tangle

12/23/41 - 12 salt in tangle

12/24/41 - 12 salt in tangle

12/25/41 - 12 salt in tangle

12/26/41 - 12 salt in tangle

12/27/41 - 12 salt in tangle

12/28/41 - 12 salt in tangle

12/29/41 - 12 salt in tangle

12/30/41 - 12 salt in tangle

12/31/41 - 12 salt in tangle

Date	Description of Work	Inspector	Remarks
9/2/41	Permit issued		
9/3/41	Location staked		
9/4/41	Work done on lot		
9/5/41	Lot set off from		
9/6/41	Larger area of property		
9/7/41	Work done on		
9/8/41	Determining lot corners		
9/9/41	All other work		
9/10/41	This is a standard		
9/11/41	Council passed		
9/12/41	Not a standard		
9/13/41	Ref from changed		
9/14/41	208		
9/15/41	Columns in		
9/16/41	in place		
9/17/41	marked		
9/18/41	12 salt in tangle		
9/19/41	12 salt in tangle		
9/20/41	12 salt in tangle		
9/21/41	12 salt in tangle		
9/22/41	12 salt in tangle		
9/23/41	12 salt in tangle		
9/24/41	12 salt in tangle		
9/25/41	12 salt in tangle		
9/26/41	12 salt in tangle		
9/27/41	12 salt in tangle		
9/28/41	12 salt in tangle		
9/29/41	12 salt in tangle		
9/30/41	12 salt in tangle		
10/1/41	12 salt in tangle		
10/2/41	12 salt in tangle		
10/3/41	12 salt in tangle		
10/4/41	12 salt in tangle		
10/5/41	12 salt in tangle		
10/6/41	12 salt in tangle		
10/7/41	12 salt in tangle		
10/8/41	12 salt in tangle		
10/9/41	12 salt in tangle		
10/10/41	12 salt in tangle		
10/11/41	12 salt in tangle		
10/12/41	12 salt in tangle		
10/13/41	12 salt in tangle		
10/14/41	12 salt in tangle		
10/15/41	12 salt in tangle		
10/16/41	12 salt in tangle		
10/17/41	12 salt in tangle		
10/18/41	12 salt in tangle		
10/19/41	12 salt in tangle		
10/20/41	12 salt in tangle		
10/21/41	12 salt in tangle		
10/22/41	12 salt in tangle		
10/23/41	12 salt in tangle		
10/24/41	12 salt in tangle		
10/25/41	12 salt in tangle		
10/26/41	12 salt in tangle		
10/27/41	12 salt in tangle		
10/28/41	12 salt in tangle		
10/29/41	12 salt in tangle		
10/30/41	12 salt in tangle		
10/31/41	12 salt in tangle		
11/1/41	12 salt in tangle		
11/2/41	12 salt in tangle		
11/3/41	12 salt in tangle		
11/4/41	12 salt in tangle		
11/5/41	12 salt in tangle		
11/6/41	12 salt in tangle		
11/7/41	12 salt in tangle		
11/8/41	12 salt in tangle		
11/9/41	12 salt in tangle		
11/10/41	12 salt in tangle		
11/11/41	12 salt in tangle		
11/12/41	12 salt in tangle		
11/13/41	12 salt in tangle		
11/14/41	12 salt in tangle		
11/15/41	12 salt in tangle		
11/16/41	12 salt in tangle		
11/17/41	12 salt in tangle		
11/18/41	12 salt in tangle		
11/19/41	12 salt in tangle		
11/20/41	12 salt in tangle		
11/21/41	12 salt in tangle		
11/22/41	12 salt in tangle		
11/23/41	12 salt in tangle		
11/24/41	12 salt in tangle		
11/25/41	12 salt in tangle		
11/26/41	12 salt in tangle		
11/27/41	12 salt in tangle		
11/28/41	12 salt in tangle		
11/29/41	12 salt in tangle		
11/30/41	12 salt in tangle		
12/1/41	12 salt in tangle		
12/2/41	12 salt in tangle		
12/3/41	12 salt in tangle		
12/4/41	12 salt in tangle		
12/5/41	12 salt in tangle		
12/6/41	12 salt in tangle		
12/7/41	12 salt in tangle		
12/8/41	12 salt in tangle		
12/9/41	12 salt in tangle		
12/10/41	12 salt in tangle		
12/11/41	12 salt in tangle		
12/12/41	12 salt in tangle		
12/13/41	12 salt in tangle		
12/14/41	12 salt in tangle		
12/15/41	12 salt in tangle		
12/16/41	12 salt in tangle		
12/17/41	12 salt in tangle		
12/18/41	12 salt in tangle		
12/19/41	12 salt in tangle		
12/20/41	12 salt in tangle		
12/21/41	12 salt in tangle		
12/22/41	12 salt in tangle		
12/23/41	12 salt in tangle		
12/24/41	12 salt in tangle		
12/25/41	12 salt in tangle		
12/26/41	12 salt in tangle		
12/27/41	12 salt in tangle		
12/28/41	12 salt in tangle		
12/29/41	12 salt in tangle		
12/30/41	12 salt in tangle		
12/31/41	12 salt in tangle		