

Dec. 1, 1976

350 Auburn Street

Wallace W. Grant Jr. 350 Auburn St.

In checking your application to construct an addition on the side of your dwelling 8 x 10 at the above named location we find we are unable to tontinue processing your permit untill further information is provided as follows.

- 1. We will need to know the distance of this addition from the street line. Our records show that your present dwelling sets 31 ft. from the street line to the front of your existing structure.
- 2. I would call to your attention that if you propose to use sons tubes as stated on your plan than they will need to be at least 9 in. in diameter and at least 4 ft. below the grade.

Very truly yours,

R. Lovell Brown Director

RLB/ht

- ..

APPLICATION FOR PERMIT

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION ZONING LOCATION

PORIL	AND, MAINE, ASSA 5 22.2 13 10 GALL SE PUBLICA
To the DIRECTOR OF BUILDING & INSPECTION SERV	VICES, PORTLAND, MAINE
The undersigned hereby applies for a permit to erect, alte	er, repair, demolish, move or install the following building, struc-
Toning Ordinares of the City of Parish I have been accordance with the Laws of	of the State of Maine, the Portland B.O.C.A. Building Code and
tions:	cifications, if any, submitted herewith and the following specifica-
	Fire District #1 [], #2 []
1. Owner's name and address Wallace, W. Grant	t. Jrsame Telephone 797-5115
2. Lessee's name and adddress	Telephone
3. Contractor's name and address . self	Telephone
4. Architect	cifications Plans No. of sheets
Proposed use of buildingdwelling	No. families1
Material No stories West	No. families
Other buildings on same lot	Style of roof
Estimated contractural cost \$300	Fee \$5•Q0
FIELD INSPECTOR—Mr	
This application is for: @ 775-5451	GENERAL DESCRIPTION
Dwelling X Ext. 234 Pe	rmit to construct mud room at dwelling
,	x 8 as per plans.
Masonry Bldg	
Metal Bldg	Stamp of Special Conditions
Alterations Demolitions	
Change of Use	
Other	
NOTE TO APPLICANT: Separate permits are required by	the installers and subcontractors of heating, plumbing, electri-
cal and mechanicals.	
PERMIT IS TO BE ISSUED	TO 1 ☐ 2 ☐ 3 ☐ 4 ☐
	Other:
	F NEW WORK
Is connection to be made to public cours?	Is any electrical work involved in this work?
Has septic tank notice been sent?	Form notice sent?
Height average grade to top of plate	eight average grade to highest point of roof
Size, front depth No. stories	solid or filled land? earth or rock?
Material of foundation Thickness,	top bottom cellar
Kind of roof Rise per foot	Roof covering
Framing Lumber Vind Days 1 6 11 12	of lining Kind of heat fuel
Size Girder Columns under circles	Corner posts Sills
Studs (outside walls and carrying partitions) 2x4-16" O. C	Size Max. on centers
Joists and rafters: 1st floor	d roof roof
On centers: 1st floor 2n	d, 3rd, roof
Maximum span: 1st floor, 2n	d roof 3rd roof
If one story building with masonry walls, thickness of walls?	height?
	GARAGE
No. cars now accommodated on same lot, to be accomm	modated number commercial cars to be accommodated
	to cars habitually stored in the proposed building?
APPROVALS BY: DATE	MISCELLANEOUS
BUILDING INSPECTION—PLAN EXAMINER	Will work require disturbing of any tree on a public street?
ZONING: BUILDING CODE: 1 (10)	Will those he in charge of the allowers
Fire Dept.:	Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto
Health Dept.:	are observed?
Others:	
Signature of Applicant Stall.	luce Hone # same
Type Name of above Wells	ace W. Grant Jr. 1 X2 3 4
	Other
FIELD INSPECTOR'S COPY	and Address

350 Auburn Street

Sept. 23, 1969

Merit Peols of Portland Oak Hill Corner, Box 121 Scarborough co to: Wallaco Grant, 350 Aubum Street

Gentlemen:

This letter is merely a reminder that when the permit was issued to construct a permanent swimming pool on your property the Building Code requirements state that in "this pool shall be completely enclosed by a fence no less than 4 foot in height and of a character to exclude children". Each opening in the fence shall be equipped with a gate of the same character which shall be made self-closing and self latching.

Please be governed accordingly.

Very truly yours,

Farle S. Smith Plan Examiner II

ESS:m

..

estrand net real in the

r_ana v je svyskiki ka.

,, , ,,,

350 Auburn Street

May 21, 1969

Merit Pools of Portland Oak Hill Corner, Box 121 Scarborough

cc to: Wallace Grant `50 Auburn Streat

Gentlemen:

Building permit to construct a permanent swimming pool 16'x32' at the above named location is being issued subject to plan received with the application and in compliance with the Euilding Code and National Electrical Code restrictions as follows:

- This pool shall be completely enclosed by a fence no less than 4' in height and of a character to exclude children. Each opening in the fence shall be equipped with a gate of the same character which shall be made self-closing; and self-latching.
- 2. The National Electrical Code, 680-1 covers construction and installation of electrical wiring for equipment in or adjacent to swimming pools, to metalic appurtenances in or within 5 feet of the pool and to the auxiliary equipment such as pumps, filters, and similar equipment. No electrical appliances or wiring shall be installed in the water or in the enclosed walls of the swimming pool, except as provided for in this article. For more information on electrical wiring for swimming pools see the entire article 680 in the Ne 27 Electrical Cods. If you have any other questions wiring check with the Portland Electrical Inspector at this office.

Very truly yours,

A. Allan Soule Assistant Director of Building Inspection Dept.

AA3 sin

R3 RESIDENCE ZONE



APPLICATION FOR PERMIT

Class of Building or Type of Structure _____Svimming Pool

Portland, Maise, May 19, 1969

PERMIT ISSUED TTY of CALLAGE

Location 350 Auburn St.	with and the following st	Within Fire I i	mite? Dist. No
Owner's name and address [va]	lace Grant, 350	Auburn St.	Telephone
essee's name and address		· · · · · · · · · · · · · · · · · · ·	Telephone
Contractor's name and address A	Merit Pools of Por	rtland, Oak Hill Corn	er Scarborn, Me 883-5558
Architect	Sr	Box 121	on file No of shoots 1
Proposed use of building	Swimming Poo	ol	ns on file No. of sheets 1 No. families
ast use		······································	No. families
Material vinyl No. stories	Heat	Style of roof	Roofing
Other buildings on same lot	-	- * .	- Cooling
Estimated cost \$ 3000.00		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Fee \$ 7.00
The second secon		ption of New Work	
	00110111	PERON OF THEM WOLK ,	
•			
To construct 16' x 32'	vinyl "swimming	pool" 8' x 3' deep.	
		•	•
•			
		e.	ont to Health Digit. 5/19/69
		*, _	ec'd from Health Dopt 5/20/69
,		R	ec'd from Health Dept.
connection to be made to bubil	: sewitt		
Has septic tank notice been sent?		Form notice sent?	
Has septic tank notice been sent? Height average grade to top of pla	ite	Form notice sent? Height average grade to high	nest point of roof
Has septic tank notice been sent? Height average grade to top of pla Size, frontdepth	ite No. stories	Form notice sent? Height average grade to high solid or filled land?	nest point of roof
Has septic tank notice been sent? Leight average grade to top of plaining depth Material of foundation		Form notice sent? Height average grade to high solid or filled land? ss, top	nest point of roofearth or rock?
Has septic tank notice been sent? Ieight average grade to top of place Size, front depth sand Material of foundation sand Kind of roof sand line sand		Form notice sent? Height average grade to high solid or filled land? ss, top	nest point of roofearth or rock?
Has septic tank notice been sent? Height average grade to top of plastice, front		Form notice sent? Height average grade to high solid or filled land? ss, top Roof covering of lining	for sewage? mest point of roof
Has septic tank notice been sent? Height average grade to top of place of the sent of the		Form notice sent? Height average grade to high solid or filled land? ss, top bottom Roof covering of lining Porner pos	cellar fuel Sills
Has septic tank notice been sent? Leight average grade to top of place in the plac	No. stories	Form notice sent?	cellar fuel Max. on centers
Ias septic tank notice been sent? Ieight average grade to top of place ize, front depth sand Material of foundation sand Kind of roof Moral Material Columns and Material Columns Material Col	No. stories	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering of lining Corner post Size C. Bridging in every floor a	cellar fuel Max. on centers Max. on centers Seet.
Ias septic tank notice been sent? Ieight average grade to top of plaize, front	No. stories Thickness Rise per foot Toressed or full size partitions) 2x4-16" O. floor	Form notice sent? Height average grade to high solid or filled land? ss, top bottom Roof covering Corner posts Size C. Bridging in every floor and solid sent sent sent sent sent sent sent sent	cellar
Ias septic tank notice been sent? Ieight average grade to top of place in the place is a sand in the place is a s	No. stories Thicknee Rise per foot Dressed or full size nns under girders partitions) 2x4-16" O. floor	Form notice sent? He!ght average grade to hig! solid or filled land? Roof covering of lining Corner pos Size C. Bridging in every floor a	cellar fuel Max. on centers Max. on centers food fuel fuel fuel fuel fuel fuel fuel fuel
Has septic tank notice been sent? Height average grade to top of platicists, front	No. stories Thicknee Rise per foot Thereial of chimneys Thereial of chim	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade solution and solution and solution are solution.	cellar fuel Max. on centers Max. on centers feet. Foof food food food food food food food
Ias septic tank notice been sent? Icight average grade to top of place ize, front depth sand Material of foundation sand Cind of roof Maraming Lumber—Kind Columnia Columni	No. stories Thicknee Rise per foot Thereial of chimneys Thereial of chim	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade solution and solution and solution are solution.	cellar fuel Max. on centers Max. on centers feet. Foof food fuel food flat roof span over 8 feet. Foof food flat roof food flat roof fla
Ias septic tank notice been sent? Icight average grade to top of place ize, front depth sand Material of foundation sand Cind of roof Maraming Lumber—Kind Columnia Columni	No. stories Thicknee Rise per foot Terial of chimneys Dressed or full size nns under girders partitions) 2x4-16" O. floor floor v walls, thickness of walls	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade solution and solution and solution are solution.	cellar fuel Max. on centers Max. on centers feet. Foof food fuel food flat roof span over 8 feet. Foof food flat roof food flat roof fla
Ias septic tank notice been sent? Icight average grade to top of platize, front	No. stories Thicknee Rise per foot terial of chimneys terial of chimneys terial of chimneys terial of chimneys floor floor walls, thicknees of wall If some lot to be accompared to be	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade solid and solid list? It Garage numodated number contracts	mest point of roof
Ias septic tank notice been sent? Icight average grade to top of platize, front	No. stories Thicknee Rise per foot terial of chimneys terial of chimneys terial of chimneys terial of chimneys floor floor walls, thicknees of wall If some lot to be accompared to be	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade solid and solid list? It Garage numodated number contracts	mest point of roof
Ias septic tank notice been sent? Ieight average grade to top of plaize, front	No. stories Thicknee Rise per foot terial of chimneys terial of chimneys terial of chimneys terial of chimneys floor floor walls, thicknees of wall If some lot to be accompared to be	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a grade stand	certh or rock? cellar fuel Sind of heat Sills Max. on centers nd flat roof span over 8 feet. roof roof height?
Ias septic tank notice been sent? Icight average grade to top of platize, front	No. stories Thicknee Rise per foot Thereial of chimneys. Thereial	Form notice sent? Height average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Size C. Bridging in every floor a cond and and and and and and and	mest point of roof
Has septic tank notice been sent? Icight average grade to top of plate in the plat	No. stories Thickness Rise per foot Interial of chimneys Interial of c	Form notice sent? He!ght average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Size C. Bridging in every floor a cond and and lis? Garage Immodated number commers to cars habitually stored in two conditions of the co	mest point of roof earth or rock? cellar Sind of heat Sills Max. on centers Ind flat roof span over 8 feet. roof roof height? mercial cars to be accommodated In the proposed building? ellaneous any tree on a public street?
Has septic tank notice been sent? Height average grade to top of plate in the plat	No. stories Thickness Rise per foot Iterial of chimneys Iterial of ch	Form notice sent? Height average grade to high solid or filled land? ss, top bottom Roof covering Corner post Size C. Bridging in every floor and street stree	mest point of roof earth or rock? cellar Sills Max. on centers Ind flat roof span over 8 feet. roof roof height? mercial cars to be accommodated in the proposed building? ellaneous any tree on a public street? above work a person competent to
Has septic tank notice been sent? Icight average grade to top of plate in the plat	No. stories Thicknee Rise per foot Aterial of chimneys Dressed or full size nns under girders partitions) 2x4-16" O. floor floor walls, thickness of wal If s me lot to be accompother than minor repair will will see	Form notice sent? Height average grade to high solid or filled land? ss, top bottom Roof covering Corner post Size C. Bridging in every floor and street stree	mest point of roof
Has septic tank notice been sent? Icight average grade to top of plate in the plat	No. stories Thicknee Rise per foot Aterial of chimneys Dressed or full size nns under girders partitions) 2x4-16" O. floor floor walls, thickness of wal If s me lot to be accompother than minor repair will will see	Form notice sent? Height average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Of lining Corner post Size C. Bridging in every floor a cond and and and and and and and	mest point of roof cellar cellar Sind of heat Sills Max. on centers and flat roof span over 8 feet. roof proof height? nercial cars to be accommodated the proposed building? any tree on public street? above work a person competent to requirements pertaining thereto are
Has septic tank notice been sent? Icight average grade to top of plate in the plat	No. stories Thicknee Rise per foot Aterial of chimneys Dressed or full size nns under girders partitions) 2x4-16" O. floor floor walls, thickness of wal If s me lot to be accompother than minor repair will will see	Form notice sent? Height average grade to high solid or filled land? Solid or filled land? Roof covering Of lining Corner post Size C. Bridging in every floor a cond and and and and and and and	mest point of roof cellar cellar Sills Max. on centers and flat roof span over 8 feet. roof proof height? mercial cars to be accommodated n the proposed building? any tree on public street? above work a person competent to requirements pertaining thereto are

NOTES	
6/8/69-1 talk	Permit ! Location Owner Date of 1 Notif. cli Inspn. dl Final No Final In Cert. of 1 Staking Form Cl
will some Court	Permit No. C. Location is 350 C.
2 see a see	K Z G G G G G G G G G G G G G G G G G G
De la	
france. The hand she	
is immedeally ending	
fenc Roll	
111111111111111111111111111111111111111	0 200
-11/4/69- Fences	
up leut mot ste. Misso	
Control & durand	
would complete the	Alector Allert States
anyt withing, top	A Marghi Party and
	. 4'
11/24/69 - 6 at has	Action of the state of the stat
been provided	
ير الماني.	t is a tropic to con-
The second second	
,	Section of the second for the second
- Visit	
Commission of the second of th	***************************************
	3 - or 3 - or 3 - or 3
1 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1
1	
7. 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
- 1 - 2 - x	A service of the serv
	**

ı ´ ·	
	Contract the state of the state
A to	
Colored Colore	the state of the s
	3 (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	c contact
	,
A service of the serv	
,	
	1

The second secon

0	PERMIT TO INSTALL	Addres Installa	s ition For	VALUACE OF AND OF	Total Assessment	PI	143Z
	PORTLAND PLUMBING		of Bldg 's Addre	107/1000 01/10 01/		3	
	By J. P. Weich	Plumbe	REP't	Dana 3. Aankov PROPOSED INSTALLATIONS	Date:	8.3	
	APPROVED FIRST INSPECTION			SINKS		NUMBER	FEE
	~ A! (LAVATORIES			
	Date (1111 2)-64			TOHETS			
	JOSEPH P. WELCH			BATH TUBS			
	By Killian			SHOWERS			
	APPROVED FINAL INSPECTION			DRAINS ++ O-WAL			
	for the same of th	1.7		OT WATER TANKS		_1	\$ 2.00
	Dark Mich. Day	Lor ,	- 1	TANKLESS WATER HEATERS			·
	2 HELL LEGINBING IV	SPECT	OR T	GARBAGE GRINDERS			
	By			SEPTIC TAINKS			
	TYPE OF BUILDING			HOUSE SEWERS			
	COMMFRCIAL RESILENTIAL			ROOF LEADERS (Conn. to house	dest.		
/~	i SINGLE			MOO! LEADERS (COMI. TO HOUSE	arain)		
	MULTI FAMILY						
	NEW CONSTRUCTION						
	REMODELING		J-				

	spo-							
	man sint of the			a common way				
				all the part of the second of the		(a'm	*	
						190 h	4	
	A STATE OF THE STA				والمارا	- تسسس	4	
	Appropriate Services			and the state of t		ire-		•
Į.	PERMIT TO INSTALL P	LUMBING					1322	co.
		Address		350 Auburn Street	240	Pekiy 2014	NT NUMB	EK.
		Installation	For:	Wallace drant Jr.	مرابع المرابع	6.4		
	Date Issued	Owner of	_	Wallage Grant Jr.				
	PORTLATID PLUMBING INSPECTOR	Owner's A	ddre	ss: Samo	te: 8	-3-(64	
	J. P. Welch	Plumber:	21	Dana B. Aaskov Da	NUM		ſEĒ.	
	ByAPPROVED FIRST INSPECTION	NEW KE		SINKS	-+-	+		
	APPROVED PIKST INSTERNAL			LAVATORIES		工		
	Date 8-4-64	 		TOILETS BATH TUBS		_		
	My legas		-†	SHOWERS				
	APPROVED FINAL INSPECTION	1		DRAINS		-		
	D WF	:LCHI		HOT WATER TANKS TANKLESS WATER HEATERS		士		
	DOIS 10 SEPH P. WE CHIEF PLUMBING IN	DECTOR	<u>-</u> -	GARBAGE GRINDERS				3
	CHIEF PLUMBING II	-		SEPTIC TANKS		 +	\$ 2.00	•
	BY TYPE OF BUILDING	╂╼╌┼╴	ī	HOUSE SEWERS	-		- B-Callu	•
	COMMERCIAL			ROOF LEADERS (Conn. to house drain)		†		• -
	RESIDENTIAL TISINGLE							- -
	() IT MULTI FAMILY	1						
١.	NEW CONSTRUCTION	 			TOTAL		\$ 2.00	
	REMODELING	DILAND I	4EAI	TH DEPT. FLUMBING INSPECTION	L			-
	FO	te san trans.						

FILL IN AND SIGN WITH THE

APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

Portland, Mains, ... Jan ... 22, ... 1957 ...

PERMIT ISSUEL OOOSO JAN 23 1957

MA ESS

	To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
.'	To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to in tall the following heating, cooking or porter equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
	The of Building dwelling house No. Stories
	Walled Man Chart III NEW MEDICAL MEDIC
	Name and address of owner of apphance wallace Wallace Telephone 2-8301. Installer's name and address
	Installer's name and addressHarrisDilDo.,
	General Description of Work
	To installcirculating hot_water_heating_system_and_oil_burning_equipment
	To install circulating not waver measure provided the circulating not waver measurements and circulating not ci
	,
	IF HEATER, OR POWER BOILER
	Location of appliance basement
	Location of appliance
	Minimum distance to burnable material, from top of appliance or casing top of rather than sides or back of appliance over 31
,	From top of smoke pipe
* ,	From top of smoke pipe
	Size of chimney flue
	If gas fired, how vented? Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? Yes
* 11	IF OIL BURNER
- , . ,	Name and type of burner
,	Floor oil graphy line feet from 100 or bottom of take,, out of the feet from 100 or bottom of take,,
1,	
	hasement Number and capacity of tanks
****	Make
14.4	the five feet from any flame? Yes How many tanks enclosed?
•	Total capacity of any existing storage tanks for furnace burners
,	TR COOVING APPLIANCE
;	Any humable material in floor surface or beneath?
,	Location of appliance
	Distance to combustible material iron top of appliance, management
1	Tom sides and back
, ,	Other connections to same fills
* .	Is hood to be provided?
	Is hood to be provided?
4.0	MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
, ,	
- 1	
*	
ş 6	
, '	
λ_{i}	
	Amount of fee enclosed? 2,00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in
i i i	building at same tin a.)
-	
, ,	APPROVED: Will there be in charge of the above work a person competer
3 44	
\$.4	Will there be in charge of the above work a person there.
3 AM	see that the State and City requirements pertaining there
	see that the State and City requirements pertaining there observed?
3 44 	see that the State and City requirements pertaining there observed?
En (see that the State and City requirements pertaining there
	see that the State and City requirements pertaining there observed?
	see that the State and City requirements pertaining there observed? Jes. Harris Oil Co. Signature of Installer by:
	see that the State and City requirements pertaining there observed?
	see that the State and City requirements pertaining there observed? Jes. Harris Oil Co. Signature of Installer by:
	see that the State and City requirements pertaining there observed? Jes. Harris Oil Co. Signature of Installer by:
	see that the State and City requirements pertaining there observed? Jes. Harris Oil Co. Signature of Installer by:

(COPY)



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION 350 Auburn Street

Issued to Wallace Grant, Jr.

Date of Issue April 29, 1957

This is to rertify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. 56/1602, has had final inspection, has been four 1 to conform submantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for Occupancy or use, limited or otherwise, 2° indicated below.
PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

1-family dwelling house

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date)

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from aways 5 pwnez when property changes hands. Copy will be furnished to owner or lessee for one dollar.

Memorandum from Department of Building Inspection, Portland, Maine

350-354 Auburn Street.—Building permit for construction of single family dwelling house for Wallace Grant, Jr. by C. E. Waning & Son. - 9/25/56

Building permit for construction of a one family dwelling house 26 feet by 40 feet at the above location is issued herewith based on plans filed with application for permit. However, the 2x6 rafters spaced 16 inches on centers will not figure out if spruce or hemlock lumber is used. Permit is issued on basis that rafters will either be of Douglas Fir lumber or else that both rafters and ceiling timbers will be spaced no more than 14 inches on centers.

MS/G

Geps to: Mr. Wallace Grant, Jr. Mew Gray Road
W. Falmouth, Mc.

(Signed) Warren McDonald Inspector of Buildings (RA) RESIDENCE ZONE - A



APPLICATION FOR PERMIT

Class of Building or Type of Structure ____Third Class Portland, Maine, Sept. 21, 1956 To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE The undersigned hereby applie for a permit to erect attended the control of the following building structures of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any submitted herewith and the following specifications: Location 350-354 Auburn St. Fire Limits? <u>no</u> Dist. No. Owner's name and address Wallace Grant, Jr., New Gray Roa, W. Falmouth Telephone. Lessee's name and address Contractor's name and address C. E. Waning & Son, 349 Woodford St. _____ Telephone 2-5281 Specifications Plans yes No. of sheets 5 Proposed use of building _____dwelling_house___ No. families 1 Last use No. families Material.....Style of roofRoofing .. Other buildings on same lot Estimated cost \$ 11,000 Fee \$ 11.00 General Description of New Work To construct 1-story frame dwelling house 40' x 26'

	• • • • • • • • • • • • • • • • • • • •
	Permit Issued with Memo
ind and thickness of outside s it is understood that this permit does not inc the name of the heating contractor. PRRMI	heathing of exterior walls? 1" boards clude installation of heating apparatus which is to be taken out separately by and in T TO BE ISSUED TO contractor
s any plumbing involved in this work? s connection to be made to public sewer? Its sepric tank notice been sert? Its sepric tank notice been sert. Its sepric tank notice been sert. Its s	Details of New Work yes
o. cars now accommodated on same lot	If a Garage

NOTES ear had Some miles Material. lot g o, a no ser raini (man) 6/517- World done waste and in another the Weller scined Kind at a tarchnosa of cutside sheet ing of ni hango granding to our electrical word involved in this work Sime tiffe a coviova spidooti i gor It not, which is proposed by 88% ... Srowes alder a के ल्या एवं का महाराज्यात है atres (Am. or then ... bifes the health of the 100 m in 100 . . . LOUI MON .54.2miT medal of famedation, and casts, 1 1 4 A uniobili 111 13 . goinniefreiten bi bierre Perming Intel or - Kind . dine JA 60.00 The other stages of the stages of Mox on course. 7189 6 12 المهرد المالية Christian and the state of the , , rest , bik.,. 1 . 1 • • • • 441,14 recommended. ingial ... and staying building we have a set of the partification of the n 17 KOPEP. terre to in cherco of the above work a program competent to 11.77 hat the fitte and City requirements providing frames were gw. Alf She •শট ,ইশটো