



CITY OF PORTLAND, MAINE
Department of Building Inspection

Certificate of Occupancy

LOCATION **Lot 56 Crestview Drive**

Issued to **Christy Associates**

Date of Issue **May 19, 1980**

This is to certify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. **79/1125**, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited, or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

**Single Family Dwelling
with attached garage**

Limiting Conditions:

This certificate supersedes
certificate issued

Approved: _____
(Date) *Inspector*

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

(COPY)

CITY OF PORTLAND, MAINE
Department of Building Inspection



Certificate of Occupancy

LOCATION Lot 4 Crestview Drive

Issued to Frank T Pierobello
769 Washington Ave.

Date of Issue November 19, 1964

This is to certify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 63/713, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Entire

APPROVED OCCUPANCY

One family dwelling with
attached two car garage.

Limiting Conditions:

This certificate supersedes
certificate issued

Approved:

(Date)

Inspector

E. Smith

Albert J. Sears

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

Location: Lot 4 Crestview Drive

Nov. 17, 1964

Mr. Frank Pierobello
769 Washington Avenue

Dear Mr. Pierobello:

Upon inspection of the above job on Nov. 16, 1964, the following omissions were found which prevent us from issuing the certificate of occupancy--required by law to be in possession of the owner before the building may be lawfully occupied:

1. No self-closing device on door between garage and balance of dwelling.
2. Hole in flooring beneath tub not closed off with incombustible material.
3. Lally columns not fastened.

It is important that the above conditions be corrected before Nov. 27, 1964, and that you notify this office of readiness for another inspection, so that, if all is found in order, the certificate of occupancy required by law may be issued.

If additional information relative to the above is desired, please phone Inspector Earle Smith at 774-8221, extension 236, any week day but Saturday between 8:00 and 8:30 A. M.

Very truly yours,

Earle Smith
Field Inspector

ES:m

Lot 4 Crestview Drive

Sept. 4, 1964

Mr. Frank Merobello
Lot 4 Crestview Drive

Dear Mr. Merobello:

You may consider this letter as a temporary certificate of occupancy.

When the following items have been cared for and this office notified for another inspection, and, if at that time, all is found in order the regular certificate of occupancy required by law will be issued.

1. Close off hole in flooring beneath tub with incombustible material.
2. Fasten raily columns.
3. Provide self-closing device on fire door between garage and balance of house.
- ✓ 4. Fireproof between rafter ends where they rest on garage wall between house and garage.

If additional information relative to the above is desired, please notify Inspector Earle Smith at 774-8221, extension 236, any week day but Saturday between 8:00 and 8:30 P.M.

Very truly yours,

Earle S. Smith
Field Inspector

ESS:m

Memorandum from Department of Building Inspection, Portland, Maine
BP - Lot 4 Crestview Drive

October 8, 1963

Mr. Frank Pierobello,
769 Washington Ave.

Dear Mr. Pierobello:

At an inspection of your dwelling under construction at the above location we find that some of your cantilevered purlins supporting the roof overhang have been notched so as to make them structurally unsound. It is necessary that you contact this office before proceeding any further so that a method of correcting this condition can be approved while you are in the framing stage.

Very truly yours,

Gerald S. Mayberry
Deputy Director of
Building Inspection

GEM/h

CS-27

AP Lot 4, Crestview Drive

June 27, 1963

Mr. Frank T. Microbello
769 Washington Avenue

Dear Mr. Microbello:

Permit to construct a 1-story frame dwelling with attached 2-car frame garage 59' wide by 42 feet long is being issued subject to the conditions of our letter of June 26, 1963 and building code requirements being met satisfactorily as per our discussion as follows:

1. All exterior wall sections are to have 2x4 inch studs set at not less than 16 inches on centers, covered with 1 inch nominal thickness wood sheathing or approved equal, and to be further covered with weather boarding or weather resistant plywood siding.
2. Window openings under eaves are not to exceed 6 feet between the supporting members and are to have solid 4x8 inch hemlock headers to support the roof and ceiling loads above.
3. The girder carrying the load bearing partition between the living room and kitchen is to be supported at the front of the house on the foundation beside the fireplace. There is to be a solid 4x12 inch purlin member to support the roof and ceiling loads directly above the 6x10 inch girder in the basement. This purlin is to be supported near the fireplace by a 4x6 inch column on the exterior wall and a 4x6 inch column within the bearing partition directly above a steel column in the basement. There is to be a 1 inch clearance between the combustible wood members and the chimney construction.
4. Roof is to be covered with a built-up tar and gravel roof.
5. Girder is to be a solid 6x10 inch Douglas Fir member or other species being grade marked at not less than 1500 pounds per square inch fiber stress and set directly under the bearing partition located between the living room and kitchen.
6. Header over closet in bedroom #2 is to be a solid 4x8 inch Douglas Fir or a 4x10 inch hemlock member to support roof and ceiling loads above.

Very truly yours,

Gerald E. Mayberry
Deputy Building Inspection Director

GEM:m

AP - Lot 4 Crestview Drive

June 26, 1963

Mr. Frank T. Pierobello
769 Washington Ave.

Dear Mr. Pierobello:

More information is needed to show that the one-story frame dwelling proposed at the above location meets Building Code requirements before a permit can be issued as follows:

1. There is a question as to whether the panels above and below window areas are adequate to serve as exterior enclosing walls. There are no details of the construction of these panels. *2x4 studs 16" o.c.*
2. There are no headers or lintels shown which are necessary to carry the roof loads over the wide window openings in the exterior walls. *4" x 8" Headers*
3. As it is not allowable to support any part of the structure from the chimney we will need to know how the girder and roof purlin is supported at the front of the building. Plans show these members supported at the chimney construction. *4" x 6" cols.*
4. The type and weight of roofing will need to be given. *Tar & Gravel*

Very truly yours,

Gerald E. Hayberry
Deputy Director of
Building Inspection

GEM/h



APPLICATION FOR PERMIT

Class of Building or Type of Structure 1st class
Portland, Maine, June 13, 1963

R. RESIDENCE ZONE

PERMIT ISSUED

JUN 13 1963

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Lot 1, Cross Street Drive (50-51) With Fire Limits? _____ Dist. No. _____
Owner's name and address Frank T Pierobello, 709 Washington Ave. Telephone 774-777
Lessee's name and address _____ Telephone _____
Contractor's name and address owner Telephone _____
Architect _____ Specifications _____ Plans yes No. of sheets 3
Proposed use of building Dwelling and garage No. families 1
Last use _____ No. families _____
Material frame _____ No. stories 1 Heat _____ Style of roof _____ Roofing _____
Other buildings on same lot _____
Estimated cost \$ 18,000.00 Fee \$ 35.00

General Description of New Work

To construct 1-story frame dwelling with attached two car frame garage 59' wide x 42' long. The inside of the garage will be covered where required by law with rock, lath and plaster. Solid core door 1 3/4" thick.

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any plumbing involved in this work? yes Is any electrical work involved in this work? yes
Is connection to be made to public sewer? no If not, what is proposed for sewage? septic tank
Has septic tank notice been sent? _____ Form notice sent? yes
Height average grade to top of plate 10'2" Height average grade to highest point of roof 12'
Size, front 59' depth 42' No. stories 1 solid or filled land? solid earth or rock? earth
Material of foundation concrete at least 12" thickness, top _____ bottom _____ cellar yes
Kind of roof flat Rise per foot _____ Roof covering tar and gravel
No. of chimneys 1 Material of chimneys brick of lining tile Kind of heat f.h. water fuel oil
Framing Lumber—Kind hemlock Dressed or full size? dressed Corner posts 4x6 Sills box
Size Girder 6x10 Columns under girders Lally Size 3 1/2" Max. on centers 7'8"
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2x10, 2nd _____, 3rd _____, roof 2x8
On centers: 1st floor 16", 2nd _____, 3rd _____, roof 12" & 24"-gar
Maximum span: 1st floor 14', 2nd _____, 3rd _____, roof 14'
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot 0, to be accommodated 2 number commercial cars to be accommodated none
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

APPROVED:

H. E. M. W. / letter

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Frank T Pierobello

CS 301

INSPECTION COPY

Signature of owner

by:

Frank T Pierobello

No one home.
PERMIT TO INSTALL PLUMBING

not 10 - Restrictor 656-62

13708

Date Issued: 7-24-64
 Address: Lot #4 Crestview Drive
 Installation For: Frank T. Pierobello
 Owner of Bldg.: Frank T. Pierobello
 Owner's Address: 744 Brighton Avenue
 Plumber: E. J. Carland Date: 7-24-64

APPROVED FIRST INSPECTION	NEW	REPL	PROPOSED INSTALLATIONS	NUMBER	PER FEE
	1		SINKS	1	\$ 2.00
	2		LAVATORIES	2	4.00
	2		TOILETS	2	4.00
	1		BATH TUBS	1	.60
			SHOWERS		
			DRAINS		
			HOT WATER TANKS		
			TANKLESS WATER HEATERS		
			GARBAGE GRINDERS		
	1		SEPTIC TANKS	1	.60
			HOUSE SEWERS		
			ROOF LEAKERS (Conn. to house drain)		

By: J. P. Welch
 PORTLAND PLUMBING INSPECTOR

Date: May 18, 1964

By: Welch
 APPROVED FINAL INSPECTION

Date: Oct 1-1964

By: Welch

- TYPE OF BUILDING
- COMMERCIAL
 - RESIDENTIAL
 - SINGLE
 - MULTI FAMILY
 - NEW CONSTRUCTION
 - REMODELING

PORTLAND HEALTH DEPT. PLUMBING INSPECTION TOTAL ▶ \$11.20

Checked 7 times no one there



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 18, 1964

PERMIT ISSUED

00691 JUN 19 1964

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Lot 4 Crest View Drive (24-62) Use of Building Dwelling No. Stories 1 New Building Existing " Name and address of owner of appliance Frank Pierobello, 744 Brighton Ave. Installer's name and address P J Coffin & Sons, R F D1 Yarmouth Maine Telephone

General Description of Work

To install Forced hot water heating system and oil burning equipment.

IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? none If so, how protected? Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace 3' From top of smoke pipe 12" with asbestos shield* From front of appliance over 4' From sides or back of appliance over 3' Size of chimney flue 10x10 Other connections to same flue none If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Crane-guntype Labeled by underwriters' laboratories? yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/2" Location of oil storage basement Number and capacity of tanks 275 gal. Low water shut off Make No. Will all tanks be more than five feet from any flame? yes How many tanks enclosed? Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

*28 gauge sheet metal spaced out on 1/2" asbestos millboard.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

O.K. E.S.S. 6/19/64

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

P J Coffin & Sons

Signature of Installer by: P.J. Coffin

CS 300

INSPECTION COPY

7M

NOTES

Permit No. 641691
 Location Port & Reed River Line
 Owner Frank P. Reynolds
 Date of permit 6/19/64
 Approved _____

1	Flu Pipe	✓
2	Vert Pipe	✓
3	Kind of Heat	✓
4	Burner	✓
5	Name	✓
6	Stick	✓
7	Hgt	✓
8	Remote Control	✓
9	Piping	✓
10	Valves	✓
11	Capacity	✓
12	Tank	✓
13	Tank D.	✓
14	Oil Supply	✓
15	Instruction Card	✓
16	Low Water Shut-off	✓

6/23/64 - No label on burner.

6/26/64 - Label on burner. E.S.S.

Large blank lined area for additional notes or observations.

AP-Lot 4 Crest View Drive

June 19, 1963

Mr. Frank T. Pierobello
769 Washington Avenue

Dear Mr. Pierobello:

Approval for the use of a septic tank sewage disposal system for proposed dwelling on the lot at the above named location just having been received from the Health Department, advance permit for excavation and construction of foundation only for a single family dwelling and attached garage is issued herewith:

1. In approving septic tank sewage disposal system, the Health Department has specified that a 1000 gallon tank and a 3 foot by 3 foot by 150 foot absorption trench shall be used. That department should be consulted concerning these requirements.
2. There seems to be confliction as regards foundation walls between information indicated in permit application and that shown on supplementary sheet of plans. The 12 inch concrete block wall with 8 inch by 16 inch poured concrete footing is acceptable. However, if poured concrete is to be used for entire wall, it is required to have a minimum thickness of 10 inches, but, where brick veneer is to be used, a minimum thickness of 11 inches is required. In any case walls are required to extend not less than 4 feet below grade at all points.
3. Where box sill construction is used, anchor bolts are required to be located at corners and at intervals of not over 6 feet (instead of 8 feet shown) between corners. These should be installed when wall is constructed.
4. Sill of garage is required to be a solid 4x6 bolted in same manner as box sill.
5. No work above foundation is covered by this permit and is not to be started until general construction permit has been issued.

Very truly yours,

Albert J. Sears
Building Inspection Director

AJS:m

DUPLICATE

CITY OF PORTLAND, MAINE

Department of Building Inspection

NOTICE RELATING TO SEWAGE DISPOSAL

x means copy sent to the parties

(date) June 13, 1963

Location 50-02 Crestview Drive (Lot 4) Description Dwelling and attached garage

Owner and Address Frank I. Pierobello, 769 Washington Ave.

Contractor and Address Owner

Architect or Engineer and Address _____

Actual Area of Lot 15,000 Sq. Ft. Zone R-1

Area required by Zoning Ord. if sewer were available 10,000 sq. ft.

Where septic tank systems are required for sewage disposal, the Zoning Ordinance provides that the least allowable area of the lot shall be determined by the rate of percolation of the soil, this being the capacity of the soil to allow liquids to pass through as determined by tests. The Building Code directs that, where a septic tank is to be used, a building permit shall not be issued unless the proposed method of sewage disposal has been approved by the Director of Health.

Since application for the above permit indicates that connection to a sewer is not possible, it is necessary for the owner or his agent to file a site plan with the Health Department, to explain the method of sewage disposal proposed, and to make arrangements for a percolation test to be made under supervision of that department.

After the rate of percolation has been determined, the Director of Health will notify this department of the area of lot required on the basis of the results of the test. If the lot area required by the tests is equal to or less than the actual area of the lot and not less than the minimum lot area required in the zone in which the property is located for cases where connection to a sewer is available, the building permit can be issued; otherwise the permit cannot be issued unless authorization is secured from the Board of Appeals.

Albert J. Sears
Director of Building Inspection

2 copies to Health Director

(This space for Health Department use)

Inspector of Buildings

Rate of Percolation is 8 minutes. On this basis area required by Zoning Ord. is 10500 sq. ft.

RECEIVED
JUN 20 1963
DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND

~~Comments in event zoning appeal is filed.~~ 1000 gal Tank. Tank 3'x3'x15'

Boris A. [Signature]
Director of Health



RESIDENCE ZONE

APPLICATION FOR PERMIT

PERMIT ISSUED 00675

JUN 19 1963

CITY OF PORTLAND

Class of Building or Type of Structure

Portland, Maine, June 13, 1963

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Lot 4, Crest View Drive (56-12) Within Fire Limits? Dist. No.
Owner's name and address Frank T. Pierobello, 769 Washington Ave. Telephone
Lessee's name and address Telephone
Contractor's name and address owner Telephone 4-1979
Architect Specifications Plans No. of sheets
Proposed use of building Dwelling and Garage No. families
Last use No. families
Material frame No. stories 1 Heat Style of roof Roofing
Other buildings on same lot
Estimated cost \$ Fee \$ 2.00

General Description of New Work

For excavation and foundation only for a 1 1/2-story frame dwelling with attached 2-car garage.

Permit Issued with Letter

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO contractor

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic-tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation concrete at least 4' below grade
Kind of roof 1 1/2" concrete blocks with 8" concrete footing
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber-Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor, 2nd, 3rd, roof
On centers: 1st floor, 2nd, 3rd, roof
Maximum span: 1st floor, 2nd, 3rd, roof
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot, to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVED:

Handwritten signature: H. E. M. W. letter

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Frank T. Pierobello

CS 301

INSPECTION COPY

Signature of owner by:

Handwritten signature: Frank T. Pierobello

Handwritten initials: FM

100

Permit No. 63/675

Location 1st & West Main Street

Owner J. J. 112nd St. Co.

Date of permit 6/19/63

Notif. closing-in

Inspn. closing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

Staking Out Notice

Form Check Notice

NOTES

6/27/63 - Gas
Circuit permit issued





APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date May 19, 1982
 Receipt and Permit number 47722

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:


LOCATION OF WORK: 58 Crestview Drive
 OWNER'S NAME: Christy Associates ADDRESS: _____

	FEES
OUTLETS: Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL 31-60.....	5.00
FIXTURES: (number of) Incandescent _____ Flourescent _____ (not strip) TOTAL _____ Strip Flourescent _____ ft.	
SERVICES: Overhead <input checked="" type="checkbox"/> Underground _____ Temporary _____ TOTAL amperes 200 ..	3.00
METERS: (number of) <u>1</u> ..	.50
MOTORS: (number of) Fractional _____ 1 HP or over _____	
RESIDENTIAL HEATING: Oil or Gas (number of units) _____ Electric (number of rooms) <u>6</u> ..	6.00
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) _____ Oil or Gas (by separate units) _____ Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of) Ranges _____ <input checked="" type="checkbox"/> Water Heaters <input checked="" type="checkbox"/> Cook Tops _____ Disposals <input checked="" type="checkbox"/> Wall Ovens _____ Dishwashers _____ <input checked="" type="checkbox"/> Dryers _____ <input checked="" type="checkbox"/> Compactors _____ Fans _____ Others (denote) <u>clothes washer</u> ..	9.00 7.50
TOTAL ..	
MISCELLANEOUS: (number of) Branch Panels _____ Transformers _____ Air Conditioners Central Unit _____ Separate Units (windows) _____ Signs 20 sq. ft. and under _____ Over 20 sq. ft. _____ Swimming Pools Above Ground _____ In Ground _____ Fire/Burglar Alarms Residential _____ Commercial _____ Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____ over 30 amps _____ Circus, Fairs, etc. _____ Alterations to wires _____ Repairs after fire _____ Emergency Lights, battery _____ Emergency Generators _____	
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT	INSTALLATION FEE DUE: _____
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	DOUBLE FEE DUE: _____
	TOTAL AMOUNT DUE: <u>23.50</u>

INSPECTION:

Will be ready on _____, 19__; or Will Call _____
 CONTRACTOR'S NAME: Mancini Electric
 ADDRESS: 179 Sheridan St.
 TEL.: _____
 MASTER LICENSE NO.: on file SIGNATURE OF CONTRACTOR: Anthony Mancini JCC
 LIMITED LICENSE NO.: _____

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN



Above 100'
 Above Ground
 Swimming Pool


RECEIVED

JUL - 9 1986

PLOT PLAN

DEPT OF BUILDING INSPECTIONS
 CITY OF PORTLAND

John G. Powers Jr.
 60 Crestview Dr
 PORTLAND ME
 1997 3218



SHARKLINE

Seaspray Sharkline, Inc.
4318 Bayview Avenue
Amityville, NY 11701

ARISTOCRAT 7 / ROXBURY 7

The top of the line from the company that is already accepted as the maker of the finest swimming pools available today. Elegant appearance, massive construction and maintenance free service in an EXTRUDED ALUMINUM POOL that satisfies even the most discriminating buyer. It pays to buy the best from the best.

NOTE THESE QUALITY FEATURES:

- Massive 7" painted white extruded aluminum top rail ribbed for added beauty, safety and strength. Has oversized 3" rear lip with more metal than average 9" wide rail.
- Heavy-duty gracefully contoured 6" white extruded aluminum upright enhanced with colorful plastic feature strip.
- Oversized PAINTED aluminum patio base acts as a patio block for stability and sta-level feature.
- Aluminum, bottom rail and patio base are PAINTED with a double coat of chemical resistant paint to further protect this metal against the acidity and alkalinity of soil and pool water.
- Aluminum wall is available in either blue, brown or green decorative wood-grain. Wall is coated with a FULL COAT of paint on inside of wall to protect against corrosion.
- SHARKLINE uses only the finest pool line material available, winterized VIRGIN vinyl liner as used in below ground liner pools. *20 gauge liner*
- Giant 2 piece vinyl coated aluminum top bracket designed to fit all sizes.
- On ROXBURY OVAL extra heavy steel struts and steel square uprights give maximum strength on the straight sides of the pool where pressure is greatest. These steel components are bonderized, galvanized, and further protected with baked enamel over G-90 steel.
- Extra uprights for maximum strength.
- Easiest to assemble... always a perfect fit.
- Stainless steel cover hardware.
- 20 year limited warranty on entire frame.

JUL - 9 1986
DEPT OF BUILDING INSPECTIONS
CITY OF PORTLAND
MADE IN U.S.A.
NATIONAL SPA & POOL INSTITUTE

ROUND POOLS	
Model	Size
AR1548	15' x 4'
AR1848	18' x 4'
AR2048	20' x 4'
AR2448	24' x 4'
AR2848	28' x 4'

OVAL POOLS	
Model	Size
RO1118	11' x 18 1/2' x 4'
RO1125	11' x 25' x 4'
RO1525	15' x 25' x 4'
RO1530	15' x 30' x 4'
RO1833	18' x 33' x 4'
RO1838	18' x 38' x 4'

All pool sizes are approximate

APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP 00889
B.O.C.A. TYPE OF CONSTRUCTION
ZONING LOCATION R-2 PORTLAND, MAINE July 9, 1986 City Of Portland

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE
The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

- LOCATION ... 60 Crestview Drive ... Fire District #1 [] #2 []
1. Owner's name and address John G. Powers, Jr. - same Telephone .. 797-3218
2. Lessee's name and address Telephone ..
3. Contractor's name and address Bob Oliver Pools - 660 West Telephone .. 850-6640

Proposed use of building ... above ground pool ... No. of sheets ...
Material ... No. stories ... Heat ... Style of roof ... Roofing ...
Estimated contractual cost \$ 4,000
FIELD INSPECTOR - Mr. @ 775-5451

Appeal Fees \$
Base Fee 40.00
Late Fee
TOTAL \$

To erect above ground swimming pool,
24' round as per plans. 1 sheet of plans.

Stamp of Special Conditions

send permit to # 1 04103

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? .. no
Is any electrical work involved in this work? .. yes
Has septic tank notice been sent? ..
Form notice sent? ..
Height average grade to top of plate ..
Height average grade to highest point of roof ..
Material of foundation .. No. stories .. solid or filled land? .. earth or rock?
Kind of roof .. Rise per foot .. Thickness, top .. bottom .. cellar ..
No. of chimneys .. Material of chimneys .. of lining .. Roof covering .. Kind of heat .. fuel ..
Framing Lumber--Kind .. Dressed or full size? .. Corner posts .. Sills ..
Size Girder .. Columns under girders .. Size .. Max. on centers ..
Studs (outside walls and carrying partitions) 2x4-16" C. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor .. 2nd .. 3rd .. roof ..
On centers: 1st floor .. 2nd .. 3rd .. roof ..
Maximum span: 1st floor .. 2nd .. 3rd .. roof ..
If one story building with masonry walls, thickness of walls? .. height? ..

IF A GARAGE

No. cars now accommodated on same lot .. to be accommodated .. number commercial cars to be accommodated ..
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? ..

MISCELLANEOUS

Will work require disturbing of any tree on a public street? .. no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? .. yes

APPROVALS BY:
BUILDING INSPECTION - PLAN EXAMINER
ZONING: G. K. N. S. T. July 9, 1986
BUILDING CODE:
Fire Dept.:
Health Dept.:
Others:

Signature of Applicant John G. Powers, Jr. Phone # W 797-2912
Type Name of above John G. Powers, Jr. 1 [] 2 [] 3 [] 4 []
Other
and Address

FIELD INSPECTOR'S COPY
14 m.b. [Signature]

APPLICANT'S COPY

OFFICE FILE COPY

