

Permit # **940402** Portland BUILDING PERMIT APPLICATION Fee \$575.00 Zone 5-C-00 Map # 10 MAY 94 Lot # \_\_\_\_\_  
 Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Robert & Paula Coppersmith Phone # \_\_\_\_\_  
 Address: 172 Murray St Pctld. # 04103  
 LOCATION OF CONSTRUCTION 267 Carter St  
 Contractor: W. Brown Sbc: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone # 772-3560 - Bob C.  
 Est. Construction Cost: 100,000. Proposed Use: 1-fam  
 Past Use: Vacant  
 C of Existing: \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
 # Stairs \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion: Cont 1-fam w/att 2-car garage as per plans

For Official Use Only  
 Date: 4 May 94  
 Insd. Fire Limit: \_\_\_\_\_  
 Blk: \_\_\_\_\_  
 Trm. Unit: \_\_\_\_\_  
 Estimated Cost: \_\_\_\_\_  
 Subdivision: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Lot: \_\_\_\_\_  
 Public: \_\_\_\_\_  
**PERMIT ISSUED**  
**MAY 11 1994**  
**CITY OF PORTLAND**

Zoning: Street Frontage provided \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required: Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception \_\_\_\_\_  
 Other (Explain): 5-11-94 HISTORIC PRESERVATION

Minor-Minor Site Plan Pick-up 388 B-3  
Beepen P23-7386  
Water Srown  
PO Box 339 W. Keamehunk  
ME 04010

Foundation:  
 1. Type of Soil \_\_\_\_\_  
 2. Set Backs Front \_\_\_\_\_ Side(s) \_\_\_\_\_  
 3. Footings Size \_\_\_\_\_  
 4. Foundation Size \_\_\_\_\_  
 5. Other \_\_\_\_\_  
 Sills must be anchored.

Floor:  
 1. Sills Size \_\_\_\_\_  
 2. Girder Size \_\_\_\_\_ Size: \_\_\_\_\_  
 3. Lally Column Spacing \_\_\_\_\_ Spacing 16" O.C.  
 4. Joist Size \_\_\_\_\_ Size: \_\_\_\_\_  
 5. Bridging Type \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

Exterior Walls:  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. wind ws \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_ Spacing \_\_\_\_\_  
 4. Header Size \_\_\_\_\_  
 5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
 6. Corner Posts \_\_\_\_\_ Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_

Interior Walls:  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Header Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

Cellar:  
 1. Ceiling Joists Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_  
 3. Type Ceiling: \_\_\_\_\_ Size \_\_\_\_\_  
 4. Insulation Type \_\_\_\_\_  
 5. Ceiling Height: \_\_\_\_\_  
 Not in District nor Landmark.  
 Does not require review.  
 Require Review.

Roof:  
 1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_  
 2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 3. Roof Covering Type \_\_\_\_\_  
 Chimney:  
 Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_  
 Heating:  
 Type of Heat: \_\_\_\_\_  
 Electrical:  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

Plumbing:  
 1. Approval of soil test if required \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_  
 Swimming Pools:  
 1. Type: \_\_\_\_\_ Square Footage \_\_\_\_\_  
 2. Pool Size \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

Permit Received By: Mary Green Date: 4 May '94  
 Signature of Applicant: Walter Brown  
 Signature of Insd. Official: \_\_\_\_\_

**PERMIT ISSUED WITH LETTER**  
**PERMIT ISSUED WITH LETTER**

CONTINUED TO REVERSE SIDE  
 Ivory Tag - CEO W. J. J. J. J.

White - Tax Assessor

PLOT PLAN 8-3-94 Complaint (to early work) notified contractor of Portland Codes

7-19-94 - Check Plumbing permit issued

CFO 9-23-94 Run above y ridge unit a roof  
Basement stairs guardrail, Heating permit, water heater PTR Valve need pipe 6" from floor  
need column in basement where 2x10 is, rear stairs both need guard & Handrails  
garage stairs + platform 4" shore rule, sheet rock garage ceiling can't tell if its  $\frac{5}{8}$ " X Type  
plumbing permit need Tim Carlonds signature, front stairs not to code

9/26/94 C.F.O. issued. Permits Rises, handrails where needed

FEES (Breakdown From Front)	Type	Inspection Record	Date
Base Fee \$ _____	Footings	Poured OK	6 17 1994
Subdivision Fee \$ _____	Foundation Forms	pulled off	6 16 1994
Site Plan Review Fee \$ _____	Foundation with pipe plans		8 19 1994
Other Fees \$ _____	Plumbing OK	ISS	
(Explain) _____			
Late Fee \$ _____			

COMMENTS (6-2-94 Excavation started) (6-16-94 Set blocks Appears OK) (6-2)-94 drains ext + int. +  
Foundation water proofing completed (6-23-94 int drains + Stone installed OK to pour)  
(7-14-94 walls framed) (7-26-94 2<sup>nd</sup> Floor Walls) Framing OK 8-18-94

#### CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

  
SIGNATURE OF APPLICANT

P.O. Box 339 West Kennelbucke Mo  
ADDRESS

785-8744  
PHONE NO.

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE NO.



CITY OF PORTLAND, MAINE  
Department of Building Inspection

# Certificate of Occupancy

LOCATION 26 Carter St

Issued to Robert & Paula Coppersmith

Date of Issue 27 Sept '94

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 94/0407, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

Single Family Dwelling

Limiting Conditions:

Provide risers and handrails where needed.

This certificate supersedes  
certificate issued

Approved:

9/27/94  
(Date)

*A. P.*  
Inspector

*A. P.*  
Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

BUILDING PERMIT REPORT


Address: 1601 N. 1st St Date: 1/13/14  
 Reason for Permit: Alteration of Existing Building  
with addition of Bldg. Owner: Supermarket  
 Contractor: ...  
 Permit Applicant: ...  
 Approval: \*7 \*8 \*9 \*10 \*11 \*12 \*13 \*14

CONDITION OF APPROVAL:

1. Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection).
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hr., including fire doors with self-closers.
5. Each apartment shall have access to (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- \*7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of special knowledge or separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping room must have minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq.ft
- <8. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code 919.3.2 (BOCA National Building Code 1993), and NFPA 101 Chapter 18 & 19.

9. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by Fire Partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1999).
10. Guardrails & Handrails - A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Group 42", except Use Group R which is 36". In occupancies in Use Group A, B, B-4, I1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
11. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023.0 & 1024.0 of the City's building code (The BOCA National Building Code/1993).
12. Stair construction in Use Group R-3, R-4 is a minimum of 9" tread and 8-1/4" maximum rise.
13. Headroom in habitable space is a minimum of 7'6".
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
15. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final certificate or occupancy is issued or demolition permit is granted.
16. Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
17. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Sincerely,

  
P: Samuel Hoffses  
Chief of Inspections

/cm 01/14/94  
(redo w/ additions)

CITY OF PORTLAND, MAINE  
SITE PLAN REVIEW (ADDENDUM)  
CONDITIONS OF APPROVAL


APPLICANT: ROBERT COPPERSMITH  
ADDRESS: 172 MURPHY ST PORTLAND ME 04103  
SITE ADDRESS/LOCATION: 1/2 CANTON STREET  
DATE: 9 MAY 1994

Review by the Development Review Coordinator is for General Conformance with ordinances and standards only and does not relieve the applicant, his contractors or agents from the responsibility to provide a completely finished site, including but not limited to not increasing or concentrating of all surface runoff onto adjacent or downstream properties, issues regarding vehicle sight distance, location of public utilities and foundation elevations

CONDITIONS CHECKED OFF BELOW ARE IN FORCE FOR YOUR SITE PLAN

- All damage to sidewalk, curb, street, or public utilities shall be repaired prior to issuance of a Certificate of Occupancy.
- Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- Your new street address is now CANTON STREET, the number must be displayed on the street frontage of your house prior to issuance of a Certificate of Occupancy.
- The Development Review Coordinator (874-8300, ext. 8722) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closings with these requirements in mind.
- A sewer permit is required for your project. Please notify Paul Niehoff at 874-8300 ext 8838. The Sewer Division of Parks and Public Works (Jackie Wurslin at 797-5302) must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- As-built record information for sewer and storm service connections must be submitted to Parks & Public Works Engineering Division (55 Portland St.) and approved prior to issuance of a Certificate of Occupancy
- A street opening permit(s) is required for your site. Please contact Carol Poliskey at 874-8300, ext. 8822 (Only excavators licensed by the City of Portland are eligible).
- SET TOP OF FOUNDATION 1'-2" ABOVE GRADE (MIN.)  
FINAL GRADINGS TO DIRECT STORMWATER TOWARDS  
CANTON STREET AND AWAY FROM ADJACENT FOUNDATIONS.

cc: P Niehoff



PARCEL ONE

N/F LOUISE M. WOODBURY

N/F MARY ANN LAPIERRE  
RYAN LAPIERRE

PROPOSED HOUSE  
LOCATION

1/2" 6

DRIVEWAY

CARTER STREET

P.T. PLAN - 1"=20'

BOB & PAULA COPPERSMITH  
PORTLAND, MAINE







**CITY OF PORTLAND, MAINE**

**SITE PLAN REVIEW**

Processing Form

<u>Robert Coppersmith</u>	<u>4 May 1994</u>
Applicant	Date
<u>172 Murray St Portland, ME 04103</u>	<u>Carter St Carter/Summit Sts</u>
Mailing Address	Address of Proposed Site
<u>1-family dwelling</u>	<u>Site Identifier(s) from Assessors Maps</u>
Proposed Use of Site	Zoning of Proposed Site
<u>18,486 sq ft / 1,540.00</u>	
Acreage of Site / Ground Floor Coverage	
Site Location Review (DEP) Required: ( ) Yes ( ) No	Proposed Number of Floors <u>2</u>
Board of Appeals Action Required: ( ) Yes ( ) No	Total Floor Area <u>1568</u>
Planning Board Action Required: ( ) Yes ( ) No	
Other Comments: _____	
Date Dept. Review Due: _____	

**BUILDING DEPARTMENT SITE PLAN REVIEW**  
(Does not include review of construction plans)

- Use does NOT comply with Zoning Ordinance
- Requires Board of Appeals Action
- Requires Planning Board/City Council Action

Explanation \_\_\_\_\_

- Use complies with Zoning Ordinance — Staff Review Below

Zoning:  
SPACE & BULK,  
as applicable

	DATE	ZONE LOCATION	INTERIOR OR CORNER LOT	40 FT. SETBACK AREA (SEC. 21)	USE	SEWAGE DISPOSAL	REAR YARDS	SIDE YARDS	FRONT YARDS	PROJECTIONS	HEIGHT	LOT AREA	BUILDING AREA	AREA PER FAMILY	WIDTH OF LOT	LOT FRONTAGE	OFF-STREET PARKING	LOADING BAYS
COMPLIES																		
COMPLIES CONDITIONALLY																		
DOES NOT COMPLY																		

CONDITIONS SPECIFIED BELOW

REASONS SPECIFIED BELOW

REASONS: WPH 5-11-94

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

SIGNATURE OF REVIEWING STAFF/DATE

BUILDING DEPARTMENT—ORIGINAL

**CITY OF PORTLAND, MAINE**

**SITE PLAN REVIEW**

**Processing Form**

Robert Coopersmith \_\_\_\_\_  
Applicant

4~~2~~ May 1994 \_\_\_\_\_  
Date

172 Murray St Portland, ME 04103 \_\_\_\_\_  
Mailing Address

110 Carter St Carter/Summit Sts \_\_\_\_\_  
Address of Proposed Site

1-family dwelling \_\_\_\_\_  
Proposed Use of Site

\_\_\_\_\_   
Site Identifier(s) from Assessors Maps

18,488 sq ft / 1,540.00 \_\_\_\_\_  
Acreage of Site / Ground Floor Coverage

\_\_\_\_\_   
Zoning of Proposed Site

Site Location Review (DEP) Required: ( ) Yes ( ) No

Proposed Number of Floors \_\_\_\_\_

Board of Appeals Action Required: ( ) Yes ( ) No

Total Floor Area 1568 \_\_\_\_\_

Planning Board Action Required: ( ) Yes ( ) No

Other Comments: \_\_\_\_\_

Date Dept. Review Due: \_\_\_\_\_

**PUBLIC WORKS DEPARTMENT REVIEW**

(Date Received) \_\_\_\_\_

	TRAFFIC CIRCULATION	ACCESS	CURB CUTS	ROAD WIDTH	PARKING	SIGNALIZATION	TURNING MOVEMENTS	LIGHTING	CONFLICT WITH CITY CONSTRUCTION PROJECT	DRAINAGE	SOIL TYPES	SEWERS	CURBING	SIDEWALKS	OTHER	
APPROVED																CONDITIONS SPECIFIED BELOW
APPROVED CONDITIONALLY																
DISAPPROVED															REASONS SPECIFIED BELOW	

REASONS: SEE ATTACHED CONDITIONS

(Attach Separate Sheet if Necessary)

*[Signature]* 5/9/94  
SIGNATURE OF REVIEWING STAFF/DATE

PUBLIC WORKS DEPARTMENT COPY

Applicant: Coppermith  
Address: 26 Carter St.  
Assessors No.:

Date: 5-11-94

CHECK LIST AGAINST ZONING ORDINANCE

Date -  
Zone Location - R2  
Interior or corner lot -  
Use - single  
Sewage Disposal - city  
Rear Yards - 25'+ 25' req.  
Side Yards - 14'+ 14' req.  
Front Yards - 25'+ 25' req.  
Projections - none  
Height - 2 story  
Lot Area - 18,486 sq ft  
Building Area - 1,540 sq ft  
Area per Family - entire  
Width of Lot - 80'+  
Lot Frontage - 80'+  
Off-street Parking - 2 cars +  
Loading Bays - N/A

Site Plan -

Shoreland Zoning -

Flood Plains -

Inspection Services  
Samuel P. Hoffes  
Chief



Planning and Urban Development  
Joseph E. Gray  
Director

CITY OF PORTLAND

May 11, 1994

Robert & Paula Coppersmith  
172 Murray St  
Portland, ME 04103

Re: 26 Carter St

Dear Mr. & Mrs. Coppersmith,

Your application to construct a single family dwelling with an attached two car garage has been reviewed and a permit is herewith issued subject to the following requirements: This permit doesn't preclude the applicant from meeting applicable State and Federal laws.

No Certificate of Occupancy can be issued until all requirements of this letter are met.

Site Plan Review Requirements

Inspection Services  
Public Works

Approved  
Approved w/conditions


W. Giroux  
C. Carrigan

Building Code Requirements

Please read and implement items 1, 7, 8, 9, 10, 12, 13, and 14 of the attached building permit report.

If you have any questions regarding these requirements, please do not hesitate to contact this office.

Sincerely,

  
P. Samuel Hoffes  
Chief of Inspection Services

cc: W. Giroux Zoning  
C. Carrigan Planning

/mg



# APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES

### ELECTRICAL INSTALLATIONS

Date 3 July 1954, 19\_\_  
 Receipt and Permit number 7062

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:  
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of  
 Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 26 Carter St  
 OWNER'S NAME: Coppersmith ADDRESS: \_\_\_\_\_

FEES

OUTLETS:  
 Receptacles 75 Switches 50 Plugmold \_\_\_\_\_ ft TOTAL \_\_\_\_\_ 25.00

FIXTURES: (number of)  
 Incandescent 30 Fluorescent \_\_\_\_\_ (not strip) TOTAL \_\_\_\_\_ 6.00  
 Strip Fluorescent \_\_\_\_\_ ft \_\_\_\_\_

SERVICES:  
 Overhead \_\_\_\_\_ Underground  Temporary \_\_\_\_\_ TOTAL ampere \_\_\_\_\_ 200 .. 15.00  
 \_\_\_\_\_ 1.00

METERS: (number of) 1 \_\_\_\_\_

MOTORS: (number of)  
 Fractional \_\_\_\_\_  
 1 HP or over \_\_\_\_\_

RESIDENTIAL HEATING:  
 Oil or Gas (number of units) \_\_\_\_\_  
 Electric (number of rooms) \_\_\_\_\_

COMMERCIAL OR INDUSTRIAL HEATING:  
 Oil or Gas (by a main boiler) \_\_\_\_\_  
 Oil or Gas (by separate unit) \_\_\_\_\_  
 Electric Under 20 kws \_\_\_\_\_ Over 20 kws \_\_\_\_\_

APPLIANCES: (number of)  
 Ranges \_\_\_\_\_  Water Heaters \_\_\_\_\_  
 Cook Tops \_\_\_\_\_ Disposals \_\_\_\_\_   
 Wall Ovens \_\_\_\_\_ Dishwashers \_\_\_\_\_   
 Dryers \_\_\_\_\_  Compactors \_\_\_\_\_  
 Fans \_\_\_\_\_ Others (denote) \_\_\_\_\_  
 TOTAL \_\_\_\_\_ 8.00

MISCELLANEOUS: (number of)  
 Branch Panels \_\_\_\_\_  
 Transformers \_\_\_\_\_  
 Air Conditioners Central Unit \_\_\_\_\_  
 Separate Units (windows) \_\_\_\_\_  
 Signs 20 sq. ft. and under \_\_\_\_\_  
 Over 20 sq. ft. \_\_\_\_\_  
 Swimming Pools Above Ground \_\_\_\_\_  
 In Ground \_\_\_\_\_  
 Fire/Burglar Alarms Residential \_\_\_\_\_  
 Commercial \_\_\_\_\_  
 Heavy Duty Outlets, 220 Vol (such as welders) 30 amps and under \_\_\_\_\_  
 over 30 amps \_\_\_\_\_  
 Circus, Fairs, etc. \_\_\_\_\_  
 Alterations to wires \_\_\_\_\_  
 Repairs after fire \_\_\_\_\_  
 Emergency Lights, battery \_\_\_\_\_  
 Emergency Generators \_\_\_\_\_

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT ..... INSTALLATION FEE DUE:  
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) ..... DOUBLE FEE DUE.  
 TOTAL AMOUNT DUE: 53.00

INSPECTION:  
 Will be ready on 7/18 Mon AM, 19\_\_; or Will Call \_\_\_\_\_  
 CONTRACTOR'S NAME: Sciora Electric  
 ADDRESS: 98 Pinecrest Rd  
 TEL.: 773-1417  
 MASTER LICENSE NO.: 7062 SIGNATURE OF CONTRACTOR: \_\_\_\_\_  
 LIMITED LICENSE NO.: \_\_\_\_\_

INSPECTOR'S COPY — WHITE  
 OFFICE COPY — CANARY  
 CONTRACTOR'S COPY — GREEN







# PLUMBING APPLICATION

Department of Human Services  
Division of Health Engineering  
(207) 289-3828

#17  
D.J.

**PROPERTY ADDRESS**

Town or Plantation: \_\_\_\_\_  
Street Subdivision Lot #: 26 Carter  
**PROPERTY OWNERS NAME**  
Last: Cappensmith Robert  
Applicant Name: Steve Rinsky  
Mailing Address of Owner/Applicant (if Different): \_\_\_\_\_

PORTLAND 5169 TOWN COPY

Date Permit Issued: 8.19.94 Fee Charged: 32  
LPI # 01.34

**Owner/Applicant Statement**  
I certify that the information submitted is correct to the best of my knowledge and understand that my testimony is reason for the local plumbing inspector to give permit.

Signature of Owner/Applicant: \_\_\_\_\_ Date: \_\_\_\_\_

**Caution: Inspection Required**  
I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: Arthur Rowe Date Approved: 9-26-94

**PERMIT INFORMATION**

<b>This Application is for</b>	<b>Type Of Structure To Be Served.</b>	<b>Plumbing To Be Installed By:</b>
1. <input checked="" type="checkbox"/> NEW PLUMBING	1. <input checked="" type="checkbox"/> SINGLE FAMILY DWELLING	1. <input checked="" type="checkbox"/> MASTER PLUMBER
2. <input type="checkbox"/> RELOCATED PLUMBING	2. <input type="checkbox"/> MODULAR OR MOBILE HOME	2. <input type="checkbox"/> OIL BURNERMAN
	3. <input type="checkbox"/> MULTIPLE FAMILY DWELLING	3. <input type="checkbox"/> MFG'D. HOUSING DEALER / MECHANIC
	4. <input type="checkbox"/> OTHER -- SPECIFY _____	4. <input type="checkbox"/> PUBLIC UTILITY EMPLOYEE
		5. <input type="checkbox"/> PROPERTY OWNER
		LICENSE # <u>017834</u>

Hook-Up & Piping Relocation Maximums of 1 Hook-Up	Column 2		Column 1	
	Number	Type of Fixture	Number	Type of Fixture
HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.		Hosebib / Sillcock	1	Bathub (and Shower)
		Floor Drain		1 lower (Suprate)
OR		Urinal	3	Sink
		Drinking Fountain	1	Wash Basin
HOOK-UP: to an existing subsurface wastewater disposal system.		Indirect Waste	2	Water Closet (Toilet)
		Water Treatment Softener, Filter, etc.		Clothes Washer
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Grease / Oil Separator		Dish Washer
		Dental Cuspidor		Garbage Disposal
Number of Hook-Ups & Relocations		Bidet		Laundry Tub
		Other: _____		Water Heater
Hook-Up & Relocation Fee		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1
				Fixtures (Subtotal) Column 2
OR				Total Fixtures
				Fixtures Fee
TRANSFER FEE \$8.00				Transfer Fee
				Hook-Up, Relocation Fee
				Permit Fee (Total)

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

Page 1 of 1  
HHE-211 Rev 7/93

TOWN COPY