NOTES -Form Check Notice Staking Out Notice Cert. of Occupancy issued Final Inspn. Final Notif. Inspn. closing-in 12/14/03- Form imp mode: P. S. S. 12/20/63- Form pame

r7

APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class Parland, Maine, December 13, 1963 To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE The undersigned hereby applies for a permit to erect alter repair demoish install the following hailding structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications;

Location Lot 28 Abby Lane (Valley View Heights): 41.4 Within Fire Limits? Dist. No. Owner's name and address George P Webster, 842 Riverside St. Lessee's name and address Contractor's name and address _____owner___ Telephone. ... Specifications Plans yes No. of streets ______ Dwelling No. families Proposed use of building Material frame No. r' 1 12 Heat _____Style of roof _____Roofing __ Other buildings on same lor General Description of New Work For excavation and foundation only for 12-story frame dwelling 46' x 24' Permit Issued with Meron It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. FERMIT TO BE ISSUED TO OWNER Details of New Work Is any plumbing involved in this work? Is any electrical work involved in this work? Is connection to be made to public sewer? __septic_tankIf not, what is proposed for sewage? .___ Has septic tank notice been sent? _____Form notice sent? _____Form Kind of roof Rise per foot Roof covering No. of chimneys ______ Material of chimneys _____ of lining ____ Kind of heat _____ fuel _____ Framing Lumber-Kind. Dressed or full size? Corner posts Sills Columns under girders _____. Size _____. Max. on centers _____ Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: 1st floor......, 2r1....., 3rd, roof On centers: 1st floor....., 2nd, 3rd, roof Maximum span: 1st floor....., 2nd , 3rd , roof , roof If one story building with masonry walls, thickness of walls?_____ If a Garage No. cars now accommodated on same lot....., to be accommodated.....number commercial cars to be accommodated.... Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... APPROVED: Miscellaneous S. E. M. W/ mano Will work require disturbing of any tree on a public street? ho Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Tres

George P Webster

INSPECTION COPY

Signature of owner

CITY OF PORTLAND, MAINE

Department of Building Inspection

NOTICE RELATING TO	SEWAGE DISPOSAL
x neans copy sent to the parties	(date) December 13, 1963
Location Lot 23 Abby Lane(Valley View Elesc) iption	
Owher and Address George P Webster, 842 Fiverside	
Contractor and A essowner	
Architect or Engineer and Address	- St.
Actual Area of Lot 9053 Sq. I	Zone R2 Residence
Area required by Zoning Ord. if sewer were available	
Where septic tank systems are required for sews provides that the least allowable area of the lot spercolation of the soil, this being the capacity of through as determined by tests. The Building Code disto be used, a building permit shall not be issued sewage disposal has been approved by the Director of	the soil to allow liquids to pa lirects that, where a septic tan
Since application for the above permit indicates is not possible, it is necessary for the owner or high Health Department, to explain the method of sawa arrangements for a percolation test to be made under	s agent to file a site plan with
After the rate of percolation has been determined this department of the area of lot required of test. If the lot area required by the tests is equal of the lot and not less than the minimum lot area reproperty is located for cases where connection to a permit can be issued; otherwise the permit cannot be secured from the Board of Appeals.	n the basis of the results of the l to or less than the actual area quired in the zone in which the
<u>Qll</u> Director	end Slann r of Bolding Inspection H
2 copies to Health Director 100-100-100-100-100-100-100-100-100-10	-
Inspector of Buildings / Reach 3	
Rate of Percolation is 2/2 minutes. On this	s basis area required by Zoning
Rate of Percolation is 2/2 minutes. On this Ordinance is	of a state of a state of
Comments in event zoning appeal is filed:	
	and the second of the second o
\mathcal{D}	$\mathcal{A}_{\mathcal{A}}$
Doz	My and in AD
Director	by Mealth

A.P.- Lot 23 Abby Lane December 16, 1963

Mr. George Webster 812 Hiverside Street

We understand that the work of installing a foundation at the above named location was started before a permit was applied for. We therefore cannot issue an advanced permit for this work which is already done. It will be necessary for you to meet with which is already done. It will be necessary for you are to Zoning Ordinance and Building Gode restrictions with which you are familiar.

Before any building permit can be issued, it will be necessary at the time of filing application for permit for you to provide complete building plans and a schedule of how you are to proceed and how protection of the concrete foundation from frost damage is to be provided. vided.

Very truly yours,

Gerald E. Mayberry Deputy Building Inspection Director

Memorandum from Department of Building Inspection, Portland, Maine

Lot 25 Abby Lane (Valley View Heights)

Dec. 17, 1963

Nr. George P. Webster 842 Riverside Street Portland, Maine

Dear Mr. Webster:

Permit for excavation and foundation only for a 12 story frame dwelling 46'x24' is being insued subject to compliance with following:

It is necessary that the front entrance precast concrete platform and steps be supported on piers or other approved foundation that extends below the front line.

Very truly yours,

Gerald E. Mayberry Deputy Building Inspects

G/EM:m

CS-27

Staking Out Notice
Form Check Notice Inspn. closing-in 3/3/64 Notif. closing-in Cert. of Occupancy issued 6 5/64 Final Inspn. Final Notif. 14/104

ENCE ZONE



C5 301

INSPECTION COFY

APPLICATION FOR PERMIT

JAN 6 198.

January 3, 1964

CITY OF PORTLAND

	 -		
The undersigned her	s of the following	Building Code and Zoning Oraina no specifications:	following building structure equipment ince of the City of Portland, plans and mits? Dist. No
pecifications, 17 any, suom	by Lane(Valley View F	leights) Within Fire La	Telephone
ocationand addre	George P Webster	842 RIVOLOGE	Telephone 797–3200 Telephone Mo of sheets 4
Architect		Special adological and a second a second and a second a second and a second a second and a second and a second and a	No. familiesNo. families
Proposed use of building	Dwelling		No. families
T ast 1196	- 1	Style of roof	minustration of the second sec
Material frame N	o. stories Fleat	4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Fee \$ 30.00
Other buildings on same	e lot	The state of the s	Fee \$
Estimated cost \$ 15,0		Description of New Work	,

General Description of New Work

To construct l2-story frame dwelling 46' x 24

Permit Issued with Meine

slood that this permit does not include installation of heating apparatus which is to be taken out separately by and in

It is understood that this permit does not install TO BE ISSUED TO OWNER the name of the heating contractor. PERMIT TO BE ISSUED TO OWNER
the name of the heating contractor. Details of New Work Details of New Work
Details of New Work Is any plumbing in colved in this work? yes
Is any plumbing involved in this work? Wes If not, what is proposed for sewage?
Is any plumbing involved to public sewer?
Has septic tank notice been sent? Height average grade to top of plate 11' Height average grade to highest point of roof. 24' No stories below Early 10' bottom 10' cellar yes 24 to in of foundation concrete Thickness, top Asphalt Class C Und Label.
Height average grade to top of plate
Material of foundation concrete Inickness, top Asphalt Class C und Laber.
Size, front depth at 182 store below grace 10" bottom 10" cellar Material of foundation concrete Thickness, top bottom 10" cellar Und Label. Material of foundation concrete Thickness, top Material of foundation concrete Thickness, top bottom 10" cellar Und Label. Material of foundation concrete Thickness, top thickness, top the store of the concrete State of the concret
Kind of roof pitch Rise per 1007 tile Kind of heat 1.11. Tile! No. of chimneys 1 Material of chimin's brickf lining dressed Corner posts 4x6 Sills 2x8 box Framing Lumber—Kind hemlock Dressed or full size? Corner posts 4x6 Sills 2x8 box Lally Size 32" Max. on centers 6!
No. of chimneys Material of claim Mate
Stude (outside walls and carrying partition) 2x8 3rd 2x8 , 3rd 16 16 16 16 16 16 16 1
4 -4 Appe LO"
on centers.
Maximum span.
On centers: Maximum span: 1st floor 12! 1st floor walls, thickness of walls? If one story building with masonry walls, thickness of walls? If one story building with masonry walls, thickness of walls? If a Garage
to be accommodatednumber commercial cars to be accommodated
No. cars now accommodated on same lot, to be accommodatednumber commercial cars to be accommodated building?
Will automobile repairing be done duried when while automobile repairing be done duried when when the state of the state o
the street and tree on a public street?
Will there be in charge of the above weether the weether the State and City requirements pertaining thereto are
see that the State and City
observed?
George P Webster

by:

Signature of owner

7 m

Memorandum from Department of Building Inspection, Portland, Maine

Lot 23(Valley View Heights) Abby Lane

Jan. 6, 1964

Mr. Ceorge P. Webster 842 Riverside Street

Dear Mr. Webster:

Permit to construct a l2-story frame dwelling 46'x24' is being issued subject to plans received with application and in compliance with the following:

- Nailing strips to support first floor joists at the girder will need to be not less than 2x3 inch members.
- 2. Shed dormer walls will need to be tied to the bathrous walls at the plate level.
- 3. Shed dormer raiters will need to be 2x8 inch members rather than 2x6 inch members as state on your application.

Very truly yours,

Gerald E. Mayberry Deputy Euilding Inspection

CS-27

GEMim

(COPY)



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupanty Location Lot 29 Abby Lene(Valley View Helghte)

Issued o Burlonge P Mobster

Date of Issue June 7, 1964

This is in reriff; that the building, premises, or part thereof, at the above location, built—altered conformally to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

Portion of Building or Premises

Portion of Building or Premises

Approved Occupancy

Approved Occupancy

Entire

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

Notice: This certificate identifies lawful as of building or premies, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

CS 147

THE IR AND SIGN WITH 111 2^{α} , \times

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUEL

Portländ	
	Maine, June 5, 1964 TEN OF FURTIAN
To the INSPECTOR OF BUILDINGS, PORTLAND,	ME. OXIL OI TOMILAN
The undersigned hereby applies for a permit, to ance with the Laws of Maine, the Building Code of the 40-410 (Valley View 1	to install the following heating, cooking or power equipment in account to of Port and, and the following specifications
Location Lot 27 Abby Lane Use of	gts) Building Dwelling No. Stories 12 New Building Existing No.
Name and address of owner of appliance Georg	ge P Webster, 842 hiverside St. Existing C
Installer's name and address Christy & Sma	Il Inc 14 Pineloch Drive Telephone
· ·	,
	Description of Work em and oil burning equipment.
	annua a de la companio della compani
IF HEATE	R, OR POWER BOILER
Location of appliance Basement Any burn	nable material in floor surface or beneath?none
If so, how protected?	
Minimum distance to burnable material, from top of a	appliance or casing top of furnace3!.
From top of smoke pipe	applianceover 4. From sides or back of appliance over 3
Size of chimney flue Other connectio	ns to same flue none
If gas fired, how vented?	Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to i	nsure proper and safe combustion?yes
	OIL BURNER
Name and type of burner - text-time: - surey be	Labelled by underwriters' laboratories? ye
over operator be atways in attendance f Do	oes oil supply line feed from top or bottom of tank?
	Size of vent pipe
	Number and capacity of tanks 275 gal.
Low water shut off Make	3
Will all tanks be more than five feet from any flame? .	
Total capacity of any existing storage tanks for furna-	ce burners
• "	
	OKING APPLIANCE
Location of appliance	Any burnable material in floor surface or beneath?
It so, now protected r	Height of Legs, if any
Skirting at bottom of appliance?: Distar	
Skirting at bottom of appliance?: Distar From front of appliance From sides	and back From top of smokepine
Skirting at bottom of appliance?: Distar From front of appliance From sides	and back From top of smokepine
Skirting at bottom of appliance?	and back From top of smokepine
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, l	and back From top of smokepine ns to same flue
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented?	and back From top of smokepine ns to same flue
Skirting at bottom of appliance? Distar From front of appliance	and back From top of smokepine ns to same five
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented?	and back From top of smokenine sto same five Forced or gravity? Rated maximum demand per hour PMENT OR SPECIAL INFORMATION
Skirting at bottom of appliance? Distar From front of appliance	and back From top of smokepine ns to same flue
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI	and back From top of smokepine ns to same flue
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI	and back. From top of smokepine Ins to same five
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI	and back From top of smokepine ns to same five
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI	and back. From top of smokenine
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI	and back From top of smokenine ms to same five how vented? Forced or gravity? Rated maximum demand per hour PMENT OR SPECIAL INFORMATION
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, I If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.09 for one h building at same time.)	and back From top of smokenine ms to same five how vented? Forced or gravity? Rated maximum demand per hour PMENT OR SPECIAL INFORMATION
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, I If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.00 for one he building at same time.)	and back. From top of smokenine
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, I If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.00 for one he building at same time.)	and back. From top of smokenine
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.00 for one he building at same time.)	how vented? Forced or gravity? Rated maximum demand per hour PMENT OR SPECIAL INFORMATION
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.00 for one he building at same time.)	and back From top of smokenine ms to same five how vented? Forced or gravity? PARENT OR SPECIAL INFORMATION PMENT OR SPECIAL INFORMATION Reater, etc., 50 cents additional for each additional heater, etc., in second the second person competent with there be in charge of the apove work a person competent
Skirting at bottom of appliance? Distar From front of appliance From sides Size of chimney flue Other connectio Is hood to be provided? If so, 1 If gas fired, how vented? MISCELLANEOUS EQUI Amount of fee enclosed? 2.00 (\$2.00 for one h	and back From top of smokenine ms to same five how vented? Forced or gravity? Rated maximum demand per hour PMENT OR SPECIAL INFORMATION eater, etc., 50 cents additional for each additional heater, etc., in second the second that the State and City requirements pertaining thereto

INSPECTION COPY

Cruty

7m

Staking Cut Notice Form Check Notice Cert, of Occupancy issued

FOR PERMIT APR 12 1965 Third Class Fortland, Minne, To the INSPECTOR OF BUILDINGS, FORTLAND, MAINE The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment an accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, ploss and specifications, if any, submitted herewith and the following specifications: Location 94 Abby Lane Within Fire Limits? Owner's name and address Charles B Micol, 94 Abby Lane Lessee's name and address Contractor's name and address John R. Ketchum, 1878 Washington Ave. Telephone... Specifications Plans Yes Proposed use of building _____ Dwelling & Garage Last use Other buildings on same lot ... Estimated cost \$ 1200.00 General Description of New Work 1216" To construct 1-car frage garage 14, x 22' attached to left hand side of dwelling. The inside of the garage will be covered where required by law with rock, lath plaster, No fire door. WXID heade It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and the the name of the heating contractor, PERMIT TO BE ISSUED TO contractor Details of New Work Is any plumbing involved in this work? _______ Is any electrical work involved in this work? _______ yes Is connection to be made to public sewer? _____ If not, what is proposed for sewage? ____ Has septic tank notice been sent? .___ Form notice sent? Height average grade to top of plate _____81 Height average grade to highest point of roof...... Size, front 14' depth 22' at No storics 1 below splid a filled land? solid ea Material of foundation ___concrete Kind of roof ____pitch Rise per foot 11" Roof covering Asphalt Class C Und Label. No. of chimneys Material of chimneys....... of lining Framing Lumber-Kind hemlock Dressed or full size? dressed Corner posts 4x4 Size Girder _____ Columns under girders .__ ---- Size Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Max. on centers . 1st floor concrete and and are 3rd and are roof and are some are some and are some and are some and are some On centers; Maximum span: 1st floor..... If one story building with masonry walls, thickness of walls? If a Garage. No. cars now accommodated on same lot Q ..., to be accommodated 1 number commercial cars to be accommodated none APPROVED: Miscellaneous 9/12/45- O.K- Cillian Will there be in charge of the above work a person competent to

inspection copy

observed? Yes

see that the State and City requirements pertaining thereto are

09

Goraga

Read

0

CHECK ACAINST ZONING ORDINANCE

wo Date = Affects of the - 68/37 - COM Wolone location . P. - J. Interior or corner Low LAD ft. setback area (Section 21) No -6.4. write a Garage - O.R. Sewage Dispusal ... La Rear Yards - 44'- - 0.4 - Side Terds - %'./6' to Front Yards - 38' - 6.4 Frojections • ? be-Height . C. M. - Part of Noise - C. H. wio! Area . 90830'-0.4 But liding Area = 1,811". House of 52129 & 1,2920'- C. Ar Artis per Family Bali Frontago de Affications Furling of the

Ý

0

٥٥

.

\$. \$

•

0000



APPLICATION FOR AMENDMENT TO PERMIT

PERMIT ISSUED

MAY 14 1965

m.

TITTO	Portland, Maine, April 30, 1965	CITY of PORTLAN
To the INSPECTOR OF B	UILDINGS, PORTLAND, MAINE	
The undersigned hereby of in the original application in the City of Portland, plans and	applies for amendment to Permit No pertaining to accordance with the Laws of the State of Maine, the Build is specifications if any submitted by	o the building or structure comprised ding Code and Zoning Ordinance of ing specifications:
Owner's name and address	Charles Nicol Di Alle Within Fire Lim	its? Dist. No
Contractor's name and address	5 7-1- D. P. M.	Telephone
Architect	sJohn.A. Ketchem, 1878 Washington Aver	Telephone
Proposed use of building	Date 1 1 inc. and	ans filed y.e.s No. of sheets
Last use	u garage	No. families
Increased cost of work		No. families
		Additional fee50
	Description of Proposed Work	Fre pol - 5-6.65

To construct 14' x 22' attached garage instead of 12'6" x 22' garage.

	Appeni sustained
- But mi armed Grade to to	Details of New Work owner a this work?
Material of foundation Material of underpinning	
No. of chimneys	Rise per foot Roof covering of lining Dressed or full size?
Girders Size	Size Size Size
Joists and rafters: On centers:	1st floor, 2nd, 3rd
Maximum span: Approved:	1st floor , 2nd , 3rd , roof Signature of Owner (Lat 13 74
NSPECTION COPY	Approved: albert Sean

AP - Lot 25 Abby Lane (94) Amorkment 21

May 8, 1965

Mr. Charles Micol 94 Abby Lane cc: John E. Ketchus 1878 Washington Ave. cc: Corporation Counsel

Door Er. Micol:

We are unable to issue an amendment to permit 55/360 to construct a 14'=22' attached garage at the above location because this garage at the rear corner is to be only 8 feet 6 inches from the side lot line instead of the required 10 feet in the R=2 Residential Zone in which the property is located. (Zoning Ordinance Section 3-B-2)

We understand that you desire to exercise your appeal rights in this matter. In order to do so you will need to come to this office in Roca 110, City Hall where forms are available for filing of the appeal.

Very truly yours,

AJS/h

Albert J. Seers Mrector of Building Immeetion

	let 24 and 2, no	Audress Audress Audress	1000	
RIGHT TUMBER	January Tomas quartes social	180'0 C	Tamuri Grantsol Rotolethi	7
10-11-3	Program Coles	Trans William	AND THE WAST INSTE	a
The state of the s	TOILIS	牛主	IN Bridgisor	-
1	SHOWERS		NPPROVED FINAL INSPEC	387.0
	DRAINS HOT WATER TANKS	土土	0.12.27.79	
	TANKLESS WATER HEATERS GARRAGE GRINDERS SLEFTIC TANKS	PIO.1-2	0 114350F b	33
	HOUSE SEWERS OOF (LATES) (Lange order)		Alkania Filia	
			A STANDARD OF THE STANDARD OF	
	PT. MUNBING INSPECTION TOTAL	BILAND HEALTH DE	The second secon	
district the second	A STATE OF THE PARTY OF THE PAR	The state of the s	والمستخدمة والمستخدمة والمستخدمة والمستخدمة	-
	Charles the control of the control o			
		ALL PLUMBING	INI OT HARRY	
EMAT, MINGER		Address ins pllotler Ferr	olol Disagn	
			ecrosses	
To the second	Sund Secretary and the property of the propert	1 17436 Wild A	AFFROVED FIRST BASS	
00 3 7 10 00 10 10 10 10 10 10 10 10 10 10 10	LAVATCKIFS		olud	į
	SATH THESE SHOWLERS UZAINS	GINT	A GOVED FINAL MANY	
	HOT WATER TANKS TANKLESS WATER HEATERS		OSEPH P	
8 08 3 1	GARBAGE CKENDERS	· 1. "63. The 1 it .	CHIEF PLUMBING	d
	HOUSE/SEWESS APOF LEADER'S (Configle hours) doin) Leave the Cateral per		I COMMERCIAL [] RESIDENTIAL SINGLE	2 7 3
And the second s	от дання дамення на при		LI NEW CONSTRUCTION RIMODEUNG RIMODEUNG	
N. 218 4.	DEPT. RUMBING INSPECTION TOTAL	FORTLAND HEALTH I	ENDOCKUS (1)	ri C
	which the statement of		men an an annual sa mara sa m Tanggaran sa mara sa m	T Section (
Programme and the second s	्रामान्यः च ४.७५१ स्टब्स्ट	ar Theam		
2131 manara ros	man a market and the sail	matal A	eise	
The control of the state of the	made the section	A BANGARANAN ANG ANG ANG ANG ANG ANG ANG ANG ANG	akhen Postena kumalig marasi	\$
and the state of t	And the second s	AND COUNTY OF THE PARTY OF THE	E TRIVELD IL GCCLWIN	1
The second secon	The state of the s	an is a Sealery granmone.	App. That India.	, ;] , ;
to prompton the state of the st		an an a fanasaga ang Luad Luan a shimespinang Luad		
Line process find married after the	از باز المحمد فروقهای الاست بازنده بازی <mark>شایستانسد با بیون.</mark> حسوس از درخه کالهم بازی خاص کی مرسب	ay ang magangan pada din	And Their Plant Inspec	
makangka kan serang diperamakan di unjul sa silangan		and a series of the formation of the series	14	
Approximation of the second se	Andrew Comment of the	Land a second of second	Type of Aldy.	"
all the first case	المهاج والمستفر والمستفرة والمستفرة والمستفرة	iac in _{a sum} in commendate described in the second	ा सम ्पर् देशका है।	1
a City San Jan a Alberta	ALL AND SHALL STATE OF THE SHALL SHALL	A read of the party of the part	emont gives	,
00.5	And the state of t	Seminaria de la companya de la compa	en od kali Gran I diod () - Granica () kali (), t griba appli () () ()	

Mey 14, 1965

Mr. Charles Nicol 94 Abby Lane Enclosed please find copy of the decision of the attached Board of Appeals relating to construction of a 14/x22 attached garage at 94 Abby Lane. Dear Mr. Nicol: It will be noted that this appeal was granted. Robert Donovan
Assistant Corporation Counsel h Enclosure (1)

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

May 10, 1965

Mr. Charles Nicol, 94 Abby Lane

Doar Mr. Nichol:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine on Thursday, May 13, 1965 at 4:00 P.M. to hear your appeal under the Zoning Ordinance.

Please be present or represented at this hearing in support of this appeal.

BOARD OF APPEALS

Franklin G. Hinckley

Chairman

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

May 10, 1965

TO WHOM IT MAY CONCERN:

The Board of Appeals will hold a public hearing in the Council Chamber at City Hall, Portland, Maine on Thursday, May 13, 1965 at 4:00 p.m. to hear the appeal of Charles Nicol May 13, 1965 at 4:00 p.m. to hear the appeal of Charles Nicol requesting an exception to the Zening Ordinance to construct a 14' x 22' attached garage at 94 Abby Lane.

This permit is presently not issuable under the Zoning Ordinance because the garage at the rear corner is to be only 8 feat 6 inches from the side lot line instead of the required 10 feet in the R-2 Residential Zone in which the property is located. located.

All persons interested either for or against this appeal will be heard at the above time and place.

BOARD OF APPEALS

Franklin C. Hinckley

AP - Lot 21 Abby Lone (94) Amendment #1

May 8, 1965

Mr. Charles Wacl 94 Abby Lane cc: John R. Ketchum 1878 Washington Ave. cc: Corporation Counsel

Dear Mr. Nicol:

We are unable to issue an amendment to permit 65/360 to construct a 14'x22' steached garage at the above location because this garage at the rear corner is to be only 8 feet 6 inches from the side lot line instead of the required 10 feet in the R-2 Residential Zone in which the property is located. (Zoning Ordinance Section 3-B-2)

We understand that you desire to exercise your appeal rights in this matter. In order to do so you will need to come to this office in Room 110, City Hall where forms are available for filing of the appeal.

Very truly yours,

AJS/h

Albert J. Sears Mirector of Building Inspection

History a 5/10/8 25 Cost 153 Drogstant as/13/65

CITY OF PORTLAND, MAINE IN THE BOARD OF APPEALS

MISCELLANEOUS APPEAL

Charles Nicol

owner of property at 94 Abby Lane (Lot 25)

under the provisions of Section 24 of the Zoning Ordinance of the Zity of Portland, hereby respectfully petitions the Board of Appeals to permit: construction of a 14'x22' attached respectfully petitions the Board of Appeals to permit: construction of a 14'x22' attached respectfully petitions the Board of Appeals to permit is garage at the rear corner is garage. This permit is presently not ismable because this garage at the rear corner is garage. This permit is presently not ismable because this garage at the rear corner is garage. Residential Zone in which the property is located.

<u>LEGAL BASIS OF APPEAL</u>: Such permit may be granted only if the Board of Appeals finds that enforcement of the terms of the Ordinance would result in undue hardship and desirable relief may be granted without substantially departing from the intent and purpose of the Ordinance,

DECISION

After public hearing held 5/13/65 the Board of Appeals finds that enforcement of the terms of the Ordinance would result in undue hardship and desirable relief may be granted without substantially departing from the intent and purpose of the may be Ordinance.

It is, therefore, determined that such permit may

be issued.

BOARD OF APPEALS

