

The same of the sa	• •	DILIMPINIC			
till til det a med med det de transfer og til	PERMIT TO MOSSI		PERMIT NUM	MBER 2	<u>515</u>
	Address 477 Al	len Avenue			
	Installation For:	me family			
Duta	Owner of Bldg: 30	ohn Mulhern			
Date Issued 6-29-82	Owner's Address:	STOY	Date:	c 20-	.02
Issued 6-29-82	Plumber:			6-20 F	E
Portland Plumbing Inspector	NEW REP'L Fred	erick Septic Cank	051110		
By ERNOLD R. GOODWIN	SINK	5			
	I AVA	ATORIES			
App. First Insp.	TOIL	ETS			
Date		H TUBS			
200	K 2 SHO	WERS			
Ву	DRA	INIS FLOOR	SURFACE		
App. Final Insp. &	JUON DICK	WATER TANKS			
a sa Mi	mon	VIESS WATER HEA	TERS		
Date Date	IAN	RBAGE DISPOSALS			
By S	GAI	TIC TANKS			_20.00
Date By App. Final Inst. Date By Type of Blass at	SEP W UO	USE SEWERS			
☐ Comrercial	/ HO	OF LEADERS			
Residential	RO	TOMATIC WASHERS	S		
	AU	ICMATIC WHO			\
Single Multi Family	DIS	HW ASHERS			<u> </u>
Multi Falling	OT	HER			\ \
New Constitution					<u> </u>
Remodeling			TOTA	AL.	
			·		20,00
	ng and Inspection Service	es Dept.; Plumbing I	nspection	and the Sh	11 11 11 11 11 11



FILL IN AND SIGN WITH IN

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PUMU 1997 P

		OR POWER EQUIPMENT	
	Portla	nd, Maine,October 11, 1757	Company of the Compan
To the INSPECTO	R OF BUILDINGS, PORTLAN		
	,	t to install the following heating, cooking or the City of Portland, and the following spec	power equipment in accord- ifications:
Location477 Al	len Ave. Use of	f BuildingDwelling	ries New Building Existing "
		Ice Co., 302 Commercial St. Te	
i i	Genera	l Description of Work	
	Not water heating system	emeand oil burning equipment	
Location of aunliance		FER, OR POWER BOILER urnable material in floor surface or beneath?	no
		f appliance or casing top of furnace Over	
	•	of appliance Over 41. From sides or back	
		tions to same flue none	
		Rated maximum demand	
		o insure proper and safe combustion?ye	
	:	IF OIL BURNER	
		Labelled by underwriters	
		Does oil supply line feed from top or bottom	
		Size of vent pipe 14"	
		Number and capacity of tanks	
		ıke	
		?yes How many tanks en ed?	
		nace burners none	
·	IF CO	OOKING APPLIANCE	
ocation of appliance		Any burnable material in floor surface or l	peneath?
f so, how protected?	·	Height of Legs, if any	
Skirting at bottom of	appliance? Dist	tance to combustible material from top of appli	iance?
From front of applia	nce From side	es and back From top of si	mokepipe
lize of chimney flue	Other connect	tions to same flue	
		o, how vented? Fo wed or	
If gas fired, how ven	ited?	Rated maximum demand	l per hour
	MISCELLANEOUS EQU	JIPMENT OR SPECIAL INFORMATI	ON
••••••			
••••••			
••••			
•••••••••••••			
••••••••••			
Amount of fee enclose building at same time	ed?2,00(\$2,00 for one	e heater, etc., 50 cents additional for each add	litional Leater, etc., in same
OVED.			
OVED:	PCO MANGO	AXIII Abana ta in abana a data a	
<u> </u>	8.8.10/10/57	Will there be in charge of the above v see that the State and City requirem	•
		observed? yes Portland Sebago	Tre Co.
		LOYOTANG DEDARGO	/ 220 00 , /-
C17 MAINE PRINTING		By: (10)	and the
INSPECTION CO	Signature of Inst	taller	MILEAN SON E MAIN
	-	•	11

*2

B3 RESIDENCE 201.4

PERMIT ISSUEM .

APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #1 ...

SEP 20 1957 CITY of FORTLAND

	Portland, Maine,.	Sept. 17, 1957	Mit or commun
To the INSPECTOR OF BU	JILDINGS, PORTLAND, MAINE		- N
The undersigned hereby a in the original application in the City of Portland, plans an	pplies for amendment to Permit accordance with the Laws of the d specifications, if any submitte	No. \$7/928, pertaining to the built set State of Maine, the Building Code herewith and the following code of herewith and the following code.	ding or structure comprised le and Zoning Ordinance of ifications:
Owner's name and address	George P Webster, 84	Within Fire Limits?	Dist. No
Lessee's name and address	Macino	secot Step Co.Inc.	Telephone
Contractor's name and address	s Shawnee	sees t Step Co. Inc.	Telephone
Arenitect		Plans filed	'S No of sheets 1
Proposed use of building	Dwelling		No families 1
Last use			N. C. W.
Increased cost of work			litional fee 1.00

Description of Proposed Work

To erect Precast Shawnee Steps with platform front of dwelling. Platoform to be 42" long 5' wide $22\frac{1}{2}$ " high with 3 risers.

According to standard Shawnee plan approved by R.I. Perry, Structional Engineer. Filed in the Building Dept. 8/15/57

. 4	neight of L	New Mork Lerwir	to contractor	1/ 1
Is any plumbing involved in t			olved in this work?	
Height average grade to top	o at	it average grade to higher	st point of roof	
Size, frontdepth	No. stories	alid or filled land?	earth or rook?	
Material of foundation con	te block at least 4 mg.	low grade	earth or rock?	
Material of underpinning	Heigh	rht	Thickness	
Kind of roof	Rise per foot Rc	of covering	Theries	
No. of chimneys	Material of chimneys		of lining	
Framing lumber—Kind	Dr	ressed or full size?	or mang	
Corner posts	ills Girt or ledger boar	rd?	Size	
Girders Size	Columns under girders	Size	Max. on centera	
Studs (outside walls and car	rying partitions) 2x4-16" O. C. Bi	idging in every floor and	flat your span over 9 feet	
Joists and rafters:	1st floor2ud		, roof	
On centers:	1st floor2nd	3rd	, roof	
Maximum span:	1st floor	3rd	roof .	
pproved:	~ 0	Shawnee Precast St	co. Inc.	
Tillet	* Jeans	Signature of Owner.	by:	
(Chouty inspector of Buildings			
NSPECTION COPY		Approved! & LC	Inspector of Buildings	
\$-105		9/2957 1	Inspector of Buildings	F.M.
		,		,,,,

PERMIT ISSUEU

··· Dist. No. ...

R3 RESIDENCE ZONE

APPLICATION FOR PERMIT Class of Building or Type of Structure Third Class To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect allows opposed by many submitted herewith and the following Code and Zoning Ordinance of the City of Port
No. Within Fire Limits?

The undersigned hereby applies for a permit to erect allows opposed by many submitted herewith and the following structure with and the following specifications.

Within Fire Limits?

Dist. No. Location 477-481 Allen Ave.

Lessee's name and address Contractor's name and address ... Owner Architect

Proposed use of building Macerial ...

Specifications Plans wes No. of sheets 4... ···... Telephone ..2-8492..... No. stories Heat Style of roof Other building on same lot Estimated cost \$ 12,000.No. families ...

2 hedrooms

To construct 1-story frame dwelling 26'x38' with 6' breezeway and garage 22'x13'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in Is any plumbing involved in this work?yes..... Has septic tank notice been sent?.....

Height average grade to top of plate

Size front 381

Acoustic Stories 1

Colid or filled land > solid

Court or solid or filled land > solid Height average grade to top of plate

Size, front 38! Height average grade to highest point of roof 16!

Material of foundation concrete at least 4! The low grade land? solid earth or rock? earth Height view bettom 10! Cellar year.

Height average grade to top of plate 11!

Material of foundation depth 26! No. stories 1 solid or filled land? solid earth or rock? earth 11!

Height average grade to highest point of roof 16!

Height average grade to highest point of roof 16!

Height average grade to highest point of roof 16!

Height average grade to highest point of roof 16!

Height average grade to highest point of roof 16!

Height 16! Is any electrical work movlved in this work? yes

Material of underpinningto...sill.......

Material of chimneys, brick of lining tile Kind of heat here fuel oil Kind and thickness of outside sheathing of exterior walls? In boards

Sills 2 lox6

If one story building with masonry walls, thickness of walls?

No, cars now accommodated on same lot., to be accommodated 1... number commercial cars to be recommodated on the than minor renairs to care habitually stored in the processed inciding?

DN-7/5/57-05

Will work require disturbing of any tree on a public street? no.... Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are

INSPECTION COPY Signature of owner...

(COPY)



CITY OF PORTLAND, MAINE Department of Bullding Inspection

Certificate of Occupancy

LOCATION 477-481 Allen Ave.

Date of Tesue 12/10/57

This is to certify that the building, premises, or part thereof, at me above location, built-altered Issued to Edward Asskov changed as to use under Building Permit No. 51/928, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for substantially to requirements of zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Entire Limiting Conditions:

This certificate supersedes certificate issued

(Date) 12/10/57 Inspector

Inspector of Buildings


Notice: This certificate identifies lawful use of building (premises, and ought to b) transferred from owner to owner or lessee for one dollar.

CITY OF PORTLAND, MAINE Department of Building Inspection

NOTICE OF DEFICIENCIES IN APPLICATION OR FLANS or of FEATURES CONTRARY TO ZONING ORDINANCE

X means copy sent to parties (date) (date) 28,1957 so marked
<u> Job Data</u>
Location 477-458 allen Owenie Description Vin New New Hugt Garage
Owner & Address Cherge P. Webster, 842 Reverside Street
Contractor & Address Owner
Arch't. or Eng'r. & Address Thimas & Hennessy Jr., 34 Belfield Street
Check of the above job against zoning requirements discloses deficiencies in information or features contrary to the law as listed below. Until these features are adjusted by revision of the plan and furnishing fresh prints, or by written specification if plan is not applicable to the vituation, we shall be unable to proceed with the check of other features of Zoning and Bullding Code. The ganage is to be closer to the struct line than the existing dwelling on one of the adjourning late contrary to the agunements of Section 14 of the horning Ordinance. The landing is proposed to be only 25 feetback from the struct lane of allen avenue united of the number of allen avenue united of the number of allen avenue united for this part of allen avenue by section 20 of the Cramace.
If adjusting any of the above features, which are contrary to the Zoning Ordinance, would result in practical difficulties or unnecessary hardship, the Board of Appeals may be able to afford relief from the precise requirements. If that is the case, please supply all deficiencies as to information—then request directions from this office as to appeal procedure.

(Signed) Olbert Sears
Deputy Inspector of Buildings



Application for a building permit for the above job indicates that no connection is possible to a public sewer. In such a case the Building Code direct. that the proposed method of sewage disposal shall be approved by the Director of Health before the building permit may be issued.

It is necessary that the owner or his agent contact the Health Departme. , explain the proposed method of sewage disposal, and make arranements for any tests the Director of Health deems essential as to the nature of the soil and other features--under the supervision of that department.

The 1957 revision of the Zoning Ordinance of the City sets up a formula for determining the minimum area of lot required for sectic tank disposal systems, and one of the factors in that formula is the number of bedrooms in the building in question. If the correct number of bedrooms has not been stated on the clans or application for the building rmit, it is important that you inform the health Department of the correct number of bedrooms proposed, so that the formula may be worked.

Two copies to Health Director

Une TWE

我我我就让你你让我们的我们的我们的我们的我们的我们的的,我们就会会会了,我们就会会会了。"他们就会的人们的不会的人的的人的现在分词,我们们会会会会会会会会会会 (This space for lealth Department use)

No. of bedrooms reported to Fuilding Lept. 2

(a)-total lot width 51 feet (b)-maximum depth of building 26 feet

(Date) June 27, 1957

Inspector of Buildings.

The method of sewage disposal proposed for above job is is is not approved.

Minimum area of lot required for septic tank disposal system as determined from use of formula stipulated by Lection 18 of the Zonnig Ordinance is 9000 sq. ft., based on the owner's stated intention to move 2 bed oms

Shows.

CITY OF PORTLAND, MAINE
Department of Building Inspection

NOTICE RELATING TO SEWAGE DISPOSAL

(date) June 25, 1957
K means copy sent to the parties so marked
Job Data_
Location 477-481 Allen Ave. Description New dwalling
Owner and Address George P. Weister, 842 Riverside St.
Contractor Address same
Architect or Engineer and Address
Application for a building permit for the above job indicates that no connection is possible to a public sewer. In such a case the Building Code directs that the proposed method of sewage disposal shall be approved by the Director of Health before the building permit may be issued.
It is necessary that the owner or his agent contact the Health Department, explain the proposed method of sewage disposal, and make arrangements for any tests the Director of Health deems essential as to the nature of the soil and other features—under the supervision of that department.
The 1957 revision of the Zening Ordinance of the City sets up a formula for determining the minimum area of lot required for septic tank disposal systems, and one of the factors in that formula is the number of bedrooms in the building in question. If the correct number of bedrooms has not been stated on the plans or application for the building permit, it is important that you inform the Health Department of the correct number of bedrooms proposed, so that the formula may be worked.
Two copies to Health Director Une Typical Inspector of Buildings
This space for Health Department use)
No. of bedrooms reported to Building Dapt. 2
(a)-total lot width 51 feet (b)-maximum depth of building 26 fee?
(Date) June 27, 1957 Inspector of Buildings:
The method of sewage disposal proposed for above job is inwark approved.
Minimum area of lot required for septic tank disposal system as determined from use of formula stipulated by Section 18 of the Zoning Ordinance is 9000 sq. ft., based on the owner's stated intention to have 2 bedrooms. 130 ft. absorption trench required.
Director of Health

î

1. Thy Fr. Wag. * 477-481 Allen Ame Gas Webster	6 28 57
1. Zaning - R-3 Zare	
A. Use OK.	
B. Spice & Balk	1
1. Recar Yard - OK	F) 0
2 Sice Yard OK	1
4. Front Yord - 40' Dat back Rayd - 25- Shuan?	
e. Lot Avea .OK - 3-ptic Tk.OK	
10. What Ok	
C. O.H. Dt. Parking: Garage Closer to St. Than	
House on Adjoining lot.	
2 Classies of like - Dwg.	
Se= 202	
4. ok.,	
h Fix regulation Garage Mrt Appliable - 2 - 16 7	
b. Fire prophing - Garage Not Applicable 2 gort. ?	
d. 0K	
= NA.	
4.0K.	
a. Saustation OK + Lother from Hollle Capit.	
W.A.	•
N.A.	1. 11 #6 7
i NA	
) Manage	-
3. Construction Details of Design	
Sie 302	
e 2nd Close Construction	
Conclusion Constitution	
	- ,
and the second of the second o	
The state of the s	
The state of the s	
	\$
	-
	A second second
and the second of the second o	
the state of the s	
	1

مسلونا والاالا