

48-50 WORDSWORTH STREET



SHAW-WALKER

Full cut #920R • Half cut #920R • Third cut #920H • Fifth cut #9205R



APPLICATION FOR PERMIT

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

0372

PERMIT ISSUED

MAY 17 1978

ZONING LOCATION

PORTLAND, MAINE,

May 16, 1978

CITY OF PORTLAND

To the DIRECTOR OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 50 Wordsworth Street

1. Owner's name and address James Coldwell Telephone 775-2790

2. Lessee's name and address

3. Contractor's name and address Owner

4. Architect

Proposed use of building 2 car garage

Last use

Material

Other buildings on same lot

Estimated contractual cost \$ 1,716 Fee \$ 8.00

FIELD INSPECTOR—Mr.

GENERAL DESCRIPTION

This application is for: @ 775-5451

Dwelling Ext. 234

Garage XX

Masonry Bldg.

Metal Bldg.

Alterations

Demolitions

Change of Use

Other

To construct 2 car garage, 24 x 24
free stadding as per plans 1 sheet
of plans.

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

PERMIT IS TO BE ISSUED TO 1x 2 3 4

Other:

DETAILS OF NEW WORK

Is any plumbing involved in this work? no Is any electrical work involved in this work? yes

Is connection to be made to public sewer?

Has septic tank notice been sent?

Height average grade to top of plate 8 ft. Height average grade to highest point of roof 11 ft.

Size, front 24 depth 24 No. stories 1 solid or filled land? solid earth or rock? earth

Material of foundation cement slabs Thickness, top bottom cellar

Kind of roof pitch Rise per foot 4 in Roof covering asphalt shingles

No. of chimneys

Framing Lumber—Kind plywood Dressed or full size? full Corner posts 2 x 4 Sills 2 x 4

Size Girder

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor 2 x 4 2nd floor 2 x 4 3rd floor 2 x 4

On centers: 1st floor 16 2nd floor 16 3rd floor 16

Maximum span: 1st floor 25 ft. 2nd floor 25 ft. 3rd floor 25 ft.

If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY:

DATE

MISCELLANEOUS

BUILDING INSPECTION—PLAN EXAMINER

Will work require disturbing of any tree on a public street? ..

ZONING:

BUILDING CODE: 915 28 5/17/78

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

Fire Dept.:

Health Dept.:

Others:

Signature of Applicant

James Coldwell

Phone # same

Type Name of above

James Coldwell

1x 2 3 4

Other

and Address

FIELD INSPECTOR'S COPY

NOTES

Oct 31/78

This is completed
except for the doors
& some finish work
Paint etc

Permit No. 78/0372

Location 5199 Regent St.

Owner J. W. L. L. L.

Date of Permit 5-16-78

Approved 5-17-78

50 Wordsworth St.

April 24, 1969

James Coldwell
50 Wordsworth Street

Dear Mr. Coldwell:

Permit is issued herewith to construct a 1-story frame addition 20' x 6' on the rear of your dwelling subject to the following Building Code requirements:

1. It is understood that there is no room adjoining this porch which does not have a window opening directly to the outside air. (Section 402.4.1 in the Building Code).

2. It is understood that 9" sonotubes will be used to support each corner of the addition, plus a sonotube in the center of the 20 foot span.

Very truly yours,

Earle S. Smith
Plan Examiner I

ESS:m

50 Wordsworth Street

April 21, 1969

James Coldwell
50 Wordsworth Street

cc to: Corporation Counsel

Dear Mr. Coldwell:

Permit to construct a 1-story frame addition on the rear of existing dwelling at the above named location is not issuable under the Zoning Ordinance in the R-5 Residence Zone in which this property is located because the side yard is only 4' instead of the 6' required under Section 602.6B.2 of the Zoning Ordinance.

We understand that you would like to exercise your appeal rights in this matter. Accordingly you or your authorized representative should come to this office in Room 113, City Hall to file the appeal on forms which are available here. A fee of \$5.00 shall be paid at this office at the time the appeal is filed.

Very truly yours,

A. Allan Soule
Assistant Director of Building Inspection Dept.

AAS:m

50 Wordsworth St.

4/21/69

427-B-3

ED

CHECK LIST AGAINST ZONING ORDINANCE

Date -

Zone Location - R-5

Interior or corner Lot -

40 ft setback area? (Section 21) -

Use - 6120 addition rear of dwelling

Sewage Disposal -

✓ Rear Yards - 50' Reg 20

→ Side Yards - 4' Reg 6

✓ Front Yards -

✓ Projections -

✓ Height - 32'

✓ Lot Area - 4482⁴ 40% 1792⁴


✓ Building Area - 1437⁴

Area per Family -

Width of Lot -

Lot Frontage -

Off-street Parking -





RS RESIDENCE ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class
Portland, Maine, April 21, 1969

PERM. 1 ISSUED

APR 25 1969

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 50 Wordsworth St. Within Fire Limits? _____ Dist. No. _____
Owner's name and address James Caldwell, 50 Wordsworth St. Telephone 775-2790
Lessee's name and address _____ Telephone _____
Contractor's name and address owner Telephone _____
Architect _____ Specifications _____ Plans yes No. of sheets 1
Proposed use of building Dwelling No. families 1
Last use " No. families 1
Material frame _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____
Other buildings on same lot _____ Fee \$5.00
Estimated cost \$ 652.

General Description of New Work

To construct 1-story frame addition 20'x6' on rear of dwelling

To demolish existing rear porch and entryway

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
Is connection to be made to public sewer? _____ If not, what is proposed for sewage? _____
Has septic tank notice been sent? _____ Form notice sent? yes
Height average grade to top of plate 111 Height average grade to highest point of roof 121.6"
Size, front _____ depth _____ No. stories 1 solid or filled land? solid earth or rock? earth
Material of foundation 9" Sonotubes at least 4" below grade Thickness, top _____ bottom _____ cellar no
Kind of roof hip Rise per foot _____ Roof covering asphalt roofing Class C Und. Lab.
No. of chimneys _____ Material of chimneys _____ of lining _____ Kind of heat _____ fuel _____
Framing Lumber—Kind hemlock—Dressed or full size? dressed Corner posts 2-2x4 Sills 4x6
Size Girder _____ Columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2x6, 2nd _____, 3rd _____, roof 2x6
On centers: 1st floor 16", 2nd _____, 3rd _____, roof 16"
Maximum span: 1st floor 6', 2nd _____, 3rd _____, roof 6'
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

APPROVED:

Zoning OK 4/23/69 REU

INSPECTION COPY

Signature of owner

James E. Caldwell

NOTES

5/24/70. Work done
 No one called for
 inspection. E. G. S.

Form Check Notice

Slating Out Notice

Cert. of Occupancy Issued

Final Inspn.

Final Notif.

Inspr. closing-in

Notif. closing-in

Date of permit 4/25/69

Owner Dennis Coedman

Location 60 Westmonte Dr

Permit No. 69/325

CITY OF PORTLAND, MAINE
DEPARTMENT OF BUILDING INSPECTION

Room 21, City Hall

Gentlemen:

In connection with the installation of oil burning equipment as indicated in statement below, please sign this statement and return to this office as promptly as possible so that the permit may be issued if everything else is found in order, retaining the copy for your file.

Very truly yours,

(Signed) Warren McDonald
Inspector of Buildings.

* * * * *

1. This statement is to become as much a part of the application for a permit to cover installation of oil burning equipment for *James S. Murray* at *50 Winsworth St*, as though written on the application form.

2. A switch or other manual control capable of completely stopping flow of oil to the burner will be provided, such device to be so located as to be conveniently reached and operated without being exposed to danger that may exist at or near the burner. If feasible this switch or similar device will be located at or near the top of the cellar stairs. In case the burner is of a type without electrical controls, a quick-closing valve will be provided in the oil supply line so located and arranged that the valve may be manually closed from the top of the cellar stairs, or outside of the room where the burner is located or from outside the building.

3. A quick action, self-closing valve designed to close at 160 to 165 degrees Fahrenheit will be provided in oil supply line.

4. Readily accessible shut-off valves, one of which may be the self-closing valve indicated in No. 3 if capable of manual operation, will be installed in oil supply line near each burner and close to supply tank. Shut-off valves will be installed on each side of oil strainers which are not a part of the oil burner unit or which are connected to oil burner unit without intervening piping or tubing. Shut-off valves will be provided both on the discharge side and the suction side of oil pumps, if any, which pump directly to the burner but which are not a part of the burner unit.

5. If there is to be a shut-off valve in the discharge line of an oil pump, a suitable pressure relief valve will be connected into the discharge line between pump and shut-off valve and arranged to return surplus oil to the storage tank or to by-pass it around the pump.

Russell McAlister
Installer

(Date) *Aug 9 1944*

By *W. J. Needham*



FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUED

Permit No.

AUG 9 1941

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Aug 9 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 50 Woodworth St Use of Building Res No. Stories 1 1/2 New Building
Name and address of owner of appliance James S Murray Existing
Installer's name and address Randall McAllister Telephone 3-2441

General Description of Work

To install One Model F Junker Burner in existing water
summers

IF HEATER, POWER BOILER OR COOKING DEVICE

Is appliance or source of heat to be in cellar? yes If not, which story _____ Kind of Fuel Oil
Material of supports of appliance (concrete floor or what kind) concrete
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 18 inches
from top of smoke pipe _____ from front of appliance _____ from sides or back of appliance _____
Size of chimney flue _____ Other connections to same flue _____

IF OIL BURNER

Name and type of burner Junker Model F Labeled and approved by Underwriters' Laboratories? yes
Will operator be always in attendance? no Type of oil feed (gravity or pressure) gravity
Location oil storage Basement No. and capacity of tanks 1 - 275 gallon
Will all tanks be more than seven feet from any flame? yes How many tanks fireproofed? no

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

INSPECTION COPY

Signature of Installer Randall McAllister

W + Neelham

0.15 file
Permit No. 41/1131

Location 50 Windsor St.

Owner James S. Murray

Date of Permit 8/9/41.

Post Card sent

Notif. for Inspn. *Done*

Approval Transm. 9/3/41. *OK*

Oil Burner Check List (date) 9/3/41.

1. Kind of heat *Warm Air*
2. Label
3. Anti-siphon
4. Oil storage
5. Tank distance
6. Vent Pipe
7. Fill Pipe
8. Gauge
9. Rigidity
10. Feed safety
11. Pipe sizes and material
12. Control valve
13. Ash pit vent
14. Temp. or pressure safety
15. Instruction card
16. *Diff. to stat in smoke pipe*

NOTES

*9/4/41 Permit to control at burn
in cellar stairs*

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for one story addition
at 50 Wardsworth Street

Date 8/29/50

1. In whose name is the title of the property now recorded? James G. May
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? Fence
3. Is the outline of the proposed work now staked out upon the ground? No If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? Yes
4. What is to be maximum projection or overhang of eaves or drip? 6"
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? Yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? Yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? Yes

James G. May



(R) GENERAL RESIDENCE ZONE
APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, August 29, 1930

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter install the following building structure-equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 50 Wadsworth Street Ward 9 Within Fire Limits? no Dist. No. _____
Owner's or Lessee's name and address James G. Murray 50 Wadsworth St. Telephone _____
Contractor's name and address owner Telephone _____
Architect's name and address _____
Proposed use of building 2-car garage No. families _____
Other buildings on same lot 1 family dwelling house

Description of Present Building to be Altered

Material wood No. stories 1 Heat _____ Style of roof hip Roofing asphalt ^{roofing} ~~paper~~
Last use 1-car garage No. families _____

General Description of New Work

To build one story ^{side} addition to existing 1-car garage making it 2-car.
To move back present garage about 10' nearer rear lot line.

NOTIFICATION BEFORE LAYING
OR CLOSING IN IS WAIVED
CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED

Details of New Work

Size, front 5'-0" depth 16'-6" No. stories 1 Height average grade to highest point of roof 12'
To be erected on solid or filled land? solid earth or rock? earth
Material of foundation rock Thickness, top _____ bottom _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof hip Roof covering asphalt shingles Class C Und Lab.
No. of chimneys _____ Material of chimneys _____ of lining _____
Kind of heat _____ type of fuel _____ Distance, heater to chimney _____
If oil burner, name and model _____
Capacity and location of oil tanks _____
Is gas-fitting involved? _____ Size of service _____
Corner posts 4x4 Sills 6x6 Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O.C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
Joists and rafters: 1st floor cinder, 2nd _____, 3rd _____, roof 2x4
On centers: 1st floor _____, 2nd _____, 3rd _____, roof 2x2
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot 1, to be accommodated 2
Total number commercial cars to be accommodated no
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? yes
Plans filed as part of this application? yes No. sheets 1
Estimated cost \$ 50 Fee \$.50

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

APPROVED
INSPECTION COPY

Oliver T. Sanborn

Signature of owner

James G. Murray

CHIEF OF FIRE DEPT.

Ward 9 Permit No. 30/1880

Location 504 Adams St

By James H. Murray

Date of permit

sing-in 9/2/30

Inspn. closing-in

Final Notif.

Final Inspn. 10/22/30

Cert. of Occupancy issued

NOTES

9/20 Staked Out.
M.D. says check this P.M.

Done

9/20/30

Location as staked in C.H.

10/22/30

Side line not clear
but is in same relation
as before being moved.
Mr. Murray will put in
some ties at same level
level of roof.
C.H.



Location, ownership, and detail must be correct, complete and legible.
Separate application required for every building.

Separate appli-

APPLICATION FOR PERMIT TO BUILD A PRIVATE GARAGE

Portland, Me., May 5, 1924. 10

To THE

INSPECTOR OF BUILDINGS

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Location 50 Wordsworth Street Fire Districts no Ward 9
Name of owner is? James Murray S Address 50 Wordsworth St
Name of mechanic is? owner Address
Proposes occupancy of building (purpose)? Private garage for one
cars only, and no space to be let.
Not nearer than two feet from any lot line, will not obstruct windows of adjoining property.
A Pyrene fire extinguisher to be kept in garage.
Size of building, No. of feet front? 12ft; No. of feet rear? 12ft; No. of feet deep? 12ft
No. of stories? 1
No. of feet in height from the mean grade of street to the highest part of the roof? 12ft
Floor to be? concrete
Will the roof be flat, pitch, mansard, or hip? pitch Material of roofing? asphalt
Will there be a chimney? no Will the flues be lined? No stoves to be used.
Will the building conform to the requirements of the law? yes
Will the building be as good in appearance as other surrounding buildings? yes
Have you or any person acting for you previously applied for a permit to build a private garage? no
If so, state the particulars

Estimated Cost,

\$ 100.
Signature of owner or authorized representative,

Address,

Mr. J. G. Murray
50 Wordsworth St

No. 157

APPLICATION FOR
PRIVATE GARAGE

LOCATION
No. 4850 Wordsworth

WARD 9

PERMIT GRANTED

May 5, 1924

1924



Location, Ownership and detail must be correct, complete and legible.
Separate application required for every building.
Plans must be filed with this application.

Application for Permit for Alterations, etc.

To the
INSPECTOR OF BUILDINGS:

Portland, July 28, 1919 191

The undersigned applies for a permit to alter the following-described building:—

Location 50 Wordsworth St Ward, in fire-limits?

Name of Owner or Lessee, J. G. Murray Address 50 Wordsworth St

" Contractor, Owner "

" Architect, "

Descrip-
tion of
Present
Bldg.

Material of Building is wood Style of Roof, pitch Material of Roofing, shingle

Size of Building is 32ft feet long 24ft feet wide No. of Stories, 1

Cellar Wall is constructed of cement is inches wide on bottom and batters to inches on top.

Underpinning is is inches thick; is feet in height.

Height of Building, 14ft Wall, if Brick; 1st, 2d, 3d, 4th, 5th,

What was Building last used for? dwelling No. of Families? 1

What will Building now be used for? same

DETAIL OF PROPOSED WORK

Raise roof and make four rooms, build piazza 7x22 the building will be

two stories high making about 22 ft.

to comply with the building ordinance

Estimated Cost \$300.

IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? ; No. of feet wide? ; No. of feet high above sidewalk?

No. of Stories high? ; Style of Roof? ; Material of Roofing?

Of what material will the Extension be built? Foundation?

If of Brick, what will be the thickness of External Walls? inches; and Party Walls inches.

How will the extension be occupied? How connected with Main Building?

WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised, or Built upon? Proposed Foundations

No. of feet high from level of ground to highest part of Roof to be?

How many feet will the External Walls be increased in height? Party Walls

IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? in Story.

Size of the opening? How protected?

How will the remaining portion of the wall be supported?

Signature of Owner or
Authorized Representative

Address

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

44-
50 Wordsworth St.

FINAL REPORT

101

Has the work been completed in accordance with
this application and plans filed and approved?

Law been violated?.....Doc. No. .. of 101 ..

Nature of violation?.....

PERMIT GRANTED

July 28, 1919

101

Permit filled out by

Permit number

Location - 50 Wordsworth

Violation removed, when?.....101

Estimated cost of alterations, etc., \$

Inspector of Buildings.

PERMIT WORK BE COMPLETED BEFORE BEGINNING WORK



OFFICE HOURS
10 TO 12 M.
4 TO 5 P. M.

City of Portland.

OFFICE OF INSPECTOR OF BUILDINGS

8-26-13.

191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on
Wardsworth street, at number _____ to be _____
One stories high 24 feet long, 22
feet wide; also an addition to be _____ stories high, _____
feet long, _____ feet wide, and to be used as a Dwelling

CELLAR WALL—To be constructed of Concrete to be 12 inches wide on bottom, and
batter to 10 inches on top.

UNDERPINNING—To be Blocks Height of underpinning from top of cellar wall to bottom of
sill ft. _____ inches to be _____ inches in thickness.

EXTERIOR WALLS—To be constructed of Wood If of Brick, Stone, etc. Total Height of wall
ft. _____ inches. Thickness of 1st 2d 3d 4th
5th 6th story walls. If of reinforced concrete state mix and reinforcing system
to be used.

If wood construction, sills to be 4-8" Girders 6-6" Floor Timbers 2-7"
Posts 4-6" Girts 4-4" Studs 2-4" to be spaced 16 On C

This building will be used for the purposes of Dwelling (If for apartments,
tenements, or other family uses state number of families accommodated and number on each floor.
If for manufacturing or mercantile purposes state character of business and amount of estimated
weight to be carried by the floor.)

Number of families on floor. One

Total number of families. One

Manufacturing (state character)

Estimated load on floors per sq. ft.

Mercantile business (state character and load per sq. ft.).

If building is used for tenement house or family use and more than one family, the following pro-
visions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of
Buildings may consider necessary.

STAIRWAYS—No. in building _____ location _____ to be enclosed
with _____ walls to be lathed with _____ lathing.

ROOF—To be constructed of Wood Rafters to be 2-5 inches to be spaced 24
_____ inches on centers. Roof to be covered with Shingles

Gutters to be made of _____ Cornices to be made of _____
Bay windows to be made of _____ to be covered with _____

Dormer windows to be made of _____ to be covered _____
Chimneys, Smoke flues to be lined with Flue Lining and provided with a 10-inch outside collar and
an inside collar to go to the inside of the flue.

Estimated Cost of Building 1200

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at
least 24 hours before the lathing is begun.

The Building is P. Livingston Address _____

The Architect is _____ Address _____

The Owner is Jas. Morry Address 14 Vail St.

No Deviation will be made from the above application without written permission from the Inspector of
Buildings.

The above petition was granted the _____ day of _____ 191


(Applicant to sign here)

Philip Livingston

Wordsworth St. ✓
48-50

X

PERMIT NO. 4834
DATE OF ISSUE 8-26-63
LOCATION
...of wordsworth St.



50 Wordsworth Street

427-B-3



X
October 19, 1977 ✓

Mr. James E. Coldwell
50 Wordsworth Street
Portland, Maine

Re: 50 Wordsworth 427-B-3
NCP-E. Drg.

Dear Mr. Coldwell:

The Housing Inspections Division of the Department of Neighborhood Conservation has recently completed an exterior inspection of your property in conjunction with the above referred program.

Congratulations are extended to you for the general conditions of your property which was found to meet the standards established by the City's Housing Code.

Good maintenance is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely yours,
Joseph E. Gray, Jr., Director
Neighborhood Conservation

By _____
Lyle D. Noyes,
Chief of Housing Inspections

Marland Wing
Inspector M. Wing