50-52 HAWTHORNE ST.

APPLICATION FOR PERMIT

JUN 8 ,1971

13/3	<i></i>		_		_	•
驯	Class of Building or	Type	of	St	ruc	tur
60°		_	_			

June 7, 1971

CHAN "! DOWN !!

To the INSPECTOR OF BI				•	
The undersigned hereb in accordance with the Laws o specifications, if any, submitte	y applies for a permit to of the State of Maine, th od herewith and the follow	e Building Code and Zo	sh install the following ordinance of the state of the st	ng building structu the City of Portlan	re equipment d, plans and
Location 52 Hawthorn	ne Street, Por	tland Wi	hin Fire Limits?	Dist. N	Vo
Ownér's, name and address	William L. Fo	ote		Telephone.	774-4714
Lessee's name and address					
Contracțor's name and address	Maine Shaw	nee Step Co.,	Inc., Aubu	n Telephone	
Architect	C55 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Specifications	Plans	No. of s	heets
Proposed use of buildingd	welling	openioanomismi		No. familie	1
Last use				No. familie	\$
MaterialNo. st	orion 13 Heat	Style of ro	of.	Roofing	J ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Other buildings on same lot					
Estimated cost \$ 390.	00	***************************************		Fee S	.00
Estimated cost \$		Seculation of Nov	XXI onle	ree Q	***************************************
	General L	Description of New	WOLK		
SIDE Shawnee step				sideways) Pr	Ht=30" oj= 4 8"
To replace old wo Foundation - conc	od step approx rete pads and	imate same si angle irons.	ze.		
DISTANCE FROM HOU	SE TO SIDE LOT	LINE 17 ft.			
According to stan Structional Engin	dard Shawnee p	olan. Approve	d by R. I.	Perry, 8/15/57.	
incractionar magain			•		
It is understood that this per- the name of the heating contra	ctor. PERMIT TO	BE ISSUED TO	contractor	е шкен ош зерага	
the name of the heating contra . Is any plumbing involved in	ctor. PERMIT TO De this work?	BE ISSUED TO contails of New Work	ontractor k ical work involved	in this work?	
the name of the heating contra . Is any plumbing involved in Is connection to be made to	De this work?	tails of New Work Is any electr If not, what	contractor k ical work involved is proposed for se	in this work?	
Is any plumbing involved in Is connection to be made to Has septic tank notice beer	Den this work?	tails of New Wor Is any electr If not, what	contractor k ical work involved is proposed for se e sent?	in this work?wage?	
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to	De this work?	tails of New Work Is any electr If not, what Form notice Height average	k ical work involved is proposed for se sent? grade to highest p	in this work?wage?	
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	De this work?	tails of New Work Is any electr If not, what Form notice Height average solid or filled	k ical work involved is proposed for se e sent? grade to highest po	in this work?wage?oint of roof	?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Worl Is any electr If not, what Form notice Height average s solid or filled Chickness, top	k ical work involved is proposed for se e sent? grade to highest pe l land?	in this work?wage?oint of roofearth or rock	?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to too Size, front	this work?	tails of New Worl Is any electr If not, what Form notice Height average s	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom	in this work?wage?oint of roofearth or rock	?
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	Den this work?	tails of New Wor. Is any electr If not, what Form notice Height average ss	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o	in this work? wage? oint of roof earth or rock cellar f heat	?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Worl Is any electr If not, what Form notice Height average solid or filled Chickness, top Roof covering Sys	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o	in this work? wage? point of roof earth or rock cellar f heat	? fuel
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to too Size, front	this work?	tails of New Worl Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings full size? Sizes	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts	in this work?	?
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Worl Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings of lining full size? Cris Sir	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts	in this work?	fuel8 feet.
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to too Size, front	p of plate	tails of New Worl Is any electr If not, what Form notice Height average solid or filled Chickness, top Roof covering sys of lining full size? ers Size 16" O. C. Bridging in , 2nd	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla	in this work? wage? oint of roof earth or rock cellar f heat Sills wax. on centers t roof span over, roof	?
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	p of plate	tails of New Wor. Is any electr If not, what Form notice Solid or filled Chickness, top Roof covering The solid of lining Thickness of lines of l	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla	in this work? wage? point of roof earth or rock cellar	fuel8 feet.
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Work Is any electr If not, what Form notice Solid or filled Chickness, top Roof covering Tull size? To C. C. Bridging in 2nd 2nd 2nd 2nd 2nd	k ical work involved is proposed for se e sent? grade to highest put l land?	in this work? wage? point of roof earth or rock cellar	fuel8 feet.
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Work Is any electr If not, what Form notice Solid or filled Chickness, top Roof covering Tull size? To C. C. Bridging in 2nd 2nd 2nd 2nd 2nd	k ical work involved is proposed for se e sent? grade to highest put l land?	in this work? wage? point of roof earth or rock cellar	fuel8 feet.
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Wor. Is any electr If not, what Form notice Solid or filled Chickness, top Roof covering Tull size? To C. Bridging in 2nd 2nd 3nd 3nd 3nd 3nd 3nd 3n	k ical work involved is proposed for se e sent? grade to highest put l land?	in this work? wage? point of roof earth or rock cellar	fuel8 feet.
Is any plumbing involved ir Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work?	tails of New Work Is any electr If not, what Form notice Height average solid or filled Chickness, top Roof covering sull size? ors Sia 16" O. C. Bridging in 2nd 2nd 2nd 5s of walls? If a Garage	k ical work involved is proposed for se e sent? grade to highest put l land? bottom Kind o Corner posts every floor and fla 3rd 3rd 3rd	in this work? wage? point of roof earth or rock cellar f heat Sills wax. on centers tt roof span over, roof , roof, roof	fuel
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to too Size, front	this work? this work? public sewer? pof plate No. storie Rise per foot Material of chimne Columns under gird arrying partitions) 2x4- 1st floor 1st floor masonry walls, thickness	tails of New Worl Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings of lining full size? ors Sia 16" O. C. Bridging in 2nd 2nd 2nd sof walls? If a Garage oe accommodated.	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla every floor and fla grade 3rd 3rd 3rd 4	in this work?	fuel8 feet.
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to too Size, front	this work? this work? public sewer? pof plate No. storie Rise per foot Material of chimne Columns under gird arrying partitions) 2x4- 1st floor 1st floor masonry walls, thickness	tails of New Worl Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings of lining full size? ors Sia 16" O. C. Bridging in 2nd 2nd 2nd sof walls? If a Garage oe accommodated.	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla , 3rd , 3rd mumber commercia	in this work?	fuel 8 feet.
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work? this work? public sewer? pof plate No. storie Rise per foot Material of chimne Columns under gird arrying partitions) 2x4- 1st floor 1st floor masonry walls, thickness	tails of New Work Is any electr If not, what Form notice Solid or filled Chickness, top Roof covering To C. C. Bridging in 2nd 2nd 3s of walls? If a Garage The a Garage The accommodated of the correlation of t	k ical work involved is proposed for se e sent? grade to highest put l land? bottom Kind o Corner posts ce 7 every floor and fla 7 3rd 7 3rd 7 umber commercia ually stored in the	in this work?	fuel
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work? this work? popublic sewer? pof plate No. storie No. storie Rise per foot Material of chimne Thressed or i Thressed or i Arrying partitions) 2x4- 1st floor 1st floor	tails of New Wor. Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings of lining full size? Form notice Roof coverings of lining full size? Form notice Roof coverings of lining full size? For Size 16" O. C. Bridging in 2nd 2nd 5 any and 5 or walls? If a Garage 10 or repairs to cars habit Will work require	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla grade, 3rd mumber commercia ually stored in the Miscelland disturbing of any telegraphs	in this work?	fuel 8 feet. modated g?
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work? this work? popublic sewer? pof plate No. storie No. storie Rise per foot Material of chimne Thressed or i Thressed or i Arrying partitions) 2x4- 1st floor 1st floor	tails of New Wor. Is any electr If not, what Form notice Height average Solid or filled Chickness, top Roof covering Sull size? Or Sind The Garage The G	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla grade, 3rd 3rd 3rd mumber commercia ually stored in the Miscellan disturbing of any te charge of the above	in this work?	fuel
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work? this work? popublic sewer? pof plate No. storie No. storie Rise per foot Material of chimne Thressed or i Thressed or i Arrying partitions) 2x4- 1st floor 1st floor	tails of New Wor. Is any electr If not, what Form notice Solid or filled Chickness, top Roof coverings of lining full size? Form notice Roof coverings of lining full size? Form notice Roof coverings of lining full size? For Size 16" O. C. Bridging in 2nd 2nd 5 any and 5 or walls? If a Garage 10 or repairs to cars habit Will work require	k ical work involved is proposed for se e sent? grade to highest pe l land? bottom Kind o Corner posts every floor and fla grade, 3rd 3rd 3rd mumber commercia ually stored in the Miscellan disturbing of any te charge of the above	in this work?	fuel
Is any plumbing involved in Is connection to be made to Has septic tank notice beer Height average grade to to Size, front	this work? this work? popublic sewer? pof plate No. storie No. storie Rise per foot Material of chimne Thressed or i Thressed or i Arrying partitions) 2x4- 1st floor 1st floor	tails of New Wor. Is any electr If not, what Form notice Height average Solid or filled Chickness, top Roof covering Sull size? Or Sind The Garage The G	k ical work involved is proposed for se e sent? grade to highest pe l land?	in this work?	fuel

Signature of owner Dullata J- Maco MAINE SHAVINGE THE CO., I.C.

1022 MINOT AVENUE AUBURN, MAINE 04210

2、大海大学研究性。	
NOTES Systalles 76	Cowner W. How the Cowner W. Motif. closing-in Inspn. closing-in Final Notif. Final Inspn. Cert. of Occupancy issued Cert. of Occupancy issued Form Check Notice
	toote !
η(Δ.:	

APPLICATION FOR PERMIT

Class of Building or Type of Structure

CITY of PORTLAND

To the	INSPECTOR OF	ROILDINGS,	PORTLAND, MAINE
	The and the	bbblica fan :	a barmit to mad alter repair demolish install the following buildings

The undersigned hereby applies for a permit to e in accordance with the Laws of the State of Maine, the specifications, if any, submitted herewith and the follow	Building Code and Zoning Ordinance of the Ci ing specifications:	ly of Porlland, plans and
Location 50 Hawthorne Street, Port	land, MaineWithin Fire Limits?	Dist. No
Owner's name and address Henry Lively		Telephone //4-52/5
Lessee's name and address		Telephone
Contractor's name and address Maine Shawn	ee Step Co., Inc. Auburn	Telephone
Architect	Specifications	No. of sheets
Proposed use of buildingDws	lling	No. families
Last use	***************************************	No. families
Material No. stories 12 Heat	Style of roof	Roofing
Other buildings on same lot		
Estimated cost \$ 317.50		Fee \$ 3.00
General D	escription of New Work	
To replace old wooden ster Foundation - cement pads a	and angle irons.	
According to standard Shav Structional Engineer filed	nee plan. Approved by R. I h in the Building Department	. Perry, : 8/15/57.
It is understood that this permit does not include insta the name of the heating contractor. PERMIT TO 1	ullation of heating apparatus which is to be take BE ISSUED TO contractors	n out separately by and in
	ails of New Work	•
Is any plumbing involved in this work?		is work?
Is connection to be made to public sewer?	If not, what is proposed for sewage	? <u></u>
Has septic tank notice been sent?	Form notice sent?	***************************************
Height average grade to top of plate	Height average grade to highest point of	of roof
Size, front	s solid or filled land?	earth or rock?
Material of foundationT	hickness, topbottomcella	
Kind of roof		
No. of chimneys	vs of lining Kind of hea	tfuel
Framing Lumber-Kind	ull size? Corner posts	Sills
Size Girder Columns under girde	ers Size Max.	on centers
Studs (outside walls and carrying partitions) 2x4-		
Joists and rafters: 1st floor	, 2nd, 3rd	, roof
	, 2nd, 3rd	
Maximum span: 1st floor	, 2nd, 3rd	, roof
If one scory building with masonry walls, thicknes		
i one good banding man of the control of the contro		۷.
	If a Garage	to be accommodated
No. cars now accommodated on same lot, to b	e accommodatednumber commercial cars	and huilding?
Will automobile repairing be done other than mind		•
PPROVED:	Miscellaneou	no
	Will work require disturbing of any tree of	n a public street?
B. 60 015. 5/1/20 Ell	Will there be in charge of the above we	
B. 6c. 014. 7/1/20211	see that the State and City requirement	nts pertaining thereto are
r	observed?Yes	.) . To a
-	Maine Shawnee Ste	p Go.inc.
CS 301	- D (.	
INSPECTION COPY Signature of owner	by: A Jorow 2	

MAINE SHAWNEE STEP CO., INC. 982 MINOT AVENUE AUBURN, MAINE

NOTES STOP TO STATE WAR	Permit No. 101443 Location 50 Hawthered the Owner Lewis The Grand The Control of Permit 5747 of Notif. closing-in Inspn. closing-in Final Notif. Final Inspn. Cert. of Occupancy issued Staking Out Notice Form Check Notice
A CONTRACTOR OF THE CONTRACTOR	

Spill 1

٠,,

AP - 50 Hawthorne St.

November 23, 1965

Mr. Herbert A. Moore, 50 Hawthorne Street

Dear Mr. Moore:

Permit to construct a one-car, one-story frame garage 14.x22° is being issued subject to Building Code restrictions as follows:

- A permit cannot be issued in the future if it is desired to connect the garage to the dwelling by a breezeway or other rigid connections as the dwelling has a foundation below frost; whereas the garage will rest on a concrete slab subject to frost action.
- 2. Ties of at least 2x4 inch stock will be required at every other rafter at the plate level and hung in the center by a board to the rafters near the ridge board.

Very truly yours,

A, Allan Soule Inspector

AAS/h

THE THE PARTY OF T House ferbert a. In voice

STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

	Oil in a second of the second
	for 1 car garage at 50 Hawthorne St. Date 11/16/65
	·· 1 Voore
1.	In whose name is the title of the property now recorded.
2.	Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? fence

- 3. Is the outline of the proposed work now staked out upon the ground? yes If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced?
- What is to be maximum projection or overhang of eaves or drip? 5. Do you assume full responsibility for the correctness of the location plan or
- statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? 6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed
- building? 7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?

Sarbert a. morre.

BS RESIDENCE ZUME



APPLICATION FOR PERMIT

Portland, Maine,

Class of Building or Type of Structure: Third Class
Nov. 15, 1965

PERMIT, ISSUED

1101 23 1985

CITY of PONTLAND

in accordance with the Laws of the State of Maine, the Building & specifications, if any, submitted herewith and the following specifications. 50 Hawthorne St.	within Fire Limits? Dist, No. 277.0
Owner's name and address Herbert A. Moore, 5	50 Hawthorne St. Telephone
Owner's name and address	Telephone
Lessee's name and address Contractor's name and address Owner Owner	Telephone
Contractor's name and addressowner	No of sheets 1
Architect	cations
D of building 1-car farage	***************************************
•	No. lamilles
Material Trains No. stories 1 Heat	Style of roofnitchRoofing
Material Yrane No. stories 11cat	
Other buildings on same lot	Fee \$
Estimated cost \$800.a	·
General Description	n of New Work

To construct 1-car, 1-story frame garage, 14'x22'
9' door opening in gable end - 4x6 header

It is understood that his permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Deta	ils of New Work
Is any plumbing involved in this work?10	Is any electrical work involved in this work? no
art the second to top of plate 71	Height average grade to highest point of root
circ front 1/1 depth 22! No. stories	solid or filled land?earth or rock?earth
This concrete slab This	ckness, too bottom cellar
	Thickness
Wind of roof pitch Rise per foot	Roof covering as phase of the second
M-4 M-4	At lining IXIII of field parameters and the second
hemlock	Dressed or full size?
Girt or	ledger board?
Corner posts	er girders
Grant de maile and corring partitions) 2x4-24	P O. C. Bridging in every floor and flat roof span over 8 feet.
	, 2nd, 3rd, roof2x4
, J	, 2nd , roof , 16"
	, 2nd, 3rd, roof71
Maximum span: 1st floor	of walls?height?
If one story building with masonry wans, thekness	
	If a Garage
No. cars now accommodated on same lotQ, to be	accommodated
Will automobile repairing be done other than minor	repairs to care habitually stored in the proposed building?
ADDROUGD	Miscellaneous
APPROVED:	Will work require disturbing of any tree on a public street?no
11/23/65- a.K alla "/lettes	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
h.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	observed?yes
**************************************	J 00
C24 155 8G MAINE PRINTING CO. Signature of otoner	Herbert a. In some
INSPECTION COPY	Mar 4 P. H.

Inspn. closing-in Notif. closing-in Date of permit NOTES Cert. of Occupancy issued Final Inspn. Final Notif. 12/17/61 • 4



C8 MAINE PRINTING CO., PORTLAND

CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy LOCATION 50-52 Hawthorne St.

Date of Issue

This is to certify that the building, premises, or part thereof, at the above location, built-uness. Issued to -changed extremenunder Building Permit No. 56/1031, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. APPROVED OCCUPANCY

PORTION OF BUILDING OR PREMISES

Entire

One-family I selling House

Oct. 5, 1956


Limiting Conditions:

This certificate supersedes certificate issued

Approved: 10/4/56

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from

owner to owner when property changes hands. Copy will be furnished to owner or lesses for one dollar.





APPLICATION FOR AMENDMENT TO PERMIT


Amendment No

CITY of PORTLAND

Original .	Portland, Muine, July 27, 1955	
in the original application in the original application the City of Portland, plans and specification Location50—52 Hawthorns Owner's name and address	endment to Permit No. State of Maine, the Brith the Laws of the State of Maine, the Briss, if any, submitted herewith, and the foll St. Within Fire Lostruction Co., 27 Reed St., Weight	imits?
Lessee's name and address	***************************************	Telephone
Contractor's name and address OWNEL		Dlone filed ves No. of sheets
Architect		No. families
Proposed use of building	Welling nodos	No. families
Tact use	***************************************	Additional fee50
	Description of Proposed Work	

To move house back so that front wall will be 17' 4" from straet line.

Details of New Work Is any plumbing involved in this work? Is any electrical work involved in this work? Height average grade to top of plate Height average grade to highest point of roof Material of foundation Thickness, top bottom cellar Material of underpinning Height Thickness Thickness No. of chimneys Material of chimneys of lining Framing lumber—Kind Dressed or full size? Corner posts Sills Girt or ledger board? Size Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof sp in over 8 feet. 1st floor......, 2nd....., 3rd...., 3rd...., roof 1st floor...., 2nd....., 3rd...., rooî, rooî Joists and rafters: 1st floor...., 2nd, 3rd......, 3rd...... On centers: Maximum span: Signature of Owner by: Custil C-10-154-FC-Marks



July 17, 1956

AP 50-52 Hawthome Street

Owner-Contractor-Soule Construction Co. 27 Reed St. Westbrook, Me.

Building permit for construction of a single family dwelling 26 feet by 29 feet at the above location is issued herewith based on plans filed with application for permit but subject to the following conditions:

- -- the 4x6 sills of entrance platforms are to extend around the three outer edges of platforms and pipe columns supporting them are to have an outside diameter of not less than 3 inches.
- -we note that structural insulating board is to be used for sheathing the walls of this building. The standards of the Building Code authorizing the use of such material specify that it shall be applied strictly in accordance with the directions of the manufacturer and the recommendations of the Insulation Board Institute, both as to the application of the board itself and as to the application and fastening of weather resistive covering in connection therewith. Permit is issued on the basis of compliance with these standards.

Very truly yours,

Albert J. Sars Deputy Inspector of Buildings

APPLICATION FOR PERMIT

010	31	[5]	.K., 5
નમુ	17	10!5	

Class of Building or Type of Structure Third Class

Class of Building or Type of Structure	hird Class
Daniel Maine	July 16, 1956
744	
To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE	exespaled small strains that the following building structure squipment ng Code and Zoning Ordinance of the City of Portland, plans and
The undersigned hereby appries for a permit	ng Code and Zoning Ordinance of the City of Portland, plans and cifications:
Jacotion 50 Hawthorne St. L. J.	Telephone 2-9542
one and addressDouble	Telephone
and addross	Tolophone
Contractor's name and addressOWners	Telephone No. of sheets 2.
A - Litrot	No. families
Proposed use of buildingdwelling_nouse	Plans yes No. of sheets 2. No. families No. families
I act 1150	RoolingRooling
MaterialNo. stories	Fee \$ 7.00
Estimated cost \$ 7,000.	ption of New Work
To construct $1\frac{1}{2}$ story frame dwelling house	e 29. x 20.
-	
	Permit Issued with Letter
	Permit 1552
	•
	1
•	/- /
	of exterior walls? Biltrite sheathing 13/16
Kind and thickness of outside sheathing	of exterior walls? <u>Biltrite sheathing 13/16</u> ion of heating apparatus which is to be taken out separately by and in
It is understood that this permit does not include installation the name of the heating contractor. PERMIT TO BE	of exterior walls? <u>Bittrite squared</u> by and in ion of heating apparatus which is to be taken out separately by and in ISSUED TO owners
the name of the hearing contractor?	
Is any plumbing involved in this work?	Is any electrical work involved in this work. If not, what is proposed for sewage? Form notice sent?
- mation to be made to public serious	
Has septic tank notice been sent	Form notice sent? 1 Height average grade to highest point of roof
Height average grade to top of plate	Height average grade to highest point of rock?earthearth or rock?earth
Size, front 29 depth at least 4 The	low grade business, top bottom10" cellar
Material of foundation	Height Thickness Roof covering Asphalt Class C Und Lab
Material of underprining Rise per foot	Roof covering Asphalt Class C Und Lab. brickof lining tile Kind of heath water fuel gas
Kind of rootplicenseason Material of chimneys	Boof covering Aspire. Vind of heath_waterfuelgas
Framing lumber—Trinds————————————————————————————————————	edger board? Size Size Max. on centers 71
Cinder posts420	edger board?SizeSize71
or to deviside walls and carrying partitions, and	100
Toigte and rafters: 1St 11001	rou 6 7 6 0 2 d . rool
On centers: 1st floor. 12" & 16"	
Maximum span: 1st floor 14! & 12!	, 2ndheight?height?
If one story building with masonry walls, thickness	of walls?height?
	If a Garage
No same now accommodated on same lot, to be	If a Garage accommodatednumber commercial cars to be accommodatedrepairs to cars habitually stored in the proposed building?
No. cars now accommodate	
Will automobile repairing	Miscellaneous
APPROVED:	Will work require disturbing of any tree on a public street? no more tent
the letter by UKO	the share of the above work a person company
U V	will there be in charge of the determining thereto a see that the State and City requirements pertaining thereto a
	observed?yes

Signature of owner .by:

INSPECTION COPY

Soule Construction Co.

NOTES Form Check Notice 7 Cert: of Occupancy Final Inspn. Notif. closing-in Date of permit Staking Out Notice Inspn. closing-in 00 1-11 1-4. 5 41,00 101116 he warme of the have Military 1 31 ' how te dit : s connection, to be made bodi stier ie . o. a, 64, 2797001 1,

Parigiranian !



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

01059 JUL 20 188

Portland, Maine,Juhy 20, 1956.

Mil of Portions

To the INSPECTOR OF BOILDINGS, Tourist, and the Institute leading expline or hower equipment in accord-
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accord- unce with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
Location 50 Hawthorne St. Use of Building dwelling house No. Stories 1 New Building Existing "
Soule Construction U. 47 need Du. 4 months and Soule Construction U. 47 need Du. 4 months and Construction U. 4 months an
Name and address of owner of appliance
General Description of Work
To installgas_fired_GK_16ME_National_hot_water_heating_system
To install gas=11reG_va=10000_nac40004_nve_mayer
ministratival conference compared to the conference of the confe
IF HEATER, OR POWER BOILER
Location of applianceha.sement
If so, how protected?
Minimum distance to burnable material, from top of appliance or casing top of furnace
none
Size of chimney flue _8x12 Other connections to same flue
If gas fired, how vented?
IF OIL BURNER
Name and type of burner
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank?
Size of vent pipe
Location of oil storage
Low water shut off
Will all tanks be more than five feet from any flame?
Total capacity of any existing storage tanks for furnace burners
IF COOKING APPLIANCE
Location of appliance
If so, how protected?
Skirting at bottom of appliance?
From front of appliance
Size of chimney flue
Is hood to be provided?
If gas fired, how vented?
MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
Removed is equipped with device which will automatically shut off all gas supply
in age milet flame is extinguished.
Amount of fee enclosed?2.00(\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)
DROVER.
PROVED: Will there be in charge of the above work a person competent to
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are
observed?y.e.s
Portland Gas Light Co.
Portuand das argino oco

INSPECTION COPY

Loca Own Date	e of permit 7/20/3	sue St. ction o. 56 alla.				
					71 74	
NOTES						

APPLICATION

1.27-81

F®R SUBMETER

RECEIVED

JUL 7 1981

DEPARTMENT OF PUBLIC WORKS

For Sewer User Charge Adjustments

The undersigned hereby requests permission in accordance with Section 322.6C of the "Munitis understood that all expenses relate ance of the meter(s) is to be borne by the app	ed to the purchase, installation and mainten-
To be Complete	d by Applicant
Address where sub-meter is requested 50	
: Duenouty owner name HENRY V.	LIVELY
Tax Map Reference (on Real Estate Tax Bill) Acc	CT # L28320 82 AUDIT # 11231
Butto	P NE DT.
Person to be contacted to schedule inspections	HENRY W. LIVELY 7745275 (Name and Telephone Number)
en e	
Portland Water District Acct.No.(on bill)	1) + 1) = 1 \
Billing Name & Address (on bill) HENRY 50 HAY	UTHORNE ST.
Location and size existing Portland Water Dist	trict Service Mater
2" Cellar South	END
Proposed location and size of sub-meter	STOE BACK
OF HOUSE IT NE	BE 5/8"
Will a remote reading register be utilized?	NO (YES (If yes, state location
NEAR SILLCOCK	
	Sketch plan showing proposed changes
Description of proposed changes in plumbing required for submetering:	in plumbing and the location of exist- ing and proposed meters. Show water
Eliminah exist shut-off	flow through submeter to non-discharge equipment or location (use additional
Cut-into exist pipe for submeti	sheet of paper if necessary)
Mostall new shut-off.	SILL COEK
The volume of water to be submetered	A FRIST SHUT OFF
can be shown not to enter the sewerage system by virtue of its use for:	EXISTANCE SUISMILL
OUT SIDE USE ONLY	Explorer of Sursmeren
POOL, GAMD ETC.	
	STREET
I cartify the above information is true and	correct: 7-6-81
- 17	

INSTRUCTIONS.

First - The applicant is to complete front of this form. The Tax Pap Peference can be found on your Peal State Tax Bill directly following Owners name and address in the center of your Property Iax Bills. Billing name and address should be copied from your Water & Sewer Bill as well as the Portland Water District Account Number which is in the lover left comer of the Water and Sewer Bill.

Second - Pail completed application form to:

Ì

ľ

まっている。 ないないにない こうない あいまっち

City of Portland Capt. of Public Horks 404 City Hall Portland, Haine 04101

ATTN: NR. WILLIAM COODIN

The Public Horks Department will call the person indicated on front side its schedule pre-installation inspection, buring this inspection the Public Norks section of this form (below) will be excepted. Following this inspection Public Norks will make copies of the application form. If the application is approved 3 coares will be made, one will be saided to the Portland Mater District, one will be forwarded to the City Pluribing Inspector and one will be made and be applicant. If the application is chealed, one copy will be made and mailed to the applicant showing reason for denial. Third -

Fourth - them reciept of a copy of the approved application, the applicant can purchase and install the sub-coter as approved. Following installation the applicant can bis plumber must call the Chief Plumbing Inspector at 775-5451 Ext. 80% for an inspection of the completed installation. Following inspection by the Chief Plumbing Inspector, the Water District will be requested to seal the sub-set are and arrange to have an autoestic reading system (if applicable - See General Information Fight) instituted where by the volume shown by the sub-seter will be credited on the Sever their Charges of the Bill.

GENERAL INFORMATION

Section 322.60 of the "Municipal Code of the City of Portland, Mulne" reads ax follows:

"Submatering of Water Volume. Any person who feels that recorded water records are not a reliable index of ais discharge volume may install an additional water meter of a type approved by the Director or seasure the volume of water which can be shown not to enter the sewerage system. The person installing such a mater shall 'emediately notify the Director of swich installation and shall be responsible to the Director for reporting meter readings not less often than every three rooths. Such person shall be credited with the volume charges for the volume shown it such meter, which mater shall be accessible for reading by the fit, or its agents at all reasonable times."

The fity and the District how arranged to resieve the customer from the reporting responsibility required above if both severs can be read simultaneously by the Districts Metar Rendra during their regularly schooling whist to read the pre-ensisting severies meter. This can be accomplished by locating the sub-enter directly adjacent to the pre-ensisting service weter or by equipping the sub-enter located elsewhere with a recotal seading register located so both readings can be made at the same time.

Approved maters'are. Meptune and Rockwell returns, conforming to the following specifications:

- shall meet or exceed ANAA accuracy test requirements and be accompanied by a certificate of test accuracy.
 the maters will have straight realing, cubic foot registers.
 the maters will have the exter nuther stamped into the main case.
 the caters shall be adopted drive.
 shall have either a nuturing disc or oscillating piston.
 shall have a bronze case.

Approved seters are available from the Mater Discrict, which sells them for the price the District buys them from the manufacturers. If you wish to purchase a sub-mater from the District you must bring your copy of an approved a plication with you at time of purchase.

MARKET AND STREET STREET, STRE

TO BE COMPLETED BY PUBLIC WORKS	
Pre-installation inspection by Guy Zazzara	-
on 7/27/8/	
Automatic reading system requested YES NO	g e 194
MATTS 8A W.F. Back Flow Preventer or equal shall be	
installed on the hazbibb of the sill cock	
Application Approved Denied	
Comments	
	<u>.</u>
	 ,
An inspection of the completed installation of the submetering sysapproved on this application was conducted on By Ernold R. Goodwin, Chief Plumbing Inspector of the City of Portland. The submetering system was installed as approved. No cross connections were found. The installation is approved fire conditions approved for approved fire conditions for approved fire conditions.	•
TO BE COMPLETED BY THE WATER DISTRICT	
Date submeter sold 8-3-8/ Submeter account number 0-2-070/ Submeter make and number 58" # 30-33336 Submeter installation readings'	
	March