

2-38-242 VERANDA STREET

STANDARD
#9209

(COPY)

CITY OF PORTLAND, MAINE
Department of Building Inspection



Certificate of Occupancy

LOCATION #242 Veranda St.

Date of Issue October 31, 1969

Issued to Doris E Foley
242 Veranda St.

This is to certify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 68/1106, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Two family dwelling house.

Entire

Limiting Conditions:

This certificate supersedes
certificate issued

Approved:

(Date)

Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

242 Veranda Street

October 17, 1969

cc to: Doris E. Foley
244 Veranda Street

Construction Associates
115 E. Main Street
Yarmouth, Maine

Rings Gas & Appliance Company
43 Main Street, Yarmouth

Gentlemen:

We are unable to issue the certificate of occupancy required by law to be in the hands of the owner before building is occupied because of the following items.

1. Hole in flooring beneath tub (first floor) not closed off with incombustible material.
2. Wherever the round heating ducts are installed in concealed spaces CP are closer than one inch to the woodwork or combustible material are required to be wrapped with 14 lb. asbestos or equivalent. (re. water boxes not covered).

0.12
10/24/69
We would like assurance in writing that where heat ducts are concealed in the walls they are covered with the above material.

We shall expect the above work to be completed by Oct. 22, 1969.

Very truly yours,

Earle S. Smith
Plan Examiner II

ESB:m

242 Veranda Street

Oct. 2, 1969

Construction Associates
115 E. Main Street
Yarmouth

cc to: Doris E. Foley
244 Veranda Street

Gentlemen:

We have been unsuccessful in trying to make a final inspection of the dwelling at 242 Veranda Street.

Please make arrangements so that we may make final inspection with your superintendent or foreman and if there are any discrepancies found at the time of this final inspection we will be able to remedy them in order that the certificate of occupancy, required by law, to occupy this dwelling may be issued.

Very truly yours,

Earle S. Smith
Plan Examiner II

ESB:in

242 Veranda St.

Feb. 18, 1969

Construction Associates
115 E. Main Street
Yarmouth, Maine

cc to: Doris E. Foley
244 Veranda Street

Gentlemen:

In making a preliminary inspection of the framing of the dwelling at the above address the following discrepancies were found:

- ✓ 1. Jackposts columns in basement are to be removed and the 3½" lally columns provided in their place.
- ✓ 2. No grout beneath sill.
3. No firestops between strapping at second floor level.
4. The second floor ceiling joists over the dining and living room area not properly supported. (see plans)
5. No collar girts.
6. Chimney not built, when done must be properly firestopped at three levels.
7. Plumbing not installed, soil stack to be firestopped at all three levels.

When the above items have been cared for and the wiring and plumbing and heating has been completed this office is to be notified for a "closing-in" inspection before sheetrock or rock lath is applied.

Very truly yours,

Earle S. Smith
Field Inspector

E33:m

December 6, 1968

A.P.- 236-242 Veranda St.

Construction Associates
115 E. Main Street
Yarmouth, Maine

cc to: Boris E. Foley
244 Veranda Street

Gentlemen:

It is unlawful to leave an exposed excavation such as the one at the above location.

Unless you intend using it, please provide a barricade so that no one could fall into it. This is an especially dangerous excavation because it is nearly full of water.

Very truly yours,

Earle S. Smith
Field Inspector

ESS:m

Amend.#1. 68/1106

A.P.- 236-242 Veranda Street

Nov. 6, 1968

Construction Associates
115 E. Main Street
Yarmouth, Maine

cc to: Doris E. Foley
244 Veranda Street

Gentlemen:

Permit to construct a 2-family, 2-story frame dwelling, 25' x 32' at the above named location is being issued subject to the following Building Code requirements:

1. At least a full size 6x10 girder is to be used instead of the nominal size 4x10 shown on the application.
2. It is called to your attention that the City of Portland Building Code requires that in 2-story buildings the corner posts are to extend in one piece with 18" lap splices allowed from either the solid sill or from the first floor shoe (sole plate) where a box-sill is allowed to the double plate which supports the roof rafters at the eave level. The second floor studs in the walls are to extend down to the double 2x4 inch plate upon which the second joists being spiked to these studs. Only on the wall above the garrison overhang where it is not possible to extend the corner posts in one piece from sill to the plate of the top floor and where studs cannot be carried to the plate of the floor below can both the studs and corner posts rest on the shoe (sole plate).
3. Chimney is to extend at least 2 feet above the highest point of the roof to which it comes in contact and is to be at least as high as any portion of roof within 10 feet measured horizontally.
4. Chimney is to have metal anchors to the wood frame of the building at each floor level or at vertical intervals not exceeding 10 feet.

Very truly yours,

Edwin W. Locke, Jr.
Inspector II

EWL:ra

A.P.-236-242 Veranda Street

October 22, 1968

Construction Associates
115 E. Main Street
Yarmouth, Maine

cc to: Doris E. Foley
244 Veranda Street

Gentlemen:

Permit to construct a 2-family, 1-story frame dwelling, 24' x 56' at the above named location is being issued subject to the Building Code and to the following:

1. The awanes step at the front and rear of the structure show no foundation, one should be supplied at least 4' below grade if connected to the house.
2. At least a full size 6x10 girder is to be used instead of the nominal size 6x10 shown on the application.
3. A cleanout door for the chimney located in the cellar is not to be more than 12" above the floor.

Very truly yours,

Edwin W. Locke, Jr.
Inspector II

EWL:m

P.S.: Toilets are to be vented as required by the Plumbing Inspector.

CHECK LIST FOR
OTHER THAN 3rd CLASS

V-OK
X-Incorrect
O-Not applying

MARK EVERY SPACE

JOB LOCATION _____

Location and Form Check

- Set back of building on adjoining lots, if any
- Corner or Interior lot?
- Check shape of lot.
- Lay of land and soil conditions.
- Projections not shown on location plan.
- Yard spaces
 - front
 - side
 - rear

First Story & Above

- Firestopping (incombustible at masonry walls)
- Firestopping bearing partitions and strapping over non-bearing partitions
- Fire stops and clearances and firestops around chimney
- Firestops around pipes
- Bearing partition framing
- Floor above, joists and bridging
- Double joists, headers and trimmers
- Swing of doors and exit hardware
- Exit lights & signs
- Load signs
- Fire windows
- Fire doors

Inspection Prior to Closing-in

Masonry Walls

- Thickness
- Bonding - masonry bond or metal ties
- Fire cuts and wall anchors
- Framing & supports
- Fireproofing of steel
- Concrete reinforcement
- Certified Welders?
- Inchorage of cornices and other projections

Miscellaneous

- Roof framing
- Firestopping
- Fire separations & fire walls, enclosure floor openings
- Warm air ducts

Closing-in Check List

- Plumbing tag? --Electrical tag?

Outside


- Height of chimney above roof

Cellar

- Columns
- Soundness of foundation walls
- Girders and joists, bridging
- Double joists, headers & trimmers
- Cleanout
- Flue lining
- Flue opening

Final Inspection Check List

- Any equipment permits?
- Fill and vent pipes
- Firestopping in basement
- Fastening of Lally columns
- Nailing of bridging
- Look over condition of foundation walls
- Pick up gas tag, if one is needed
- Cleanout door and whether chimney flue is clear
- Heating and oil burning equipment
- Handrails
- Anti-slip treads?





APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. ... #1 ...

Portland, Maine, November 5, 1968

PERMIT

NOV 6 1968

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 68/1106 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following description:

Location 242 Veranda Street Within Fire Limits Dist. No.

Owner's name and address Doris E. Foley, 244 Veranda Street Telephone

Lessee's name and address

Contractor's name and address Construction Associates, 115 E. Main St. Yarmouth Telephone 346-5329

Architect

Proposed use of building Dwelling No. of stories 2

Last use

Increased cost of work

Additional fee 50.

Description of Proposed Work

To construct 2-story frame dwelling house 25'x32' in place of dwelling 56'x24'

Details of New Work Construction Associates

Is any plumbing involved in this work? yes Is any electrical work involved in this work? yes

Height average grade to top of plate 18' Height average grade to highest point of roof 24'

Size, front 32' depth 25' at least 4' below grade No. stories 2 solid or filled land? solid earth or rock? earth

Material of foundation concrete Thickness, top 10" bottom 10" cellar yes

Material of underpinning

Kind of roof pitch Rise per foot 5" Roof covering asphalt roofing Class. C Und. Lab.

No. of chimneys 1 Material of chimneys brick of lining tile

Framing lumber—Kind hemlock Dressed or full size? dressed

Corner posts

Girders

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor 2x8 2nd 2x8 3rd


On centers: 1st floor 16" 2nd 16" 3rd


Maximum span: 1st floor 14' 2nd 14' 3rd

Approved: sk 11/6/68 EML

Signature of Owner Doris Foley

Approved: [Signature] Inspector of Buildi





1st Floor

Bed Room

Bath Room

Living Room


Kitchen

BATH

Closet

Closet

Closet



2nd Floor

Hall


Hall


Hall

Hall

Hall

Hall





Boards

1/2\"/>

235A ASPHALT

Metal Edge

1/4\"/>

1/2\"/>

12

5

2x6 16\"/>

2\"/>

1x12

1x9

1 3/4\"/>

Rough Window Head

6\"/>

7 3/4\"/>

Beard:

1 1/2\"/>

Cedar Shingle

2\"/>

2x8 16\"/>

1x12

1 3/4\"/>

Rough Window Head

6\"/>

7 1/4\"/>

2x8 16\"/>

2x8 Sill

1 1/2\"/>

1 1/2\"/>



RS RESIDENCE ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, October 21, 1968

PERMIT ISSUED
1106
OCT 22 1968
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 242 Veranda Street Within Fire Limits? _____ Dist. No. _____
 Owner's name and address Doris E. Foley, 244 Veranda St. Telephone _____
 Lessee's name and address _____ Telephone _____
 Contractor's name and address Warren Construction Associates, 115 E. Main St. Yarmouth Telephone 846-5829
 Architect _____ Specifications _____ Plans yes No. of sheets 4
 Proposed use of building Dwelling No. families 2
 Last use _____ No. families _____
 Material _____ No. stories _____ Heat _____ Style of roof _____ Roofing _____
 Other buildings on same lot _____
 Estimated cost \$ 19,950 Fee \$ 38.00
18,359.

General Description of New Work

To construct 1-story frame dwelling house (2-family) 56'x24'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Construction Associates

Details of New Work

Is any plumbing involved in this work? yes Is any electrical work involved in this work? yes
 Is connection to be made to public sewer? yes If not, what is proposed for sewage? _____
 Has septic tank notice been sent? _____ Form notice sent? yes
 Height average grade to top of plate 10' Height average grade to highest point of roof 16'
 Size, front 56' depth 24' No. stories 1 solid or filled land? solid earth or rock? earth
 Material of foundation concrete Thickness, top 10" bottom 10" cellar yes
 Material of underpinning _____ Height _____ Thickness _____
 Kind of roof pitch Rise per foot 5" Roof covering asphalt roofing Class C Und. Lab.
 No. of chimneys 1 Material of chimneys brick of lining tile Kind of heat h.w. fuel oil
 Framing lumber—Kind hemlock Dressed or full size? dressed
 Corner posts _____ Sills 2x8 box Girt or ledger board? _____ Size _____
 Girders 6x10 Size 6x10 Columns under girders Lally Size 3 1/2" Max. on centers 8'
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
 Joists and rafters: 1st floor 2x8, 2nd 2x8, 3rd _____, roof 2x8
 On centers: 1st floor 16", 2nd 24", 3rd _____, roof 24"
 Maximum span: 1st floor 12', 2nd _____, 3rd _____, roof 12'
 If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will work require disturbing of any tree on a public street? no
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Construction Associates

APPROVED:

OK 10/22/68

Signature of owner

By: Warren D. Hamilton

INSPECTION COPY

NOTES

10/22/68 - *at home inspection*
time - tell contractor that
it will need a change in
inspection & a final inspection
Allen

10/28/68 - *no work started*
E.S.H.

11/15/68 - *no work started*
E.S.H.

11-22-68 Talked to
 contractor. Evacuation
 chas ft. of water - land
 is low & questionable.
 bearing of filled land.
 to pump out 7-11
 call Monday for
 inspection & footing?

11/24/68 - *Rough even*
and rough. She

12/6/68 - *letter to E.S.H.*

12/10/68 - *letter from*
Contractor

12/12/68 - *Ftg. ramp*
made. E.S.H.

12/13/68 - *Formwork made*
E.S.H.

12/31/68 - *Panel*
stopped. E.S.H.

1/9/69 - *lamp*
plugged. E.S.H.

1/10/69 - *Hamilton was*
in to talk about some
changes. Told him
to give us new plan and
apply for amendment.
She

3/12/69 - *Gave permission*
to close in. E.S.H.

Permit No.	68/1106
Location	2103 Cleveland
Owner	W. S. O'Connell
Date of permit	10/22/68
Notif. closing-in	
Inspn. closing-in	
Final Notif.	
Final Inspn.	
Cert. of Occupancy issued	1/31/69
Staking Out Notice	
Form Check Notice	11/22/68

1/22/69 - *Went on*
framing with
Ranger bodied.
E.S.H.

2/17/69 - *Inspection*
columns in basement.
Firestop between
shopper 2nd floor
level.
Firestop above
quarters with
quarters of support
4th floor ceiling over
ADA area 4x10
shims in rows.
Check out gates

3/12/69 - *also told*
Mr Hamilton to be
sure & know we have
listing company get
them permit before starting
work. E.S.H.

4/24/69 - *Mat ready*
for final. E.S.H.

6/18/69 - *same E.S.H.*

10/16/69 - *close off*
del. beneath 7th.

10/22/68
11/22/68
12/22/68
1/22/69
2/22/69
3/22/69
4/22/69
5/22/69
6/22/69
7/22/69
8/22/69
9/22/69
10/22/69
11/22/69
12/22/69

242 Veranda St.

March 14, 1969

Rings Gas & Appliance Company
49 Main Street
Yarmouth, Maine

cc to: Doris E. Foley
244 Veranda Street

Gentlemen:

Permit to install two gas-fired forced hot water heating systems is issued herewith subject to the following requirements:

1. Clearances for the attic installation are to be maintained as per the A.G.A. requirements which are outlined in the specifications and installation instructions for this Model 2620F Coleman appliance.
2. Wherever the round heating ducts are installed in concealed places or are closer than an inch to the woodwork or combustible material they are required to be wrapped with 14 pound asbestos or equivalent.
3. The gas line feeding the attic installation should have adequate incombustible insulation between it and the chimney (it might be well to contact the Portland Gas Light Company for their recommendations in this regard).

Very truly yours,

Earle S. Smith
Plan Examiner I

ESS:m



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, March 14, 1969

PERMIT ISSUED 178 1969 CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 242 Veranda St. Use of Building Dwelling No Stories 2 New Building EX9006
Name and address of owner of appliance Doris E. Feley, 244 Veranda St.
Installer name and address Rings Gas & Appliance Company, 49 Main St. Telephone 846-5800

(2)- Gas General Description of Work Yarmouth Maine

To install Oil-fired forced hot air heating systems.

IF HEATER, OR POWER BOILER

Location of appliance Basement and attic Any burnable material in floor surface or beneath? concrete-basement, wood floor-attic
If so, how protected? Kind of fuel? oil gas Model 262D F-Coleman
Minimum distance to burnable material, from top of appliance or casing top of furnace 6"
From top of smoke pipe 18" From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 6" Type "B" metalbestos vent Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Labelled by underwriters' laboratories?
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank?
Type of floor beneath burner Size of vent pipe
Location of oil storage Number and capacity of tanks
Low water shut off Make No.
Will all tanks be more than five feet from any flame? How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Both units are equipped with automatic shutoffs.

Amount of fee enclosed? 3.00 (\$2.00 for one heater, etc., 31.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

Handwritten signature and date: C. S. S. 3/14/69

* Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Rings Gas & Appliance Company

Signature of Installer by: [Handwritten Signature]

CS 390

INSPECTION COPY

Handwritten initials: FM

NOTES

3/14/61 - Check on work on gas line ~~service~~ *work*

1011669 - Flange on B 4200 Com

Approved

Date of permit

Owner

Location

Permit No.

691178
 349 Nevada St
 Davis Co. Idaho
 3/14/69

Large blank lined area for notes, divided into two columns by a vertical line.

CITY OF PORTLAND, MAINE
Application for Permit to Install Wires

Permit No. 57566
 Issued 2/14/69
 Portland, Maine Feb. 14, 1969

To the City Electrician, Portland, Maine.

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address Doris E Foley Tel. _____
 Contractor's Name and Address Marina Elec Tel. 7743129
 Location 242 Veranda St. Use of Building Home
 Number of Families 2 Apartments _____ Stores _____ Number of Stories _____
 Description of Wiring: New Work Additions _____ Alterations _____

Pipe _____ Cable _____ Metal Molding _____ BX Cable _____ Plug Molding (No. of feet) _____
 No. Light Outlets 40 Plugs 40 Light Circuits 8 Plug Circuits _____
 FIXTURES: No _____ Fluor. or Strip Lighting (No. feet) _____
 SERVICE: Pipe _____ Cable Underground _____ No of Wires 3-2 Size _____
 METERS: Relocated _____ Added _____ Total No. Meters _____
 MOTORS: Number _____ Phase _____ H. P. _____ Amps _____ Volts _____ Starter _____
 HEATING UNITS: Domestic (Oil) _____ No. Motors _____ Phase _____ H.P. _____
 Commercial (Oil) _____ No. Motors _____ Phase _____ H.P. _____
 Electric Heat (No of Rooms) _____

APPLIANCES: No. Ranges _____ Watts _____ Brand Feeds (Size and No.) _____
 Elec. Heaters _____ Watts _____
 Miscellaneous _____ Watts _____ Extra Cabinets or Panels _____

Transformers _____ Air Conditioners (No. Units) _____ Sigs (No. Units) _____
 Will commence _____ 19 _____ Ready to cover in _____ 19 _____ Inspection will call
 Amount of Fee \$ 6.00

Signed Ralph J. Marini

DO NOT WRITE BELOW THIS LINE

SERVICE METER _____ GROUND
 VISITS: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____
 7 _____ 8 _____ 9 _____ 10 _____ 11 _____ 12 _____

REMARKS:

CS 222

INSPECTED BY B.T. 2/17/69 [Signature]
[Signature] (OVER)

LOCATION VERANDA ST 242
INSPECTION DATE 2/28/69
WORK COMPLETED 2/28/69
TOTAL NO. INSPECTIONS 1

REMARKS:

FEEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963

WIRING	
1 to 30 Outlets	\$ 2.00
31 to 60 Outlets	3.00
Over 60 Outlets, each Outlet	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	
SERVICES	
Single Phase	2.00
Three Phase	4.00
MOTORS	
Not exceeding 50 H.P.	3.00
Over 50 H.P.	4.00
HEATING UNITS	
Domestic (Oil)	2.00
Commercial (Oil)	4.00
Electric Heat (Each Room)	.75
APPLIANCES	
Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit	
	1.50
MISCELLANEOUS	
Temporary Service, Single Phase	1.00
Temporary Service, Three Phase	2.00

PERMIT TO INSTALL PLUMBING

3/6/69

Date Issued **3/4/69**
 Portland Plumbing Inspector
 By **ERNOLD R GOODWIN**

PERMIT NUMBER **116**

Address **242 Varanda Street**
 Installation For **Dwelling**
 Owner of Bldg **Mr. and Mrs. Joseph J. Foley**
 Owner's Address **242 Varanda Street**
 Plumber **Alan B. Rich**

Date: **3/4/69**

App. First Insp.
 Date **3/11/69**
 By **WALTER H. WALLACE**
DEPT. OF BUILDING AND INSPECTION


App. Final Insp.
 Date **3/20/69**
 By **WALTER H. WALLACE**
DEPT. OF BUILDING AND INSPECTION

- Type of Bldg.
- Commercial
 - Residential
 - Single
 - Multi Family
 - New Construction
 - Remodeling

NEW	REPL		NO	FEE
4		SINKS		
2		LAVATORIES	4	8.00
2		TOILETS	2	2.60
2		BATH TUBS	2	1.20
		SHOWERS	2	1.20
1 (Sub-occ.)		DRAINS TO FLOOR LAC SURFACE		
1		HOT WATER TANKS	1	.60
		TANKLESS WATER HEATERS	1	.60
		GARBAGE DISPOSALS		
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS		
		AUTOMATIC WASHERS		
		DISHWASHERS		
		OTHER		
			TOTAL	12 14.20

Building and Inspection Services Dept.; Plumbing Inspection

238-242 VERANDA STREET



PLUMBING APPLICATION

Department of Human Services
Division of Health Engineering
(207) 289-3826

PROPERTY ADDRESS

Town Or Plantation: Portland

Street Subdivision Lot #: 242 Vermont St

PROPERTY OWNERS NAME

Last: Wilson First: Charles

Applicant Name: Charles Wilson

Mailing Address of Owner/Applicant (if Different): Portland 2111

0126 PORTLAND *** 05170 ***

Date Permit Issued: 8.26.83

Local Plumbing (Initials or Signature): _____

L.P.I. #: _____

FEE: _____

Double Charged: _____

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: Charles Wilson Date: 8/26/83

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: Frank J. Gosselin Date Approved: 8/30/83

PERMIT INFORMATION

This Application is for:

1. NEW PLUMBING

2. RELOCATED PLUMBING

AUG 29 1983

Type Of Structure To Be Served:

1. SINGLE FAMILY DWELLING

2. MODULAR OR MOBILE HOME

3. MULTIPLE FAMILY DWELLING

4. OTHER - SPECIFY _____

Plumbing To Be Installed By:

1. MASTER PLUMBER

2. OIL BURNERMAN

3. MFG D HOUSING DEALER/MECHANIC

4. PUBLIC UTILITY EMPLOYEE

5. PROPERTY OWNER

LICENSE # L12216

Number	Hook-Ups And Piping Relocation	Number	Column 2 Type of Fixture	Number	Column 1 Type Of Fixture
	HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District		Hosebibb / Silcock		Bath (and Shower)
			Floor Drain		Shower (Separate)
			Urinal		Sink
	HOOK-UP: to an existing subsurface wastewater disposal system		Drinking Fountain		Wash Basin
			Indirect Waste		Water Closet (Toilet)
			Water Treatment Softener, Filter, etc		Clothes Washer
	PIPING RELOCATION of sanitary lines, drains, and piping without new fixtures		Gross/Oil Separator		Dish Washer
			Dental Cuspidor		Garbage Disposal
			Bidet		Laundry Tub
	Hook-Ups (Subtotal)		Other: _____	1	Water Heater
\$	Hook-Up Fee		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1
					Fixtures (Subtotal) Column 2
					Total Fixtures
				\$	Fixture Fee
				\$	Hook-Up Fee
				\$	Permit Fee (Total)

TOWN COPY

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE