

GRAND TRUNK WHARF

CHANDLER

Full cut # 020H - Half cut # 0262H - Third cut # 0203R - Film on # 0203H

CITY OF PORTLAND, MAINE  
DEPARTMENT OF BUILDING INSPECTION

Grand Trunk Railway  
1 India St.  
Portland, Maine

October 20, 1969

Gentlemen:

With relation to permit applied for to demolish a building or portion of building at #Pier 1-1-story frame building. It is unlawful to commence demolition work until a permit has been issued from this department. (freight House)

Section 6 of the Ordinance for rodent and vermin control provides: "It shall be unlawful to demolish any building or structure unless provision is made for rodent and vermin eradication. No permit for the demolition of a building or structure shall be issued by the Building Inspection Department until and unless provisions for rodent and vermin eradication have been carried out under supervision of a pest control operator registered with the Health Department.

The building permit for demolition cannot be issued until the provisions of this section have been satisfied. It is the obligation of owner or demolition contractor or both to take up with the Health Department the matter of complying with this section, being prepared to inform that department what registered pest control operator is to be employed.

Very truly yours,

*R. Lovell Brown*  
R. Lovell Brown  
Director

h  
Eradication of this building has been completed.

Contractor: owners

*Phillip M. ...* 10/21/69  
*Buildings Dept. Found signs of some rodent signs*

RECEIVED  
OCT 21 1969  
DEPT. OF BLDG. INSP.  
CITY OF PORTLAND



# APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class  
Portland, Maine, October 20 1969

**PERMIT ISSUED**  
**1039**  
**OCT 21 1969**  
**CITY of PORTLAND**

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Grand Trunk Wharf (Pier #1) Within Fire Limits? \_\_\_\_\_ Dist. No. \_\_\_\_\_  
 Owner's name and address Grand Trunk Railway, 1 India St. Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address owners Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans \_\_\_\_\_ No. of sheets \_\_\_\_\_  
 Proposed use of building \_\_\_\_\_ No. families \_\_\_\_\_  
 Last use \_\_\_\_\_ Freight House No. families \_\_\_\_\_  
 Material frame No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_  
 Estimated cost \$ \_\_\_\_\_ Fee \$ 5.00

### General Description of New Work

To demolish existing 1-story frame building (freight house) on Pier #1

Land to remain vacant.

Do you agree to tightly and permanently close all sewers or drains connecting with public or private sewers from this building or structure to be demolished, under the supervision and to the approval of the Dept. of Public Works of the City of Portland? Yes

Sent to Health Dept. 10/21/69  
Rec'd from Health Dept. 10/21/69

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO** owners

### Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewage? \_\_\_\_\_  
 Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Framing Lumber—Kind \_\_\_\_\_; Dressed or full size? \_\_\_\_\_ Corner posts \_\_\_\_\_ Sills \_\_\_\_\_  
 Size Girder \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

APPROVED:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

### Miscellaneous

Will work require disturbing of any tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Grand Trunk Railway  
[Signature]

INSPECTION COPY  
Signature of owner by: \_\_\_\_\_



INDUSTRIAL ZONE

# APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, October 25, 1968

PERMIT ISSUED  
1119  
OCT 25 1968  
CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment specifications, if any, submitted herewith and the following specifications:

Location Storage Shed at No. 2 Pier Canadian National Railway, 1 India Street Within Fire Limits? \_\_\_\_\_ Dist. No. \_\_\_\_\_

Owner's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_

Contractor's name and address Canadian National Railway, 1 India Street Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Telephone \_\_\_\_\_

Proposed use of building \_\_\_\_\_ Specifications \_\_\_\_\_ Plans \_\_\_\_\_ No. of sheets \_\_\_\_\_

Last use Storage Shed No. families \_\_\_\_\_

Material frame No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ No. families \_\_\_\_\_

Other buildings on same lot \_\_\_\_\_ Roofing \_\_\_\_\_

Estimated cost \$ \$100.00 Fee \$ 2.00

## General Description of New Work

To Demolish storage shed (existing) 18x20 10' high  
Land to remain vacant.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO Contractor**

## Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewage? \_\_\_\_\_  
Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cel'a \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
Framing Lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_ Corner posts \_\_\_\_\_ Sills \_\_\_\_\_  
Size Girder \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
On centers: \_\_\_\_\_ 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: \_\_\_\_\_ 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

## If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

## Miscellaneous

Will work require disturbing of any tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

APPROVED:

INSPECTION COPY

Signature of owner

by: Canadian National Railway

W.H. Cheaney

(COPY)

CITY OF PORTLAND, MAINE  
 Department of Building Inspection



# Certificate of Occupancy

LOCATION Grand Trunk Wharf

Date of Issue May 21, 1957

Issued to: Packing Corp.

This is to certify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No. 57/282, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Southwesterly portion about 50 feet  
 wide by 130 feet long of shed on Grand Trunk  
 Limiting Conditions: Wharf #1

Sardine Factory

This certificate supersedes  
 certificate issued

Approved:

5/21/57 *A. Allan Smith*  
 (Date) Inspector

*W. A. ...*  
 Inspector of Building

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.



INDUSTRIAL ZONE

# APPLICATION FOR PERMIT

PERMIT ISSUED  
00282

MAR 9 1957

Class of Building or Type of Structure Third Class  
Portland, Maine, March 7, 1957

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, Plans and specifications, if any, submitted herewith and the following specifications:

Location Grand Trunk Wharf Within Fire Limits? Dist. No.  
 Owner's name and address Holmes Packing Corp., Eastport, Maine Telephone 4-9113  
 Lessee's name and address Holmes Packing, Corp., Eastport, Maine Telephone 4-9113  
 Contractor's name and address owners Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets 1  
 Proposed use of building Sardine Factory No. families \_\_\_\_\_  
 Last use Storage shed No. families \_\_\_\_\_  
 Material frame \_\_\_\_\_ No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_ Fee \$ 5.00  
 Estimated cost \$ 5000.

### General Description of New Work

To Change Use of building from storage shed (Grand Trunk Shed #1) to Sardine Factory  
 To erect non-bearing partition as shown on plan  
1" boards, 2x4 studs, 16" O.C.  
 To provide hardware on doors as shown on plan

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO** Holmes Packing Corp.

### Details of New Work

Is any plumbing involved in this work? Yes Is any electrical work involved in this work? Yes  
 Is connection to be made to public sewer? \_\_\_\_\_ If not, what is proposed for sewer? \_\_\_\_\_  
 Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, height? \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will work require disturbing of any tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes  
Holmes Packing Corp.

APPROVED:

*with letter by AGJ*

By:

Signature of owner

*M. J. ...*

INSPECTION COPY

NOTES

- Vestibule catches on all doors -  
 - Exit signs - All on doors -  
 - Check around doors to see if they swing out.  
 - Permit needed for Partitions  
 - Heating equipment  
 - C.O. - needed

3/22/57 - Cement floor  
 completed for 1st entrance  
 Dial of work to be done  
 4/12/57 - Heating unit being put in  
 Field the foreman that the  
 A.H. Co. should get a permit  
 right off so that they would not  
 be in the way. They should  
 have a permit to change. - Allen  
 5/13/57 - Vestibule catches -  
 Exit signs - Exit doors -  
 done - Allen  
 5/16/57 - Cement needed for  
 partitions around the  
 5' wide doors and signs  
 vestibule catches - Allen  
 5/17/57 - Referral for  
 O'Hara to call - Allen  
 5/17/57 - Talked with  
 O'Hara about partitions &  
 exits - Allen

Permit No. 57/1282  
 Location  
 Owner  
 Date of permit  
 Notif. closing in  
 Inspn. closing in  
 Final Inspn. 5/11/57 - 11:30 A.M.  
 Cert. of Occupancy issued 5/21/57  
 Staking Out Notice  
 Form Check Notice

(The following text is mirrored and upside-down in the original image)

If possible, the contractor should provide foreman or those in charge of the work to be done to the building manager or those in charge of the building. The name of the person in charge of the building should be given to the contractor. The contractor should be notified of the building manager's name and address. The contractor should be notified of the building manager's name and address. The contractor should be notified of the building manager's name and address.

Memorandum from Department of Building Inspection, Portland, Maine  
Grand Trunk Wharf #1--Installation of fuel oil storage tank for Holmes Packing  
Corp. by R. J. Allen, installer--4/24/57

Before tank and piping is covered from view, installer is required to  
notify Fire Department Headquarters of readiness for inspection and to refrain  
from covering up until approved by Fire Department.

This tank of 5000 gallons capacity is required to be of steel or  
wrought iron no less in thickness than  $\frac{1}{2}$ " and before installation is re-  
quired to be protected against corrosion, even though galvanized, by two  
coats of tar, asphaltum, or other suitable rust-resisting paint, and special  
protection wherein corrosive soil such as cinders or the like.

Pipe lines connected to underground tanks, other than tubing and exact  
fill lines and test wells, must be provided with double swing joints arranged  
to permit the tank to settle without impairing the efficiency of the pipe  
connections.

Owner and installer will have to bear the responsibility for the  
structural capacity of the tank to support loads from above such as heavy  
motor trucks.

If tank will be so located as to be subjected to the action of tide  
water or "ground" water, adequate anchorage or weighting must be provided to  
prevent "floating" when tank is empty or nearly so.

VHC2/D

CC: Holmes Packing Corp.  
5 Commercial St.

Fire Department

(Signed) Warren McDonald  
Inspector of Buildings

5/19/57  
Copy to  
Mr. Boardman



April 11, 1957

AP 5 Commercial St. (Grand Trunk Wharf)--Installation of 5000 gallon fuel oil storage tank underground

Holmes Packing Corporation  
5 Commercial St.  
Mr. R. J. Allen  
43 Myrtle St.

Copies to Holmes Packing Corp.  
Chief of the Fire Dept.

Gentlemen:

Considerable more information is needed to show compliance with Building Code regulations with regard to the above installation before we can issue the permit for the installation. Mr. Allen has told us of the need of making an excavation to find out just how and where the tank will be placed. We have told him that there is no objection to making the excavation before the permit is issued; but under the Building Code that must be the extent of the work until the building permit for the installation of the tank has actually been issued.

Before the permit can be issued, the approval of the Fire Chief is required upon it, and he advises that a plan will be necessary to show the measures you will take to keep the tank from "floating" in case the tank should be empty or nearly so at time of extremely high tide or unusual conditions of ground water level. This anti-floating arrangement usually consists of a concrete slab of sufficient thickness covering the entire area of the tank to act not only as a foundation for the tank but as a counterweight. A tank is usually secured to the concrete base by means of a sufficient number of "hoops" running from the slab up over the tank. This plan should be prepared by someone acquainted with the usual means of designing against "floating" and the thickness and reinforcement of slab, the size, number and the spacing of hoops should be indicated, as well as the depth of the top of the tank below the finished surface of the ground, Mr. Allen's application saying that the top of the tank will be three feet underground.

Also needed is the design plan of the tank showing the thickness of shell, the material of the tank, all joint connections or braces, etc. It is my impression that the tank is to be manufactured by the Dick Company of Gardiner, a representative of that company having phoned me about the proposition, I believe for this same tank. If he was talking about your tank in this connection, he said that the tank would not normally bear the label of Underwriters' Laboratories, Inc. for an underground tank; but that they were able to attach the certification of the American Society of Mechanical Engineers. If the tank will actually bear upon it the label of Underwriters' Laboratories, Inc. for an underground tank, no design plans are needed. If it does not bear that label, full design plans are needed, and, should be supplied by the Dick Company and furnished with the application for the permit by way of a blueprint with all of the information on it.

Holmes Packing Corporation  
Mr. H. J. Allen

April 11, 1957

printed from the original and bearing the statement of design required by the Building Code. Enclosed is a blank statement of design for you to give to the actual designer of the tank and this statement should be adjusted to indicate the particular job involved and also to include specifically any welded joints.

If the welding were to be done within the Portland area, all welding operators working on the tank would be required to hold effective certification from this department. If the welding is to be done outside of the Portland area, this requirement may be satisfied by having the manufacturer of the tank furnish the following written and signed statement.

"This is to certify all welding upon the 5000 gallon fuel oil storage tank to be installed for Holmes Packing Corp. at 5 Commercial St. in Portland, Me. has been or will be performed by welding operators who have been duly qualified under the qualification procedure established by the American Welding Society."

(Title)

If desired the anti-floating arrangement and the design of the tank may be shown all on one plan if designed by the same party, but in any case the plan or plans should bear the statement of design called for by Section 104b3 of the Building Code (copy of blank statement enclosed which should be adjusted to indicate the particular job and to include the design of the welded joints specifically).


No doubt the time factor in putting the plant in operation is of great importance. You will find that we will move just as fast as we can as soon as the above information has been supplied.


Very truly yours,

Warren McDonald  
Inspector of Buildings

WMC/D  
Enc: Blank statement of design

312







# APPLICATION FOR PERMIT

Class of Building or Type of Structure

Portland, Maine

April 5, 1957

PERMIT ISSUED

00508

APR 24 1957

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~construct~~ install the following ~~structure~~ equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Grand Trunk Wharf #1 Within Fire Limits? DOB Dist. No. \_\_\_\_\_

Owner's name and address \_\_\_\_\_ Telephone \_\_\_\_\_

Lessee's name and address Holmes Packing Corp., Eastport, Me. Telephone 4-8783

Contractor's name and address R. J. Allen, 43 Myrtle St. Telephone \_\_\_\_\_

Architect \_\_\_\_\_ Telephone \_\_\_\_\_

Proposed use of building \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets 1

Last use \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ No. families \_\_\_\_\_

Material \_\_\_\_\_ Style of roof \_\_\_\_\_ No. families \_\_\_\_\_

Other buildings on same lot \_\_\_\_\_ Roofing \_\_\_\_\_

Estimated cost \$ \_\_\_\_\_ Fee \$ 1.00

## General Description of New Work

To install 1-5000 gallon fuel oil storage tank, ~~24"~~ side underground. 2" vent pipe. Tank bears Underwriters label.

Permit Issued with Memo

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO installer**

4/5/57  
4/9/57

## Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_  
 Is connection to be made to public sewer? \_\_\_\_\_  
 Has septic tank notice been sent? \_\_\_\_\_  
 Height average grade to top of plate \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ No. stories \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Height \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ Roof covering \_\_\_\_\_ Thickness \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 2 feet. \_\_\_\_\_  
 Joists and rafters: \_\_\_\_\_  
 On centers: \_\_\_\_\_  
 Maximum span: \_\_\_\_\_  
 1st floor \_\_\_\_\_ 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof \_\_\_\_\_  
 1st floor \_\_\_\_\_ 2nd \_\_\_\_\_ 3rd \_\_\_\_\_ roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

## Miscellaneous

Will work require disturbing of any tree on a public street? \_\_\_\_\_  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes  
 Holmes Packing Corp.

APPROVED:  
  
 CHIEF OF FIRE DEPT.

INSPECTION COPY  
 Signature of owner by: R. J. Allen

513/57-2nd all  
FOR PERMIT

NOTES

Permit No. 11508  
 Location 11th St  
 Owner ...  
 Date of permit ...  
 Notice closing in ...  
 Inspt. closing in ...  
 Final Notice ...  
 Final Inspt. ...  
 Cert. of Occupancy issued ...  
 Stating Out-Notice ...  
 Form Check Notice ...

This permit is issued under the authority of the State of California, Department of Public Health, and is valid for the purpose stated herein. The holder of this permit is required to comply with all applicable laws, rules, and regulations.

I, the undersigned, hereby certify that the information furnished is true and correct.

Signature: \_\_\_\_\_  
 Title: \_\_\_\_\_

APPROVED: \_\_\_\_\_  
 Title: \_\_\_\_\_

If one copy is retained by the applicant, the other copy shall be retained by the Department of Public Health.

The holder of this permit shall be in charge of the above work and shall maintain the same in accordance with the requirements of the Health Code.

EXPIRES: \_\_\_\_\_

Tanks and Specialties  
Smoke Stacks  
Flame Shape Cutting

---

Fabrication of  
Bar, Plate and  
Structurals

Phone 68 or 69

Established 1890

# T. W. Dick Company, Inc.

Warehouse Service STEEL Fabrication  
1 to 23 SUMMER STREET  
Gardiner -:- Maine

*Grand Staircase  
#1*

Warren McDonald  
Inspector of Buildings  
Room 110  
City # 4  
Portland, Maine

April 17, 1957

*File  
in the  
Holmes  
April for  
Lambert  
O. H. Sullivan  
not to be used  
WMM  
4/18/57*

Dear Sir:

This is to certify that a certain 5000 gallon Fuel Oil Storage Tank to be installed underground for Holmes Packing Company at 5 Commercial Street, Portland, Maine, has been designed according to the latest rules of engineering practice and to comply with allowable working stresses required by the building code of Portland, this including the design of the welded joints; and also to certify that all welding operators performing welding on this tank have been certified under the qualification procedure of the American Welding Society within one year prior to the date of welding this tank.

Very truly yours,

T. W. Dick Co., Inc.

By *Arthur J. Dick*, President

RTD:mec

RECEIVED  
APR 16 1957  
DEPT. OF BLDG. INSP.  
CITY OF PORTLAND



# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. #1

Portland, Maine, May 16, 1957

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 57/282 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location .. Grand Trunk Wharf .. Within Fire Limits? .. Dist. No. ....  
 Owner's name and address .. Grand Trunk Railroad .. Telephone ..  
 Lessee's name and address .. Holmes Packing Corp. Eastport Maine .. Telephone 4-8983 ..  
 Contractor's name and address .. owners .. Telephone ..  
 Architect .. .. Plans filed Yes No. of sheets 1 ..  
 Proposed use of building .. Sardine Factory .. No. families ..  
 Last use .. Storage Shed .. No. families ..  
 Increased cost of work \$500.00 .. Additional fee 1.00 ..

## Description of Proposed Work

erect  
 To partition 11' high 20' wide to provide Ladies Toilet room  
 To partition off 7' x 10' Men's Toilet room  
 2x4 studs, 16" inches on center covered with plywood on side.

## Details of New Work

Is any plumbing involved in this work? ..  
 Is any electrical work involved in this work? ..  
 Height average grade to top of plate ..  
 Height average grade to highest point of roof ..  
 Size, front .. depth .. No. stories .. solid or filled land? .. earth or rock? ..  
 Material of foundation .. Thickness, top .. bottom .. cellar ..  
 Material of underpinning .. Height .. Thickness ..  
 Kind of roof .. Rise per foot .. Roof covering .. of lining ..  
 No. of chimneys .. Material of chimneys .. Dressed or full size? ..  
 Framing lumber—Kind .. Sills .. Girt or ledger board? .. Size ..  
 Corner posts .. .. Columns under girders .. Size .. Max. on centers ..  
 Girders .. Size .. ..  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: .. 1st floor .. 2nd .. 3rd .. roof ..  
 On centers: .. 1st floor .. 2nd .. 3rd .. roof ..  
 Maximum span: .. 1st floor .. 2nd .. 3rd .. roof ..

Grand Trunk Railroad  
 Holmes Packing Corp.  
 Signature of Owner by *Stanley J. ...*  
 Approved: 5/21/57 *W.H.G.* Inspector of Buildings





# APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. 57/282  
May 16, 1957  
Portland, Maine.

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 57/282 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location Grand Trunk Railroad Within Fire Limits?  Dist. No.         

Owner's name and address Grand Trunk Railroad Telephone 4-8733

Lessee's name and address Holmes Packing Corp. Eastport Maine Telephone         

Contractor's name and address owners Telephone         

Architect          Plans filed          No. of sheets 1

Proposed use of building Sardine Factory No. families         

Last use Storage shed No. families         

Increased cost of work \$500.00 Additional fee 1.00

### Description of Proposed Work

erect  
To partition 11' high 20' wide to provide ladies toilet room  
to partition off 7' x 10' men's toilet room  
2x4 studs, 16" inches on center covered with plywood on side.

### Details of New Work

Is any plumbing involved in this work?  Is any electrical work involved in this work?

Height average grade to top of plate          Height average grade to highest point of roof         

Size, front          depth          No. stories          solid or filled land?          earth or rock?         

Material of foundation          Thickness, top          bottom          cellar         

Material of underpinning          Height          Thickness         

Kib of roof          Rise per foot          Roof covering          of lining         

No. of chimneys          Material of chimneys          Dressed or full size?         

Framing lumber—Kind          Sills          Girt or ledger board?          Size         

Corner posts          Columns under girders          Size          Max. on centers         

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor         , 2nd         , 3rd         , roof         

On centers: 1st floor         , 2nd         , 3rd         , roof         

Maximum span: 1st floor         , 2nd         , 3rd         , roof         

Approved:         

Grand Trunk Railroad  
Holmes Packing Corp.  
Signature of Owner W. W. W. W.  
5/21/57  
Approved:          Inspector of Buildings

APPLICANT'S COPY

March 8, 1957

AP - Grand Trunk Wharf

Copy to Canadian National Railways  
1 India Street

Holmes Packing Corporation  
Eastport, Maine

Gentlemen:-

Building permit for making alterations to portion of Grand Trunk Shed #1 as indicated on plan filed with application for permit to provide a loading factory there is issued herewith subject to the following conditions:-

1. All of existing double and single three-foot wide doors in both side walls of building are to be equipped as for emergency means of egress. This means that each single door and the working door of each pair of double doors are to be equipped with vestibule latches so arranged that anyone at anytime may open such doors from inside the building without the use of a key even though they are locked against entrances from the outside merely by turning the usual knob or by pressure on the usual thumb lever.

2. Since each leaf of the entrance doors at the front of the building is only 2 1/2 feet wide, it is necessary in the case of this opening to install a vestibule latchset on the working door and anti-panic hardware with push bar extending across the door on the standing door; or, if desired, anti-panic bars may be installed on both doors.

3. Exit signs with letters at least 6 inches high are to be provided over all exit doors except the one at the front of the building used primarily for entrance purposes.

4. If the existing doors at inner end of corridor near front of building are to remain, they will need to be made to swing outward in the direction of exit travel and equipped with a vestibule latchset on the working door if they are to have any locking devices on them.

5. Because of the height of the building, it seems likely that 2x6 instead of 2x4 studs will be needed for framing of the new partition at the outer end of the building. Cross bracing between studs may also be needed to provide adequate stiffness.

6. This permit covers only such work as is shown on plan. If office or toilet room partitions are to be erected, they will need to be covered by an amendment to this permit before work on them is started and with application therefor will need to be filed a plan showing the partition arrangement.

7. A separate permit issuable only to the actual installer is required for installation of the heating equipment. Since this equipment is to be located on the combustible wharf construction, full information will be needed concerning

Holmes Packing Corporation - - - - #2

March 8, 1957

the type of equipment, as to whether it is approved for use without protection on a combustible floor or whether provision of an insulated base will be necessary. Information is also needed as to how it is to be vented, whether to a masonry chimney, metal stack, or a labelled pre-fabricated chimney. There are certain regulations governing all of these different types of stacks, but it seems useless to go into them until it is known definitely just what is to be used. If the heating equipment is to be oil-fired, it is also important that information be furnished as to size of tank and whether it is to be located above or below ground.

8. A certificate of occupancy is required from this department before the factory is put into operation.

Very truly yours,

Albert J. Sears  
Deputy Inspector of Buildings

AJS/g

3/7/57  
City of Boston  
T.M.



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED

00470 APR 17 1957

Portland, Maine, April 17, 1957

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location: Grand Trunk Wharf #1 Use of Building: Fish processing No. Stories: 1 New Building: Existing Name and address of owner of appliance: Holmes Packing Co., Eastport, Me. Installer's name and address: OWNERS Telephone:

General Description of Work

To install steam boiler and oil burning equipment

IF HEATER, OR POWER BOILER

Location of appliance: first floor boiler room Any burnable material in floor surface or beneath? yes If so, how protected? concrete and tile base Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace 3' From top of smoke pipe From front of appliance over 4' From sides or back of appliance over 3' Size of chimney flue Other connections to same flue If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner: Ray Labelled by underwriters' laboratories? yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? top Type of floor beneath burner: concrete and tile Size of vent pipe by others Location of oil storage: outside underground Number and capacity of tanks: 1-5000 gal by others Low water shut off: yes Make: McDonnell Miller No. 157 Will all tanks be more than five feet from any flame? yes How many tanks enclosed? Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Steel stack will be installed by others Burner is listed under Underwriters Lab. Guide 160E815 Agt. Crasby & Siegars - A-1181

Amount of fee enclosed? 2.00 (\$2.00 for water, etc., 50 cents additional for each additional heater, etc.; in same building at same time.)

APPROVED: [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Holmes Packing Co.

INSPECTION COPY

Signature of Installer by: C. D. Rodgers - Crasby Siegars In Holmes Packing

April 8, 1957

AP - Grand Trunk Wharf

Copies to: Holmes Packing Corp.  
Eastport, Maine  
Canadian National Railways  
1 India Street

M. B. Bourne & Son  
56 Cross Street

Gentlemen:-

Permit for installation of steel stack through roof of section of Grand Trunk Shed #1 is issued herewith based on plan filed with application for permit but subject to the following conditions:-

1. Ventilating thimble is to be supported on roof framing rather than on stack as indicated.
2. Permit is issued on the basis that appliance to be connected to the stack is to have an operating pressure of not over 15 pounds per square inch and that stack temperature at any time will not exceed 750 degrees Fahrenheit.

Very truly yours,

Albert J. Sears  
Deputy Inspector of Buildings

AJS/G

5/7/57  
copy to mail hand

Miss P  
5/1/57  
J. P. [unclear]



# APPLICATION FOR PERMIT

PERMIT ISSUED  
00431  
APR 5 1957

Class of Building or Type of Structure Steel Stack  
Portland, Maine, April 5, 1957

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Grand Trunk Wharf Within Fire Limits? \_\_\_\_\_ Dist. No. \_\_\_\_\_  
 Owner's name and address Grand Trunk Railroad Telephone \_\_\_\_\_  
 Lessee's name and address Holmes Packing, Corp., Eastport, Me. Telephone \_\_\_\_\_  
 Contractor's name and address M. B. Bourne & Son, 56 Cross St. Telephone 2-3907  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets 1  
 Proposed use of building Sardine Factory No. families \_\_\_\_\_  
 Last use \_\_\_\_\_ No. families \_\_\_\_\_  
 Material \_\_\_\_\_ No. stories \_\_\_\_\_ Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_ Fee \$ 2.00  
 Estimated cost \$ 375.00

## General Description of New Work

To erect steel stack as per sketch

Permit Issued with Letter

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO** M. B. Bourne & Son

## Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Is connection to be made to public sewer? \_\_\_\_\_ If connection is proposed for sewer? \_\_\_\_\_  
 Has septic tank notice been sent? \_\_\_\_\_ Form notice sent? \_\_\_\_\_  
 Height average grade to top of \_\_\_\_\_ Height: average grade to highest point of roof \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

## If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

## Miscellaneous

Will work require disturbing of any tree on a public street? \_\_\_\_\_ no \_\_\_\_\_  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

APPROVED:

*with letter by [Signature]*

Holmes Packing Corp.  
M. B. Bourne & Son

Signature of owner By: *[Signature]*

INSPECTION COPY



(D) INDUSTRIAL ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Gas Tank Installation

Portland, Maine, Jan. 17, 1946

PERMIT ISSUED 00080 JAN 17 1946

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to erect after repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Commercial St. Grand Trunk Pier #1
Owner's name and address Socony Vacuum Oil Co. Inc. 42 Main St. So. Portland
Contractor's name and address T.H. Stokes 355 Pride St. Westbrook
Architect T.H. Stokes 355 Pride St. Westbrook
Proposed use of building Gas Tank Installation
Last use
Material No. stories Heat Style of roof
Other buildings on same lot
Estimated cost \$ 100

General Description of New Work

To install 550 gallon tank for gasoline storage to be furnished by Tank will be underground and painted with asphaltum. Tank bears Underwriter's label. Tank to be 3' below grade. Minimum size of piping one and one half inches

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.
CERTIFICATE OF OCCUPANCY REQUIREMENT IS WAIVED

Details of New Work

Is any plumbing work involved in this work?
Is any electrical work involved in this work?
Height average grade to top of plate
Height average grade to highest point of roof
Material of foundation
Material of underpinning
Kind of roof
No. of chimneys
Rise per foot
Material of chimneys
Roof covering
Thickness
Corner posts
Sills
Girt or ledger board?
Kind of heat
Girders
Size
Columns under girders
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters:
On centers:
Maximum span:
1st floor, 2nd, 3rd, roof
1st floor, 2nd, 3rd, roof
1st floor, 2nd, 3rd, roof
If one story building with masonry walls, thickness of walls?
If a Garage
No. cars now accommodated on same lot, to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes T.H. Stokes

APPROVED:

Signature of owner: Thomas H. Stokes

INSPECTION COPY

Signature of owner

PAID



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

## APPLICATION FOR PERMIT TO BUILD (3D CLASS BUILDING)

12/1/24  
Portland, Me., Nov 29, 1924 19

TO THE  
INSPECTOR OF BUILDINGS

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Location Grand Trunk Wharf Ward 4 Fire Limits? yes no.  
 Name of owner? Grand Trunk Railway Address India Street  
 Name of mechanic is? owner Address \_\_\_\_\_  
 Name of architect is? \_\_\_\_\_ Address \_\_\_\_\_  
 Proposed occupancy of building (purpose)? smoking shed  
 If a dwelling or tenement house, for how many families? \_\_\_\_\_  
 Are there to be stores in the lower story? Rides and roof to be covered with metal  
 Size of lot, No. of feet front? \_\_\_\_\_; No. of feet rear? \_\_\_\_\_; No. of feet deep? \_\_\_\_\_  
 Size of building, No. of feet front? 18ft; No. of feet rear? 18ft; No. of feet deep? 20ft  
 No. of stories, front? 1; rear? \_\_\_\_\_  
 No. of feet in height from the mean grade of street to the highest part of the roof? 12ft  
 Distance from lot lines, front? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; rear? \_\_\_\_\_  
 Firestop to be used? yes  
 Will the building be erected on solid or filled land? solid  
 Will the foundation be laid on earth, rock or piles? \_\_\_\_\_  
 If on piles, No. of rows? \_\_\_\_\_ distance on centers? \_\_\_\_\_ length of? \_\_\_\_\_  
 Diameter, top of? \_\_\_\_\_ diameter, bottom of? \_\_\_\_\_  
 Size of posts, 4x6 Studding 2x4 16 O.C. Sills 4x8 Roof Rattens 2x6 24 O.C. Girders 6x8  
 Size of girts 4x4  
 Size of floor timbers? 1st floor cinder, 2d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_  
 O.C. " " " " \_\_\_\_\_, 2d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_  
 Span " " " " \_\_\_\_\_, d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_  
 Will the building be properly braced? yes. bridging in every floor span over 8ft  
 Building, how framed? \_\_\_\_\_  
 Material of foundation? posts thickness of? \_\_\_\_\_ laid with mortar? \_\_\_\_\_  
 Underpinning, material of? \_\_\_\_\_ height of? \_\_\_\_\_ thickness of? \_\_\_\_\_  
 Will the roof be flat, pitch, mansard or hip? pitch Material of roofing? asphalt  
 Will the building be heated by steam, furnaces, stoves or grates? \_\_\_\_\_ Will the flues be lined? \_\_\_\_\_  
 Will the building conform to the requirements of the law? yes  
 Means of egress? \_\_\_\_\_

If the building is to be occupied as a Tenement House, give the following particulars

What is the height of cellar or basement? \_\_\_\_\_  
 What will be the clear height of first story? \_\_\_\_\_ second? \_\_\_\_\_ third? \_\_\_\_\_  
 State what means of egress is to be provided \_\_\_\_\_  
 \_\_\_\_\_ S\_\_\_\_\_tle and stepladder to roof?

Estimated Cost,  
\$ 300.

Signature of owner or authorized representative, \_\_\_\_\_

Address, Bo B. Hyst Rickman

Plans submitted? \_\_\_\_\_

Received by? \_\_\_\_\_

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand.

PERMIT MUST BE RECEIVED BEFORE BEGINNING WORK



Location, Ownership and detail must be correct, complete and legible.  
Separate application required for every building.  
Plans must be filed with this application.



# Application for Permit for Alterations, etc.

Portland, Me., November 21, 1924

To the INSPECTOR OF BUILDINGS:  
The undersigned applies for a permit to alter the following described building:—  
Location Grand Trunk Wharf Ward 3 in fire-limits? yes  
Name of Owner or Lessee, Grand Trunk Railway Co Address 1 India St  
Contractor, owners " " " " " "

Description of Present Bldg.

" Architect, \_\_\_\_\_  
Material of Building is wood Style of Roof, flat Material of Roofing, asphalt  
Size of Building is 301ft feet long; 57ft feet wide. No. of Stories, 1  
Cellar Wall is constructed of \_\_\_\_\_ is \_\_\_\_\_ inches wide on bottom and batters to \_\_\_\_\_ inches on top.  
Underpinning is \_\_\_\_\_ is \_\_\_\_\_ inches thick; is \_\_\_\_\_ feet in height.  
Height of Building \_\_\_\_\_ Wall, if Brick; 1st, \_\_\_\_\_ 2d, \_\_\_\_\_ 3d, \_\_\_\_\_ 4th, \_\_\_\_\_ 5th, \_\_\_\_\_  
What was Building last used for? freight sheds No. of Families? \_\_\_\_\_  
What will Building now be used for? freight sheds

### Detail of Proposed Work

Rebuild portion no 1 S.S. Shed 71ft long 58 ft wide  
Rebuild portion no 2 S.S. Shed 128 ft 8 inches long 91 ft wide  
all to comply with the building ordinance  
Estimated Cost \$175,000

### If Extended On Any Side

Size of Extension, No. of feet long? \_\_\_\_\_; No. of feet wide? \_\_\_\_\_; No. of feet high above sidewalk? \_\_\_\_\_  
No. of Stories high? \_\_\_\_\_; Style of Roof? \_\_\_\_\_; Material of Roofing? \_\_\_\_\_  
Of what material will the Extension be built? \_\_\_\_\_ Foundation? \_\_\_\_\_ inches.  
If of Brick, what will be the thickness of External Walls? \_\_\_\_\_ inches; and Party Walls \_\_\_\_\_ inches.  
How will Extension be occupied? \_\_\_\_\_ How connected with Main Building? \_\_\_\_\_

### When Moved, Raised or Built Upon

No. of Stories in height when Moved, Raised, or Built upon? \_\_\_\_\_ Proposed Foundations? \_\_\_\_\_  
No. of feet high from level of ground to highest part of Roof to be? \_\_\_\_\_ Party Walls \_\_\_\_\_  
How many feet will the External Walls be increased in height? \_\_\_\_\_

### If Any Portion of the External or Party Walls Are Removed

Will an opening be made in the Party or External Walls? \_\_\_\_\_ in \_\_\_\_\_ Story.  
Size of the opening? \_\_\_\_\_ How protected? \_\_\_\_\_  
How will the remaining portion of the wall be supported? \_\_\_\_\_  
Signature of Owner or Authorized Representative: Grand Trunk Railway Co  
Address: 107 N. P. Street  
85 Exchange St.  
Portland, Maine

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

26.25



Location, Ownership and detail must be correct, complete and legible.  
 Separate application required for every building.  
 Plans must be filed with this application.

## Application for Permit for Alterations, etc.

To the INSPECTOR OF BUILDINGS: Portland, December 20, 1922 192

The undersigned applies for a permit to alter the following described building:—

Location Grand Trunk Wharf Ward, 4 in fire-limits? YES  
 Name of Owner or Lessee, Grand Trunk R. R. System Address Grand Trunk Wharf  
 " " Contractor, owner " "  
 " " Architect " "

Descrip-  
 on of  
 present  
 bldg.

Material of Building is wood Style of Roof, pitch Material of Roofing, asphalt  
 Size of Building is 78ft feet long; 48ft feet wide. No. of Stories, 1  
 Cellar Wall is constructed of plaster is \_\_\_\_\_ inches wide on bottom and batters to \_\_\_\_\_ inches on top.  
 Underpinning is \_\_\_\_\_ is \_\_\_\_\_ inches thick, is \_\_\_\_\_ feet in height.  
 Height of Building, 12ft Wall, if Brick; 1st, \_\_\_\_\_ 2d, \_\_\_\_\_ 3d, \_\_\_\_\_ 4th, \_\_\_\_\_ 5th, \_\_\_\_\_  
 What was Building last used for? freight shed No. of Families? \_\_\_\_\_  
 What will Building now be used for? same

### DETAIL OF PROPOSED WORK

Rebuild shed that caved in by building of wood with whole exterior sides and roof covered with metal, size 48x78 all to comply with the building ordinance

Estimated Cost \$ 2,000.

### IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? \_\_\_\_\_; No. of feet wide? \_\_\_\_\_; No. of feet high above sidewalk? \_\_\_\_\_  
 No. of Stories high? \_\_\_\_\_; Style of Roof? \_\_\_\_\_; Material of Roofing? \_\_\_\_\_  
 Of what material will the Extension be built? \_\_\_\_\_ Foundation? \_\_\_\_\_  
 If of Brick, what will be the thickness of External Walls? \_\_\_\_\_ inches; and Party Walls \_\_\_\_\_ inches.  
 How will the extension be occupied? \_\_\_\_\_ How connected with Main Building? \_\_\_\_\_

### WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised, or Built upon? \_\_\_\_\_ Proposed Foundations \_\_\_\_\_  
 No. of feet high from level of ground to highest part of Roof to be? \_\_\_\_\_  
 How many feet will the External Walls be increased in height? \_\_\_\_\_ Party Walls \_\_\_\_\_

### IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? \_\_\_\_\_ in \_\_\_\_\_ Story.  
 Size of the opening? \_\_\_\_\_ How protected? \_\_\_\_\_  
 How will the remaining portion of the wall be supported? \_\_\_\_\_

Signature of Owner or Authorized Representative

Address

H. J. Chapman Sup. of B. & O.  
#1 India St.

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK